arXiv:1006.3787v6 [cs.CL] 18 Jul 2010

Complete Complimentary Results Report of the MARF's NLP Approach to the DEFT 2010 Competition

Serguei A. Mokhov
Concordia University
Montreal, QC, Canada
`mokhov@cse.concordia.ca`

Abstract

This companion paper complements the main DEFT'10 article [15] describing the MARF approach to the DEFT'10 NLP challenge. This paper is aimed to present the complete result sets of all the conducted experiments and their settings in the resulting tables highlighting the approach and the best results, but also showing the worse and the worst and their subsequent analysis. This particular work focuses on application of the MARF's classical and NLP pipelines to identification tasks within various francophone corpora to identify decades when certain articles were published for the first track (Piste 1) and place of origin of a publication (Piste 2), such as the journal and location (France vs. Quebec). This is the forth iteration of the release of the results.

Contents

1 Introduction **16**
1.1 MARF . . . 16
1.2 DEFT2010 . . . 16

2 Methodology **16**
2.1 Classical MARF Pipeline Approach . . . 17
2.2 Small Increase In the Article Text Size . . . 17
2.3 Titles vs. Texts . . . 17

3 The `DEFT2010App` MARF Application **17**
3.1 Requirements . . . 17
3.2 Options . . . 17

4 Results **20**
4.1 Piste 1 / Track 1: Decades . . . 20
4.1.1 Testing on the evaluation data . . . 22
4.1.2 Training and testing on training Data . . . 75
4.2 Piste 2 / Track 2: Place of Origin . . . 111
4.2.1 Results for testing data for text-only processing . . . 113
4.2.2 Results for training data for text-only processing . . . 168
4.2.3 Results for testing data for title+text processing . . . 271
4.2.4 Results for training data for title+text processing . . . 326
4.2.5 Results for testing data for title-only processing . . . 415
4.2.6 Results for training data for title-only processing . . . 470

References **547**

Index **549**

List of Tables

1 Consolidated results (piste1-result1-marf-eval-stats–fast), Part 1. 22
2 Consolidated results (piste1-result1-marf-eval-stats–fast), Part 2. 23
3 Consolidated results (piste1-result1-marf-eval-stats–fast), Part 3. 24
4 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-noise-raw-aggr-cheb.prexml.xml 25
5 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-noise-raw-aggr-cos.prexml.xml 26
6 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-noise-raw-aggr-diff.prexml.xml 27
7 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-noise-raw-aggr-eucl.prexml.xml 28
8 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-noise-raw-fft-cheb.prexml.xml 29
9 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-noise-raw-fft-cos.prexml.xml 30
10 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-noise-raw-fft-diff.prexml.xml 31
11 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-noise-raw-fft-eucl.prexml.xml 32
12 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-norm-aggr-cheb.prexml.xml 33
13 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-norm-aggr-cos.prexml.xml 34
14 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-norm-aggr-diff.prexml.xml 35
15 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-norm-aggr-eucl.prexml.xml 36
16 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-norm-fft-cheb.prexml.xml 37
17 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-norm-fft-cos.prexml.xml 38
18 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-norm-fft-diff.prexml.xml 39
19 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-norm-fft-eucl.prexml.xml 40
20 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-raw-aggr-cheb.prexml.xml 41
21 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-raw-aggr-cos.prexml.xml 42
22 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-raw-aggr-diff.prexml.xml 43
23 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-raw-aggr-eucl.prexml.xml 44
24 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-raw-fft-cheb.prexml.xml 45
25 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-raw-fft-cos.prexml.xml 46
26 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-raw-fft-diff.prexml.xml 47
27 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-raw-fft-eucl.prexml.xml 48
28 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-bandstop-aggr-cos.prexml.xml 49
29 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-noise-raw-aggr-cheb.prexml.xml 50
30 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-noise-raw-aggr-cos.prexml.xml 51
31 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-noise-raw-aggr-diff.prexml.xml 52
32 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-noise-raw-aggr-eucl.prexml.xml 53
33 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-noise-raw-fft-cheb.prexml.xml 54
34 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-noise-raw-fft-cos.prexml.xml 55
35 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-noise-raw-fft-diff.prexml.xml 56
36 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-noise-raw-fft-eucl.prexml.xml 57
37 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-norm-aggr-cheb.prexml.xml 58
38 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-norm-aggr-cos.prexml.xml 59
39 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-norm-aggr-diff.prexml.xml 60
40 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-norm-aggr-eucl.prexml.xml 61
41 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-norm-fft-cheb.prexml.xml 62
42 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-norm-fft-cos.prexml.xml 63
43 Fichier évalué : equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-norm-fft-diff.prexml.xml 64

44 Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-norm-fft-eucl.prexml.xml` 65
45 Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-raw-aggr-cheb.prexml.xml` 66
46 Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-raw-aggr-cos.prexml.xml` 67
47 Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-raw-aggr-diff.prexml.xml` 68
48 Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-raw-aggr-eucl.prexml.xml` 69
49 Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-raw-fft-cheb.prexml.xml` 70
50 Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-raw-fft-cos.prexml.xml` 71
51 Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-raw-fft-diff.prexml.xml` 72
52 Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-raw-fft-eucl.prexml.xml` 73
53 Consolidated results (piste1-result1-marf-stats), Part 1. 75
54 Consolidated results (piste1-result1-marf-stats), Part 2. 76
55 Consolidated results (piste1-result1-marf-stats), Part 3. 77
56 Consolidated results (piste1-result1-marf-stats), Part 4. 78
57 Consolidated results (piste1-result1-marf-stats), Part 5. 79
58 Consolidated results (piste1-result1-marf-stats), Part 6. 80
59 Consolidated results (piste1-result1-marf-stats), Part 7. 81
60 Consolidated results (piste1-result1-marf-stats), Part 8. 82
61 Consolidated results (piste1-result1-marf-stats), Part 9. 83
62 Consolidated results (piste1-result1-marf-stats), Part 10. 84
63 Consolidated results (piste1-result1-marf-stats), Part 11. 85
64 Consolidated results (piste1-result1-marf-stats), Part 12. 86
65 Consolidated results (piste1-result1-marf-stats), Part 13. 87
66 Consolidated results (piste1-result1-marf-stats), Part 14. 88
67 Consolidated results (piste1-result1-marf-stats), Part 15. 89
68 Consolidated results (piste1-result1-marf-stats), Part 16. 90
69 Consolidated results (piste1-result1-marf-stats), Part 17. 91
70 Consolidated results (piste1-result1-marf-stats), Part 18. 92
71 Consolidated results (piste1-result1-marf-stats), Part 19. 93
72 Consolidated results (piste1-result1-marf-stats), Part 20. 94
73 Consolidated results (piste1-result1-marf-stats), Part 21. 95
74 Consolidated results (piste1-result1-marf-stats), Part 22. 96
75 Consolidated results (piste1-result1-marf-stats), Part 23. 97
76 Consolidated results (piste1-result1-marf-stats), Part 24. 98
77 Consolidated results (piste1-result1-marf-stats), Part 25. 99
78 Consolidated results (piste1-result1-marf-stats), Part 26. 100
79 Consolidated results (piste1-result1-marf-stats), Part 27. 101
80 Consolidated results (piste1-result1-marf-stats), Part 28. 102
81 Consolidated results (piste1-result1-marf-stats), Part 29. 103
82 Consolidated results (piste1-result1-marf-stats), Part 30. 104
83 Consolidated results (piste1-result1-marf-stats), Part 31. 105
84 Consolidated results (piste1-result1-marf-stats), Part 32. 106
85 Consolidated results (piste1-result1-marf-stats), Part 33. 107
86 Consolidated results (piste1-result1-marf-stats), Part 34. 108
87 Consolidated results (piste1-result1-marf-stats), Part 35. 109
88 Consolidated results (piste1-result3-nlp), Part 1. 110
89 Consolidated results (piste1-result3-nlp), Part 2. 111
90 Consolidated results (piste2-result1-text-only-eval), Part 1. 113
91 Consolidated results (piste2-result1-text-only-eval), Part 2. 114

92 Consolidated results (piste2-result1-text-only-eval), Part 3. 115
93 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-band-aggr-cheb.prexml.xml 115
94 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-band-aggr-cos.prexml.xml 115
95 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-band-aggr-diff.prexml.xml 116
96 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-band-aggr-eucl.prexml.xml 116
97 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-band-fft-cheb.prexml.xml 117
98 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-band-fft-cos.prexml.xml 117
99 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-band-fft-diff.prexml.xml 118
100 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-band-fft-eucl.prexml.xml 118
101 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-high-aggr-cheb.prexml.xml 119
102 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-high-aggr-cos.prexml.xml 119
103 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-high-aggr-diff.prexml.xml 120
104 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-high-aggr-eucl.prexml.xml 120
105 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-high-fft-cheb.prexml.xml 121
106 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-high-fft-cos.prexml.xml 121
107 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-high-fft-diff.prexml.xml 122
108 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-high-fft-eucl.prexml.xml 122
109 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-noise-band-aggr-cheb.prexml.xml 123
110 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-noise-band-aggr-cos.prexml.xml 123
111 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-noise-band-aggr-diff.prexml.xml 124
112 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-noise-band-aggr-eucl.prexml.xml 124
113 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-noise-band-aggr-mink.prexml.xml 125
114 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-noise-band-fft-cheb.prexml.xml 125
115 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-noise-band-fft-cos.prexml.xml 126
116 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-noise-band-fft-diff.prexml.xml 126
117 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-noise-band-fft-eucl.prexml.xml 127
118 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-noise-band-fft-mink.prexml.xml 127
119 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-noise-raw-lpc-eucl.prexml.xml 128
120 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-norm-lpc-eucl.prexml.xml 128
121 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-raw-lpc-eucl.prexml.xml 129
122 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-band-aggr-cheb.prexml.xml . . . 129
123 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-band-aggr-cos.prexml.xml 130
124 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-band-aggr-diff.prexml.xml . . . 130
125 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-band-aggr-eucl.prexml.xml . . . 131
126 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-band-fft-cheb.prexml.xml 131
127 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-band-fft-cos.prexml.xml 132
128 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-band-fft-diff.prexml.xml 132
129 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-band-fft-eucl.prexml.xml 133
130 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-high-aggr-cheb.prexml.xml . . . 133
131 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-high-aggr-cos.prexml.xml 134
132 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-high-aggr-diff.prexml.xml . . . 134
133 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-high-aggr-eucl.prexml.xml . . . 135
134 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-high-fft-cos.prexml.xml 135
135 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-high-fft-diff.prexml.xml 136
136 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-high-fft-eucl.prexml.xml 136
137 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-noise-band-aggr-cos.prexml.xml . . 137
138 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-noise-band-fft-cos.prexml.xml . . 137
139 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-noise-raw-lpc-eucl.prexml.xml . . 138

140 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-norm-lpc-eucl.prexml.xml 138
141 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-raw-lpc-eucl.prexml.xml 139
142 Consolidated results (piste2-result1-marf-text-only-journal-eval), Part 1. 140
143 Consolidated results (piste2-result1-marf-text-only-journal-eval), Part 2. 141
144 Consolidated results (piste2-result1-marf-text-only-journal-eval), Part 3. 142
145 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-band-minmax-cheb.prexml.xml . . . 142
146 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-endp-aggr-cheb.prexml.xml . . . 143
147 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-endp-aggr-cos.prexml.xml 143
148 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-endp-aggr-diff.prexml.xml . . . 144
149 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-endp-fft-cheb.prexml.xml 144
150 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-endp-fft-cos.prexml.xml 145
151 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-endp-fft-diff.prexml.xml 145
152 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-high-minmax-cheb.prexml.xml . . . 146
153 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-high-minmax-cos.prexml.xml . . . 146
154 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-high-minmax-diff.prexml.xml . . . 147
155 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-aggr-cheb.prexml.xml . 147
156 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-aggr-cos.prexml.xml . . 148
157 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-aggr-diff.prexml.xml . 148
158 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-aggr-eucl.prexml.xml . 149
159 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-aggr-mink.prexml.xml . 149
160 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-fft-cheb.prexml.xml . . 150
161 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-fft-cos.prexml.xml . . 150
162 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-fft-diff.prexml.xml . . 151
163 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-fft-eucl.prexml.xml . . 151
164 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-fft-mink.prexml.xml . . 152
165 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-minmax-cheb.prexml.xml 152
166 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-minmax-cos.prexml.xml . 153
167 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-minmax-diff.prexml.xml 153
168 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-minmax-eucl.prexml.xml 154
169 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-minmax-hamming.prexml.xml 154
170 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-band-minmax-cheb.prexml.xml 155
171 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-endp-aggr-cheb.prexml.xml 155
172 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-endp-aggr-cos.prexml.xml . 156
173 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-endp-aggr-diff.prexml.xml 156
174 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-endp-fft-cheb.prexml.xml . 157
175 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-endp-fft-cos.prexml.xml . 157
176 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-endp-fft-diff.prexml.xml . 158
177 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-high-minmax-cheb.prexml.xml 158
178 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-high-minmax-cos.prexml.xml 159
179 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-high-minmax-diff.prexml.xml 159
180 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-aggr-cheb.prexml.xml 160
181 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-aggr-cos.prexml.xml 160
182 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-aggr-diff.prexml.xml 161
183 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-aggr-eucl.prexml.xml 161
184 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-aggr-mink.prexml.xml 162
185 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-fft-cheb.prexml.xml 162
186 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-fft-cos.prexml.xml 163
187 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-fft-diff.prexml.xml 163

188 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-fft-eucl.prexml.xml 164
189 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-fft-mink.prexml.xml 164
190 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-minmax-cheb.prexml.xml 165
191 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-minmax-cos.prexml.xml 165
192 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-minmax-diff.prexml.xml 166
193 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-minmax-eucl.prexml.xml 166
194 Consolidated results (piste2-result1-marf-text-only-stats), Part 1. 168
195 Consolidated results (piste2-result1-marf-text-only-stats), Part 2. 169
196 Consolidated results (piste2-result1-marf-text-only-stats), Part 3. 170
197 Consolidated results (piste2-result1-marf-text-only-stats), Part 4. 171
198 Consolidated results (piste2-result1-marf-text-only-stats), Part 5. 172
199 Consolidated results (piste2-result1-marf-text-only-stats), Part 6. 173
200 Consolidated results (piste2-result1-marf-text-only-stats), Part 7. 174
201 Consolidated results (piste2-result1-marf-text-only-stats), Part 8. 175
202 Consolidated results (piste2-result1-marf-text-only-stats), Part 9. 176
203 Consolidated results (piste2-result1-marf-text-only-stats), Part 10. 177
204 Consolidated results (piste2-result1-marf-text-only-stats), Part 11. 178
205 Consolidated results (piste2-result1-marf-text-only-stats), Part 12. 179
206 Consolidated results (piste2-result1-marf-text-only-stats), Part 13. 180
207 Consolidated results (piste2-result1-marf-text-only-stats), Part 14. 181
208 Consolidated results (piste2-result1-marf-text-only-stats), Part 15. 182
209 Consolidated results (piste2-result1-marf-text-only-stats), Part 16. 183
210 Consolidated results (piste2-result1-marf-text-only-stats), Part 17. 184
211 Consolidated results (piste2-result1-marf-text-only-stats), Part 18. 185
212 Consolidated results (piste2-result1-marf-text-only-stats), Part 19. 186
213 Consolidated results (piste2-result1-marf-text-only-stats), Part 20. 187
214 Consolidated results (piste2-result1-marf-text-only-stats), Part 21. 188
215 Consolidated results (piste2-result1-marf-text-only-stats), Part 22. 189
216 Consolidated results (piste2-result1-marf-text-only-stats), Part 23. 190
217 Consolidated results (piste2-result1-marf-text-only-stats), Part 24. 191
218 Consolidated results (piste2-result1-marf-text-only-stats), Part 25. 192
219 Consolidated results (piste2-result1-marf-text-only-stats), Part 26. 193
220 Consolidated results (piste2-result1-marf-text-only-stats), Part 27. 194
221 Consolidated results (piste2-result1-marf-text-only-stats), Part 28. 195
222 Consolidated results (piste2-result1-marf-text-only-stats), Part 29. 196
223 Consolidated results (piste2-result1-marf-text-only-stats), Part 30. 197
224 Consolidated results (piste2-result1-marf-text-only-stats), Part 31. 198
225 Consolidated results (piste2-result1-marf-text-only-stats), Part 32. 199
226 Consolidated results (piste2-result1-marf-text-only-stats), Part 33. 200
227 Consolidated results (piste2-result1-marf-text-only-stats), Part 34. 201
228 Consolidated results (piste2-result1-marf-text-only-stats), Part 35. 201
229 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 1. . . 202
230 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 2. . . 203
231 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 3. . . 204
232 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 4. . . 205
233 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 5. . . 206
234 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 6. . . 207
235 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 7. . . 208

236 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 8. . . 209
237 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 9. . . 210
238 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 10. . 211
239 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 11. . 212
240 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 12. . 213
241 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 13. . 214
242 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 14. . 215
243 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 15. . 216
244 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 16. . 217
245 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 17. . 218
246 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 18. . 219
247 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 19. . 220
248 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 20. . 221
249 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 21. . 222
250 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 22. . 223
251 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 23. . 224
252 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 24. . 225
253 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 25. . 226
254 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 26. . 227
255 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 27. . 228
256 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 28. . 229
257 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 29. . 230
258 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 30. . 231
259 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 31. . 232
260 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 32. . 233
261 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 33. . 234
262 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 34. . 235
263 Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 35. . 235
264 Consolidated results (piste2-result1-marf-text-only-journal), Part 2. 236
265 Consolidated results (piste2-result1-marf-text-only-journal), Part 3. 237
266 Consolidated results (piste2-result1-marf-text-only-journal), Part 4. 238
267 Consolidated results (piste2-result1-marf-text-only-journal), Part 5. 239
268 Consolidated results (piste2-result1-marf-text-only-journal), Part 6. 239
269 Consolidated results (piste2-result1-marf-text-only-journal), Part 7. 240
270 Consolidated results (piste2-result1-marf-text-only-journal), Part 8. 241
271 Consolidated results (piste2-result1-marf-text-only-journal), Part 9. 242
272 Consolidated results (piste2-result1-marf-text-only-journal), Part 10. 242
273 Consolidated results (piste2-result1-marf-text-only-journal), Part 13. 243
274 Consolidated results (piste2-result1-marf-text-only-journal), Part 14. 244
275 Consolidated results (piste2-result1-marf-text-only-journal), Part 15. 245
276 Consolidated results (piste2-result1-marf-text-only-journal), Part 16. 246
277 Consolidated results (piste2-result1-marf-text-only-journal), Part 17. 246
278 Consolidated results (piste2-result1-marf-text-only-journal), Part 18. 247
279 Consolidated results (piste2-result1-marf-text-only-journal), Part 19. 248
280 Consolidated results (piste2-result1-marf-text-only-journal), Part 20. 249
281 Consolidated results (piste2-result1-marf-text-only-journal), Part 21. 249
282 Consolidated results (piste2-result1-marf-text-only-journal), Part 23. 249
283 Consolidated results (piste2-result1-marf-text-only-journal), Part 2. 250

284 Consolidated results (piste2-result1-marf-text-only-journal), Part 3. 251
285 Consolidated results (piste2-result1-marf-text-only-journal), Part 4. 252
286 Consolidated results (piste2-result1-marf-text-only-journal), Part 5. 253
287 Consolidated results (piste2-result1-marf-text-only-journal), Part 6. 254
288 Consolidated results (piste2-result1-marf-text-only-journal), Part 7. 255
289 Consolidated results (piste2-result1-marf-text-only-journal), Part 8. 256
290 Consolidated results (piste2-result1-marf-text-only-journal), Part 9. 257
291 Consolidated results (piste2-result1-marf-text-only-journal), Part 10. 258
292 Consolidated results (piste2-result1-marf-text-only-journal), Part 11. 259
293 Consolidated results (piste2-result1-marf-text-only-journal), Part 13. 260
294 Consolidated results (piste2-result1-marf-text-only-journal), Part 14. 261
295 Consolidated results (piste2-result1-marf-text-only-journal), Part 15. 262
296 Consolidated results (piste2-result1-marf-text-only-journal), Part 16. 263
297 Consolidated results (piste2-result1-marf-text-only-journal), Part 17. 264
298 Consolidated results (piste2-result1-marf-text-only-journal), Part 18. 265
299 Consolidated results (piste2-result1-marf-text-only-journal), Part 19. 266
300 Consolidated results (piste2-result1-marf-text-only-journal), Part 20. 267
301 Consolidated results (piste2-result1-marf-text-only-journal), Part 21. 268
302 Consolidated results (piste2-result1-marf-text-only-journal), Part 22. 269
303 Consolidated results (piste2-result1-marf-text-only-journal), Part 23. 269
304 Consolidated results (piste2-result1-marf-text-title-eval), Part 1. 271
305 Consolidated results (piste2-result1-marf-text-title-eval), Part 2. 272
306 Consolidated results (piste2-result1-marf-text-title-eval), Part 3. 273
307 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-band-aggr-cheb.prexml.xml` 273
308 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-band-aggr-cos.prexml.xml` 273
309 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-band-aggr-diff.prexml.xml` 274
310 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-band-aggr-eucl.prexml.xml` 274
311 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-band-aggr-mink.prexml.xml` 275
312 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-band-fft-cheb.prexml.xml` 275
313 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-band-fft-cos.prexml.xml` 276
314 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-band-fft-diff.prexml.xml` 276
315 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-band-fft-eucl.prexml.xml` 277
316 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-band-fft-mink.prexml.xml` 277
317 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-endp-lpc-cheb.prexml.xml` 278
318 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-endp-lpc-eucl.prexml.xml` 278
319 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-high-aggr-cheb.prexml.xml` 279
320 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-high-aggr-cos.prexml.xml` 279
321 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-high-aggr-diff.prexml.xml` 280
322 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-high-aggr-eucl.prexml.xml` 280
323 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-high-aggr-mink.prexml.xml` 281
324 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-high-fft-cheb.prexml.xml` 281
325 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-high-fft-cos.prexml.xml` 282
326 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-high-fft-diff.prexml.xml` 282
327 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-high-fft-eucl.prexml.xml` 283
328 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-high-fft-mink.prexml.xml` 283
329 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-noise-band-aggr-cos.prexml.xml` 284
330 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-noise-band-aggr-mink.prexml.xml` 284
331 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-noise-band-fft-cos.prexml.xml` 285

332 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-ref-noise-band-fft-mink.prexml.xml 285
333 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-band-aggr-cos.prexml.xml . . . 286
334 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-band-aggr-eucl.prexml.xml . . . 286
335 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-band-aggr-mink.prexml.xml . . . 287
336 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-band-fft-cos.prexml.xml 287
337 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-band-fft-eucl.prexml.xml . . . 288
338 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-band-fft-mink.prexml.xml . . . 288
339 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-endp-lpc-cheb.prexml.xml . . . 289
340 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-endp-lpc-eucl.prexml.xml . . . 289
341 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-high-aggr-cheb.prexml.xml . . . 290
342 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-high-aggr-cos.prexml.xml . . . 290
343 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-high-aggr-diff.prexml.xml . . . 291
344 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-high-aggr-eucl.prexml.xml . . . 291
345 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-high-aggr-mink.prexml.xml . . . 292
346 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-high-fft-cheb.prexml.xml . . . 292
347 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-high-fft-cos.prexml.xml 293
348 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-high-fft-diff.prexml.xml . . . 293
349 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-high-fft-eucl.prexml.xml . . . 294
350 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-high-fft-mink.prexml.xml . . . 294
351 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-noise-band-aggr-cos.prexml.xml . 295
352 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-noise-band-aggr-mink.prexml.xml . 295
353 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-noise-band-fft-cos.prexml.xml . . 296
354 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-noise-band-fft-mink.prexml.xml . 296
355 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-noise-endp-lpc-eucl.prexml.xml . 297
356 Consolidated results (piste2-result1-marf-text-title-journal-eval), Part 1. 298
357 Consolidated results (piste2-result1-marf-text-title-journal-eval), Part 2. 299
358 Consolidated results (piste2-result1-marf-text-title-journal-eval), Part 3. 300
359 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-band-minmax-cheb.prexml.xml . . 300
360 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-band-minmax-diff.prexml.xml . . 301
361 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-bandstop-minmax-eucl.prexml.xml . 301
362 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-endp-aggr-cheb.prexml.xml . . . 302
363 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-endp-aggr-cos.prexml.xml . . . 302
364 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-endp-aggr-diff.prexml.xml . . . 303
365 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-endp-fft-cheb.prexml.xml . . . 303
366 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-endp-fft-cos.prexml.xml 304
367 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-endp-fft-diff.prexml.xml . . . 304
368 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-high-minmax-cheb.prexml.xml . . 305
369 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-high-minmax-cos.prexml.xml . . . 305
370 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-high-minmax-diff.prexml.xml . . 306
371 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-high-minmax-eucl.prexml.xml . . 306
372 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-noise-endp-aggr-cheb.prexml.xml . 307
373 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-noise-endp-aggr-cos.prexml.xml . 307
374 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-noise-endp-aggr-diff.prexml.xml . 308
375 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-noise-endp-aggr-eucl.prexml.xml . 308
376 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-noise-endp-aggr-mink.prexml.xml . 309
377 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-noise-endp-fft-cheb.prexml.xml . 309
378 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-noise-endp-fft-cos.prexml.xml . . 310
379 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-noise-endp-fft-diff.prexml.xml . 310

380 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-noise-endp-fft-eucl.prexml.xml . 311
381 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-noise-endp-fft-mink.prexml.xml . 311
382 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-noise-endp-lpc-eucl.prexml.xml . 312
383 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-noise-endp-minmax-eucl.prexml.xml 312
384 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-band-minmax-cheb.prexml.xml 313
385 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-band-minmax-diff.prexml.xml 313
386 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-endp-aggr-cheb.prexml.xml 314
387 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-endp-aggr-cos.prexml.xml 314
388 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-endp-aggr-diff.prexml.xml 315
389 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-endp-fft-cheb.prexml.xml 315
390 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-endp-fft-cos.prexml.xml . 316
391 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-endp-fft-diff.prexml.xml 316
392 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-high-minmax-cheb.prexml.xml 317
393 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-high-minmax-cos.prexml.xml 317
394 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-high-minmax-diff.prexml.xml 318
395 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-high-minmax-eucl.prexml.xml 318
396 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-noise-endp-aggr-cheb.prexml.xml 319
397 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-noise-endp-aggr-cos.prexml.xml 319
398 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-noise-endp-aggr-diff.prexml.xml 320
399 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-noise-endp-aggr-eucl.prexml.xml 320
400 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-noise-endp-aggr-mink.prexml.xml 321
401 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-noise-endp-fft-cheb.prexml.xml 321
402 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-noise-endp-fft-cos.prexml.xml 322
403 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-noise-endp-fft-diff.prexml.xml 322
404 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-noise-endp-fft-eucl.prexml.xml 323
405 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-noise-endp-fft-mink.prexml.xml 323
406 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-noise-endp-lpc-eucl.prexml.xml 324
407 Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-noise-endp-minmax-eucl.prexml.xml 324
408 Consolidated results (piste2-result1-marf-text-title-stats), Part 1. 326
409 Consolidated results (piste2-result1-marf-text-title-stats), Part 2. 327
410 Consolidated results (piste2-result1-marf-text-title-stats), Part 3. 328
411 Consolidated results (piste2-result1-marf-text-title-stats), Part 4. 329
412 Consolidated results (piste2-result1-marf-text-title-stats), Part 5. 330
413 Consolidated results (piste2-result1-marf-text-title-stats), Part 6. 331
414 Consolidated results (piste2-result1-marf-text-title-stats), Part 7. 332
415 Consolidated results (piste2-result1-marf-text-title-stats), Part 8. 333
416 Consolidated results (piste2-result1-marf-text-title-stats), Part 9. 334
417 Consolidated results (piste2-result1-marf-text-title-stats), Part 10. 335
418 Consolidated results (piste2-result1-marf-text-title-stats), Part 11. 336
419 Consolidated results (piste2-result1-marf-text-title-stats), Part 12. 337
420 Consolidated results (piste2-result1-marf-text-title-stats), Part 13. 338
421 Consolidated results (piste2-result1-marf-text-title-stats), Part 14. 339
422 Consolidated results (piste2-result1-marf-text-title-stats), Part 15. 340
423 Consolidated results (piste2-result1-marf-text-title-stats), Part 16. 341
424 Consolidated results (piste2-result1-marf-text-title-stats), Part 17. 342
425 Consolidated results (piste2-result1-marf-text-title-stats), Part 18. 343
426 Consolidated results (piste2-result1-marf-text-title-stats), Part 19. 344
427 Consolidated results (piste2-result1-marf-text-title-stats), Part 20. 345

428 Consolidated results (piste2-result1-marf-text-title-stats), Part 21. 346
429 Consolidated results (piste2-result1-marf-text-title-stats), Part 22. 347
430 Consolidated results (piste2-result1-marf-text-title-stats), Part 23. 348
431 Consolidated results (piste2-result1-marf-text-title-stats), Part 24. 349
432 Consolidated results (piste2-result1-marf-text-title-stats), Part 25. 350
433 Consolidated results (piste2-result1-marf-text-title-stats), Part 26. 351
434 Consolidated results (piste2-result1-marf-text-title-stats), Part 27. 352
435 Consolidated results (piste2-result1-marf-text-title-stats), Part 28. 353
436 Consolidated results (piste2-result1-marf-text-title-stats), Part 29. 354
437 Consolidated results (piste2-result1-marf-text-title-stats), Part 30. 355
438 Consolidated results (piste2-result1-marf-text-title-stats), Part 31. 356
439 Consolidated results (piste2-result1-marf-text-title-stats), Part 32. 357
440 Consolidated results (piste2-result1-marf-text-title-stats), Part 33. 358
441 Consolidated results (piste2-result1-marf-text-title-stats), Part 34. 359
442 Consolidated results (piste2-result1-marf-text-title-stats), Part 35. 359
443 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 1. . . 360
444 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 2. . . 361
445 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 3. . . 362
446 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 4. . . 363
447 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 5. . . 364
448 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 6. . . 365
449 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 7. . . 366
450 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 8. . . 367
451 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 9. . . 368
452 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 10. . 369
453 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 11. . 370
454 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 12. . 371
455 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 13. . 372
456 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 14. . 373
457 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 15. . 374
458 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 16. . 375
459 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 17. . 376
460 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 18. . 377
461 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 19. . 378
462 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 20. . 379
463 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 21. . 380
464 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 22. . 381
465 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 23. . 382
466 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 24. . 383
467 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 25. . 384
468 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 26. . 385
469 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 27. . 386
470 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 28. . 387
471 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 29. . 388
472 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 30. . 389
473 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 31. . 390
474 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 32. . 391
475 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 33. . 392

476 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 34. 393
477 Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 35. 393
478 Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 1. 394
479 Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 2. 395
480 Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 3. 396
481 Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 4. 397
482 Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 5. 398
483 Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 6. 399
484 Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 7. 400
485 Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 8. 401
486 Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 9. 402
487 Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 10. 403
488 Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 11. 404
489 Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 12. 405
490 Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 13. 406
491 Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 14. 407
492 Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 15. 408
493 Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 16. 409
494 Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 17. 410
495 Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 18. 411
496 Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 19. 412
497 Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 20. 413
498 Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 22. 413
499 Consolidated results (piste2-result1-marf-title-only-eval), Part 1. 415
500 Consolidated results (piste2-result1-marf-title-only-eval), Part 2. 416
501 Consolidated results (piste2-result1-marf-title-only-eval), Part 3. 417
502 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-bandstop-aggr-cos.prexml.xml` 417
503 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-bandstop-aggr-eucl.prexml.xml` 417
504 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-bandstop-fft-cos.prexml.xml` 418
505 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-bandstop-fft-eucl.prexml.xml` 418
506 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-endp-fft-cos.prexml.xml` 419
507 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-low-aggr-eucl.prexml.xml` 419
508 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-low-fft-eucl.prexml.xml` 420
509 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-noise-bandstop-aggr-eucl.prexml.xml` 420
510 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-noise-bandstop-fft-eucl.prexml.xml` 421
511 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-noise-endp-aggr-eucl.prexml.xml` 421
512 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-noise-endp-fft-eucl.prexml.xml` 422
513 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-noise-low-aggr-eucl.prexml.xml` 422
514 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-noise-low-fft-eucl.prexml.xml` 423
515 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-noise-norm-aggr-eucl.prexml.xml` 423
516 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-noise-norm-fft-eucl.prexml.xml` 424
517 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-noise-raw-aggr-eucl.prexml.xml` 424
518 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-noise-raw-fft-eucl.prexml.xml` 425
519 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-norm-aggr-cos.prexml.xml` 425
520 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-norm-aggr-eucl.prexml.xml` 426
521 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-norm-fft-cos.prexml.xml` 426
522 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-norm-fft-eucl.prexml.xml` 427
523 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-raw-aggr-eucl.prexml.xml` 427

524 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-raw-fft-eucl.prexml.xml` 428
525 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-bandstop-aggr-cos.prexml.xml` 428
526 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-bandstop-aggr-eucl.prexml.xml` 429
527 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-bandstop-fft-cos.prexml.xml` 429
528 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-bandstop-fft-eucl.prexml.xml` 430
529 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-low-aggr-cheb.prexml.xml` 430
530 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-low-aggr-eucl.prexml.xml` 431
531 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-low-fft-cheb.prexml.xml` 431
532 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-low-fft-eucl.prexml.xml` 432
533 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-noise-bandstop-aggr-eucl.prexml.xml` 432
534 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-noise-bandstop-fft-eucl.prexml.xml` 433
535 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-noise-endp-aggr-eucl.prexml.xml` 433
536 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-noise-endp-fft-eucl.prexml.xml` 434
537 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-noise-low-aggr-eucl.prexml.xml` 434
538 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-noise-low-fft-eucl.prexml.xml` 435
539 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-noise-norm-aggr-cheb.prexml.xml` 435
540 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-noise-norm-aggr-eucl.prexml.xml` 436
541 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-noise-norm-fft-cheb.prexml.xml` 436
542 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-noise-norm-fft-eucl.prexml.xml` 437
543 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-noise-raw-aggr-eucl.prexml.xml` 437
544 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-noise-raw-fft-eucl.prexml.xml` 438
545 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-norm-aggr-cos.prexml.xml` 438
546 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-norm-aggr-eucl.prexml.xml` 439
547 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-norm-fft-cos.prexml.xml` 439
548 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-norm-fft-eucl.prexml.xml` 440
549 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-raw-aggr-eucl.prexml.xml` 440
550 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-raw-fft-eucl.prexml.xml` 441
551 Consolidated results (piste2-result1-marf-title-only-journal-eval), Part 1. 442
552 Consolidated results (piste2-result1-marf-title-only-journal-eval), Part 2. 443
553 Consolidated results (piste2-result1-marf-title-only-journal-eval), Part 3. 444
554 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-bandstop-aggr-cheb.prexml.xml` 444
555 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-bandstop-aggr-eucl.prexml.xml` 445
556 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-bandstop-aggr-mink.prexml.xml` 445
557 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-bandstop-fft-cheb.prexml.xml` 446
558 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-bandstop-fft-eucl.prexml.xml` 446
559 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-bandstop-fft-mink.prexml.xml` 447
560 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-low-aggr-cheb.prexml.xml` 447
561 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-low-aggr-eucl.prexml.xml` 448
562 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-low-fft-cheb.prexml.xml` 448
563 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-low-fft-eucl.prexml.xml` 449
564 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-noise-bandstop-aggr-mink.prexml.xml` 449
565 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-noise-bandstop-fft-mink.prexml.xml` 450
566 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-noise-norm-aggr-cheb.prexml.xml` 450
567 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-noise-norm-aggr-eucl.prexml.xml` 451
568 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-noise-norm-fft-cheb.prexml.xml` 451
569 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-noise-norm-fft-eucl.prexml.xml` 452
570 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-noise-raw-aggr-eucl.prexml.xml` 452
571 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-noise-raw-fft-eucl.prexml.xml` 453

572 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-norm-aggr-eucl.prexml.xml` . . . 453
573 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-norm-fft-eucl.prexml.xml` . . . 454
574 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-raw-aggr-eucl.prexml.xml` . . . 454
575 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-raw-fft-eucl.prexml.xml` 455
576 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-bandstop-aggr-cheb.prexml.xml` 455
577 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-bandstop-aggr-diff.prexml.xml` 456
578 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-bandstop-aggr-eucl.prexml.xml` 456
579 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-bandstop-fft-cheb.prexml.xml` 457
580 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-bandstop-fft-diff.prexml.xml` 457
581 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-bandstop-fft-eucl.prexml.xml` 458
582 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-bandstop-fft-mink.prexml.xml` 458
583 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-low-aggr-cheb.prexml.xml` 459
584 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-low-aggr-eucl.prexml.xml` 459
585 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-low-fft-cheb.prexml.xml` . 460
586 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-low-fft-diff.prexml.xml` . 460
587 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-low-fft-eucl.prexml.xml` . 461
588 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-noise-bandstop-aggr-mink.prexml.xml` 461
589 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-noise-bandstop-fft-mink.prexml.xml` 462
590 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-noise-low-aggr-cheb.prexml.xml` 462
591 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-noise-low-fft-cheb.prexml.xml` 463
592 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-noise-norm-aggr-cheb.prexml.xml` 463
593 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-noise-norm-aggr-eucl.prexml.xml` 464
594 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-noise-norm-fft-cheb.prexml.xml` 464
595 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-noise-norm-fft-diff.prexml.xml` 465
596 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-noise-norm-fft-eucl.prexml.xml` 465
597 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-noise-raw-aggr-eucl.prexml.xml` 466
598 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-noise-raw-fft-eucl.prexml.xml` 466
599 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-norm-aggr-eucl.prexml.xml` 467
600 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-norm-fft-eucl.prexml.xml` 467
601 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-raw-aggr-eucl.prexml.xml` 468
602 Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-raw-fft-eucl.prexml.xml` . 468
603 Consolidated results (piste2-result1-marf-title-only-stats), Part 1. 470
604 Consolidated results (piste2-result1-marf-title-only-stats), Part 2. 471
605 Consolidated results (piste2-result1-marf-title-only-stats), Part 3. 472
606 Consolidated results (piste2-result1-marf-title-only-stats), Part 4. 473
607 Consolidated results (piste2-result1-marf-title-only-stats), Part 5. 474
608 Consolidated results (piste2-result1-marf-title-only-stats), Part 6. 475
609 Consolidated results (piste2-result1-marf-title-only-stats), Part 7. 476
610 Consolidated results (piste2-result1-marf-title-only-stats), Part 8. 477
611 Consolidated results (piste2-result1-marf-title-only-stats), Part 9. 478
612 Consolidated results (piste2-result1-marf-title-only-stats), Part 10. 479
613 Consolidated results (piste2-result1-marf-title-only-stats), Part 11. 480
614 Consolidated results (piste2-result1-marf-title-only-stats), Part 12. 481
615 Consolidated results (piste2-result1-marf-title-only-stats), Part 13. 482
616 Consolidated results (piste2-result1-marf-title-only-stats), Part 14. 483
617 Consolidated results (piste2-result1-marf-title-only-stats), Part 15. 484
618 Consolidated results (piste2-result1-marf-title-only-stats), Part 16. 485
619 Consolidated results (piste2-result1-marf-title-only-stats), Part 17. 486

620 Consolidated results (piste2-result1-marf-title-only-stats), Part 18. 487
621 Consolidated results (piste2-result1-marf-title-only-stats), Part 19. 488
622 Consolidated results (piste2-result1-marf-title-only-stats), Part 20. 489
623 Consolidated results (piste2-result1-marf-title-only-stats), Part 21. 490
624 Consolidated results (piste2-result1-marf-title-only-stats), Part 22. 491
625 Consolidated results (piste2-result1-marf-title-only-stats), Part 23. 492
626 Consolidated results (piste2-result1-marf-title-only-stats), Part 24. 493
627 Consolidated results (piste2-result1-marf-title-only-stats), Part 25. 494
628 Consolidated results (piste2-result1-marf-title-only-stats), Part 26. 495
629 Consolidated results (piste2-result1-marf-title-only-stats), Part 27. 496
630 Consolidated results (piste2-result1-marf-title-only-stats), Part 28. 497
631 Consolidated results (piste2-result1-marf-title-only-stats), Part 29. 498
632 Consolidated results (piste2-result1-marf-title-only-stats), Part 30. 499
633 Consolidated results (piste2-result1-marf-title-only-stats), Part 31. 500
634 Consolidated results (piste2-result1-marf-title-only-stats), Part 32. 501
635 Consolidated results (piste2-result1-marf-title-only-stats), Part 33. 502
636 Consolidated results (piste2-result1-marf-title-only-stats), Part 34. 503
637 Consolidated results (piste2-result1-marf-title-only-stats), Part 35. 503
638 Consolidated results (piste2-result1-marf-title-only-slow2), Part 1. 504
639 Consolidated results (piste2-result1-marf-title-only-slow2), Part 2. 505
640 Consolidated results (piste2-result1-marf-title-only-slow2), Part 3. 506
641 Consolidated results (piste2-result1-marf-title-only-slow2), Part 4. 507
642 Consolidated results (piste2-result1-marf-title-only-slow2), Part 5. 508
643 Consolidated results (piste2-result1-marf-title-only-slow2), Part 6. 509
644 Consolidated results (piste2-result1-marf-title-only-slow2), Part 7. 510
645 Consolidated results (piste2-result1-marf-title-only-slow2), Part 8. 511
646 Consolidated results (piste2-result1-marf-title-only-slow2), Part 9. 512
647 Consolidated results (piste2-result1-marf-title-only-slow2), Part 10. 513
648 Consolidated results (piste2-result1-marf-title-only-slow2), Part 21. 513
649 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 1. . . 514
650 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 2. . . 515
651 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 3. . . 516
652 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 4. . . 517
653 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 5. . . 518
654 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 6. . . 519
655 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 7. . . 520
656 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 8. . . 521
657 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 9. . . 522
658 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 10. . 523
659 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 11. . 524
660 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 12. . 525
661 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 13. . 526
662 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 14. . 527
663 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 15. . 528
664 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 16. . 529
665 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 17. . 530
666 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 18. . 531
667 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 19. . 532

668 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 20. . 533
669 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 21. . 534
670 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 22. . 535
671 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 23. . 536
672 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 24. . 537
673 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 25. . 538
674 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 26. . 539
675 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 27. . 540
676 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 28. . 541
677 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 29. . 542
678 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 30. . 543
679 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 31. . 544
680 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 32. . 545
681 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 33. . 546
682 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 34. . 547
683 Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 35. . 547

1 Introduction

The main article presenting the condensed summary as well as methodology is in [15] (to be publicly available in July 2010). We briefly cite the related work that is founding to our approach.

1.1 MARF

The approach is based on the MARF's framework implementation documented in a number of related works [23, 8, 10, 9, 11, 16, 18, 13, 14, 21]

MARF is a general pattern recognition framework combined with the corresponding implementation for a variety of audio, voice, NLP, forensic, biometric authentication, and other pattern recognition tasks.

1.2 DEFT2010

The DEFT2010 challenge description is in [2]. It has two tracks – Piste 1: identifying the decade of francophone publications (journal article fragments), and Piste 2: identifying where the publication took place geographically – France or Quebec. The DEFT2010 corpora were compiled by Cyril Grouin from a variety of sources, namely Gallica, CEDROM-SNi, CNRTL, and ELDA with restrictions on the CEDROM-SNi and ELDA data [3, 5, 7, 6, 4].

2 Methodology

The below is a partial list of the methodologies used in the evaluation. It is to be updated with the next revisions of the document; meanwhile the more complete list of the techniques for the tasks, used, ongoing, and planned, is in [15].

2.1 Classical MARF Pipeline Approach

The `DEFT2010App` application aggregated most or all of the relevant features from the other tasks on speaker `SpeakerIdentApp`, language `LangIdentApp`, writer `WriterIdentApp`, file type, identification and Zipf's Law [17, 19, 20, 12]. Which combines the spectral text analysis [24] with the traditional statistical NLP.

2.2 Small Increase In the Article Text Size

We collect titles as well as texts. For the training purposes one way of experiment is to merge the two effectively increasing a little bit the training sample size for each article. The experiment is to verify if adding titles to texts increases the precision of detection.

2.3 Titles vs. Texts

For a 300-word article, its title may act as an abstract. Often in the NLP, e.g. BioNLP, NLP techniques area applied to the article abstracts rather than the complete texts. A title in our sample can be considered as an abstract on the same scale of a short article excerpt. Thus we test the approach to see if titles alone are sufficient to generate enough precision and increasing the performance.

3 The `DEFT2010App` MARF Application

3.1 Requirements

- A current commodity computer running either Linux, MacOS X, or Windows with command line support via Cygwin [25].
- JDK 1.5+
- (optional) To edit the code and text files, preferred Eclipse IDE [1]
- GNU `make` [22]
- `tchs` [?]
- Perl [?]

3.2 Options

In the below we briefly describe what each option means. For the methodology and the scientific details, please refer to the main article found in [15].

```
Usage:
  java DEFT2010App     --train <samples-dir> [options]        -- train mode
                       --single-train <sample> [options]      -- add a single sample to the training set
                       --ident <sample> [options]             -- identification mode
                       --batch-ident <samples-dir> [options]  -- batch identification mode
                       --train-nlp [ --debug ] [ OPTIONS ] <language> <corpus-file>
                       --ident-nlp [ --debug ] [ OPTIONS ] foo <bar|corpus-file>

                       --debug                                -- include verbose debug output
                       --gui                                  -- use GUI as a user interface
                       --stats=[per-config|per-writer|both]   -- display stats (default is per-config)
                       --best-score                           -- display best classification result
```

```
                      --reset                               -- reset stats
                      --version                             -- display version info
                      --help | -h                           -- display this help and exit

Options (one or more of the following):

Loaders:

  -wav          - assume WAVE files loading (default)
  -text         - assume loading of text samples
  -tiff         - assume loading of TIFF samples

Preprocessing:

  -silence      - remove silence (can be combined with any of the below)
  -noise        - remove noise (can be combined with any of the below)
  -raw          - no preprocessing
  -norm         - use just normalization, no filtering
  -low          - use low-pass FFT filter
  -high         - use high-pass FFT filter
  -boost        - use high-frequency-boost FFT preprocessor
  -band         - use band-pass FFT filter
  -bandstop     - use band-stop FFT filter
  -endp         - use endpointing
  -lowcfe       - use low-pass CFE filter
  -highcfe      - use high-pass CFE filter
  -bandcfe      - use band-pass CFE filter
  -bandstopcfe  - use band-stop CFE filter

Feature Extraction:

  -lpc          - use LPC
  -fft          - use FFT
  -minmax       - use Min/Max Amplitudes
  -randfe       - use random feature extraction
  -aggr         - use aggregated FFT+LPC feature extraction
  -f0           - use F0 (pitch, or fundamental frequency; NOT IMPLEMENTED
  -segm         - use Segmentation (NOT IMPLEMENTED)
  -cepstral     - use Cepstral analysis (NOT IMPLEMENTED)

Classification:

  -nn           - use Neural Network
  -cheb         - use Chebyshev Distance
  -eucl         - use Euclidean Distance
  -mink         - use Minkowski Distance
  -diff         - use Diff-Distance
  -zipf         - use Zipf's Law-based classifier
  -randcl       - use random classification
  -markov       - use Hidden Markov Models (NOT IMPLEMENTED)
  -hamming      - use Hamming Distance
  -cos          - use Cosine Similarity Measure

NLP/Ngrams/Smoothing:

  -interactive  - interactive mode for classification instead of reading from a file
  -char         - use characters as n-grams (should always be present for this app)

  -unigram      - use UNIGRAM model
  -bigram       - use BIGRAM model
  -trigram      - use TRIGRAM model

  -mle          - use MLE
  -add-one      - use Add-One smoothing
  -add-delta    - use Add-Delta (ELE, d=0.5) smoothing
  -witten-bell  - use Witten-Bell smoothing
  -good-turing  - use Good-Turing smoothing
```

```
Misc:

  -spectrogram  - dump spectrogram image after feature extraction
  -graph        - dump wave graph before preprocessing and after feature extraction
  <integer>     - expected subject ID
```

4 Results

This is a large section consolidating the majority of the results. Piste 1's results are in Section 4.1 and Piste 2's results are in Section 4.2.

4.1 Piste 1 / Track 1: Decades

Decades

4.1.1 Testing on the evaluation data

Table 1: Consolidated results (piste1-result1-marf-eval-stats–fast), Part 1.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	-piste1 -ref -silence -bandstop -aggr -cos	331	2390	12.16
2	1st	-piste1 -ref -noise -raw -aggr -eucl	315	2406	11.58
3	1st	-piste1 -ref -silence -raw -aggr -eucl	315	2406	11.58
4	1st	-piste1 -ref -norm -fft -cos	315	2406	11.58
5	1st	-piste1 -ref -raw -aggr -eucl	315	2406	11.58
6	1st	-piste1 -ref -noise -raw -fft -cos	315	2406	11.58
7	1st	-piste1 -ref -silence -raw -fft -eucl	315	2406	11.58
8	1st	-piste1 -ref -silence -raw -aggr -cos	315	2406	11.58
9	1st	-piste1 -ref -silence -noise -raw -fft -eucl	315	2406	11.58
10	1st	-piste1 -ref -silence -noise -raw -aggr -cos	315	2406	11.58
11	1st	-piste1 -ref -silence -noise -raw -fft -cos	315	2406	11.58
12	1st	-piste1 -ref -silence -norm -aggr -cos	315	2406	11.58
13	1st	-piste1 -ref -silence -noise -raw -aggr -eucl	315	2406	11.58
14	1st	-piste1 -ref -silence -raw -fft -cos	315	2406	11.58
15	1st	-piste1 -ref -noise -raw -fft -eucl	315	2406	11.58
16	1st	-piste1 -ref -silence -norm -fft -cos	315	2406	11.58
17	1st	-piste1 -ref -noise -raw -aggr -cos	315	2406	11.58
18	1st	-piste1 -ref -raw -fft -eucl	315	2406	11.58
19	1st	-piste1 -ref -norm -aggr -cos	315	2406	11.58
20	1st	-piste1 -ref -raw -aggr -cos	315	2406	11.58
21	1st	-piste1 -ref -raw -fft -cos	315	2406	11.58
22	1st	-piste1 -ref -silence -norm -fft -eucl	297	2424	10.92
23	1st	-piste1 -ref -silence -norm -aggr -eucl	297	2424	10.92
24	1st	-piste1 -ref -norm -fft -eucl	297	2424	10.92
25	1st	-piste1 -ref -norm -aggr -eucl	297	2424	10.92
26	1st	-piste1 -ref -silence -noise -raw -aggr -diff	274	2447	10.07
27	1st	-piste1 -ref -noise -raw -fft -diff	274	2447	10.07
28	1st	-piste1 -ref -raw -fft -diff	274	2447	10.07
29	1st	-piste1 -ref -noise -raw -aggr -diff	274	2447	10.07
30	1st	-piste1 -ref -silence -raw -aggr -diff	274	2447	10.07
31	1st	-piste1 -ref -raw -aggr -diff	274	2447	10.07
32	1st	-piste1 -ref -silence -raw -fft -diff	274	2447	10.07
33	1st	-piste1 -ref -silence -noise -raw -fft -diff	274	2447	10.07
34	1st	-piste1 -ref -silence -noise -raw -aggr -cheb	272	2449	10.00
35	1st	-piste1 -ref -noise -raw -fft -cheb	272	2449	10.00
36	1st	-piste1 -ref -raw -fft -cheb	272	2449	10.00
37	1st	-piste1 -ref -noise -raw -aggr -cheb	272	2449	10.00
38	1st	-piste1 -ref -silence -raw -aggr -cheb	272	2449	10.00
39	1st	-piste1 -ref -raw -aggr -cheb	272	2449	10.00
40	1st	-piste1 -ref -silence -raw -fft -cheb	272	2449	10.00
41	1st	-piste1 -ref -silence -noise -raw -fft -cheb	272	2449	10.00
42	1st	-piste1 -ref -silence -norm -fft -diff	266	2455	9.78
43	1st	-piste1 -ref -norm -fft -diff	266	2455	9.78
44	1st	-piste1 -ref -silence -norm -aggr -cheb	265	2456	9.74
45	1st	-piste1 -ref -silence -norm -aggr -diff	265	2456	9.74
46	1st	-piste1 -ref -norm -fft -cheb	265	2456	9.74
47	1st	-piste1 -ref -norm -aggr -cheb	265	2456	9.74
48	1st	-piste1 -ref -norm -aggr -diff	265	2456	9.74
49	1st	-piste1 -ref -silence -norm -fft -cheb	265	2456	9.74

Table 2: Consolidated results (piste1-result1-marf-eval-stats–fast), Part 2.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
50	2nd	-piste1 -ref -silence -bandstop -aggr -cos	555	2166	20.40
51	2nd	-piste1 -ref -noise -raw -aggr -eucl	572	2149	21.02
52	2nd	-piste1 -ref -silence -raw -aggr -eucl	572	2149	21.02
53	2nd	-piste1 -ref -norm -fft -cos	530	2191	19.48
54	2nd	-piste1 -ref -raw -aggr -eucl	572	2149	21.02
55	2nd	-piste1 -ref -noise -raw -fft -cos	532	2189	19.55
56	2nd	-piste1 -ref -silence -raw -fft -eucl	572	2149	21.02
57	2nd	-piste1 -ref -silence -raw -aggr -cos	532	2189	19.55
58	2nd	-piste1 -ref -silence -noise -raw -fft -eucl	572	2149	21.02
59	2nd	-piste1 -ref -silence -noise -raw -aggr -cos	532	2189	19.55
60	2nd	-piste1 -ref -silence -noise -raw -fft -cos	532	2189	19.55
61	2nd	-piste1 -ref -silence -norm -aggr -cos	530	2191	19.48
62	2nd	-piste1 -ref -silence -noise -raw -aggr -eucl	572	2149	21.02
63	2nd	-piste1 -ref -silence -raw -fft -cos	532	2189	19.55
64	2nd	-piste1 -ref -noise -raw -fft -eucl	572	2149	21.02
65	2nd	-piste1 -ref -silence -norm -fft -cos	530	2191	19.48
66	2nd	-piste1 -ref -noise -raw -aggr -cos	532	2189	19.55
67	2nd	-piste1 -ref -raw -fft -eucl	572	2149	21.02
68	2nd	-piste1 -ref -norm -aggr -cos	530	2191	19.48
69	2nd	-piste1 -ref -raw -aggr -cos	532	2189	19.55
70	2nd	-piste1 -ref -raw -fft -cos	532	2189	19.55
71	2nd	-piste1 -ref -silence -norm -fft -eucl	543	2178	19.96
72	2nd	-piste1 -ref -silence -norm -aggr -eucl	543	2178	19.96
73	2nd	-piste1 -ref -norm -fft -eucl	543	2178	19.96
74	2nd	-piste1 -ref -norm -aggr -eucl	543	2178	19.96
75	2nd	-piste1 -ref -silence -noise -raw -aggr -diff	506	2215	18.60
76	2nd	-piste1 -ref -noise -raw -fft -diff	506	2215	18.60
77	2nd	-piste1 -ref -raw -fft -diff	506	2215	18.60
78	2nd	-piste1 -ref -noise -raw -aggr -diff	506	2215	18.60
79	2nd	-piste1 -ref -silence -raw -aggr -diff	506	2215	18.60
80	2nd	-piste1 -ref -raw -aggr -diff	506	2215	18.60
81	2nd	-piste1 -ref -silence -raw -fft -diff	506	2215	18.60
82	2nd	-piste1 -ref -silence -noise -raw -fft -diff	506	2215	18.60
83	2nd	-piste1 -ref -silence -noise -raw -aggr -cheb	505	2216	18.56
84	2nd	-piste1 -ref -noise -raw -fft -cheb	506	2215	18.60
85	2nd	-piste1 -ref -raw -fft -cheb	506	2215	18.60
86	2nd	-piste1 -ref -noise -raw -aggr -cheb	505	2216	18.56
87	2nd	-piste1 -ref -silence -raw -aggr -cheb	505	2216	18.56
88	2nd	-piste1 -ref -raw -aggr -cheb	505	2216	18.56
89	2nd	-piste1 -ref -silence -raw -fft -cheb	506	2215	18.60
90	2nd	-piste1 -ref -silence -noise -raw -fft -cheb	506	2215	18.60
91	2nd	-piste1 -ref -silence -norm -fft -diff	507	2214	18.63
92	2nd	-piste1 -ref -norm -fft -diff	507	2214	18.63
93	2nd	-piste1 -ref -silence -norm -aggr -cheb	508	2213	18.67
94	2nd	-piste1 -ref -silence -norm -aggr -diff	508	2213	18.67
95	2nd	-piste1 -ref -norm -fft -cheb	507	2214	18.63
96	2nd	-piste1 -ref -norm -aggr -cheb	508	2213	18.67
97	2nd	-piste1 -ref -norm -aggr -diff	508	2213	18.67
98	2nd	-piste1 -ref -silence -norm -fft -cheb	507	2214	18.63

Table 3: Consolidated results (piste1-result1-marf-eval-stats–fast), Part 3.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	1940	3852	5850	39.70
2	1st	1830	2187	6094	26.41
3	1st	1820	1571	6710	18.97
4	1st	1810	1180	7101	14.25
5	1st	1880	757	7524	9.14
6	1st	1900	864	9083	8.69
7	1st	1920	703	9097	7.17
8	1st	1850	554	7727	6.69
9	1st	1870	417	7864	5.04
10	1st	1840	413	7868	4.99
11	1st	1860	395	7935	4.74
12	1st	1930	442	9358	4.51
13	1st	1890	403	9250	4.17
14	1st	1800	281	8000	3.39
15	1st	1910	290	9559	2.94
16	2nd	1940	4828	4874	49.76
17	2nd	1830	3457	4824	41.75
18	2nd	1820	3068	5213	37.05
19	2nd	1810	1772	6509	21.40
20	2nd	1880	1770	6511	21.37
21	2nd	1900	1924	8023	19.34
22	2nd	1920	1725	8075	17.60
23	2nd	1850	1068	7213	12.90
24	2nd	1870	881	7400	10.64
25	2nd	1840	966	7315	11.67
26	2nd	1860	884	7446	10.61
27	2nd	1930	1150	8650	11.73
28	2nd	1890	806	8847	8.35
29	2nd	1800	978	7303	11.81
30	2nd	1910	554	9295	5.62

Table 4: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-noise-raw-aggr-cheb.prexml.xml`

```
- classe 1800 (attendus = 169, ramenes = 75.00, corrects = 4.00)
  rappel = 0.024 precision = 0.053 f-mesure = 0.033
- classe 1810 (attendus = 169, ramenes = 86.00, corrects = 17.00)
  rappel = 0.101 precision = 0.198 f-mesure = 0.133
- classe 1820 (attendus = 169, ramenes = 208.00, corrects = 31.00)
  rappel = 0.183 precision = 0.149 f-mesure = 0.164
- classe 1830 (attendus = 169, ramenes = 546.00, corrects = 51.00)
  rappel = 0.302 precision = 0.093 f-mesure = 0.143
- classe 1840 (attendus = 169, ramenes = 88.00, corrects = 8.00)
  rappel = 0.047 precision = 0.091 f-mesure = 0.062
- classe 1850 (attendus = 169, ramenes = 126.00, corrects = 8.00)
  rappel = 0.047 precision = 0.063 f-mesure = 0.054
- classe 1860 (attendus = 170, ramenes = 96.00, corrects = 5.00)
  rappel = 0.029 precision = 0.052 f-mesure = 0.038
- classe 1870 (attendus = 169, ramenes = 102.00, corrects = 8.00)
  rappel = 0.047 precision = 0.078 f-mesure = 0.059
- classe 1880 (attendus = 169, ramenes = 155.00, corrects = 14.00)
  rappel = 0.083 precision = 0.090 f-mesure = 0.086
- classe 1890 (attendus = 197, ramenes = 117.00, corrects = 8.00)
  rappel = 0.041 precision = 0.068 f-mesure = 0.051
- classe 1900 (attendus = 203, ramenes = 274.00, corrects = 20.00)
  rappel = 0.099 precision = 0.073 f-mesure = 0.084
- classe 1910 (attendus = 201, ramenes = 72.00, corrects = 3.00)
  rappel = 0.015 precision = 0.042 f-mesure = 0.022
- classe 1920 (attendus = 200, ramenes = 137.00, corrects = 12.00)
  rappel = 0.060 precision = 0.088 f-mesure = 0.071
- classe 1930 (attendus = 200, ramenes = 111.00, corrects = 8.00)
  rappel = 0.040 precision = 0.072 f-mesure = 0.051
- classe 1940 (attendus = 198, ramenes = 528.00, corrects = 75.00)
  rappel = 0.379 precision = 0.142 f-mesure = 0.207
- sur l'ensemble des 15 classes
  macro rappel = 0.100 macro precision = 0.090 macro F-mesure = 0.095
```

Table 5: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-noise-raw-aggr-cos.prexml.xml`

```
- classe 1800 (attendus = 169, ramenes = 127.00, corrects = 9.00)
  rappel = 0.053 precision = 0.071 f-mesure = 0.061
- classe 1810 (attendus = 169, ramenes = 252.00, corrects = 33.00)
  rappel = 0.195 precision = 0.131 f-mesure = 0.157
- classe 1820 (attendus = 169, ramenes = 258.00, corrects = 29.00)
  rappel = 0.172 precision = 0.112 f-mesure = 0.136
- classe 1830 (attendus = 169, ramenes = 358.00, corrects = 36.00)
  rappel = 0.213 precision = 0.101 f-mesure = 0.137
- classe 1840 (attendus = 169, ramenes = 86.00, corrects = 10.00)
  rappel = 0.059 precision = 0.116 f-mesure = 0.078
- classe 1850 (attendus = 169, ramenes = 186.00, corrects = 16.00)
  rappel = 0.095 precision = 0.086 f-mesure = 0.090
- classe 1860 (attendus = 170, ramenes = 146.00, corrects = 13.00)
  rappel = 0.076 precision = 0.089 f-mesure = 0.082
- classe 1870 (attendus = 169, ramenes = 103.00, corrects = 10.00)
  rappel = 0.059 precision = 0.097 f-mesure = 0.074
- classe 1880 (attendus = 169, ramenes = 166.00, corrects = 20.00)
  rappel = 0.118 precision = 0.120 f-mesure = 0.119
- classe 1890 (attendus = 197, ramenes = 81.00, corrects = 7.00)
  rappel = 0.036 precision = 0.086 f-mesure = 0.050
- classe 1900 (attendus = 203, ramenes = 153.00, corrects = 14.00)
  rappel = 0.069 precision = 0.092 f-mesure = 0.079
- classe 1910 (attendus = 201, ramenes = 85.00, corrects = 11.00)
  rappel = 0.055 precision = 0.129 f-mesure = 0.077
- classe 1920 (attendus = 200, ramenes = 129.00, corrects = 15.00)
  rappel = 0.075 precision = 0.116 f-mesure = 0.091
- classe 1930 (attendus = 200, ramenes = 96.00, corrects = 10.00)
  rappel = 0.050 precision = 0.104 f-mesure = 0.068
- classe 1940 (attendus = 198, ramenes = 495.00, corrects = 82.00)
  rappel = 0.414 precision = 0.166 f-mesure = 0.237
- sur l'ensemble des 15 classes
  macro rappel = 0.116 macro precision = 0.108 macro F-mesure = 0.112
```

Table 6: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-noise-raw-aggr-diff.prexml.xml`

`- classe 1800 (attendus = 169, ramenes = 74.00, corrects = 4.00)` `rappel = 0.024 precision = 0.054 f-mesure = 0.033`
`- classe 1810 (attendus = 169, ramenes = 86.00, corrects = 17.00)` `rappel = 0.101 precision = 0.198 f-mesure = 0.133`
`- classe 1820 (attendus = 169, ramenes = 210.00, corrects = 31.00)` `rappel = 0.183 precision = 0.148 f-mesure = 0.164`
`- classe 1830 (attendus = 169, ramenes = 545.00, corrects = 51.00)` `rappel = 0.302 precision = 0.094 f-mesure = 0.143`
`- classe 1840 (attendus = 169, ramenes = 90.00, corrects = 8.00)` `rappel = 0.047 precision = 0.089 f-mesure = 0.062`
`- classe 1850 (attendus = 169, ramenes = 125.00, corrects = 8.00)` `rappel = 0.047 precision = 0.064 f-mesure = 0.054`
`- classe 1860 (attendus = 170, ramenes = 95.00, corrects = 5.00)` `rappel = 0.029 precision = 0.053 f-mesure = 0.038`
`- classe 1870 (attendus = 169, ramenes = 100.00, corrects = 8.00)` `rappel = 0.047 precision = 0.080 f-mesure = 0.059`
`- classe 1880 (attendus = 169, ramenes = 157.00, corrects = 14.00)` `rappel = 0.083 precision = 0.089 f-mesure = 0.086`
`- classe 1890 (attendus = 197, ramenes = 117.00, corrects = 8.00)` `rappel = 0.041 precision = 0.068 f-mesure = 0.051`
`- classe 1900 (attendus = 203, ramenes = 276.00, corrects = 21.00)` `rappel = 0.103 precision = 0.076 f-mesure = 0.088`
`- classe 1910 (attendus = 201, ramenes = 72.00, corrects = 3.00)` `rappel = 0.015 precision = 0.042 f-mesure = 0.022`
`- classe 1920 (attendus = 200, ramenes = 138.00, corrects = 13.00)` `rappel = 0.065 precision = 0.094 f-mesure = 0.077`
`- classe 1930 (attendus = 200, ramenes = 111.00, corrects = 8.00)` `rappel = 0.040 precision = 0.072 f-mesure = 0.051`
`- classe 1940 (attendus = 198, ramenes = 525.00, corrects = 75.00)` `rappel = 0.379 precision = 0.143 f-mesure = 0.207`
`- sur l'ensemble des 15 classes` `macro rappel = 0.100 macro precision = 0.091 macro F-mesure = 0.095`

Table 7: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-noise-raw-aggr-eucl.prexml.xml`

```
- classe 1800 (attendus = 169, ramenes = 102.00, corrects = 6.00)
  rappel = 0.036 precision = 0.059 f-mesure = 0.044
- classe 1810 (attendus = 169, ramenes = 193.00, corrects = 27.00)
  rappel = 0.160 precision = 0.140 f-mesure = 0.149
- classe 1820 (attendus = 169, ramenes = 321.00, corrects = 41.00)
  rappel = 0.243 precision = 0.128 f-mesure = 0.167
- classe 1830 (attendus = 169, ramenes = 422.00, corrects = 40.00)
  rappel = 0.237 precision = 0.095 f-mesure = 0.135
- classe 1840 (attendus = 169, ramenes = 83.00, corrects = 9.00)
  rappel = 0.053 precision = 0.108 f-mesure = 0.071
- classe 1850 (attendus = 169, ramenes = 166.00, corrects = 13.00)
  rappel = 0.077 precision = 0.078 f-mesure = 0.078
- classe 1860 (attendus = 170, ramenes = 111.00, corrects = 8.00)
  rappel = 0.047 precision = 0.072 f-mesure = 0.057
- classe 1870 (attendus = 169, ramenes = 82.00, corrects = 7.00)
  rappel = 0.041 precision = 0.085 f-mesure = 0.056
- classe 1880 (attendus = 169, ramenes = 118.00, corrects = 13.00)
  rappel = 0.077 precision = 0.110 f-mesure = 0.091
- classe 1890 (attendus = 197, ramenes = 78.00, corrects = 9.00)
  rappel = 0.046 precision = 0.115 f-mesure = 0.065
- classe 1900 (attendus = 203, ramenes = 135.00, corrects = 16.00)
  rappel = 0.079 precision = 0.119 f-mesure = 0.095
- classe 1910 (attendus = 201, ramenes = 67.00, corrects = 6.00)
  rappel = 0.030 precision = 0.090 f-mesure = 0.045
- classe 1920 (attendus = 200, ramenes = 143.00, corrects = 18.00)
  rappel = 0.090 precision = 0.126 f-mesure = 0.105
- classe 1930 (attendus = 200, ramenes = 80.00, corrects = 9.00)
  rappel = 0.045 precision = 0.113 f-mesure = 0.064
- classe 1940 (attendus = 198, ramenes = 620.00, corrects = 93.00)
  rappel = 0.470 precision = 0.150 f-mesure = 0.227
- sur l'ensemble des 15 classes
  macro rappel = 0.115 macro precision = 0.106 macro F-mesure = 0.110
```

Table 8: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-noise-raw-fft-cheb.prexml.xml`

```
- classe 1800 (attendus = 169, ramenes = 75.00, corrects = 4.00)
  rappel = 0.024 precision = 0.053 f-mesure = 0.033
- classe 1810 (attendus = 169, ramenes = 85.00, corrects = 17.00)
  rappel = 0.101 precision = 0.200 f-mesure = 0.134
- classe 1820 (attendus = 169, ramenes = 208.00, corrects = 31.00)
  rappel = 0.183 precision = 0.149 f-mesure = 0.164
- classe 1830 (attendus = 169, ramenes = 546.00, corrects = 51.00)
  rappel = 0.302 precision = 0.093 f-mesure = 0.143
- classe 1840 (attendus = 169, ramenes = 88.00, corrects = 8.00)
  rappel = 0.047 precision = 0.091 f-mesure = 0.062
- classe 1850 (attendus = 169, ramenes = 126.00, corrects = 8.00)
  rappel = 0.047 precision = 0.063 f-mesure = 0.054
- classe 1860 (attendus = 170, ramenes = 96.00, corrects = 5.00)
  rappel = 0.029 precision = 0.052 f-mesure = 0.038
- classe 1870 (attendus = 169, ramenes = 102.00, corrects = 8.00)
  rappel = 0.047 precision = 0.078 f-mesure = 0.059
- classe 1880 (attendus = 169, ramenes = 156.00, corrects = 14.00)
  rappel = 0.083 precision = 0.090 f-mesure = 0.086
- classe 1890 (attendus = 197, ramenes = 117.00, corrects = 8.00)
  rappel = 0.041 precision = 0.068 f-mesure = 0.051
- classe 1900 (attendus = 203, ramenes = 274.00, corrects = 20.00)
  rappel = 0.099 precision = 0.073 f-mesure = 0.084
- classe 1910 (attendus = 201, ramenes = 72.00, corrects = 3.00)
  rappel = 0.015 precision = 0.042 f-mesure = 0.022
- classe 1920 (attendus = 200, ramenes = 137.00, corrects = 12.00)
  rappel = 0.060 precision = 0.088 f-mesure = 0.071
- classe 1930 (attendus = 200, ramenes = 111.00, corrects = 8.00)
  rappel = 0.040 precision = 0.072 f-mesure = 0.051
- classe 1940 (attendus = 198, ramenes = 528.00, corrects = 75.00)
  rappel = 0.379 precision = 0.142 f-mesure = 0.207
- sur l'ensemble des 15 classes
  macro rappel = 0.100 macro precision = 0.090 macro F-mesure = 0.095
```

Table 9: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-noise-raw-fft-cos.prexml.xml`

```
- classe 1800 (attendus = 169, ramenes = 127.00, corrects = 9.00)
  rappel = 0.053 precision = 0.071 f-mesure = 0.061
- classe 1810 (attendus = 169, ramenes = 252.00, corrects = 33.00)
  rappel = 0.195 precision = 0.131 f-mesure = 0.157
- classe 1820 (attendus = 169, ramenes = 258.00, corrects = 29.00)
  rappel = 0.172 precision = 0.112 f-mesure = 0.136
- classe 1830 (attendus = 169, ramenes = 358.00, corrects = 36.00)
  rappel = 0.213 precision = 0.101 f-mesure = 0.137
- classe 1840 (attendus = 169, ramenes = 86.00, corrects = 10.00)
  rappel = 0.059 precision = 0.116 f-mesure = 0.078
- classe 1850 (attendus = 169, ramenes = 186.00, corrects = 16.00)
  rappel = 0.095 precision = 0.086 f-mesure = 0.090
- classe 1860 (attendus = 170, ramenes = 146.00, corrects = 13.00)
  rappel = 0.076 precision = 0.089 f-mesure = 0.082
- classe 1870 (attendus = 169, ramenes = 103.00, corrects = 10.00)
  rappel = 0.059 precision = 0.097 f-mesure = 0.074
- classe 1880 (attendus = 169, ramenes = 166.00, corrects = 20.00)
  rappel = 0.118 precision = 0.120 f-mesure = 0.119
- classe 1890 (attendus = 197, ramenes = 81.00, corrects = 7.00)
  rappel = 0.036 precision = 0.086 f-mesure = 0.050
- classe 1900 (attendus = 203, ramenes = 153.00, corrects = 14.00)
  rappel = 0.069 precision = 0.092 f-mesure = 0.079
- classe 1910 (attendus = 201, ramenes = 85.00, corrects = 11.00)
  rappel = 0.055 precision = 0.129 f-mesure = 0.077
- classe 1920 (attendus = 200, ramenes = 129.00, corrects = 15.00)
  rappel = 0.075 precision = 0.116 f-mesure = 0.091
- classe 1930 (attendus = 200, ramenes = 96.00, corrects = 10.00)
  rappel = 0.050 precision = 0.104 f-mesure = 0.068
- classe 1940 (attendus = 198, ramenes = 495.00, corrects = 82.00)
  rappel = 0.414 precision = 0.166 f-mesure = 0.237
- sur l'ensemble des 15 classes
  macro rappel = 0.116 macro precision = 0.108 macro F-mesure = 0.112
```

Table 10: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-noise-raw-fft-diff.prexml.xml`

- classe 1800 (attendus = 169, ramenes = 77.00, corrects = 5.00) rappel = 0.030 precision = 0.065 f-mesure = 0.041
- classe 1810 (attendus = 169, ramenes = 84.00, corrects = 17.00) rappel = 0.101 precision = 0.202 f-mesure = 0.134
- classe 1820 (attendus = 169, ramenes = 208.00, corrects = 30.00) rappel = 0.178 precision = 0.144 f-mesure = 0.159
- classe 1830 (attendus = 169, ramenes = 547.00, corrects = 52.00) rappel = 0.308 precision = 0.095 f-mesure = 0.145
- classe 1840 (attendus = 169, ramenes = 89.00, corrects = 8.00) rappel = 0.047 precision = 0.090 f-mesure = 0.062
- classe 1850 (attendus = 169, ramenes = 124.00, corrects = 9.00) rappel = 0.053 precision = 0.073 f-mesure = 0.061
- classe 1860 (attendus = 170, ramenes = 96.00, corrects = 5.00) rappel = 0.029 precision = 0.052 f-mesure = 0.038
- classe 1870 (attendus = 169, ramenes = 101.00, corrects = 8.00) rappel = 0.047 precision = 0.079 f-mesure = 0.059
- classe 1880 (attendus = 169, ramenes = 155.00, corrects = 14.00) rappel = 0.083 precision = 0.090 f-mesure = 0.086
- classe 1890 (attendus = 197, ramenes = 115.00, corrects = 8.00) rappel = 0.041 precision = 0.070 f-mesure = 0.051
- classe 1900 (attendus = 203, ramenes = 274.00, corrects = 20.00) rappel = 0.099 precision = 0.073 f-mesure = 0.084
- classe 1910 (attendus = 201, ramenes = 72.00, corrects = 3.00) rappel = 0.015 precision = 0.042 f-mesure = 0.022
- classe 1920 (attendus = 200, ramenes = 139.00, corrects = 12.00) rappel = 0.060 precision = 0.086 f-mesure = 0.071
- classe 1930 (attendus = 200, ramenes = 110.00, corrects = 8.00) rappel = 0.040 precision = 0.073 f-mesure = 0.052
- classe 1940 (attendus = 198, ramenes = 530.00, corrects = 75.00) rappel = 0.379 precision = 0.142 f-mesure = 0.206
- sur l'ensemble des 15 classes macro rappel = 0.101 macro precision = 0.092 macro F-mesure = 0.096

Table 11: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-noise-raw-fft-eucl.prexml.xml`

```
- classe 1800 (attendus = 169, ramenes = 102.00, corrects = 6.00)
  rappel = 0.036 precision = 0.059 f-mesure = 0.044
- classe 1810 (attendus = 169, ramenes = 193.00, corrects = 27.00)
  rappel = 0.160 precision = 0.140 f-mesure = 0.149
- classe 1820 (attendus = 169, ramenes = 321.00, corrects = 41.00)
  rappel = 0.243 precision = 0.128 f-mesure = 0.167
- classe 1830 (attendus = 169, ramenes = 422.00, corrects = 40.00)
  rappel = 0.237 precision = 0.095 f-mesure = 0.135
- classe 1840 (attendus = 169, ramenes = 83.00, corrects = 9.00)
  rappel = 0.053 precision = 0.108 f-mesure = 0.071
- classe 1850 (attendus = 169, ramenes = 166.00, corrects = 13.00)
  rappel = 0.077 precision = 0.078 f-mesure = 0.078
- classe 1860 (attendus = 170, ramenes = 111.00, corrects = 8.00)
  rappel = 0.047 precision = 0.072 f-mesure = 0.057
- classe 1870 (attendus = 169, ramenes = 82.00, corrects = 7.00)
  rappel = 0.041 precision = 0.085 f-mesure = 0.056
- classe 1880 (attendus = 169, ramenes = 118.00, corrects = 13.00)
  rappel = 0.077 precision = 0.110 f-mesure = 0.091
- classe 1890 (attendus = 197, ramenes = 78.00, corrects = 9.00)
  rappel = 0.046 precision = 0.115 f-mesure = 0.065
- classe 1900 (attendus = 203, ramenes = 135.00, corrects = 16.00)
  rappel = 0.079 precision = 0.119 f-mesure = 0.095
- classe 1910 (attendus = 201, ramenes = 67.00, corrects = 6.00)
  rappel = 0.030 precision = 0.090 f-mesure = 0.045
- classe 1920 (attendus = 200, ramenes = 143.00, corrects = 18.00)
  rappel = 0.090 precision = 0.126 f-mesure = 0.105
- classe 1930 (attendus = 200, ramenes = 80.00, corrects = 9.00)
  rappel = 0.045 precision = 0.113 f-mesure = 0.064
- classe 1940 (attendus = 198, ramenes = 620.00, corrects = 93.00)
  rappel = 0.470 precision = 0.150 f-mesure = 0.227
- sur l'ensemble des 15 classes
  macro rappel = 0.115 macro precision = 0.106 macro F-mesure = 0.110
```

Table 12: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-norm-aggr-cheb.prexml.xml`

```
- classe 1800 (attendus = 169, ramenes = 78.00, corrects = 3.00)
  rappel = 0.018 precision = 0.038 f-mesure = 0.024
- classe 1810 (attendus = 169, ramenes = 92.00, corrects = 19.00)
  rappel = 0.112 precision = 0.207 f-mesure = 0.146
- classe 1820 (attendus = 169, ramenes = 225.00, corrects = 28.00)
  rappel = 0.166 precision = 0.124 f-mesure = 0.142
- classe 1830 (attendus = 169, ramenes = 527.00, corrects = 49.00)
  rappel = 0.290 precision = 0.093 f-mesure = 0.141
- classe 1840 (attendus = 169, ramenes = 85.00, corrects = 6.00)
  rappel = 0.036 precision = 0.071 f-mesure = 0.047
- classe 1850 (attendus = 169, ramenes = 142.00, corrects = 8.00)
  rappel = 0.047 precision = 0.056 f-mesure = 0.051
- classe 1860 (attendus = 170, ramenes = 95.00, corrects = 6.00)
  rappel = 0.035 precision = 0.063 f-mesure = 0.045
- classe 1870 (attendus = 169, ramenes = 89.00, corrects = 9.00)
  rappel = 0.053 precision = 0.101 f-mesure = 0.070
- classe 1880 (attendus = 169, ramenes = 147.00, corrects = 14.00)
  rappel = 0.083 precision = 0.095 f-mesure = 0.089
- classe 1890 (attendus = 197, ramenes = 107.00, corrects = 10.00)
  rappel = 0.051 precision = 0.093 f-mesure = 0.066
- classe 1900 (attendus = 203, ramenes = 319.00, corrects = 23.00)
  rappel = 0.113 precision = 0.072 f-mesure = 0.088
- classe 1910 (attendus = 201, ramenes = 89.00, corrects = 5.00)
  rappel = 0.025 precision = 0.056 f-mesure = 0.034
- classe 1920 (attendus = 200, ramenes = 166.00, corrects = 13.00)
  rappel = 0.065 precision = 0.078 f-mesure = 0.071
- classe 1930 (attendus = 200, ramenes = 102.00, corrects = 10.00)
  rappel = 0.050 precision = 0.098 f-mesure = 0.066
- classe 1940 (attendus = 198, ramenes = 458.00, corrects = 62.00)
  rappel = 0.313 precision = 0.135 f-mesure = 0.189
- sur l'ensemble des 15 classes
  macro rappel = 0.097 macro precision = 0.092 macro F-mesure = 0.095
```

Table 13: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-norm-aggr-cos.prexml.xml`

```
- classe 1800 (attendus = 169, ramenes = 127.00, corrects = 9.00)
  rappel = 0.053 precision = 0.071 f-mesure = 0.061
- classe 1810 (attendus = 169, ramenes = 251.00, corrects = 33.00)
  rappel = 0.195 precision = 0.131 f-mesure = 0.157
- classe 1820 (attendus = 169, ramenes = 258.00, corrects = 29.00)
  rappel = 0.172 precision = 0.112 f-mesure = 0.136
- classe 1830 (attendus = 169, ramenes = 354.00, corrects = 36.00)
  rappel = 0.213 precision = 0.102 f-mesure = 0.138
- classe 1840 (attendus = 169, ramenes = 85.00, corrects = 10.00)
  rappel = 0.059 precision = 0.118 f-mesure = 0.079
- classe 1850 (attendus = 169, ramenes = 186.00, corrects = 16.00)
  rappel = 0.095 precision = 0.086 f-mesure = 0.090
- classe 1860 (attendus = 170, ramenes = 148.00, corrects = 13.00)
  rappel = 0.076 precision = 0.088 f-mesure = 0.082
- classe 1870 (attendus = 169, ramenes = 102.00, corrects = 10.00)
  rappel = 0.059 precision = 0.098 f-mesure = 0.074
- classe 1880 (attendus = 169, ramenes = 164.00, corrects = 20.00)
  rappel = 0.118 precision = 0.122 f-mesure = 0.120
- classe 1890 (attendus = 197, ramenes = 84.00, corrects = 7.00)
  rappel = 0.036 precision = 0.083 f-mesure = 0.050
- classe 1900 (attendus = 203, ramenes = 156.00, corrects = 15.00)
  rappel = 0.074 precision = 0.096 f-mesure = 0.084
- classe 1910 (attendus = 201, ramenes = 84.00, corrects = 10.00)
  rappel = 0.050 precision = 0.119 f-mesure = 0.070
- classe 1920 (attendus = 200, ramenes = 131.00, corrects = 15.00)
  rappel = 0.075 precision = 0.115 f-mesure = 0.091
- classe 1930 (attendus = 200, ramenes = 97.00, corrects = 10.00)
  rappel = 0.050 precision = 0.103 f-mesure = 0.067
- classe 1940 (attendus = 198, ramenes = 494.00, corrects = 82.00)
  rappel = 0.414 precision = 0.166 f-mesure = 0.237
- sur l'ensemble des 15 classes
  macro rappel = 0.116 macro precision = 0.107 macro F-mesure = 0.111
```

Table 14: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-norm-aggr-diff.prexml.xml`

```
- classe 1800 (attendus = 169, ramenes = 77.00, corrects = 3.00)
  rappel = 0.018 precision = 0.039 f-mesure = 0.024
- classe 1810 (attendus = 169, ramenes = 91.00, corrects = 19.00)
  rappel = 0.112 precision = 0.209 f-mesure = 0.146
- classe 1820 (attendus = 169, ramenes = 226.00, corrects = 28.00)
  rappel = 0.166 precision = 0.124 f-mesure = 0.142
- classe 1830 (attendus = 169, ramenes = 525.00, corrects = 49.00)
  rappel = 0.290 precision = 0.093 f-mesure = 0.141
- classe 1840 (attendus = 169, ramenes = 85.00, corrects = 6.00)
  rappel = 0.036 precision = 0.071 f-mesure = 0.047
- classe 1850 (attendus = 169, ramenes = 143.00, corrects = 8.00)
  rappel = 0.047 precision = 0.056 f-mesure = 0.051
- classe 1860 (attendus = 170, ramenes = 96.00, corrects = 6.00)
  rappel = 0.035 precision = 0.062 f-mesure = 0.045
- classe 1870 (attendus = 169, ramenes = 87.00, corrects = 9.00)
  rappel = 0.053 precision = 0.103 f-mesure = 0.070
- classe 1880 (attendus = 169, ramenes = 149.00, corrects = 14.00)
  rappel = 0.083 precision = 0.094 f-mesure = 0.088
- classe 1890 (attendus = 197, ramenes = 108.00, corrects = 10.00)
  rappel = 0.051 precision = 0.093 f-mesure = 0.066
- classe 1900 (attendus = 203, ramenes = 320.00, corrects = 24.00)
  rappel = 0.118 precision = 0.075 f-mesure = 0.092
- classe 1910 (attendus = 201, ramenes = 86.00, corrects = 4.00)
  rappel = 0.020 precision = 0.047 f-mesure = 0.028
- classe 1920 (attendus = 200, ramenes = 169.00, corrects = 13.00)
  rappel = 0.065 precision = 0.077 f-mesure = 0.070
- classe 1930 (attendus = 200, ramenes = 104.00, corrects = 10.00)
  rappel = 0.050 precision = 0.096 f-mesure = 0.066
- classe 1940 (attendus = 198, ramenes = 455.00, corrects = 62.00)
  rappel = 0.313 precision = 0.136 f-mesure = 0.190
- sur l'ensemble des 15 classes
  macro rappel = 0.097 macro precision = 0.092 macro F-mesure = 0.094
```

Table 15: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-norm-aggr-eucl.prexml.xml`

```
- classe 1800 (attendus = 169, ramenes = 98.00, corrects = 5.00)
  rappel = 0.030 precision = 0.051 f-mesure = 0.037
- classe 1810 (attendus = 169, ramenes = 203.00, corrects = 28.00)
  rappel = 0.166 precision = 0.138 f-mesure = 0.151
- classe 1820 (attendus = 169, ramenes = 287.00, corrects = 34.00)
  rappel = 0.201 precision = 0.118 f-mesure = 0.149
- classe 1830 (attendus = 169, ramenes = 479.00, corrects = 47.00)
  rappel = 0.278 precision = 0.098 f-mesure = 0.145
- classe 1840 (attendus = 169, ramenes = 72.00, corrects = 10.00)
  rappel = 0.059 precision = 0.139 f-mesure = 0.083
- classe 1850 (attendus = 169, ramenes = 193.00, corrects = 13.00)
  rappel = 0.077 precision = 0.067 f-mesure = 0.072
- classe 1860 (attendus = 170, ramenes = 101.00, corrects = 8.00)
  rappel = 0.047 precision = 0.079 f-mesure = 0.059
- classe 1870 (attendus = 169, ramenes = 70.00, corrects = 8.00)
  rappel = 0.047 precision = 0.114 f-mesure = 0.067
- classe 1880 (attendus = 169, ramenes = 115.00, corrects = 14.00)
  rappel = 0.083 precision = 0.122 f-mesure = 0.099
- classe 1890 (attendus = 197, ramenes = 76.00, corrects = 8.00)
  rappel = 0.041 precision = 0.105 f-mesure = 0.059
- classe 1900 (attendus = 203, ramenes = 122.00, corrects = 10.00)
  rappel = 0.049 precision = 0.082 f-mesure = 0.062
- classe 1910 (attendus = 201, ramenes = 61.00, corrects = 5.00)
  rappel = 0.025 precision = 0.082 f-mesure = 0.038
- classe 1920 (attendus = 200, ramenes = 189.00, corrects = 16.00)
  rappel = 0.080 precision = 0.085 f-mesure = 0.082
- classe 1930 (attendus = 200, ramenes = 71.00, corrects = 7.00)
  rappel = 0.035 precision = 0.099 f-mesure = 0.052
- classe 1940 (attendus = 198, ramenes = 584.00, corrects = 84.00)
  rappel = 0.424 precision = 0.144 f-mesure = 0.215
- sur l'ensemble des 15 classes
  macro rappel = 0.109 macro precision = 0.102 macro F-mesure = 0.105
```

Table 16: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-norm-fft-cheb.prexml.xml`

- classe 1800 (attendus = 169, ramenes = 78.00, corrects = 3.00) rappel = 0.018 precision = 0.038 f-mesure = 0.024
- classe 1810 (attendus = 169, ramenes = 93.00, corrects = 19.00) rappel = 0.112 precision = 0.204 f-mesure = 0.145
- classe 1820 (attendus = 169, ramenes = 225.00, corrects = 28.00) rappel = 0.166 precision = 0.124 f-mesure = 0.142
- classe 1830 (attendus = 169, ramenes = 525.00, corrects = 49.00) rappel = 0.290 precision = 0.093 f-mesure = 0.141
- classe 1840 (attendus = 169, ramenes = 84.00, corrects = 6.00) rappel = 0.036 precision = 0.071 f-mesure = 0.047
- classe 1850 (attendus = 169, ramenes = 142.00, corrects = 8.00) rappel = 0.047 precision = 0.056 f-mesure = 0.051
- classe 1860 (attendus = 170, ramenes = 95.00, corrects = 6.00) rappel = 0.035 precision = 0.063 f-mesure = 0.045
- classe 1870 (attendus = 169, ramenes = 89.00, corrects = 9.00) rappel = 0.053 precision = 0.101 f-mesure = 0.070
- classe 1880 (attendus = 169, ramenes = 148.00, corrects = 14.00) rappel = 0.083 precision = 0.095 f-mesure = 0.088
- classe 1890 (attendus = 197, ramenes = 108.00, corrects = 10.00) rappel = 0.051 precision = 0.093 f-mesure = 0.066
- classe 1900 (attendus = 203, ramenes = 319.00, corrects = 23.00) rappel = 0.113 precision = 0.072 f-mesure = 0.088
- classe 1910 (attendus = 201, ramenes = 89.00, corrects = 5.00) rappel = 0.025 precision = 0.056 f-mesure = 0.034
- classe 1920 (attendus = 200, ramenes = 166.00, corrects = 13.00) rappel = 0.065 precision = 0.078 f-mesure = 0.071
- classe 1930 (attendus = 200, ramenes = 101.00, corrects = 10.00) rappel = 0.050 precision = 0.099 f-mesure = 0.066
- classe 1940 (attendus = 198, ramenes = 459.00, corrects = 62.00) rappel = 0.313 precision = 0.135 f-mesure = 0.189
- sur l'ensemble des 15 classes macro rappel = 0.097 macro precision = 0.092 macro F-mesure = 0.095

Table 17: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-norm-fft-cos.prexml.xml`

```
- classe 1800 (attendus = 169, ramenes = 127.00, corrects = 9.00)
  rappel = 0.053 precision = 0.071 f-mesure = 0.061
- classe 1810 (attendus = 169, ramenes = 251.00, corrects = 33.00)
  rappel = 0.195 precision = 0.131 f-mesure = 0.157
- classe 1820 (attendus = 169, ramenes = 258.00, corrects = 29.00)
  rappel = 0.172 precision = 0.112 f-mesure = 0.136
- classe 1830 (attendus = 169, ramenes = 354.00, corrects = 36.00)
  rappel = 0.213 precision = 0.102 f-mesure = 0.138
- classe 1840 (attendus = 169, ramenes = 85.00, corrects = 10.00)
  rappel = 0.059 precision = 0.118 f-mesure = 0.079
- classe 1850 (attendus = 169, ramenes = 186.00, corrects = 16.00)
  rappel = 0.095 precision = 0.086 f-mesure = 0.090
- classe 1860 (attendus = 170, ramenes = 148.00, corrects = 13.00)
  rappel = 0.076 precision = 0.088 f-mesure = 0.082
- classe 1870 (attendus = 169, ramenes = 102.00, corrects = 10.00)
  rappel = 0.059 precision = 0.098 f-mesure = 0.074
- classe 1880 (attendus = 169, ramenes = 164.00, corrects = 20.00)
  rappel = 0.118 precision = 0.122 f-mesure = 0.120
- classe 1890 (attendus = 197, ramenes = 84.00, corrects = 7.00)
  rappel = 0.036 precision = 0.083 f-mesure = 0.050
- classe 1900 (attendus = 203, ramenes = 156.00, corrects = 15.00)
  rappel = 0.074 precision = 0.096 f-mesure = 0.084
- classe 1910 (attendus = 201, ramenes = 84.00, corrects = 10.00)
  rappel = 0.050 precision = 0.119 f-mesure = 0.070
- classe 1920 (attendus = 200, ramenes = 131.00, corrects = 15.00)
  rappel = 0.075 precision = 0.115 f-mesure = 0.091
- classe 1930 (attendus = 200, ramenes = 97.00, corrects = 10.00)
  rappel = 0.050 precision = 0.103 f-mesure = 0.067
- classe 1940 (attendus = 198, ramenes = 494.00, corrects = 82.00)
  rappel = 0.414 precision = 0.166 f-mesure = 0.237
- sur l'ensemble des 15 classes
  macro rappel = 0.116 macro precision = 0.107 macro F-mesure = 0.111
```

Table 18: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-norm-fft-diff.prexml.xml`

```
- classe 1800 (attendus = 169, ramenes = 77.00, corrects = 3.00)
  rappel = 0.018 precision = 0.039 f-mesure = 0.024
- classe 1810 (attendus = 169, ramenes = 92.00, corrects = 19.00)
  rappel = 0.112 precision = 0.207 f-mesure = 0.146
- classe 1820 (attendus = 169, ramenes = 227.00, corrects = 28.00)
  rappel = 0.166 precision = 0.123 f-mesure = 0.141
- classe 1830 (attendus = 169, ramenes = 526.00, corrects = 49.00)
  rappel = 0.290 precision = 0.093 f-mesure = 0.141
- classe 1840 (attendus = 169, ramenes = 83.00, corrects = 6.00)
  rappel = 0.036 precision = 0.072 f-mesure = 0.048
- classe 1850 (attendus = 169, ramenes = 141.00, corrects = 7.00)
  rappel = 0.041 precision = 0.050 f-mesure = 0.045
- classe 1860 (attendus = 170, ramenes = 94.00, corrects = 6.00)
  rappel = 0.035 precision = 0.064 f-mesure = 0.045
- classe 1870 (attendus = 169, ramenes = 85.00, corrects = 9.00)
  rappel = 0.053 precision = 0.106 f-mesure = 0.071
- classe 1880 (attendus = 169, ramenes = 145.00, corrects = 15.00)
  rappel = 0.089 precision = 0.103 f-mesure = 0.096
- classe 1890 (attendus = 197, ramenes = 109.00, corrects = 10.00)
  rappel = 0.051 precision = 0.092 f-mesure = 0.065
- classe 1900 (attendus = 203, ramenes = 320.00, corrects = 23.00)
  rappel = 0.113 precision = 0.072 f-mesure = 0.088
- classe 1910 (attendus = 201, ramenes = 86.00, corrects = 5.00)
  rappel = 0.025 precision = 0.058 f-mesure = 0.035
- classe 1920 (attendus = 200, ramenes = 175.00, corrects = 13.00)
  rappel = 0.065 precision = 0.074 f-mesure = 0.069
- classe 1930 (attendus = 200, ramenes = 106.00, corrects = 11.00)
  rappel = 0.055 precision = 0.104 f-mesure = 0.072
- classe 1940 (attendus = 198, ramenes = 455.00, corrects = 62.00)
  rappel = 0.313 precision = 0.136 f-mesure = 0.190
- sur l'ensemble des 15 classes
  macro rappel = 0.097 macro precision = 0.093 macro F-mesure = 0.095
```

Table 19: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-norm-fft-eucl.prexml.xml`

- classe 1800 (attendus = 169, ramenes = 98.00, corrects = 5.00) rappel = 0.030 precision = 0.051 f-mesure = 0.037
- classe 1810 (attendus = 169, ramenes = 203.00, corrects = 28.00) rappel = 0.166 precision = 0.138 f-mesure = 0.151
- classe 1820 (attendus = 169, ramenes = 288.00, corrects = 34.00) rappel = 0.201 precision = 0.118 f-mesure = 0.149
- classe 1830 (attendus = 169, ramenes = 478.00, corrects = 47.00) rappel = 0.278 precision = 0.098 f-mesure = 0.145
- classe 1840 (attendus = 169, ramenes = 72.00, corrects = 10.00) rappel = 0.059 precision = 0.139 f-mesure = 0.083
- classe 1850 (attendus = 169, ramenes = 193.00, corrects = 13.00) rappel = 0.077 precision = 0.067 f-mesure = 0.072
- classe 1860 (attendus = 170, ramenes = 101.00, corrects = 8.00) rappel = 0.047 precision = 0.079 f-mesure = 0.059
- classe 1870 (attendus = 169, ramenes = 70.00, corrects = 8.00) rappel = 0.047 precision = 0.114 f-mesure = 0.067
- classe 1880 (attendus = 169, ramenes = 115.00, corrects = 14.00) rappel = 0.083 precision = 0.122 f-mesure = 0.099
- classe 1890 (attendus = 197, ramenes = 76.00, corrects = 8.00) rappel = 0.041 precision = 0.105 f-mesure = 0.059
- classe 1900 (attendus = 203, ramenes = 122.00, corrects = 10.00) rappel = 0.049 precision = 0.082 f-mesure = 0.062
- classe 1910 (attendus = 201, ramenes = 61.00, corrects = 5.00) rappel = 0.025 precision = 0.082 f-mesure = 0.038
- classe 1920 (attendus = 200, ramenes = 189.00, corrects = 16.00) rappel = 0.080 precision = 0.085 f-mesure = 0.082
- classe 1930 (attendus = 200, ramenes = 71.00, corrects = 7.00) rappel = 0.035 precision = 0.099 f-mesure = 0.052
- classe 1940 (attendus = 198, ramenes = 584.00, corrects = 84.00) rappel = 0.424 precision = 0.144 f-mesure = 0.215
- sur l'ensemble des 15 classes macro rappel = 0.109 macro precision = 0.102 macro F-mesure = 0.105

Table 20: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-raw-aggr-cheb.prexml.xml`

- classe 1800 (attendus = 169, ramenes = 75.00, corrects = 4.00) rappel = 0.024 precision = 0.053 f-mesure = 0.033
- classe 1810 (attendus = 169, ramenes = 86.00, corrects = 17.00) rappel = 0.101 precision = 0.198 f-mesure = 0.133
- classe 1820 (attendus = 169, ramenes = 208.00, corrects = 31.00) rappel = 0.183 precision = 0.149 f-mesure = 0.164
- classe 1830 (attendus = 169, ramenes = 546.00, corrects = 51.00) rappel = 0.302 precision = 0.093 f-mesure = 0.143
- classe 1840 (attendus = 169, ramenes = 88.00, corrects = 8.00) rappel = 0.047 precision = 0.091 f-mesure = 0.062
- classe 1850 (attendus = 169, ramenes = 126.00, corrects = 8.00) rappel = 0.047 precision = 0.063 f-mesure = 0.054
- classe 1860 (attendus = 170, ramenes = 96.00, corrects = 5.00) rappel = 0.029 precision = 0.052 f-mesure = 0.038
- classe 1870 (attendus = 169, ramenes = 102.00, corrects = 8.00) rappel = 0.047 precision = 0.078 f-mesure = 0.059
- classe 1880 (attendus = 169, ramenes = 155.00, corrects = 14.00) rappel = 0.083 precision = 0.090 f-mesure = 0.086
- classe 1890 (attendus = 197, ramenes = 117.00, corrects = 8.00) rappel = 0.041 precision = 0.068 f-mesure = 0.051
- classe 1900 (attendus = 203, ramenes = 274.00, corrects = 20.00) rappel = 0.099 precision = 0.073 f-mesure = 0.084
- classe 1910 (attendus = 201, ramenes = 72.00, corrects = 3.00) rappel = 0.015 precision = 0.042 f-mesure = 0.022
- classe 1920 (attendus = 200, ramenes = 137.00, corrects = 12.00) rappel = 0.060 precision = 0.088 f-mesure = 0.071
- classe 1930 (attendus = 200, ramenes = 111.00, corrects = 8.00) rappel = 0.040 precision = 0.072 f-mesure = 0.051
- classe 1940 (attendus = 198, ramenes = 528.00, corrects = 75.00) rappel = 0.379 precision = 0.142 f-mesure = 0.207
- sur l'ensemble des 15 classes macro rappel = 0.100 macro precision = 0.090 macro F-mesure = 0.095

Table 21: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-raw-aggr-cos.prexml.xml`

- classe 1800 (attendus = 169, ramenes = 127.00, corrects = 9.00) rappel = 0.053 precision = 0.071 f-mesure = 0.061
- classe 1810 (attendus = 169, ramenes = 252.00, corrects = 33.00) rappel = 0.195 precision = 0.131 f-mesure = 0.157
- classe 1820 (attendus = 169, ramenes = 258.00, corrects = 29.00) rappel = 0.172 precision = 0.112 f-mesure = 0.136
- classe 1830 (attendus = 169, ramenes = 358.00, corrects = 36.00) rappel = 0.213 precision = 0.101 f-mesure = 0.137
- classe 1840 (attendus = 169, ramenes = 86.00, corrects = 10.00) rappel = 0.059 precision = 0.116 f-mesure = 0.078
- classe 1850 (attendus = 169, ramenes = 186.00, corrects = 16.00) rappel = 0.095 precision = 0.086 f-mesure = 0.090
- classe 1860 (attendus = 170, ramenes = 146.00, corrects = 13.00) rappel = 0.076 precision = 0.089 f-mesure = 0.082
- classe 1870 (attendus = 169, ramenes = 103.00, corrects = 10.00) rappel = 0.059 precision = 0.097 f-mesure = 0.074
- classe 1880 (attendus = 169, ramenes = 166.00, corrects = 20.00) rappel = 0.118 precision = 0.120 f-mesure = 0.119
- classe 1890 (attendus = 197, ramenes = 81.00, corrects = 7.00) rappel = 0.036 precision = 0.086 f-mesure = 0.050
- classe 1900 (attendus = 203, ramenes = 153.00, corrects = 14.00) rappel = 0.069 precision = 0.092 f-mesure = 0.079
- classe 1910 (attendus = 201, ramenes = 85.00, corrects = 11.00) rappel = 0.055 precision = 0.129 f-mesure = 0.077
- classe 1920 (attendus = 200, ramenes = 129.00, corrects = 15.00) rappel = 0.075 precision = 0.116 f-mesure = 0.091
- classe 1930 (attendus = 200, ramenes = 96.00, corrects = 10.00) rappel = 0.050 precision = 0.104 f-mesure = 0.068
- classe 1940 (attendus = 198, ramenes = 495.00, corrects = 82.00) rappel = 0.414 precision = 0.166 f-mesure = 0.237
- sur l'ensemble des 15 classes macro rappel = 0.116 macro precision = 0.108 macro F-mesure = 0.112

Table 22: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-raw-aggr-diff.prexml.xml`

```
- classe 1800 (attendus = 169, ramenes = 74.00, corrects = 4.00)
  rappel = 0.024 precision = 0.054 f-mesure = 0.033
- classe 1810 (attendus = 169, ramenes = 86.00, corrects = 17.00)
  rappel = 0.101 precision = 0.198 f-mesure = 0.133
- classe 1820 (attendus = 169, ramenes = 210.00, corrects = 31.00)
  rappel = 0.183 precision = 0.148 f-mesure = 0.164
- classe 1830 (attendus = 169, ramenes = 545.00, corrects = 51.00)
  rappel = 0.302 precision = 0.094 f-mesure = 0.143
- classe 1840 (attendus = 169, ramenes = 90.00, corrects = 8.00)
  rappel = 0.047 precision = 0.089 f-mesure = 0.062
- classe 1850 (attendus = 169, ramenes = 125.00, corrects = 8.00)
  rappel = 0.047 precision = 0.064 f-mesure = 0.054
- classe 1860 (attendus = 170, ramenes = 95.00, corrects = 5.00)
  rappel = 0.029 precision = 0.053 f-mesure = 0.038
- classe 1870 (attendus = 169, ramenes = 100.00, corrects = 8.00)
  rappel = 0.047 precision = 0.080 f-mesure = 0.059
- classe 1880 (attendus = 169, ramenes = 157.00, corrects = 14.00)
  rappel = 0.083 precision = 0.089 f-mesure = 0.086
- classe 1890 (attendus = 197, ramenes = 117.00, corrects = 8.00)
  rappel = 0.041 precision = 0.068 f-mesure = 0.051
- classe 1900 (attendus = 203, ramenes = 276.00, corrects = 21.00)
  rappel = 0.103 precision = 0.076 f-mesure = 0.088
- classe 1910 (attendus = 201, ramenes = 72.00, corrects = 3.00)
  rappel = 0.015 precision = 0.042 f-mesure = 0.022
- classe 1920 (attendus = 200, ramenes = 138.00, corrects = 13.00)
  rappel = 0.065 precision = 0.094 f-mesure = 0.077
- classe 1930 (attendus = 200, ramenes = 111.00, corrects = 8.00)
  rappel = 0.040 precision = 0.072 f-mesure = 0.051
- classe 1940 (attendus = 198, ramenes = 525.00, corrects = 75.00)
  rappel = 0.379 precision = 0.143 f-mesure = 0.207
- sur l'ensemble des 15 classes
  macro rappel = 0.100 macro precision = 0.091 macro F-mesure = 0.095
```

Table 23: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-raw-aggr-eucl.prexml.xml`

- classe 1800 (attendus = 169, ramenes = 102.00, corrects = 6.00) rappel = 0.036 precision = 0.059 f-mesure = 0.044
- classe 1810 (attendus = 169, ramenes = 193.00, corrects = 27.00) rappel = 0.160 precision = 0.140 f-mesure = 0.149
- classe 1820 (attendus = 169, ramenes = 321.00, corrects = 41.00) rappel = 0.243 precision = 0.128 f-mesure = 0.167
- classe 1830 (attendus = 169, ramenes = 422.00, corrects = 40.00) rappel = 0.237 precision = 0.095 f-mesure = 0.135
- classe 1840 (attendus = 169, ramenes = 83.00, corrects = 9.00) rappel = 0.053 precision = 0.108 f-mesure = 0.071
- classe 1850 (attendus = 169, ramenes = 166.00, corrects = 13.00) rappel = 0.077 precision = 0.078 f-mesure = 0.078
- classe 1860 (attendus = 170, ramenes = 111.00, corrects = 8.00) rappel = 0.047 precision = 0.072 f-mesure = 0.057
- classe 1870 (attendus = 169, ramenes = 82.00, corrects = 7.00) rappel = 0.041 precision = 0.085 f-mesure = 0.056
- classe 1880 (attendus = 169, ramenes = 118.00, corrects = 13.00) rappel = 0.077 precision = 0.110 f-mesure = 0.091
- classe 1890 (attendus = 197, ramenes = 78.00, corrects = 9.00) rappel = 0.046 precision = 0.115 f-mesure = 0.065
- classe 1900 (attendus = 203, ramenes = 135.00, corrects = 16.00) rappel = 0.079 precision = 0.119 f-mesure = 0.095
- classe 1910 (attendus = 201, ramenes = 67.00, corrects = 6.00) rappel = 0.030 precision = 0.090 f-mesure = 0.045
- classe 1920 (attendus = 200, ramenes = 143.00, corrects = 18.00) rappel = 0.090 precision = 0.126 f-mesure = 0.105
- classe 1930 (attendus = 200, ramenes = 80.00, corrects = 9.00) rappel = 0.045 precision = 0.113 f-mesure = 0.064
- classe 1940 (attendus = 198, ramenes = 620.00, corrects = 93.00) rappel = 0.470 precision = 0.150 f-mesure = 0.227
- sur l'ensemble des 15 classes macro rappel = 0.115 macro precision = 0.106 macro F-mesure = 0.110

Table 24: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-raw-fft-cheb.prexml.xml`

- classe 1800 (attendus = 169, ramenes = 75.00, corrects = 4.00) rappel = 0.024 precision = 0.053 f-mesure = 0.033
- classe 1810 (attendus = 169, ramenes = 85.00, corrects = 17.00) rappel = 0.101 precision = 0.200 f-mesure = 0.134
- classe 1820 (attendus = 169, ramenes = 208.00, corrects = 31.00) rappel = 0.183 precision = 0.149 f-mesure = 0.164
- classe 1830 (attendus = 169, ramenes = 546.00, corrects = 51.00) rappel = 0.302 precision = 0.093 f-mesure = 0.143
- classe 1840 (attendus = 169, ramenes = 88.00, corrects = 8.00) rappel = 0.047 precision = 0.091 f-mesure = 0.062
- classe 1850 (attendus = 169, ramenes = 126.00, corrects = 8.00) rappel = 0.047 precision = 0.063 f-mesure = 0.054
- classe 1860 (attendus = 170, ramenes = 96.00, corrects = 5.00) rappel = 0.029 precision = 0.052 f-mesure = 0.038
- classe 1870 (attendus = 169, ramenes = 102.00, corrects = 8.00) rappel = 0.047 precision = 0.078 f-mesure = 0.059
- classe 1880 (attendus = 169, ramenes = 156.00, corrects = 14.00) rappel = 0.083 precision = 0.090 f-mesure = 0.086
- classe 1890 (attendus = 197, ramenes = 117.00, corrects = 8.00) rappel = 0.041 precision = 0.068 f-mesure = 0.051
- classe 1900 (attendus = 203, ramenes = 274.00, corrects = 20.00) rappel = 0.099 precision = 0.073 f-mesure = 0.084
- classe 1910 (attendus = 201, ramenes = 72.00, corrects = 3.00) rappel = 0.015 precision = 0.042 f-mesure = 0.022
- classe 1920 (attendus = 200, ramenes = 137.00, corrects = 12.00) rappel = 0.060 precision = 0.088 f-mesure = 0.071
- classe 1930 (attendus = 200, ramenes = 111.00, corrects = 8.00) rappel = 0.040 precision = 0.072 f-mesure = 0.051
- classe 1940 (attendus = 198, ramenes = 528.00, corrects = 75.00) rappel = 0.379 precision = 0.142 f-mesure = 0.207
- sur l'ensemble des 15 classes macro rappel = 0.100 macro precision = 0.090 macro F-mesure = 0.095

Table 25: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-raw-fft-cos.prexml.xml`

`- classe 1800 (attendus = 169, ramenes = 127.00, corrects = 9.00)` `rappel = 0.053 precision = 0.071 f-mesure = 0.061`
`- classe 1810 (attendus = 169, ramenes = 252.00, corrects = 33.00)` `rappel = 0.195 precision = 0.131 f-mesure = 0.157`
`- classe 1820 (attendus = 169, ramenes = 258.00, corrects = 29.00)` `rappel = 0.172 precision = 0.112 f-mesure = 0.136`
`- classe 1830 (attendus = 169, ramenes = 358.00, corrects = 36.00)` `rappel = 0.213 precision = 0.101 f-mesure = 0.137`
`- classe 1840 (attendus = 169, ramenes = 86.00, corrects = 10.00)` `rappel = 0.059 precision = 0.116 f-mesure = 0.078`
`- classe 1850 (attendus = 169, ramenes = 186.00, corrects = 16.00)` `rappel = 0.095 precision = 0.086 f-mesure = 0.090`
`- classe 1860 (attendus = 170, ramenes = 146.00, corrects = 13.00)` `rappel = 0.076 precision = 0.089 f-mesure = 0.082`
`- classe 1870 (attendus = 169, ramenes = 103.00, corrects = 10.00)` `rappel = 0.059 precision = 0.097 f-mesure = 0.074`
`- classe 1880 (attendus = 169, ramenes = 166.00, corrects = 20.00)` `rappel = 0.118 precision = 0.120 f-mesure = 0.119`
`- classe 1890 (attendus = 197, ramenes = 81.00, corrects = 7.00)` `rappel = 0.036 precision = 0.086 f-mesure = 0.050`
`- classe 1900 (attendus = 203, ramenes = 153.00, corrects = 14.00)` `rappel = 0.069 precision = 0.092 f-mesure = 0.079`
`- classe 1910 (attendus = 201, ramenes = 85.00, corrects = 11.00)` `rappel = 0.055 precision = 0.129 f-mesure = 0.077`
`- classe 1920 (attendus = 200, ramenes = 129.00, corrects = 15.00)` `rappel = 0.075 precision = 0.116 f-mesure = 0.091`
`- classe 1930 (attendus = 200, ramenes = 96.00, corrects = 10.00)` `rappel = 0.050 precision = 0.104 f-mesure = 0.068`
`- classe 1940 (attendus = 198, ramenes = 495.00, corrects = 82.00)` `rappel = 0.414 precision = 0.166 f-mesure = 0.237`
`- sur l'ensemble des 15 classes` `macro rappel = 0.116 macro precision = 0.108 macro F-mesure = 0.112`

Table 26: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-raw-fft-diff.prexml.xml`

```
- classe 1800 (attendus = 169, ramenes = 77.00, corrects = 5.00)
  rappel = 0.030 precision = 0.065 f-mesure = 0.041
- classe 1810 (attendus = 169, ramenes = 84.00, corrects = 17.00)
  rappel = 0.101 precision = 0.202 f-mesure = 0.134
- classe 1820 (attendus = 169, ramenes = 208.00, corrects = 30.00)
  rappel = 0.178 precision = 0.144 f-mesure = 0.159
- classe 1830 (attendus = 169, ramenes = 547.00, corrects = 52.00)
  rappel = 0.308 precision = 0.095 f-mesure = 0.145
- classe 1840 (attendus = 169, ramenes = 89.00, corrects = 8.00)
  rappel = 0.047 precision = 0.090 f-mesure = 0.062
- classe 1850 (attendus = 169, ramenes = 124.00, corrects = 9.00)
  rappel = 0.053 precision = 0.073 f-mesure = 0.061
- classe 1860 (attendus = 170, ramenes = 96.00, corrects = 5.00)
  rappel = 0.029 precision = 0.052 f-mesure = 0.038
- classe 1870 (attendus = 169, ramenes = 101.00, corrects = 8.00)
  rappel = 0.047 precision = 0.079 f-mesure = 0.059
- classe 1880 (attendus = 169, ramenes = 155.00, corrects = 14.00)
  rappel = 0.083 precision = 0.090 f-mesure = 0.086
- classe 1890 (attendus = 197, ramenes = 115.00, corrects = 8.00)
  rappel = 0.041 precision = 0.070 f-mesure = 0.051
- classe 1900 (attendus = 203, ramenes = 274.00, corrects = 20.00)
  rappel = 0.099 precision = 0.073 f-mesure = 0.084
- classe 1910 (attendus = 201, ramenes = 72.00, corrects = 3.00)
  rappel = 0.015 precision = 0.042 f-mesure = 0.022
- classe 1920 (attendus = 200, ramenes = 139.00, corrects = 12.00)
  rappel = 0.060 precision = 0.086 f-mesure = 0.071
- classe 1930 (attendus = 200, ramenes = 110.00, corrects = 8.00)
  rappel = 0.040 precision = 0.073 f-mesure = 0.052
- classe 1940 (attendus = 198, ramenes = 530.00, corrects = 75.00)
  rappel = 0.379 precision = 0.142 f-mesure = 0.206
- sur l'ensemble des 15 classes
  macro rappel = 0.101 macro precision = 0.092 macro F-mesure = 0.096
```

Table 27: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-raw-fft-eucl.prexml.xml`

- classe 1800 (attendus = 169, ramenes = 102.00, corrects = 6.00) rappel = 0.036 precision = 0.059 f-mesure = 0.044
- classe 1810 (attendus = 169, ramenes = 193.00, corrects = 27.00) rappel = 0.160 precision = 0.140 f-mesure = 0.149
- classe 1820 (attendus = 169, ramenes = 321.00, corrects = 41.00) rappel = 0.243 precision = 0.128 f-mesure = 0.167
- classe 1830 (attendus = 169, ramenes = 422.00, corrects = 40.00) rappel = 0.237 precision = 0.095 f-mesure = 0.135
- classe 1840 (attendus = 169, ramenes = 83.00, corrects = 9.00) rappel = 0.053 precision = 0.108 f-mesure = 0.071
- classe 1850 (attendus = 169, ramenes = 166.00, corrects = 13.00) rappel = 0.077 precision = 0.078 f-mesure = 0.078
- classe 1860 (attendus = 170, ramenes = 111.00, corrects = 8.00) rappel = 0.047 precision = 0.072 f-mesure = 0.057
- classe 1870 (attendus = 169, ramenes = 82.00, corrects = 7.00) rappel = 0.041 precision = 0.085 f-mesure = 0.056
- classe 1880 (attendus = 169, ramenes = 118.00, corrects = 13.00) rappel = 0.077 precision = 0.110 f-mesure = 0.091
- classe 1890 (attendus = 197, ramenes = 78.00, corrects = 9.00) rappel = 0.046 precision = 0.115 f-mesure = 0.065
- classe 1900 (attendus = 203, ramenes = 135.00, corrects = 16.00) rappel = 0.079 precision = 0.119 f-mesure = 0.095
- classe 1910 (attendus = 201, ramenes = 67.00, corrects = 6.00) rappel = 0.030 precision = 0.090 f-mesure = 0.045
- classe 1920 (attendus = 200, ramenes = 143.00, corrects = 18.00) rappel = 0.090 precision = 0.126 f-mesure = 0.105
- classe 1930 (attendus = 200, ramenes = 80.00, corrects = 9.00) rappel = 0.045 precision = 0.113 f-mesure = 0.064
- classe 1940 (attendus = 198, ramenes = 620.00, corrects = 93.00) rappel = 0.470 precision = 0.150 f-mesure = 0.227
- sur l'ensemble des 15 classes macro rappel = 0.115 macro precision = 0.106 macro F-mesure = 0.110

Table 28: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-bandstop-aggr-cos.prexml.xml`

```
- classe 1800 (attendus = 169, ramenes = 141.00, corrects = 13.00)
  rappel = 0.077 precision = 0.092 f-mesure = 0.084
- classe 1810 (attendus = 169, ramenes = 242.00, corrects = 32.00)
  rappel = 0.189 precision = 0.132 f-mesure = 0.156
- classe 1820 (attendus = 169, ramenes = 303.00, corrects = 43.00)
  rappel = 0.254 precision = 0.142 f-mesure = 0.182
- classe 1830 (attendus = 169, ramenes = 312.00, corrects = 35.00)
  rappel = 0.207 precision = 0.112 f-mesure = 0.146
- classe 1840 (attendus = 169, ramenes = 94.00, corrects = 5.00)
  rappel = 0.030 precision = 0.053 f-mesure = 0.038
- classe 1850 (attendus = 169, ramenes = 129.00, corrects = 12.00)
  rappel = 0.071 precision = 0.093 f-mesure = 0.081
- classe 1860 (attendus = 170, ramenes = 165.00, corrects = 15.00)
  rappel = 0.088 precision = 0.091 f-mesure = 0.090
- classe 1870 (attendus = 169, ramenes = 100.00, corrects = 9.00)
  rappel = 0.053 precision = 0.090 f-mesure = 0.067
- classe 1880 (attendus = 169, ramenes = 156.00, corrects = 19.00)
  rappel = 0.112 precision = 0.122 f-mesure = 0.117
- classe 1890 (attendus = 197, ramenes = 82.00, corrects = 7.00)
  rappel = 0.036 precision = 0.085 f-mesure = 0.050
- classe 1900 (attendus = 203, ramenes = 123.00, corrects = 14.00)
  rappel = 0.069 precision = 0.114 f-mesure = 0.086
- classe 1910 (attendus = 201, ramenes = 76.00, corrects = 8.00)
  rappel = 0.040 precision = 0.105 f-mesure = 0.058
- classe 1920 (attendus = 200, ramenes = 135.00, corrects = 15.00)
  rappel = 0.075 precision = 0.111 f-mesure = 0.090
- classe 1930 (attendus = 200, ramenes = 92.00, corrects = 12.00)
  rappel = 0.060 precision = 0.130 f-mesure = 0.082
- classe 1940 (attendus = 198, ramenes = 571.00, corrects = 92.00)
  rappel = 0.465 precision = 0.161 f-mesure = 0.239
- sur l'ensemble des 15 classes
  macro rappel = 0.122 macro precision = 0.109 macro F-mesure = 0.115
```

Table 29: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-noise-raw-aggr-cheb.prexml.xml`

- classe 1800 (attendus = 169, ramenes = 75.00, corrects = 4.00) rappel = 0.024 precision = 0.053 f-mesure = 0.033
- classe 1810 (attendus = 169, ramenes = 86.00, corrects = 17.00) rappel = 0.101 precision = 0.198 f-mesure = 0.133
- classe 1820 (attendus = 169, ramenes = 208.00, corrects = 31.00) rappel = 0.183 precision = 0.149 f-mesure = 0.164
- classe 1830 (attendus = 169, ramenes = 546.00, corrects = 51.00) rappel = 0.302 precision = 0.093 f-mesure = 0.143
- classe 1840 (attendus = 169, ramenes = 88.00, corrects = 8.00) rappel = 0.047 precision = 0.091 f-mesure = 0.062
- classe 1850 (attendus = 169, ramenes = 126.00, corrects = 8.00) rappel = 0.047 precision = 0.063 f-mesure = 0.054
- classe 1860 (attendus = 170, ramenes = 96.00, corrects = 5.00) rappel = 0.029 precision = 0.052 f-mesure = 0.038
- classe 1870 (attendus = 169, ramenes = 102.00, corrects = 8.00) rappel = 0.047 precision = 0.078 f-mesure = 0.059
- classe 1880 (attendus = 169, ramenes = 155.00, corrects = 14.00) rappel = 0.083 precision = 0.090 f-mesure = 0.086
- classe 1890 (attendus = 197, ramenes = 117.00, corrects = 8.00) rappel = 0.041 precision = 0.068 f-mesure = 0.051
- classe 1900 (attendus = 203, ramenes = 274.00, corrects = 20.00) rappel = 0.099 precision = 0.073 f-mesure = 0.084
- classe 1910 (attendus = 201, ramenes = 72.00, corrects = 3.00) rappel = 0.015 precision = 0.042 f-mesure = 0.022
- classe 1920 (attendus = 200, ramenes = 137.00, corrects = 12.00) rappel = 0.060 precision = 0.088 f-mesure = 0.071
- classe 1930 (attendus = 200, ramenes = 111.00, corrects = 8.00) rappel = 0.040 precision = 0.072 f-mesure = 0.051
- classe 1940 (attendus = 198, ramenes = 528.00, corrects = 75.00) rappel = 0.379 precision = 0.142 f-mesure = 0.207
- sur l'ensemble des 15 classes macro rappel = 0.100 macro precision = 0.090 macro F-mesure = 0.095

Table 30: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-noise-raw-aggr-cos.prexml.xml`

```
- classe 1800 (attendus = 169, ramenes = 127.00, corrects = 9.00)
  rappel = 0.053 precision = 0.071 f-mesure = 0.061
- classe 1810 (attendus = 169, ramenes = 252.00, corrects = 33.00)
  rappel = 0.195 precision = 0.131 f-mesure = 0.157
- classe 1820 (attendus = 169, ramenes = 258.00, corrects = 29.00)
  rappel = 0.172 precision = 0.112 f-mesure = 0.136
- classe 1830 (attendus = 169, ramenes = 358.00, corrects = 36.00)
  rappel = 0.213 precision = 0.101 f-mesure = 0.137
- classe 1840 (attendus = 169, ramenes = 86.00, corrects = 10.00)
  rappel = 0.059 precision = 0.116 f-mesure = 0.078
- classe 1850 (attendus = 169, ramenes = 186.00, corrects = 16.00)
  rappel = 0.095 precision = 0.086 f-mesure = 0.090
- classe 1860 (attendus = 170, ramenes = 146.00, corrects = 13.00)
  rappel = 0.076 precision = 0.089 f-mesure = 0.082
- classe 1870 (attendus = 169, ramenes = 103.00, corrects = 10.00)
  rappel = 0.059 precision = 0.097 f-mesure = 0.074
- classe 1880 (attendus = 169, ramenes = 166.00, corrects = 20.00)
  rappel = 0.118 precision = 0.120 f-mesure = 0.119
- classe 1890 (attendus = 197, ramenes = 81.00, corrects = 7.00)
  rappel = 0.036 precision = 0.086 f-mesure = 0.050
- classe 1900 (attendus = 203, ramenes = 153.00, corrects = 14.00)
  rappel = 0.069 precision = 0.092 f-mesure = 0.079
- classe 1910 (attendus = 201, ramenes = 85.00, corrects = 11.00)
  rappel = 0.055 precision = 0.129 f-mesure = 0.077
- classe 1920 (attendus = 200, ramenes = 129.00, corrects = 15.00)
  rappel = 0.075 precision = 0.116 f-mesure = 0.091
- classe 1930 (attendus = 200, ramenes = 96.00, corrects = 10.00)
  rappel = 0.050 precision = 0.104 f-mesure = 0.068
- classe 1940 (attendus = 198, ramenes = 495.00, corrects = 82.00)
  rappel = 0.414 precision = 0.166 f-mesure = 0.237
- sur l'ensemble des 15 classes
  macro rappel = 0.116 macro precision = 0.108 macro F-mesure = 0.112
```

Table 31: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-noise-raw-aggr-diff.prexml.xml`

- classe 1800 (attendus = 169, ramenes = 74.00, corrects = 4.00) rappel = 0.024 precision = 0.054 f-mesure = 0.033
- classe 1810 (attendus = 169, ramenes = 86.00, corrects = 17.00) rappel = 0.101 precision = 0.198 f-mesure = 0.133
- classe 1820 (attendus = 169, ramenes = 210.00, corrects = 31.00) rappel = 0.183 precision = 0.148 f-mesure = 0.164
- classe 1830 (attendus = 169, ramenes = 545.00, corrects = 51.00) rappel = 0.302 precision = 0.094 f-mesure = 0.143
- classe 1840 (attendus = 169, ramenes = 90.00, corrects = 8.00) rappel = 0.047 precision = 0.089 f-mesure = 0.062
- classe 1850 (attendus = 169, ramenes = 125.00, corrects = 8.00) rappel = 0.047 precision = 0.064 f-mesure = 0.054
- classe 1860 (attendus = 170, ramenes = 95.00, corrects = 5.00) rappel = 0.029 precision = 0.053 f-mesure = 0.038
- classe 1870 (attendus = 169, ramenes = 100.00, corrects = 8.00) rappel = 0.047 precision = 0.080 f-mesure = 0.059
- classe 1880 (attendus = 169, ramenes = 157.00, corrects = 14.00) rappel = 0.083 precision = 0.089 f-mesure = 0.086
- classe 1890 (attendus = 197, ramenes = 117.00, corrects = 8.00) rappel = 0.041 precision = 0.068 f-mesure = 0.051
- classe 1900 (attendus = 203, ramenes = 276.00, corrects = 21.00) rappel = 0.103 precision = 0.076 f-mesure = 0.088
- classe 1910 (attendus = 201, ramenes = 72.00, corrects = 3.00) rappel = 0.015 precision = 0.042 f-mesure = 0.022
- classe 1920 (attendus = 200, ramenes = 138.00, corrects = 13.00) rappel = 0.065 precision = 0.094 f-mesure = 0.077
- classe 1930 (attendus = 200, ramenes = 111.00, corrects = 8.00) rappel = 0.040 precision = 0.072 f-mesure = 0.051
- classe 1940 (attendus = 198, ramenes = 525.00, corrects = 75.00) rappel = 0.379 precision = 0.143 f-mesure = 0.207
- sur l'ensemble des 15 classes macro rappel = 0.100 macro precision = 0.091 macro F-mesure = 0.095

Table 32: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-noise-raw-aggr-eucl.prexml.xml`

```
- classe 1800 (attendus = 169, ramenes = 102.00, corrects = 6.00)
  rappel = 0.036 precision = 0.059 f-mesure = 0.044
- classe 1810 (attendus = 169, ramenes = 193.00, corrects = 27.00)
  rappel = 0.160 precision = 0.140 f-mesure = 0.149
- classe 1820 (attendus = 169, ramenes = 321.00, corrects = 41.00)
  rappel = 0.243 precision = 0.128 f-mesure = 0.167
- classe 1830 (attendus = 169, ramenes = 422.00, corrects = 40.00)
  rappel = 0.237 precision = 0.095 f-mesure = 0.135
- classe 1840 (attendus = 169, ramenes = 83.00, corrects = 9.00)
  rappel = 0.053 precision = 0.108 f-mesure = 0.071
- classe 1850 (attendus = 169, ramenes = 166.00, corrects = 13.00)
  rappel = 0.077 precision = 0.078 f-mesure = 0.078
- classe 1860 (attendus = 170, ramenes = 111.00, corrects = 8.00)
  rappel = 0.047 precision = 0.072 f-mesure = 0.057
- classe 1870 (attendus = 169, ramenes = 82.00, corrects = 7.00)
  rappel = 0.041 precision = 0.085 f-mesure = 0.056
- classe 1880 (attendus = 169, ramenes = 118.00, corrects = 13.00)
  rappel = 0.077 precision = 0.110 f-mesure = 0.091
- classe 1890 (attendus = 197, ramenes = 78.00, corrects = 9.00)
  rappel = 0.046 precision = 0.115 f-mesure = 0.065
- classe 1900 (attendus = 203, ramenes = 135.00, corrects = 16.00)
  rappel = 0.079 precision = 0.119 f-mesure = 0.095
- classe 1910 (attendus = 201, ramenes = 67.00, corrects = 6.00)
  rappel = 0.030 precision = 0.090 f-mesure = 0.045
- classe 1920 (attendus = 200, ramenes = 143.00, corrects = 18.00)
  rappel = 0.090 precision = 0.126 f-mesure = 0.105
- classe 1930 (attendus = 200, ramenes = 80.00, corrects = 9.00)
  rappel = 0.045 precision = 0.113 f-mesure = 0.064
- classe 1940 (attendus = 198, ramenes = 620.00, corrects = 93.00)
  rappel = 0.470 precision = 0.150 f-mesure = 0.227
- sur l'ensemble des 15 classes
  macro rappel = 0.115 macro precision = 0.106 macro F-mesure = 0.110
```

Table 33: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-noise-raw-fft-cheb.prexml.xml`

- classe 1800 (attendus = 169, ramenes = 75.00, corrects = 4.00) rappel = 0.024 precision = 0.053 f-mesure = 0.033
- classe 1810 (attendus = 169, ramenes = 85.00, corrects = 17.00) rappel = 0.101 precision = 0.200 f-mesure = 0.134
- classe 1820 (attendus = 169, ramenes = 208.00, corrects = 31.00) rappel = 0.183 precision = 0.149 f-mesure = 0.164
- classe 1830 (attendus = 169, ramenes = 546.00, corrects = 51.00) rappel = 0.302 precision = 0.093 f-mesure = 0.143
- classe 1840 (attendus = 169, ramenes = 88.00, corrects = 8.00) rappel = 0.047 precision = 0.091 f-mesure = 0.062
- classe 1850 (attendus = 169, ramenes = 126.00, corrects = 8.00) rappel = 0.047 precision = 0.063 f-mesure = 0.054
- classe 1860 (attendus = 170, ramenes = 96.00, corrects = 5.00) rappel = 0.029 precision = 0.052 f-mesure = 0.038
- classe 1870 (attendus = 169, ramenes = 102.00, corrects = 8.00) rappel = 0.047 precision = 0.078 f-mesure = 0.059
- classe 1880 (attendus = 169, ramenes = 156.00, corrects = 14.00) rappel = 0.083 precision = 0.090 f-mesure = 0.086
- classe 1890 (attendus = 197, ramenes = 117.00, corrects = 8.00) rappel = 0.041 precision = 0.068 f-mesure = 0.051
- classe 1900 (attendus = 203, ramenes = 274.00, corrects = 20.00) rappel = 0.099 precision = 0.073 f-mesure = 0.084
- classe 1910 (attendus = 201, ramenes = 72.00, corrects = 3.00) rappel = 0.015 precision = 0.042 f-mesure = 0.022
- classe 1920 (attendus = 200, ramenes = 137.00, corrects = 12.00) rappel = 0.060 precision = 0.088 f-mesure = 0.071
- classe 1930 (attendus = 200, ramenes = 111.00, corrects = 8.00) rappel = 0.040 precision = 0.072 f-mesure = 0.051
- classe 1940 (attendus = 198, ramenes = 528.00, corrects = 75.00) rappel = 0.379 precision = 0.142 f-mesure = 0.207
- sur l'ensemble des 15 classes macro rappel = 0.100 macro precision = 0.090 macro F-mesure = 0.095

Table 34: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-noise-raw-fft-cos.prexml.xml`

```
- classe 1800 (attendus = 169, ramenes = 127.00, corrects = 9.00)
  rappel = 0.053 precision = 0.071 f-mesure = 0.061
- classe 1810 (attendus = 169, ramenes = 252.00, corrects = 33.00)
  rappel = 0.195 precision = 0.131 f-mesure = 0.157
- classe 1820 (attendus = 169, ramenes = 258.00, corrects = 29.00)
  rappel = 0.172 precision = 0.112 f-mesure = 0.136
- classe 1830 (attendus = 169, ramenes = 358.00, corrects = 36.00)
  rappel = 0.213 precision = 0.101 f-mesure = 0.137
- classe 1840 (attendus = 169, ramenes = 86.00, corrects = 10.00)
  rappel = 0.059 precision = 0.116 f-mesure = 0.078
- classe 1850 (attendus = 169, ramenes = 186.00, corrects = 16.00)
  rappel = 0.095 precision = 0.086 f-mesure = 0.090
- classe 1860 (attendus = 170, ramenes = 146.00, corrects = 13.00)
  rappel = 0.076 precision = 0.089 f-mesure = 0.082
- classe 1870 (attendus = 169, ramenes = 103.00, corrects = 10.00)
  rappel = 0.059 precision = 0.097 f-mesure = 0.074
- classe 1880 (attendus = 169, ramenes = 166.00, corrects = 20.00)
  rappel = 0.118 precision = 0.120 f-mesure = 0.119
- classe 1890 (attendus = 197, ramenes = 81.00, corrects = 7.00)
  rappel = 0.036 precision = 0.086 f-mesure = 0.050
- classe 1900 (attendus = 203, ramenes = 153.00, corrects = 14.00)
  rappel = 0.069 precision = 0.092 f-mesure = 0.079
- classe 1910 (attendus = 201, ramenes = 85.00, corrects = 11.00)
  rappel = 0.055 precision = 0.129 f-mesure = 0.077
- classe 1920 (attendus = 200, ramenes = 129.00, corrects = 15.00)
  rappel = 0.075 precision = 0.116 f-mesure = 0.091
- classe 1930 (attendus = 200, ramenes = 96.00, corrects = 10.00)
  rappel = 0.050 precision = 0.104 f-mesure = 0.068
- classe 1940 (attendus = 198, ramenes = 495.00, corrects = 82.00)
  rappel = 0.414 precision = 0.166 f-mesure = 0.237
- sur l'ensemble des 15 classes
  macro rappel = 0.116 macro precision = 0.108 macro F-mesure = 0.112
```

Table 35: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-noise-raw-fft-diff.prexml.xml`

- classe 1800 (attendus = 169, ramenes = 77.00, corrects = 5.00) rappel = 0.030 precision = 0.065 f-mesure = 0.041
- classe 1810 (attendus = 169, ramenes = 84.00, corrects = 17.00) rappel = 0.101 precision = 0.202 f-mesure = 0.134
- classe 1820 (attendus = 169, ramenes = 208.00, corrects = 30.00) rappel = 0.178 precision = 0.144 f-mesure = 0.159
- classe 1830 (attendus = 169, ramenes = 547.00, corrects = 52.00) rappel = 0.308 precision = 0.095 f-mesure = 0.145
- classe 1840 (attendus = 169, ramenes = 89.00, corrects = 8.00) rappel = 0.047 precision = 0.090 f-mesure = 0.062
- classe 1850 (attendus = 169, ramenes = 124.00, corrects = 9.00) rappel = 0.053 precision = 0.073 f-mesure = 0.061
- classe 1860 (attendus = 170, ramenes = 96.00, corrects = 5.00) rappel = 0.029 precision = 0.052 f-mesure = 0.038
- classe 1870 (attendus = 169, ramenes = 101.00, corrects = 8.00) rappel = 0.047 precision = 0.079 f-mesure = 0.059
- classe 1880 (attendus = 169, ramenes = 155.00, corrects = 14.00) rappel = 0.083 precision = 0.090 f-mesure = 0.086
- classe 1890 (attendus = 197, ramenes = 115.00, corrects = 8.00) rappel = 0.041 precision = 0.070 f-mesure = 0.051
- classe 1900 (attendus = 203, ramenes = 274.00, corrects = 20.00) rappel = 0.099 precision = 0.073 f-mesure = 0.084
- classe 1910 (attendus = 201, ramenes = 72.00, corrects = 3.00) rappel = 0.015 precision = 0.042 f-mesure = 0.022
- classe 1920 (attendus = 200, ramenes = 139.00, corrects = 12.00) rappel = 0.060 precision = 0.086 f-mesure = 0.071
- classe 1930 (attendus = 200, ramenes = 110.00, corrects = 8.00) rappel = 0.040 precision = 0.073 f-mesure = 0.052
- classe 1940 (attendus = 198, ramenes = 530.00, corrects = 75.00) rappel = 0.379 precision = 0.142 f-mesure = 0.206
- sur l'ensemble des 15 classes macro rappel = 0.101 macro precision = 0.092 macro F-mesure = 0.096

Table 36: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-noise-raw-fft-eucl.prexml.xml`

```
- classe 1800 (attendus = 169, ramenes = 102.00, corrects = 6.00)
  rappel = 0.036 precision = 0.059 f-mesure = 0.044
- classe 1810 (attendus = 169, ramenes = 193.00, corrects = 27.00)
  rappel = 0.160 precision = 0.140 f-mesure = 0.149
- classe 1820 (attendus = 169, ramenes = 321.00, corrects = 41.00)
  rappel = 0.243 precision = 0.128 f-mesure = 0.167
- classe 1830 (attendus = 169, ramenes = 422.00, corrects = 40.00)
  rappel = 0.237 precision = 0.095 f-mesure = 0.135
- classe 1840 (attendus = 169, ramenes = 83.00, corrects = 9.00)
  rappel = 0.053 precision = 0.108 f-mesure = 0.071
- classe 1850 (attendus = 169, ramenes = 166.00, corrects = 13.00)
  rappel = 0.077 precision = 0.078 f-mesure = 0.078
- classe 1860 (attendus = 170, ramenes = 111.00, corrects = 8.00)
  rappel = 0.047 precision = 0.072 f-mesure = 0.057
- classe 1870 (attendus = 169, ramenes = 82.00, corrects = 7.00)
  rappel = 0.041 precision = 0.085 f-mesure = 0.056
- classe 1880 (attendus = 169, ramenes = 118.00, corrects = 13.00)
  rappel = 0.077 precision = 0.110 f-mesure = 0.091
- classe 1890 (attendus = 197, ramenes = 78.00, corrects = 9.00)
  rappel = 0.046 precision = 0.115 f-mesure = 0.065
- classe 1900 (attendus = 203, ramenes = 135.00, corrects = 16.00)
  rappel = 0.079 precision = 0.119 f-mesure = 0.095
- classe 1910 (attendus = 201, ramenes = 67.00, corrects = 6.00)
  rappel = 0.030 precision = 0.090 f-mesure = 0.045
- classe 1920 (attendus = 200, ramenes = 143.00, corrects = 18.00)
  rappel = 0.090 precision = 0.126 f-mesure = 0.105
- classe 1930 (attendus = 200, ramenes = 80.00, corrects = 9.00)
  rappel = 0.045 precision = 0.113 f-mesure = 0.064
- classe 1940 (attendus = 198, ramenes = 620.00, corrects = 93.00)
  rappel = 0.470 precision = 0.150 f-mesure = 0.227
- sur l'ensemble des 15 classes
  macro rappel = 0.115 macro precision = 0.106 macro F-mesure = 0.110
```

Table 37: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-norm-aggr-cheb.prexml.xml`

`- classe 1800 (attendus = 169, ramenes = 78.00, corrects = 3.00)` `rappel = 0.018 precision = 0.038 f-mesure = 0.024`
`- classe 1810 (attendus = 169, ramenes = 92.00, corrects = 19.00)` `rappel = 0.112 precision = 0.207 f-mesure = 0.146`
`- classe 1820 (attendus = 169, ramenes = 225.00, corrects = 28.00)` `rappel = 0.166 precision = 0.124 f-mesure = 0.142`
`- classe 1830 (attendus = 169, ramenes = 527.00, corrects = 49.00)` `rappel = 0.290 precision = 0.093 f-mesure = 0.141`
`- classe 1840 (attendus = 169, ramenes = 85.00, corrects = 6.00)` `rappel = 0.036 precision = 0.071 f-mesure = 0.047`
`- classe 1850 (attendus = 169, ramenes = 142.00, corrects = 8.00)` `rappel = 0.047 precision = 0.056 f-mesure = 0.051`
`- classe 1860 (attendus = 170, ramenes = 95.00, corrects = 6.00)` `rappel = 0.035 precision = 0.063 f-mesure = 0.045`
`- classe 1870 (attendus = 169, ramenes = 89.00, corrects = 9.00)` `rappel = 0.053 precision = 0.101 f-mesure = 0.070`
`- classe 1880 (attendus = 169, ramenes = 147.00, corrects = 14.00)` `rappel = 0.083 precision = 0.095 f-mesure = 0.089`
`- classe 1890 (attendus = 197, ramenes = 107.00, corrects = 10.00)` `rappel = 0.051 precision = 0.093 f-mesure = 0.066`
`- classe 1900 (attendus = 203, ramenes = 319.00, corrects = 23.00)` `rappel = 0.113 precision = 0.072 f-mesure = 0.088`
`- classe 1910 (attendus = 201, ramenes = 89.00, corrects = 5.00)` `rappel = 0.025 precision = 0.056 f-mesure = 0.034`
`- classe 1920 (attendus = 200, ramenes = 166.00, corrects = 13.00)` `rappel = 0.065 precision = 0.078 f-mesure = 0.071`
`- classe 1930 (attendus = 200, ramenes = 102.00, corrects = 10.00)` `rappel = 0.050 precision = 0.098 f-mesure = 0.066`
`- classe 1940 (attendus = 198, ramenes = 458.00, corrects = 62.00)` `rappel = 0.313 precision = 0.135 f-mesure = 0.189`
`- sur l'ensemble des 15 classes` `macro rappel = 0.097 macro precision = 0.092 macro F-mesure = 0.095`

Table 38: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-norm-aggr-cos.prexml.xml`

`- classe 1800 (attendus = 169, ramenes = 127.00, corrects = 9.00)` `rappel = 0.053 precision = 0.071 f-mesure = 0.061`
`- classe 1810 (attendus = 169, ramenes = 251.00, corrects = 33.00)` `rappel = 0.195 precision = 0.131 f-mesure = 0.157`
`- classe 1820 (attendus = 169, ramenes = 258.00, corrects = 29.00)` `rappel = 0.172 precision = 0.112 f-mesure = 0.136`
`- classe 1830 (attendus = 169, ramenes = 354.00, corrects = 36.00)` `rappel = 0.213 precision = 0.102 f-mesure = 0.138`
`- classe 1840 (attendus = 169, ramenes = 85.00, corrects = 10.00)` `rappel = 0.059 precision = 0.118 f-mesure = 0.079`
`- classe 1850 (attendus = 169, ramenes = 186.00, corrects = 16.00)` `rappel = 0.095 precision = 0.086 f-mesure = 0.090`
`- classe 1860 (attendus = 170, ramenes = 148.00, corrects = 13.00)` `rappel = 0.076 precision = 0.088 f-mesure = 0.082`
`- classe 1870 (attendus = 169, ramenes = 102.00, corrects = 10.00)` `rappel = 0.059 precision = 0.098 f-mesure = 0.074`
`- classe 1880 (attendus = 169, ramenes = 164.00, corrects = 20.00)` `rappel = 0.118 precision = 0.122 f-mesure = 0.120`
`- classe 1890 (attendus = 197, ramenes = 84.00, corrects = 7.00)` `rappel = 0.036 precision = 0.083 f-mesure = 0.050`
`- classe 1900 (attendus = 203, ramenes = 156.00, corrects = 15.00)` `rappel = 0.074 precision = 0.096 f-mesure = 0.084`
`- classe 1910 (attendus = 201, ramenes = 84.00, corrects = 10.00)` `rappel = 0.050 precision = 0.119 f-mesure = 0.070`
`- classe 1920 (attendus = 200, ramenes = 131.00, corrects = 15.00)` `rappel = 0.075 precision = 0.115 f-mesure = 0.091`
`- classe 1930 (attendus = 200, ramenes = 97.00, corrects = 10.00)` `rappel = 0.050 precision = 0.103 f-mesure = 0.067`
`- classe 1940 (attendus = 198, ramenes = 494.00, corrects = 82.00)` `rappel = 0.414 precision = 0.166 f-mesure = 0.237`
`- sur l'ensemble des 15 classes` `macro rappel = 0.116 macro precision = 0.107 macro F-mesure = 0.111`

Table 39: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-norm-aggr-diff.prexml.xml`

- classe 1800 (attendus = 169, ramenes = 77.00, corrects = 3.00) rappel = 0.018 precision = 0.039 f-mesure = 0.024
- classe 1810 (attendus = 169, ramenes = 91.00, corrects = 19.00) rappel = 0.112 precision = 0.209 f-mesure = 0.146
- classe 1820 (attendus = 169, ramenes = 226.00, corrects = 28.00) rappel = 0.166 precision = 0.124 f-mesure = 0.142
- classe 1830 (attendus = 169, ramenes = 525.00, corrects = 49.00) rappel = 0.290 precision = 0.093 f-mesure = 0.141
- classe 1840 (attendus = 169, ramenes = 85.00, corrects = 6.00) rappel = 0.036 precision = 0.071 f-mesure = 0.047
- classe 1850 (attendus = 169, ramenes = 143.00, corrects = 8.00) rappel = 0.047 precision = 0.056 f-mesure = 0.051
- classe 1860 (attendus = 170, ramenes = 96.00, corrects = 6.00) rappel = 0.035 precision = 0.062 f-mesure = 0.045
- classe 1870 (attendus = 169, ramenes = 87.00, corrects = 9.00) rappel = 0.053 precision = 0.103 f-mesure = 0.070
- classe 1880 (attendus = 169, ramenes = 149.00, corrects = 14.00) rappel = 0.083 precision = 0.094 f-mesure = 0.088
- classe 1890 (attendus = 197, ramenes = 108.00, corrects = 10.00) rappel = 0.051 precision = 0.093 f-mesure = 0.066
- classe 1900 (attendus = 203, ramenes = 320.00, corrects = 24.00) rappel = 0.118 precision = 0.075 f-mesure = 0.092
- classe 1910 (attendus = 201, ramenes = 86.00, corrects = 4.00) rappel = 0.020 precision = 0.047 f-mesure = 0.028
- classe 1920 (attendus = 200, ramenes = 169.00, corrects = 13.00) rappel = 0.065 precision = 0.077 f-mesure = 0.070
- classe 1930 (attendus = 200, ramenes = 104.00, corrects = 10.00) rappel = 0.050 precision = 0.096 f-mesure = 0.066
- classe 1940 (attendus = 198, ramenes = 455.00, corrects = 62.00) rappel = 0.313 precision = 0.136 f-mesure = 0.190
- sur l'ensemble des 15 classes macro rappel = 0.097 macro precision = 0.092 macro F-mesure = 0.094

Table 40: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-norm-aggr-eucl.prexml.xml`

```
- classe 1800 (attendus = 169, ramenes = 98.00, corrects = 5.00)
  rappel = 0.030 precision = 0.051 f-mesure = 0.037
- classe 1810 (attendus = 169, ramenes = 203.00, corrects = 28.00)
  rappel = 0.166 precision = 0.138 f-mesure = 0.151
- classe 1820 (attendus = 169, ramenes = 287.00, corrects = 34.00)
  rappel = 0.201 precision = 0.118 f-mesure = 0.149
- classe 1830 (attendus = 169, ramenes = 479.00, corrects = 47.00)
  rappel = 0.278 precision = 0.098 f-mesure = 0.145
- classe 1840 (attendus = 169, ramenes = 72.00, corrects = 10.00)
  rappel = 0.059 precision = 0.139 f-mesure = 0.083
- classe 1850 (attendus = 169, ramenes = 193.00, corrects = 13.00)
  rappel = 0.077 precision = 0.067 f-mesure = 0.072
- classe 1860 (attendus = 170, ramenes = 101.00, corrects = 8.00)
  rappel = 0.047 precision = 0.079 f-mesure = 0.059
- classe 1870 (attendus = 169, ramenes = 70.00, corrects = 8.00)
  rappel = 0.047 precision = 0.114 f-mesure = 0.067
- classe 1880 (attendus = 169, ramenes = 115.00, corrects = 14.00)
  rappel = 0.083 precision = 0.122 f-mesure = 0.099
- classe 1890 (attendus = 197, ramenes = 76.00, corrects = 8.00)
  rappel = 0.041 precision = 0.105 f-mesure = 0.059
- classe 1900 (attendus = 203, ramenes = 122.00, corrects = 10.00)
  rappel = 0.049 precision = 0.082 f-mesure = 0.062
- classe 1910 (attendus = 201, ramenes = 61.00, corrects = 5.00)
  rappel = 0.025 precision = 0.082 f-mesure = 0.038
- classe 1920 (attendus = 200, ramenes = 189.00, corrects = 16.00)
  rappel = 0.080 precision = 0.085 f-mesure = 0.082
- classe 1930 (attendus = 200, ramenes = 71.00, corrects = 7.00)
  rappel = 0.035 precision = 0.099 f-mesure = 0.052
- classe 1940 (attendus = 198, ramenes = 584.00, corrects = 84.00)
  rappel = 0.424 precision = 0.144 f-mesure = 0.215
- sur l'ensemble des 15 classes
  macro rappel = 0.109 macro precision = 0.102 macro F-mesure = 0.105
```

Table 41: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-norm-fft-cheb.prexml.xml`

- classe 1800 (attendus = 169, ramenes = 78.00, corrects = 3.00) rappel = 0.018 precision = 0.038 f-mesure = 0.024
- classe 1810 (attendus = 169, ramenes = 93.00, corrects = 19.00) rappel = 0.112 precision = 0.204 f-mesure = 0.145
- classe 1820 (attendus = 169, ramenes = 225.00, corrects = 28.00) rappel = 0.166 precision = 0.124 f-mesure = 0.142
- classe 1830 (attendus = 169, ramenes = 525.00, corrects = 49.00) rappel = 0.290 precision = 0.093 f-mesure = 0.141
- classe 1840 (attendus = 169, ramenes = 84.00, corrects = 6.00) rappel = 0.036 precision = 0.071 f-mesure = 0.047
- classe 1850 (attendus = 169, ramenes = 142.00, corrects = 8.00) rappel = 0.047 precision = 0.056 f-mesure = 0.051
- classe 1860 (attendus = 170, ramenes = 95.00, corrects = 6.00) rappel = 0.035 precision = 0.063 f-mesure = 0.045
- classe 1870 (attendus = 169, ramenes = 89.00, corrects = 9.00) rappel = 0.053 precision = 0.101 f-mesure = 0.070
- classe 1880 (attendus = 169, ramenes = 148.00, corrects = 14.00) rappel = 0.083 precision = 0.095 f-mesure = 0.088
- classe 1890 (attendus = 197, ramenes = 108.00, corrects = 10.00) rappel = 0.051 precision = 0.093 f-mesure = 0.066
- classe 1900 (attendus = 203, ramenes = 319.00, corrects = 23.00) rappel = 0.113 precision = 0.072 f-mesure = 0.088
- classe 1910 (attendus = 201, ramenes = 89.00, corrects = 5.00) rappel = 0.025 precision = 0.056 f-mesure = 0.034
- classe 1920 (attendus = 200, ramenes = 166.00, corrects = 13.00) rappel = 0.065 precision = 0.078 f-mesure = 0.071
- classe 1930 (attendus = 200, ramenes = 101.00, corrects = 10.00) rappel = 0.050 precision = 0.099 f-mesure = 0.066
- classe 1940 (attendus = 198, ramenes = 459.00, corrects = 62.00) rappel = 0.313 precision = 0.135 f-mesure = 0.189
- sur l'ensemble des 15 classes macro rappel = 0.097 macro precision = 0.092 macro F-mesure = 0.095

Table 42: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-norm-fft-cos.prexml.xml`

- classe 1800 (attendus = 169, ramenes = 127.00, corrects = 9.00) rappel = 0.053 precision = 0.071 f-mesure = 0.061
- classe 1810 (attendus = 169, ramenes = 251.00, corrects = 33.00) rappel = 0.195 precision = 0.131 f-mesure = 0.157
- classe 1820 (attendus = 169, ramenes = 258.00, corrects = 29.00) rappel = 0.172 precision = 0.112 f-mesure = 0.136
- classe 1830 (attendus = 169, ramenes = 354.00, corrects = 36.00) rappel = 0.213 precision = 0.102 f-mesure = 0.138
- classe 1840 (attendus = 169, ramenes = 85.00, corrects = 10.00) rappel = 0.059 precision = 0.118 f-mesure = 0.079
- classe 1850 (attendus = 169, ramenes = 186.00, corrects = 16.00) rappel = 0.095 precision = 0.086 f-mesure = 0.090
- classe 1860 (attendus = 170, ramenes = 148.00, corrects = 13.00) rappel = 0.076 precision = 0.088 f-mesure = 0.082
- classe 1870 (attendus = 169, ramenes = 102.00, corrects = 10.00) rappel = 0.059 precision = 0.098 f-mesure = 0.074
- classe 1880 (attendus = 169, ramenes = 164.00, corrects = 20.00) rappel = 0.118 precision = 0.122 f-mesure = 0.120
- classe 1890 (attendus = 197, ramenes = 84.00, corrects = 7.00) rappel = 0.036 precision = 0.083 f-mesure = 0.050
- classe 1900 (attendus = 203, ramenes = 156.00, corrects = 15.00) rappel = 0.074 precision = 0.096 f-mesure = 0.084
- classe 1910 (attendus = 201, ramenes = 84.00, corrects = 10.00) rappel = 0.050 precision = 0.119 f-mesure = 0.070
- classe 1920 (attendus = 200, ramenes = 131.00, corrects = 15.00) rappel = 0.075 precision = 0.115 f-mesure = 0.091
- classe 1930 (attendus = 200, ramenes = 97.00, corrects = 10.00) rappel = 0.050 precision = 0.103 f-mesure = 0.067
- classe 1940 (attendus = 198, ramenes = 494.00, corrects = 82.00) rappel = 0.414 precision = 0.166 f-mesure = 0.237
- sur l'ensemble des 15 classes macro rappel = 0.116 macro precision = 0.107 macro F-mesure = 0.111

Table 43: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-norm-fft-diff.prexml.xml`

`- classe 1800 (attendus = 169, ramenes = 77.00, corrects = 3.00)` `rappel = 0.018 precision = 0.039 f-mesure = 0.024`
`- classe 1810 (attendus = 169, ramenes = 92.00, corrects = 19.00)` `rappel = 0.112 precision = 0.207 f-mesure = 0.146`
`- classe 1820 (attendus = 169, ramenes = 227.00, corrects = 28.00)` `rappel = 0.166 precision = 0.123 f-mesure = 0.141`
`- classe 1830 (attendus = 169, ramenes = 526.00, corrects = 49.00)` `rappel = 0.290 precision = 0.093 f-mesure = 0.141`
`- classe 1840 (attendus = 169, ramenes = 83.00, corrects = 6.00)` `rappel = 0.036 precision = 0.072 f-mesure = 0.048`
`- classe 1850 (attendus = 169, ramenes = 141.00, corrects = 7.00)` `rappel = 0.041 precision = 0.050 f-mesure = 0.045`
`- classe 1860 (attendus = 170, ramenes = 94.00, corrects = 6.00)` `rappel = 0.035 precision = 0.064 f-mesure = 0.045`
`- classe 1870 (attendus = 169, ramenes = 85.00, corrects = 9.00)` `rappel = 0.053 precision = 0.106 f-mesure = 0.071`
`- classe 1880 (attendus = 169, ramenes = 145.00, corrects = 15.00)` `rappel = 0.089 precision = 0.103 f-mesure = 0.096`
`- classe 1890 (attendus = 197, ramenes = 109.00, corrects = 10.00)` `rappel = 0.051 precision = 0.092 f-mesure = 0.065`
`- classe 1900 (attendus = 203, ramenes = 320.00, corrects = 23.00)` `rappel = 0.113 precision = 0.072 f-mesure = 0.088`
`- classe 1910 (attendus = 201, ramenes = 86.00, corrects = 5.00)` `rappel = 0.025 precision = 0.058 f-mesure = 0.035`
`- classe 1920 (attendus = 200, ramenes = 175.00, corrects = 13.00)` `rappel = 0.065 precision = 0.074 f-mesure = 0.069`
`- classe 1930 (attendus = 200, ramenes = 106.00, corrects = 11.00)` `rappel = 0.055 precision = 0.104 f-mesure = 0.072`
`- classe 1940 (attendus = 198, ramenes = 455.00, corrects = 62.00)` `rappel = 0.313 precision = 0.136 f-mesure = 0.190`
`- sur l'ensemble des 15 classes` `macro rappel = 0.097 macro precision = 0.093 macro F-mesure = 0.095`

Table 44: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-norm-fft-eucl.prexml.xml`

```
- classe 1800 (attendus = 169, ramenes = 98.00, corrects = 5.00)
  rappel = 0.030 precision = 0.051 f-mesure = 0.037
- classe 1810 (attendus = 169, ramenes = 203.00, corrects = 28.00)
  rappel = 0.166 precision = 0.138 f-mesure = 0.151
- classe 1820 (attendus = 169, ramenes = 288.00, corrects = 34.00)
  rappel = 0.201 precision = 0.118 f-mesure = 0.149
- classe 1830 (attendus = 169, ramenes = 478.00, corrects = 47.00)
  rappel = 0.278 precision = 0.098 f-mesure = 0.145
- classe 1840 (attendus = 169, ramenes = 72.00, corrects = 10.00)
  rappel = 0.059 precision = 0.139 f-mesure = 0.083
- classe 1850 (attendus = 169, ramenes = 193.00, corrects = 13.00)
  rappel = 0.077 precision = 0.067 f-mesure = 0.072
- classe 1860 (attendus = 170, ramenes = 101.00, corrects = 8.00)
  rappel = 0.047 precision = 0.079 f-mesure = 0.059
- classe 1870 (attendus = 169, ramenes = 70.00, corrects = 8.00)
  rappel = 0.047 precision = 0.114 f-mesure = 0.067
- classe 1880 (attendus = 169, ramenes = 115.00, corrects = 14.00)
  rappel = 0.083 precision = 0.122 f-mesure = 0.099
- classe 1890 (attendus = 197, ramenes = 76.00, corrects = 8.00)
  rappel = 0.041 precision = 0.105 f-mesure = 0.059
- classe 1900 (attendus = 203, ramenes = 122.00, corrects = 10.00)
  rappel = 0.049 precision = 0.082 f-mesure = 0.062
- classe 1910 (attendus = 201, ramenes = 61.00, corrects = 5.00)
  rappel = 0.025 precision = 0.082 f-mesure = 0.038
- classe 1920 (attendus = 200, ramenes = 189.00, corrects = 16.00)
  rappel = 0.080 precision = 0.085 f-mesure = 0.082
- classe 1930 (attendus = 200, ramenes = 71.00, corrects = 7.00)
  rappel = 0.035 precision = 0.099 f-mesure = 0.052
- classe 1940 (attendus = 198, ramenes = 584.00, corrects = 84.00)
  rappel = 0.424 precision = 0.144 f-mesure = 0.215
- sur l'ensemble des 15 classes
  macro rappel = 0.109 macro precision = 0.102 macro F-mesure = 0.105
```

Table 45: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-raw-aggr-cheb.prexml.xml`

- classe 1800 (attendus = 169, ramenes = 75.00, corrects = 4.00) rappel = 0.024 precision = 0.053 f-mesure = 0.033
- classe 1810 (attendus = 169, ramenes = 86.00, corrects = 17.00) rappel = 0.101 precision = 0.198 f-mesure = 0.133
- classe 1820 (attendus = 169, ramenes = 208.00, corrects = 31.00) rappel = 0.183 precision = 0.149 f-mesure = 0.164
- classe 1830 (attendus = 169, ramenes = 546.00, corrects = 51.00) rappel = 0.302 precision = 0.093 f-mesure = 0.143
- classe 1840 (attendus = 169, ramenes = 88.00, corrects = 8.00) rappel = 0.047 precision = 0.091 f-mesure = 0.062
- classe 1850 (attendus = 169, ramenes = 126.00, corrects = 8.00) rappel = 0.047 precision = 0.063 f-mesure = 0.054
- classe 1860 (attendus = 170, ramenes = 96.00, corrects = 5.00) rappel = 0.029 precision = 0.052 f-mesure = 0.038
- classe 1870 (attendus = 169, ramenes = 102.00, corrects = 8.00) rappel = 0.047 precision = 0.078 f-mesure = 0.059
- classe 1880 (attendus = 169, ramenes = 155.00, corrects = 14.00) rappel = 0.083 precision = 0.090 f-mesure = 0.086
- classe 1890 (attendus = 197, ramenes = 117.00, corrects = 8.00) rappel = 0.041 precision = 0.068 f-mesure = 0.051
- classe 1900 (attendus = 203, ramenes = 274.00, corrects = 20.00) rappel = 0.099 precision = 0.073 f-mesure = 0.084
- classe 1910 (attendus = 201, ramenes = 72.00, corrects = 3.00) rappel = 0.015 precision = 0.042 f-mesure = 0.022
- classe 1920 (attendus = 200, ramenes = 137.00, corrects = 12.00) rappel = 0.060 precision = 0.088 f-mesure = 0.071
- classe 1930 (attendus = 200, ramenes = 111.00, corrects = 8.00) rappel = 0.040 precision = 0.072 f-mesure = 0.051
- classe 1940 (attendus = 198, ramenes = 528.00, corrects = 75.00) rappel = 0.379 precision = 0.142 f-mesure = 0.207
- sur l'ensemble des 15 classes macro rappel = 0.100 macro precision = 0.090 macro F-mesure = 0.095

Table 46: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-raw-aggr-cos.prexml.xml`

```
- classe 1800 (attendus = 169, ramenes = 127.00, corrects = 9.00)
  rappel = 0.053 precision = 0.071 f-mesure = 0.061
- classe 1810 (attendus = 169, ramenes = 252.00, corrects = 33.00)
  rappel = 0.195 precision = 0.131 f-mesure = 0.157
- classe 1820 (attendus = 169, ramenes = 258.00, corrects = 29.00)
  rappel = 0.172 precision = 0.112 f-mesure = 0.136
- classe 1830 (attendus = 169, ramenes = 358.00, corrects = 36.00)
  rappel = 0.213 precision = 0.101 f-mesure = 0.137
- classe 1840 (attendus = 169, ramenes = 86.00, corrects = 10.00)
  rappel = 0.059 precision = 0.116 f-mesure = 0.078
- classe 1850 (attendus = 169, ramenes = 186.00, corrects = 16.00)
  rappel = 0.095 precision = 0.086 f-mesure = 0.090
- classe 1860 (attendus = 170, ramenes = 146.00, corrects = 13.00)
  rappel = 0.076 precision = 0.089 f-mesure = 0.082
- classe 1870 (attendus = 169, ramenes = 103.00, corrects = 10.00)
  rappel = 0.059 precision = 0.097 f-mesure = 0.074
- classe 1880 (attendus = 169, ramenes = 166.00, corrects = 20.00)
  rappel = 0.118 precision = 0.120 f-mesure = 0.119
- classe 1890 (attendus = 197, ramenes = 81.00, corrects = 7.00)
  rappel = 0.036 precision = 0.086 f-mesure = 0.050
- classe 1900 (attendus = 203, ramenes = 153.00, corrects = 14.00)
  rappel = 0.069 precision = 0.092 f-mesure = 0.079
- classe 1910 (attendus = 201, ramenes = 85.00, corrects = 11.00)
  rappel = 0.055 precision = 0.129 f-mesure = 0.077
- classe 1920 (attendus = 200, ramenes = 129.00, corrects = 15.00)
  rappel = 0.075 precision = 0.116 f-mesure = 0.091
- classe 1930 (attendus = 200, ramenes = 96.00, corrects = 10.00)
  rappel = 0.050 precision = 0.104 f-mesure = 0.068
- classe 1940 (attendus = 198, ramenes = 495.00, corrects = 82.00)
  rappel = 0.414 precision = 0.166 f-mesure = 0.237
- sur l'ensemble des 15 classes
  macro rappel = 0.116 macro precision = 0.108 macro F-mesure = 0.112
```

Table 47: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-raw-aggr-diff.prexml.xml`

- classe 1800 (attendus = 169, ramenes = 74.00, corrects = 4.00) rappel = 0.024 precision = 0.054 f-mesure = 0.033
- classe 1810 (attendus = 169, ramenes = 86.00, corrects = 17.00) rappel = 0.101 precision = 0.198 f-mesure = 0.133
- classe 1820 (attendus = 169, ramenes = 210.00, corrects = 31.00) rappel = 0.183 precision = 0.148 f-mesure = 0.164
- classe 1830 (attendus = 169, ramenes = 545.00, corrects = 51.00) rappel = 0.302 precision = 0.094 f-mesure = 0.143
- classe 1840 (attendus = 169, ramenes = 90.00, corrects = 8.00) rappel = 0.047 precision = 0.089 f-mesure = 0.062
- classe 1850 (attendus = 169, ramenes = 125.00, corrects = 8.00) rappel = 0.047 precision = 0.064 f-mesure = 0.054
- classe 1860 (attendus = 170, ramenes = 95.00, corrects = 5.00) rappel = 0.029 precision = 0.053 f-mesure = 0.038
- classe 1870 (attendus = 169, ramenes = 100.00, corrects = 8.00) rappel = 0.047 precision = 0.080 f-mesure = 0.059
- classe 1880 (attendus = 169, ramenes = 157.00, corrects = 14.00) rappel = 0.083 precision = 0.089 f-mesure = 0.086
- classe 1890 (attendus = 197, ramenes = 117.00, corrects = 8.00) rappel = 0.041 precision = 0.068 f-mesure = 0.051
- classe 1900 (attendus = 203, ramenes = 276.00, corrects = 21.00) rappel = 0.103 precision = 0.076 f-mesure = 0.088
- classe 1910 (attendus = 201, ramenes = 72.00, corrects = 3.00) rappel = 0.015 precision = 0.042 f-mesure = 0.022
- classe 1920 (attendus = 200, ramenes = 138.00, corrects = 13.00) rappel = 0.065 precision = 0.094 f-mesure = 0.077
- classe 1930 (attendus = 200, ramenes = 111.00, corrects = 8.00) rappel = 0.040 precision = 0.072 f-mesure = 0.051
- classe 1940 (attendus = 198, ramenes = 525.00, corrects = 75.00) rappel = 0.379 precision = 0.143 f-mesure = 0.207
- sur l'ensemble des 15 classes macro rappel = 0.100 macro precision = 0.091 macro F-mesure = 0.095

Table 48: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-raw-aggr-eucl.prexml.xml`

```
- classe 1800 (attendus = 169, ramenes = 102.00, corrects = 6.00)
  rappel = 0.036 precision = 0.059 f-mesure = 0.044
- classe 1810 (attendus = 169, ramenes = 193.00, corrects = 27.00)
  rappel = 0.160 precision = 0.140 f-mesure = 0.149
- classe 1820 (attendus = 169, ramenes = 321.00, corrects = 41.00)
  rappel = 0.243 precision = 0.128 f-mesure = 0.167
- classe 1830 (attendus = 169, ramenes = 422.00, corrects = 40.00)
  rappel = 0.237 precision = 0.095 f-mesure = 0.135
- classe 1840 (attendus = 169, ramenes = 83.00, corrects = 9.00)
  rappel = 0.053 precision = 0.108 f-mesure = 0.071
- classe 1850 (attendus = 169, ramenes = 166.00, corrects = 13.00)
  rappel = 0.077 precision = 0.078 f-mesure = 0.078
- classe 1860 (attendus = 170, ramenes = 111.00, corrects = 8.00)
  rappel = 0.047 precision = 0.072 f-mesure = 0.057
- classe 1870 (attendus = 169, ramenes = 82.00, corrects = 7.00)
  rappel = 0.041 precision = 0.085 f-mesure = 0.056
- classe 1880 (attendus = 169, ramenes = 118.00, corrects = 13.00)
  rappel = 0.077 precision = 0.110 f-mesure = 0.091
- classe 1890 (attendus = 197, ramenes = 78.00, corrects = 9.00)
  rappel = 0.046 precision = 0.115 f-mesure = 0.065
- classe 1900 (attendus = 203, ramenes = 135.00, corrects = 16.00)
  rappel = 0.079 precision = 0.119 f-mesure = 0.095
- classe 1910 (attendus = 201, ramenes = 67.00, corrects = 6.00)
  rappel = 0.030 precision = 0.090 f-mesure = 0.045
- classe 1920 (attendus = 200, ramenes = 143.00, corrects = 18.00)
  rappel = 0.090 precision = 0.126 f-mesure = 0.105
- classe 1930 (attendus = 200, ramenes = 80.00, corrects = 9.00)
  rappel = 0.045 precision = 0.113 f-mesure = 0.064
- classe 1940 (attendus = 198, ramenes = 620.00, corrects = 93.00)
  rappel = 0.470 precision = 0.150 f-mesure = 0.227
- sur l'ensemble des 15 classes
  macro rappel = 0.115 macro precision = 0.106 macro F-mesure = 0.110
```

Table 49: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-raw-fft-cheb.prexml.xml`

- classe 1800 (attendus = 169, ramenes = 75.00, corrects = 4.00) rappel = 0.024 precision = 0.053 f-mesure = 0.033
- classe 1810 (attendus = 169, ramenes = 85.00, corrects = 17.00) rappel = 0.101 precision = 0.200 f-mesure = 0.134
- classe 1820 (attendus = 169, ramenes = 208.00, corrects = 31.00) rappel = 0.183 precision = 0.149 f-mesure = 0.164
- classe 1830 (attendus = 169, ramenes = 546.00, corrects = 51.00) rappel = 0.302 precision = 0.093 f-mesure = 0.143
- classe 1840 (attendus = 169, ramenes = 88.00, corrects = 8.00) rappel = 0.047 precision = 0.091 f-mesure = 0.062
- classe 1850 (attendus = 169, ramenes = 126.00, corrects = 8.00) rappel = 0.047 precision = 0.063 f-mesure = 0.054
- classe 1860 (attendus = 170, ramenes = 96.00, corrects = 5.00) rappel = 0.029 precision = 0.052 f-mesure = 0.038
- classe 1870 (attendus = 169, ramenes = 102.00, corrects = 8.00) rappel = 0.047 precision = 0.078 f-mesure = 0.059
- classe 1880 (attendus = 169, ramenes = 156.00, corrects = 14.00) rappel = 0.083 precision = 0.090 f-mesure = 0.086
- classe 1890 (attendus = 197, ramenes = 117.00, corrects = 8.00) rappel = 0.041 precision = 0.068 f-mesure = 0.051
- classe 1900 (attendus = 203, ramenes = 274.00, corrects = 20.00) rappel = 0.099 precision = 0.073 f-mesure = 0.084
- classe 1910 (attendus = 201, ramenes = 72.00, corrects = 3.00) rappel = 0.015 precision = 0.042 f-mesure = 0.022
- classe 1920 (attendus = 200, ramenes = 137.00, corrects = 12.00) rappel = 0.060 precision = 0.088 f-mesure = 0.071
- classe 1930 (attendus = 200, ramenes = 111.00, corrects = 8.00) rappel = 0.040 precision = 0.072 f-mesure = 0.051
- classe 1940 (attendus = 198, ramenes = 528.00, corrects = 75.00) rappel = 0.379 precision = 0.142 f-mesure = 0.207
- sur l'ensemble des 15 classes macro rappel = 0.100 macro precision = 0.090 macro F-mesure = 0.095

Table 50: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-raw-fft-cos.prexml.xml`

- classe 1800 (attendus = 169, ramenes = 127.00, corrects = 9.00) rappel = 0.053 precision = 0.071 f-mesure = 0.061
- classe 1810 (attendus = 169, ramenes = 252.00, corrects = 33.00) rappel = 0.195 precision = 0.131 f-mesure = 0.157
- classe 1820 (attendus = 169, ramenes = 258.00, corrects = 29.00) rappel = 0.172 precision = 0.112 f-mesure = 0.136
- classe 1830 (attendus = 169, ramenes = 358.00, corrects = 36.00) rappel = 0.213 precision = 0.101 f-mesure = 0.137
- classe 1840 (attendus = 169, ramenes = 86.00, corrects = 10.00) rappel = 0.059 precision = 0.116 f-mesure = 0.078
- classe 1850 (attendus = 169, ramenes = 186.00, corrects = 16.00) rappel = 0.095 precision = 0.086 f-mesure = 0.090
- classe 1860 (attendus = 170, ramenes = 146.00, corrects = 13.00) rappel = 0.076 precision = 0.089 f-mesure = 0.082
- classe 1870 (attendus = 169, ramenes = 103.00, corrects = 10.00) rappel = 0.059 precision = 0.097 f-mesure = 0.074
- classe 1880 (attendus = 169, ramenes = 166.00, corrects = 20.00) rappel = 0.118 precision = 0.120 f-mesure = 0.119
- classe 1890 (attendus = 197, ramenes = 81.00, corrects = 7.00) rappel = 0.036 precision = 0.086 f-mesure = 0.050
- classe 1900 (attendus = 203, ramenes = 153.00, corrects = 14.00) rappel = 0.069 precision = 0.092 f-mesure = 0.079
- classe 1910 (attendus = 201, ramenes = 85.00, corrects = 11.00) rappel = 0.055 precision = 0.129 f-mesure = 0.077
- classe 1920 (attendus = 200, ramenes = 129.00, corrects = 15.00) rappel = 0.075 precision = 0.116 f-mesure = 0.091
- classe 1930 (attendus = 200, ramenes = 96.00, corrects = 10.00) rappel = 0.050 precision = 0.104 f-mesure = 0.068
- classe 1940 (attendus = 198, ramenes = 495.00, corrects = 82.00) rappel = 0.414 precision = 0.166 f-mesure = 0.237
- sur l'ensemble des 15 classes macro rappel = 0.116 macro precision = 0.108 macro F-mesure = 0.112

Table 51: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-raw-fft-diff.prexml.xml`

`- classe 1800 (attendus = 169, ramenes = 77.00, corrects = 5.00)` `rappel = 0.030 precision = 0.065 f-mesure = 0.041`
`- classe 1810 (attendus = 169, ramenes = 84.00, corrects = 17.00)` `rappel = 0.101 precision = 0.202 f-mesure = 0.134`
`- classe 1820 (attendus = 169, ramenes = 208.00, corrects = 30.00)` `rappel = 0.178 precision = 0.144 f-mesure = 0.159`
`- classe 1830 (attendus = 169, ramenes = 547.00, corrects = 52.00)` `rappel = 0.308 precision = 0.095 f-mesure = 0.145`
`- classe 1840 (attendus = 169, ramenes = 89.00, corrects = 8.00)` `rappel = 0.047 precision = 0.090 f-mesure = 0.062`
`- classe 1850 (attendus = 169, ramenes = 124.00, corrects = 9.00)` `rappel = 0.053 precision = 0.073 f-mesure = 0.061`
`- classe 1860 (attendus = 170, ramenes = 96.00, corrects = 5.00)` `rappel = 0.029 precision = 0.052 f-mesure = 0.038`
`- classe 1870 (attendus = 169, ramenes = 101.00, corrects = 8.00)` `rappel = 0.047 precision = 0.079 f-mesure = 0.059`
`- classe 1880 (attendus = 169, ramenes = 155.00, corrects = 14.00)` `rappel = 0.083 precision = 0.090 f-mesure = 0.086`
`- classe 1890 (attendus = 197, ramenes = 115.00, corrects = 8.00)` `rappel = 0.041 precision = 0.070 f-mesure = 0.051`
`- classe 1900 (attendus = 203, ramenes = 274.00, corrects = 20.00)` `rappel = 0.099 precision = 0.073 f-mesure = 0.084`
`- classe 1910 (attendus = 201, ramenes = 72.00, corrects = 3.00)` `rappel = 0.015 precision = 0.042 f-mesure = 0.022`
`- classe 1920 (attendus = 200, ramenes = 139.00, corrects = 12.00)` `rappel = 0.060 precision = 0.086 f-mesure = 0.071`
`- classe 1930 (attendus = 200, ramenes = 110.00, corrects = 8.00)` `rappel = 0.040 precision = 0.073 f-mesure = 0.052`
`- classe 1940 (attendus = 198, ramenes = 530.00, corrects = 75.00)` `rappel = 0.379 precision = 0.142 f-mesure = 0.206`
`- sur l'ensemble des 15 classes` `macro rappel = 0.101 macro precision = 0.092 macro F-mesure = 0.096`

Table 52: Fichier évalué : `equipe_3_tache_1_execution_3-testing.sh-piste1-ref-silence-raw-fft-eucl.prexml.xml`

- classe 1800 (attendus = 169, ramenes = 102.00, corrects = 6.00) rappel = 0.036 precision = 0.059 f-mesure = 0.044
- classe 1810 (attendus = 169, ramenes = 193.00, corrects = 27.00) rappel = 0.160 precision = 0.140 f-mesure = 0.149
- classe 1820 (attendus = 169, ramenes = 321.00, corrects = 41.00) rappel = 0.243 precision = 0.128 f-mesure = 0.167
- classe 1830 (attendus = 169, ramenes = 422.00, corrects = 40.00) rappel = 0.237 precision = 0.095 f-mesure = 0.135
- classe 1840 (attendus = 169, ramenes = 83.00, corrects = 9.00) rappel = 0.053 precision = 0.108 f-mesure = 0.071
- classe 1850 (attendus = 169, ramenes = 166.00, corrects = 13.00) rappel = 0.077 precision = 0.078 f-mesure = 0.078
- classe 1860 (attendus = 170, ramenes = 111.00, corrects = 8.00) rappel = 0.047 precision = 0.072 f-mesure = 0.057
- classe 1870 (attendus = 169, ramenes = 82.00, corrects = 7.00) rappel = 0.041 precision = 0.085 f-mesure = 0.056
- classe 1880 (attendus = 169, ramenes = 118.00, corrects = 13.00) rappel = 0.077 precision = 0.110 f-mesure = 0.091
- classe 1890 (attendus = 197, ramenes = 78.00, corrects = 9.00) rappel = 0.046 precision = 0.115 f-mesure = 0.065
- classe 1900 (attendus = 203, ramenes = 135.00, corrects = 16.00) rappel = 0.079 precision = 0.119 f-mesure = 0.095
- classe 1910 (attendus = 201, ramenes = 67.00, corrects = 6.00) rappel = 0.030 precision = 0.090 f-mesure = 0.045
- classe 1920 (attendus = 200, ramenes = 143.00, corrects = 18.00) rappel = 0.090 precision = 0.126 f-mesure = 0.105
- classe 1930 (attendus = 200, ramenes = 80.00, corrects = 9.00) rappel = 0.045 precision = 0.113 f-mesure = 0.064
- classe 1940 (attendus = 198, ramenes = 620.00, corrects = 93.00) rappel = 0.470 precision = 0.150 f-mesure = 0.227
- sur l'ensemble des 15 classes macro rappel = 0.115 macro precision = 0.106 macro F-mesure = 0.110

4.1.2 Training and testing on training Data

Table 53: Consolidated results (piste1-result1-marf-stats), Part 1.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	-piste1 -norm -fft -cos	1025	2569	28.52
2	1st	-piste1 -silence -norm -aggr -cos	1025	2569	28.52
3	1st	-piste1 -silence -norm -fft -cos	1025	2569	28.52
4	1st	-piste1 -norm -aggr -cos	1025	2569	28.52
5	1st	-piste1 -raw -fft -cos	1023	2571	28.46
6	1st	-piste1 -silence -raw -aggr -cos	1023	2571	28.46
7	1st	-piste1 -silence -noise -raw -fft -cos	1023	2571	28.46
8	1st	-piste1 -noise -raw -fft -cos	1023	2571	28.46
9	1st	-piste1 -silence -noise -raw -aggr -cos	1023	2571	28.46
10	1st	-piste1 -noise -raw -aggr -cos	1023	2571	28.46
11	1st	-piste1 -raw -aggr -cos	1023	2571	28.46
12	1st	-piste1 -silence -raw -fft -cos	1023	2571	28.46
13	1st	-piste1 -norm -aggr -diff	935	2659	26.02
14	1st	-piste1 -silence -norm -aggr -diff	935	2659	26.02
15	1st	-piste1 -silence -norm -aggr -cheb	930	2664	25.88
16	1st	-piste1 -norm -fft -cheb	930	2664	25.88
17	1st	-piste1 -norm -aggr -cheb	930	2664	25.88
18	1st	-piste1 -silence -norm -fft -cheb	930	2664	25.88
19	1st	-piste1 -silence -norm -fft -diff	929	2665	25.85
20	1st	-piste1 -norm -fft -diff	929	2665	25.85
21	1st	-piste1 -silence -noise -raw -fft -cheb	920	2674	25.60
22	1st	-piste1 -noise -raw -fft -cheb	920	2674	25.60
23	1st	-piste1 -raw -fft -cheb	920	2674	25.60
24	1st	-piste1 -silence -raw -fft -cheb	920	2674	25.60
25	1st	-piste1 -raw -aggr -cheb	918	2676	25.54
26	1st	-piste1 -silence -noise -raw -aggr -cheb	918	2676	25.54
27	1st	-piste1 -noise -raw -aggr -cheb	918	2676	25.54
28	1st	-piste1 -silence -raw -aggr -cheb	918	2676	25.54
29	1st	-piste1 -silence -raw -aggr -eucl	916	2678	25.49
30	1st	-piste1 -silence -raw -fft -eucl	916	2678	25.49
31	1st	-piste1 -raw -aggr -eucl	916	2678	25.49
32	1st	-piste1 -silence -noise -raw -aggr -diff	916	2678	25.49
33	1st	-piste1 -silence -noise -raw -fft -eucl	916	2678	25.49
34	1st	-piste1 -noise -raw -fft -eucl	916	2678	25.49
35	1st	-piste1 -raw -fft -eucl	916	2678	25.49
36	1st	-piste1 -noise -raw -aggr -diff	916	2678	25.49
37	1st	-piste1 -silence -noise -raw -aggr -eucl	916	2678	25.49
38	1st	-piste1 -silence -raw -aggr -diff	916	2678	25.49
39	1st	-piste1 -raw -aggr -diff	916	2678	25.49
40	1st	-piste1 -noise -raw -aggr -eucl	916	2678	25.49
41	1st	-piste1 -silence -noise -raw -fft -diff	914	2680	25.43
42	1st	-piste1 -noise -raw -fft -diff	914	2680	25.43
43	1st	-piste1 -raw -fft -diff	914	2680	25.43
44	1st	-piste1 -silence -raw -fft -diff	914	2680	25.43
45	1st	-piste1 -silence -norm -fft -eucl	907	2687	25.24
46	1st	-piste1 -silence -norm -aggr -eucl	907	2687	25.24
47	1st	-piste1 -norm -fft -eucl	907	2687	25.24
48	1st	-piste1 -norm -aggr -eucl	907	2687	25.24
49	1st	-piste1 -silence -bandstop -aggr -cos	860	2734	23.93

Table 54: Consolidated results (piste1-result1-marf-stats), Part 2.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
50	1st	-piste1 -silence -bandstop -fft -cos	860	2734	23.93
51	1st	-piste1 -bandstop -aggr -cos	855	2739	23.79
52	1st	-piste1 -bandstop -fft -cos	855	2739	23.79
53	1st	-piste1 -silence -high -aggr -cos	828	2766	23.04
54	1st	-piste1 -silence -high -fft -cos	826	2768	22.98
55	1st	-piste1 -silence -high -fft -eucl	797	2797	22.18
56	1st	-piste1 -silence -high -aggr -eucl	797	2797	22.18
57	1st	-piste1 -silence -low -fft -cos	797	2797	22.18
58	1st	-piste1 -silence -noise -norm -fft -cos	797	2797	22.18
59	1st	-piste1 -silence -noise -norm -aggr -cos	796	2798	22.15
60	1st	-piste1 -silence -low -aggr -cos	796	2798	22.15
61	1st	-piste1 -bandstop -fft -cheb	794	2800	22.09
62	1st	-piste1 -silence -noise -low -aggr -cos	789	2805	21.95
63	1st	-piste1 -silence -noise -low -fft -cos	789	2805	21.95
64	1st	-piste1 -bandstop -aggr -cheb	788	2806	21.93
65	1st	-piste1 -low -aggr -cos	786	2808	21.87
66	1st	-piste1 -low -fft -cos	786	2808	21.87
67	1st	-piste1 -noise -norm -aggr -cos	786	2808	21.87
68	1st	-piste1 -noise -norm -fft -cos	786	2808	21.87
69	1st	-piste1 -noise -low -aggr -cos	785	2809	21.84
70	1st	-piste1 -noise -low -fft -cos	785	2809	21.84
71	1st	-piste1 -bandstop -aggr -diff	784	2810	21.81
72	1st	-piste1 -bandstop -fft -diff	777	2817	21.62
73	1st	-piste1 -high -fft -cos	773	2821	21.51
74	1st	-piste1 -silence -bandstop -aggr -diff	773	2821	21.51
75	1st	-piste1 -high -aggr -cos	771	2823	21.45
76	1st	-piste1 -high -fft -eucl	770	2824	21.42
77	1st	-piste1 -silence -bandstop -aggr -cheb	770	2824	21.42
78	1st	-piste1 -high -aggr -eucl	770	2824	21.42
79	1st	-piste1 -silence -bandstop -fft -cheb	770	2824	21.42
80	1st	-piste1 -silence -bandstop -fft -diff	757	2837	21.06
81	1st	-piste1 -bandstop -fft -eucl	751	2843	20.90
82	1st	-piste1 -bandstop -aggr -eucl	751	2843	20.90
83	1st	-piste1 -silence -bandstop -fft -eucl	744	2850	20.70
84	1st	-piste1 -silence -bandstop -aggr -eucl	744	2850	20.70
85	1st	-piste1 -noise -band -fft -cos	740	2854	20.59
86	1st	-piste1 -noise -band -aggr -cos	740	2854	20.59
87	1st	-piste1 -band -fft -cos	738	2856	20.53
88	1st	-piste1 -band -aggr -cos	738	2856	20.53
89	1st	-piste1 -band -aggr -eucl	736	2858	20.48
90	1st	-piste1 -band -fft -eucl	736	2858	20.48
91	1st	-piste1 -silence -noise -norm -fft -diff	734	2860	20.42
92	1st	-piste1 -low -fft -diff	734	2860	20.42
93	1st	-piste1 -low -aggr -diff	734	2860	20.42
94	1st	-piste1 -noise -norm -fft -diff	734	2860	20.42
95	1st	-piste1 -noise -norm -aggr -diff	734	2860	20.42
96	1st	-piste1 -silence -low -fft -diff	734	2860	20.42
97	1st	-piste1 -silence -low -fft -cheb	731	2863	20.34
98	1st	-piste1 -silence -noise -norm -fft -cheb	731	2863	20.34
99	1st	-piste1 -silence -low -aggr -diff	730	2864	20.31

Table 55: Consolidated results (piste1-result1-marf-stats), Part 3.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
100	1st	-piste1 -silence -noise -norm -aggr -diff	730	2864	20.31
101	1st	-piste1 -silence -noise -band -aggr -cos	730	2864	20.31
102	1st	-piste1 -silence -noise -norm -aggr -cheb	729	2865	20.28
103	1st	-piste1 -silence -low -aggr -cheb	729	2865	20.28
104	1st	-piste1 -silence -noise -band -fft -cos	728	2866	20.26
105	1st	-piste1 -low -fft -cheb	728	2866	20.26
106	1st	-piste1 -low -aggr -cheb	728	2866	20.26
107	1st	-piste1 -noise -norm -fft -cheb	728	2866	20.26
108	1st	-piste1 -noise -norm -aggr -cheb	728	2866	20.26
109	1st	-piste1 -noise -low -fft -diff	727	2867	20.23
110	1st	-piste1 -silence -band -fft -eucl	724	2870	20.14
111	1st	-piste1 -silence -band -aggr -eucl	723	2871	20.12
112	1st	-piste1 -noise -low -aggr -diff	722	2872	20.09
113	1st	-piste1 -noise -low -fft -cheb	721	2873	20.06
114	1st	-piste1 -noise -low -aggr -cheb	715	2879	19.89
115	1st	-piste1 -silence -endp -aggr -cos	713	2881	19.84
116	1st	-piste1 -endp -fft -cos	713	2881	19.84
117	1st	-piste1 -endp -aggr -cos	713	2881	19.84
118	1st	-piste1 -silence -endp -fft -cos	713	2881	19.84
119	1st	-piste1 -silence -band -aggr -cos	701	2893	19.50
120	1st	-piste1 -noise -band -aggr -eucl	701	2893	19.50
121	1st	-piste1 -silence -band -fft -cos	701	2893	19.50
122	1st	-piste1 -noise -band -fft -eucl	699	2895	19.45
123	1st	-piste1 -noise -norm -fft -eucl	696	2898	19.37
124	1st	-piste1 -noise -norm -aggr -eucl	696	2898	19.37
125	1st	-piste1 -low -fft -eucl	696	2898	19.37
126	1st	-piste1 -low -aggr -eucl	696	2898	19.37
127	1st	-piste1 -silence -noise -low -aggr -diff	696	2898	19.37
128	1st	-piste1 -silence -low -fft -eucl	694	2900	19.31
129	1st	-piste1 -silence -noise -norm -fft -eucl	694	2900	19.31
130	1st	-piste1 -silence -noise -low -aggr -cheb	694	2900	19.31
131	1st	-piste1 -silence -noise -norm -aggr -eucl	692	2902	19.25
132	1st	-piste1 -silence -noise -low -fft -cheb	692	2902	19.25
133	1st	-piste1 -silence -low -aggr -eucl	692	2902	19.25
134	1st	-piste1 -silence -noise -low -fft -diff	690	2904	19.20
135	1st	-piste1 -silence -noise -band -fft -eucl	686	2908	19.09
136	1st	-piste1 -silence -noise -band -aggr -eucl	686	2908	19.09
137	1st	-piste1 -silence -high -aggr -diff	677	2917	18.84
138	1st	-piste1 -silence -high -fft -cheb	675	2919	18.78
139	1st	-piste1 -silence -high -aggr -cheb	674	2920	18.75
140	1st	-piste1 -silence -high -fft -diff	672	2922	18.70
141	1st	-piste1 -noise -band -fft -cheb	659	2935	18.34
142	1st	-piste1 -noise -band -aggr -cheb	656	2938	18.25
143	1st	-piste1 -high -aggr -cheb	648	2946	18.03
144	1st	-piste1 -high -aggr -diff	647	2947	18.00
145	1st	-piste1 -noise -band -fft -diff	647	2947	18.00
146	1st	-piste1 -band -aggr -cheb	642	2952	17.86
147	1st	-piste1 -band -fft -cheb	641	2953	17.84
148	1st	-piste1 -high -fft -diff	641	2953	17.84
149	1st	-piste1 -noise -band -aggr -diff	640	2954	17.81

Table 56: Consolidated results (piste1-result1-marf-stats), Part 4.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
150	1st	-piste1 -high -fft -cheb	640	2954	17.81
151	1st	-piste1 -silence -noise -endp -fft -cos	638	2956	17.75
152	1st	-piste1 -silence -noise -endp -aggr -cos	638	2956	17.75
153	1st	-piste1 -endp -aggr -diff	637	2957	17.72
154	1st	-piste1 -silence -endp -fft -diff	637	2957	17.72
155	1st	-piste1 -silence -endp -fft -cheb	637	2957	17.72
156	1st	-piste1 -endp -fft -diff	637	2957	17.72
157	1st	-piste1 -silence -endp -aggr -diff	637	2957	17.72
158	1st	-piste1 -endp -fft -cheb	637	2957	17.72
159	1st	-piste1 -silence -noise -low -aggr -eucl	636	2958	17.70
160	1st	-piste1 -silence -noise -low -fft -eucl	636	2958	17.70
161	1st	-piste1 -endp -aggr -cheb	635	2959	17.67
162	1st	-piste1 -silence -endp -aggr -cheb	635	2959	17.67
163	1st	-piste1 -noise -endp -aggr -cos	631	2963	17.56
164	1st	-piste1 -noise -endp -fft -cos	631	2963	17.56
165	1st	-piste1 -noise -low -aggr -eucl	631	2963	17.56
166	1st	-piste1 -noise -low -fft -eucl	631	2963	17.56
167	1st	-piste1 -band -fft -diff	630	2964	17.53
168	1st	-piste1 -band -aggr -diff	628	2966	17.47
169	1st	-piste1 -silence -noise -band -fft -diff	611	2983	17.00
170	1st	-piste1 -silence -noise -band -fft -cheb	607	2987	16.89
171	1st	-piste1 -silence -noise -band -aggr -diff	602	2992	16.75
172	1st	-piste1 -silence -noise -band -aggr -cheb	602	2992	16.75
173	1st	-piste1 -noise -bandstop -fft -cos	593	3001	16.50
174	1st	-piste1 -noise -bandstop -aggr -cos	593	3001	16.50
175	1st	-piste1 -silence -noise -bandstop -aggr -cos	591	3003	16.44
176	1st	-piste1 -silence -noise -bandstop -fft -cos	591	3003	16.44
177	1st	-piste1 -noise -raw -aggr -mink	580	3014	16.14
178	1st	-piste1 -silence -raw -aggr -mink	580	3014	16.14
179	1st	-piste1 -silence -raw -fft -mink	580	3014	16.14
180	1st	-piste1 -raw -aggr -mink	580	3014	16.14
181	1st	-piste1 -silence -noise -raw -fft -mink	580	3014	16.14
182	1st	-piste1 -noise -raw -fft -mink	580	3014	16.14
183	1st	-piste1 -raw -fft -mink	580	3014	16.14
184	1st	-piste1 -silence -noise -raw -aggr -mink	580	3014	16.14
185	1st	-piste1 -silence -norm -fft -mink	549	3045	15.28
186	1st	-piste1 -silence -norm -aggr -mink	549	3045	15.28
187	1st	-piste1 -norm -fft -mink	549	3045	15.28
188	1st	-piste1 -silence -band -aggr -cheb	549	3045	15.28
189	1st	-piste1 -norm -aggr -mink	549	3045	15.28
190	1st	-piste1 -silence -band -fft -diff	547	3047	15.22
191	1st	-piste1 -silence -band -fft -cheb	547	3047	15.22
192	1st	-piste1 -silence -band -aggr -diff	543	3051	15.11
193	1st	-piste1 -silence -noise -endp -aggr -cheb	535	3059	14.89
194	1st	-piste1 -silence -noise -endp -fft -cheb	534	3060	14.86
195	1st	-piste1 -silence -noise -endp -aggr -diff	534	3060	14.86
196	1st	-piste1 -noise -endp -fft -cheb	533	3061	14.83
197	1st	-piste1 -noise -endp -aggr -cheb	533	3061	14.83
198	1st	-piste1 -noise -endp -aggr -diff	531	3063	14.77
199	1st	-piste1 -noise -bandstop -aggr -diff	528	3066	14.69

Table 57: Consolidated results (piste1-result1-marf-stats), Part 5.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
200	1st	-piste1 -endp -fft -eucl	527	3067	14.66
201	1st	-piste1 -silence -endp -aggr -eucl	527	3067	14.66
202	1st	-piste1 -endp -aggr -eucl	527	3067	14.66
203	1st	-piste1 -silence -endp -fft -eucl	527	3067	14.66
204	1st	-piste1 -bandstop -fft -mink	526	3068	14.64
205	1st	-piste1 -noise -endp -fft -diff	526	3068	14.64
206	1st	-piste1 -bandstop -aggr -mink	526	3068	14.64
207	1st	-piste1 -silence -bandstop -fft -mink	524	3070	14.58
208	1st	-piste1 -silence -bandstop -aggr -mink	524	3070	14.58
209	1st	-piste1 -silence -noise -endp -fft -diff	522	3072	14.52
210	1st	-piste1 -noise -bandstop -fft -diff	522	3072	14.52
211	1st	-piste1 -silence -noise -bandstop -aggr -diff	521	3073	14.50
212	1st	-piste1 -silence -noise -bandstop -fft -diff	521	3073	14.50
213	1st	-piste1 -noise -bandstop -aggr -cheb	521	3073	14.50
214	1st	-piste1 -noise -bandstop -fft -cheb	521	3073	14.50
215	1st	-piste1 -silence -noise -bandstop -fft -cheb	518	3076	14.41
216	1st	-piste1 -noise -norm -fft -mink	508	3086	14.13
217	1st	-piste1 -noise -norm -aggr -mink	508	3086	14.13
218	1st	-piste1 -low -fft -mink	508	3086	14.13
219	1st	-piste1 -low -aggr -mink	508	3086	14.13
220	1st	-piste1 -silence -noise -norm -aggr -mink	504	3090	14.02
221	1st	-piste1 -silence -low -fft -mink	504	3090	14.02
222	1st	-piste1 -silence -low -aggr -mink	504	3090	14.02
223	1st	-piste1 -silence -noise -norm -fft -mink	504	3090	14.02
224	1st	-piste1 -silence -high -fft -mink	502	3092	13.97
225	1st	-piste1 -silence -high -aggr -mink	502	3092	13.97
226	1st	-piste1 -silence -noise -low -aggr -mink	481	3113	13.38
227	1st	-piste1 -silence -noise -low -fft -mink	481	3113	13.38
228	1st	-piste1 -silence -noise -band -fft -mink	477	3117	13.27
229	1st	-piste1 -silence -noise -band -aggr -mink	477	3117	13.27
230	1st	-piste1 -noise -bandstop -aggr -eucl	476	3118	13.24
231	1st	-piste1 -noise -bandstop -fft -eucl	476	3118	13.24
232	1st	-piste1 -silence -noise -bandstop -fft -eucl	476	3118	13.24
233	1st	-piste1 -noise -low -aggr -mink	475	3119	13.22
234	1st	-piste1 -noise -low -fft -mink	475	3119	13.22
235	1st	-piste1 -silence -band -fft -mink	472	3122	13.13
236	1st	-piste1 -silence -band -aggr -mink	472	3122	13.13
237	1st	-piste1 -noise -endp -aggr -eucl	469	3125	13.05
238	1st	-piste1 -noise -endp -fft -eucl	469	3125	13.05
239	1st	-piste1 -silence -noise -endp -aggr -eucl	468	3126	13.02
240	1st	-piste1 -silence -noise -endp -fft -eucl	468	3126	13.02
241	1st	-piste1 -high -fft -mink	456	3138	12.69
242	1st	-piste1 -high -aggr -mink	456	3138	12.69
243	1st	-piste1 -noise -band -fft -mink	442	3152	12.30
244	1st	-piste1 -noise -band -aggr -mink	442	3152	12.30
245	1st	-piste1 -band -aggr -mink	440	3154	12.24
246	1st	-piste1 -band -fft -mink	440	3154	12.24
247	1st	-piste1 -silence -noise -bandstop -fft -mink	424	3170	11.80
248	1st	-piste1 -noise -endp -aggr -mink	423	3171	11.77
249	1st	-piste1 -noise -bandstop -aggr -mink	423	3171	11.77

Table 58: Consolidated results (piste1-result1-marf-stats), Part 6.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
250	1st	-piste1 -noise -bandstop -fft -mink	423	3171	11.77
251	1st	-piste1 -noise -endp -fft -mink	423	3171	11.77
252	1st	-piste1 -silence -noise -endp -aggr -mink	419	3175	11.66
253	1st	-piste1 -silence -noise -endp -fft -mink	419	3175	11.66
254	1st	-piste1 -endp -fft -mink	417	3177	11.60
255	1st	-piste1 -silence -endp -aggr -mink	417	3177	11.60
256	1st	-piste1 -endp -aggr -mink	417	3177	11.60
257	1st	-piste1 -silence -endp -fft -mink	417	3177	11.60
258	1st	-piste1 -silence -noise -high -fft -cheb	415	3179	11.55
259	1st	-piste1 -silence -noise -high -aggr -cheb	412	3182	11.46
260	1st	-piste1 -silence -noise -high -aggr -cos	395	3199	10.99
261	1st	-piste1 -silence -noise -high -fft -cos	394	3200	10.96
262	1st	-piste1 -noise -high -aggr -cheb	385	3209	10.71
263	1st	-piste1 -noise -band -minmax -cos	383	3211	10.66
264	1st	-piste1 -silence -noise -band -minmax -cos	383	3211	10.66
265	1st	-piste1 -silence -raw -lpc -eucl	378	3216	10.52
266	1st	-piste1 -silence -norm -lpc -eucl	378	3216	10.52
267	1st	-piste1 -norm -lpc -eucl	378	3216	10.52
268	1st	-piste1 -silence -noise -raw -lpc -eucl	378	3216	10.52
269	1st	-piste1 -noise -raw -lpc -eucl	378	3216	10.52
270	1st	-piste1 -raw -lpc -eucl	378	3216	10.52
271	1st	-piste1 -noise -high -fft -cheb	372	3222	10.35
272	1st	-piste1 -silence -raw -lpc -cos	371	3223	10.32
273	1st	-piste1 -norm -lpc -cos	371	3223	10.32
274	1st	-piste1 -silence -noise -raw -lpc -cheb	371	3223	10.32
275	1st	-piste1 -noise -raw -lpc -cheb	371	3223	10.32
276	1st	-piste1 -raw -lpc -cheb	371	3223	10.32
277	1st	-piste1 -raw -lpc -cos	371	3223	10.32
278	1st	-piste1 -silence -norm -lpc -cos	371	3223	10.32
279	1st	-piste1 -silence -noise -raw -lpc -cos	371	3223	10.32
280	1st	-piste1 -silence -raw -lpc -cheb	371	3223	10.32
281	1st	-piste1 -silence -norm -lpc -cheb	371	3223	10.32
282	1st	-piste1 -noise -raw -lpc -cos	371	3223	10.32
283	1st	-piste1 -norm -lpc -cheb	371	3223	10.32
284	1st	-piste1 -silence -raw -lpc -mink	368	3226	10.24
285	1st	-piste1 -silence -norm -lpc -mink	368	3226	10.24
286	1st	-piste1 -norm -lpc -mink	368	3226	10.24
287	1st	-piste1 -endp -lpc -cos	368	3226	10.24
288	1st	-piste1 -silence -noise -raw -lpc -mink	368	3226	10.24
289	1st	-piste1 -noise -raw -lpc -mink	368	3226	10.24
290	1st	-piste1 -raw -lpc -mink	368	3226	10.24
291	1st	-piste1 -silence -endp -lpc -cos	368	3226	10.24
292	1st	-piste1 -silence -endp -lpc -eucl	366	3228	10.18
293	1st	-piste1 -endp -lpc -eucl	366	3228	10.18
294	1st	-piste1 -band -minmax -cos	364	3230	10.13
295	1st	-piste1 -silence -band -minmax -cos	364	3230	10.13
296	1st	-piste1 -high -minmax -cos	356	3238	9.91
297	1st	-piste1 -silence -high -minmax -cos	356	3238	9.91
298	1st	-piste1 -noise -endp -minmax -cheb	353	3241	9.82
299	1st	-piste1 -silence -noise -high -aggr -eucl	353	3241	9.82

Table 59: Consolidated results (piste1-result1-marf-stats), Part 7.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
300	1st	-piste1 -silence -endp -lpc -cheb	353	3241	9.82
301	1st	-piste1 -endp -lpc -cheb	353	3241	9.82
302	1st	-piste1 -silence -noise -endp -minmax -cheb	352	3242	9.79
303	1st	-piste1 -endp -minmax -cheb	351	3243	9.77
304	1st	-piste1 -silence -endp -minmax -cheb	351	3243	9.77
305	1st	-piste1 -noise -high -fft -cos	348	3246	9.68
306	1st	-piste1 -noise -low -minmax -eucl	347	3247	9.65
307	1st	-piste1 -silence -noise -high -fft -eucl	347	3247	9.65
308	1st	-piste1 -silence -noise -low -minmax -eucl	345	3249	9.60
309	1st	-piste1 -noise -high -aggr -cos	344	3250	9.57
310	1st	-piste1 -silence -noise -endp -lpc -eucl	343	3251	9.54
311	1st	-piste1 -noise -endp -minmax -mink	343	3251	9.54
312	1st	-piste1 -noise -endp -lpc -cheb	343	3251	9.54
313	1st	-piste1 -silence -noise -endp -lpc -cos	342	3252	9.52
314	1st	-piste1 -noise -endp -lpc -eucl	342	3252	9.52
315	1st	-piste1 -silence -noise -endp -lpc -cheb	341	3253	9.49
316	1st	-piste1 -silence -noise -endp -minmax -mink	340	3254	9.46
317	1st	-piste1 -noise -endp -lpc -cos	340	3254	9.46
318	1st	-piste1 -silence -noise -endp -lpc -diff	340	3254	9.46
319	1st	-piste1 -endp -minmax -mink	339	3255	9.43
320	1st	-piste1 -silence -endp -minmax -mink	339	3255	9.43
321	1st	-piste1 -noise -low -minmax -cheb	337	3257	9.38
322	1st	-piste1 -noise -endp -minmax -diff	337	3257	9.38
323	1st	-piste1 -silence -noise -endp -minmax -eucl	336	3258	9.35
324	1st	-piste1 -silence -noise -high -fft -diff	335	3259	9.32
325	1st	-piste1 -noise -norm -minmax -cheb	335	3259	9.32
326	1st	-piste1 -silence -noise -low -minmax -cheb	335	3259	9.32
327	1st	-piste1 -noise -endp -minmax -eucl	335	3259	9.32
328	1st	-piste1 -low -minmax -cheb	335	3259	9.32
329	1st	-piste1 -silence -noise -band -minmax -mink	334	3260	9.29
330	1st	-piste1 -noise -band -minmax -mink	334	3260	9.29
331	1st	-piste1 -noise -endp -minmax -cos	334	3260	9.29
332	1st	-piste1 -noise -high -aggr -diff	334	3260	9.29
333	1st	-piste1 -silence -noise -low -minmax -cos	333	3261	9.27
334	1st	-piste1 -silence -noise -endp -minmax -diff	333	3261	9.27
335	1st	-piste1 -silence -noise -raw -lpc -diff	332	3262	9.24
336	1st	-piste1 -noise -raw -lpc -diff	332	3262	9.24
337	1st	-piste1 -raw -lpc -diff	332	3262	9.24
338	1st	-piste1 -noise -low -minmax -cos	332	3262	9.24
339	1st	-piste1 -silence -raw -lpc -diff	332	3262	9.24
340	1st	-piste1 -silence -norm -lpc -diff	332	3262	9.24
341	1st	-piste1 -norm -lpc -diff	332	3262	9.24
342	1st	-piste1 -silence -low -minmax -cos	331	3263	9.21
343	1st	-piste1 -silence -noise -norm -minmax -cos	331	3263	9.21
344	1st	-piste1 -silence -noise -high -aggr -diff	331	3263	9.21
345	1st	-piste1 -norm -minmax -cheb	330	3264	9.18
346	1st	-piste1 -silence -norm -minmax -cheb	330	3264	9.18
347	1st	-piste1 -silence -noise -endp -minmax -cos	330	3264	9.18
348	1st	-piste1 -endp -lpc -mink	329	3265	9.15
349	1st	-piste1 -silence -noise -bandstop -fft -hamming	329	3265	9.15

Table 60: Consolidated results (piste1-result1-marf-stats), Part 8.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
350	1st	-piste1 -noise -norm -minmax -cos	329	3265	9.15
351	1st	-piste1 -noise -norm -minmax -eucl	329	3265	9.15
352	1st	-piste1 -band -minmax -mink	329	3265	9.15
353	1st	-piste1 -silence -band -minmax -mink	329	3265	9.15
354	1st	-piste1 -low -minmax -cos	329	3265	9.15
355	1st	-piste1 -endp -minmax -eucl	329	3265	9.15
356	1st	-piste1 -silence -endp -minmax -eucl	329	3265	9.15
357	1st	-piste1 -low -minmax -eucl	329	3265	9.15
358	1st	-piste1 -silence -endp -lpc -mink	329	3265	9.15
359	1st	-piste1 -silence -noise -bandstop -aggr -hamming	328	3266	9.13
360	1st	-piste1 -band -minmax -eucl	328	3266	9.13
361	1st	-piste1 -silence -band -minmax -eucl	328	3266	9.13
362	1st	-piste1 -norm -minmax -eucl	328	3266	9.13
363	1st	-piste1 -silence -norm -minmax -eucl	328	3266	9.13
364	1st	-piste1 -silence -noise -norm -minmax -cheb	327	3267	9.10
365	1st	-piste1 -endp -minmax -cos	327	3267	9.10
366	1st	-piste1 -noise -raw -minmax -cos	327	3267	9.10
367	1st	-piste1 -silence -endp -minmax -cos	327	3267	9.10
368	1st	-piste1 -silence -raw -minmax -cos	327	3267	9.10
369	1st	-piste1 -silence -noise -norm -minmax -eucl	327	3267	9.10
370	1st	-piste1 -silence -noise -raw -minmax -cos	327	3267	9.10
371	1st	-piste1 -raw -minmax -cos	327	3267	9.10
372	1st	-piste1 -norm -minmax -cos	327	3267	9.10
373	1st	-piste1 -silence -low -minmax -cheb	327	3267	9.10
374	1st	-piste1 -silence -norm -minmax -cos	327	3267	9.10
375	1st	-piste1 -silence -low -minmax -eucl	327	3267	9.10
376	1st	-piste1 -noise -raw -minmax -mink	326	3268	9.07
377	1st	-piste1 -silence -noise -raw -minmax -mink	326	3268	9.07
378	1st	-piste1 -raw -minmax -mink	326	3268	9.07
379	1st	-piste1 -silence -raw -minmax -mink	326	3268	9.07
380	1st	-piste1 -norm -minmax -mink	326	3268	9.07
381	1st	-piste1 -silence -norm -minmax -mink	326	3268	9.07
382	1st	-piste1 -silence -noise -raw -minmax -cheb	325	3269	9.04
383	1st	-piste1 -raw -minmax -cheb	325	3269	9.04
384	1st	-piste1 -silence -raw -minmax -cheb	325	3269	9.04
385	1st	-piste1 -noise -norm -minmax -mink	325	3269	9.04
386	1st	-piste1 -low -minmax -mink	325	3269	9.04
387	1st	-piste1 -noise -raw -minmax -cheb	325	3269	9.04
388	1st	-piste1 -silence -low -minmax -mink	324	3270	9.02
389	1st	-piste1 -silence -noise -norm -minmax -mink	324	3270	9.02
390	1st	-piste1 -noise -endp -lpc -diff	323	3271	8.99
391	1st	-piste1 -noise -raw -minmax -eucl	322	3272	8.96
392	1st	-piste1 -silence -noise -raw -minmax -eucl	322	3272	8.96
393	1st	-piste1 -raw -minmax -eucl	322	3272	8.96
394	1st	-piste1 -silence -raw -minmax -eucl	322	3272	8.96
395	1st	-piste1 -noise -bandstop -minmax -cheb	321	3273	8.93
396	1st	-piste1 -silence -bandstop -minmax -cheb	319	3275	8.88
397	1st	-piste1 -noise -high -fft -diff	319	3275	8.88
398	1st	-piste1 -silence -noise -low -minmax -mink	319	3275	8.88
399	1st	-piste1 -noise -low -minmax -mink	318	3276	8.85

Table 61: Consolidated results (piste1-result1-marf-stats), Part 9.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
400	1st	-piste1 -bandstop -minmax -cheb	318	3276	8.85
401	1st	-piste1 -noise -band -minmax -eucl	317	3277	8.82
402	1st	-piste1 -silence -noise -band -minmax -eucl	317	3277	8.82
403	1st	-piste1 -high -minmax -eucl	315	3279	8.76
404	1st	-piste1 -silence -high -minmax -eucl	315	3279	8.76
405	1st	-piste1 -band -minmax -cheb	314	3280	8.74
406	1st	-piste1 -silence -band -minmax -cheb	314	3280	8.74
407	1st	-piste1 -noise -endp -lpc -mink	314	3280	8.74
408	1st	-piste1 -silence -noise -bandstop -lpc -mink	314	3280	8.74
409	1st	-piste1 -noise -bandstop -lpc -mink	313	3281	8.71
410	1st	-piste1 -raw -minmax -hamming	311	3283	8.65
411	1st	-piste1 -noise -raw -minmax -hamming	311	3283	8.65
412	1st	-piste1 -silence -bandstop -minmax -eucl	311	3283	8.65
413	1st	-piste1 -silence -noise -raw -minmax -hamming	311	3283	8.65
414	1st	-piste1 -noise -high -fft -eucl	311	3283	8.65
415	1st	-piste1 -silence -raw -minmax -hamming	311	3283	8.65
416	1st	-piste1 -bandstop -minmax -eucl	310	3284	8.63
417	1st	-piste1 -noise -high -aggr -eucl	310	3284	8.63
418	1st	-piste1 -noise -low -minmax -diff	310	3284	8.63
419	1st	-piste1 -silence -noise -high -fft -hamming	309	3285	8.60
420	1st	-piste1 -bandstop -minmax -diff	309	3285	8.60
421	1st	-piste1 -silence -noise -endp -lpc -mink	308	3286	8.57
422	1st	-piste1 -silence -endp -lpc -diff	308	3286	8.57
423	1st	-piste1 -endp -lpc -diff	308	3286	8.57
424	1st	-piste1 -silence -bandstop -minmax -cos	308	3286	8.57
425	1st	-piste1 -silence -endp -minmax -hamming	307	3287	8.54
426	1st	-piste1 -endp -minmax -hamming	307	3287	8.54
427	1st	-piste1 -raw -minmax -diff	307	3287	8.54
428	1st	-piste1 -high -minmax -cheb	307	3287	8.54
429	1st	-piste1 -silence -noise -low -minmax -diff	307	3287	8.54
430	1st	-piste1 -silence -high -minmax -cheb	307	3287	8.54
431	1st	-piste1 -silence -raw -minmax -diff	307	3287	8.54
432	1st	-piste1 -noise -raw -minmax -diff	307	3287	8.54
433	1st	-piste1 -silence -noise -raw -minmax -diff	307	3287	8.54
434	1st	-piste1 -noise -norm -minmax -diff	306	3288	8.51
435	1st	-piste1 -low -minmax -diff	306	3288	8.51
436	1st	-piste1 -noise -bandstop -fft -hamming	305	3289	8.49
437	1st	-piste1 -bandstop -minmax -cos	305	3289	8.49
438	1st	-piste1 -noise -high -fft -hamming	305	3289	8.49
439	1st	-piste1 -noise -bandstop -lpc -eucl	303	3291	8.43
440	1st	-piste1 -endp -minmax -diff	303	3291	8.43
441	1st	-piste1 -silence -endp -minmax -diff	303	3291	8.43
442	1st	-piste1 -silence -noise -high -aggr -hamming	303	3291	8.43
443	1st	-piste1 -silence -noise -bandstop -lpc -cheb	303	3291	8.43
444	1st	-piste1 -silence -norm -minmax -hamming	303	3291	8.43
445	1st	-piste1 -norm -minmax -hamming	303	3291	8.43
446	1st	-piste1 -silence -noise -bandstop -lpc -eucl	303	3291	8.43
447	1st	-piste1 -noise -high -aggr -hamming	303	3291	8.43
448	1st	-piste1 -silence -low -minmax -diff	302	3292	8.40
449	1st	-piste1 -silence -noise -norm -minmax -diff	302	3292	8.40

Table 62: Consolidated results (piste1-result1-marf-stats), Part 10.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
450	1st	-piste1 -high -minmax -diff	301	3293	8.38
451	1st	-piste1 -silence -high -minmax -diff	301	3293	8.38
452	1st	-piste1 -band -minmax -diff	301	3293	8.38
453	1st	-piste1 -silence -band -minmax -diff	301	3293	8.38
454	1st	-piste1 -silence -noise -bandstop -lpc -cos	301	3293	8.38
455	1st	-piste1 -noise -bandstop -aggr -hamming	301	3293	8.38
456	1st	-piste1 -high -minmax -mink	301	3293	8.38
457	1st	-piste1 -noise -high -lpc -cheb	301	3293	8.38
458	1st	-piste1 -silence -high -minmax -mink	301	3293	8.38
459	1st	-piste1 -noise -bandstop -minmax -cos	301	3293	8.38
460	1st	-piste1 -silence -bandstop -minmax -diff	299	3295	8.32
461	1st	-piste1 -silence -noise -band -minmax -cheb	299	3295	8.32
462	1st	-piste1 -noise -band -minmax -cheb	299	3295	8.32
463	1st	-piste1 -silence -band -lpc -mink	298	3296	8.29
464	1st	-piste1 -noise -bandstop -lpc -cos	298	3296	8.29
465	1st	-piste1 -noise -band -fft -hamming	298	3296	8.29
466	1st	-piste1 -noise -bandstop -minmax -diff	297	3297	8.26
467	1st	-piste1 -noise -low -lpc -cheb	297	3297	8.26
468	1st	-piste1 -noise -bandstop -minmax -eucl	297	3297	8.26
469	1st	-piste1 -noise -bandstop -minmax -mink	297	3297	8.26
470	1st	-piste1 -bandstop -lpc -cos	297	3297	8.26
471	1st	-piste1 -band -aggr -hamming	296	3298	8.24
472	1st	-piste1 -low -lpc -cheb	295	3299	8.21
473	1st	-piste1 -noise -norm -lpc -cheb	295	3299	8.21
474	1st	-piste1 -silence -bandstop -lpc -cheb	295	3299	8.21
475	1st	-piste1 -silence -bandstop -lpc -mink	294	3300	8.18
476	1st	-piste1 -silence -bandstop -lpc -cos	294	3300	8.18
477	1st	-piste1 -silence -noise -band -minmax -diff	293	3301	8.15
478	1st	-piste1 -noise -band -minmax -diff	293	3301	8.15
479	1st	-piste1 -noise -bandstop -lpc -cheb	293	3301	8.15
480	1st	-piste1 -high -fft -hamming	292	3302	8.12
481	1st	-piste1 -silence -noise -band -lpc -cos	292	3302	8.12
482	1st	-piste1 -silence -noise -band -lpc -mink	292	3302	8.12
483	1st	-piste1 -silence -bandstop -lpc -eucl	291	3303	8.10
484	1st	-piste1 -silence -bandstop -minmax -mink	291	3303	8.10
485	1st	-piste1 -bandstop -minmax -mink	290	3304	8.07
486	1st	-piste1 -noise -high -lpc -mink	290	3304	8.07
487	1st	-piste1 -silence -band -lpc -eucl	289	3305	8.04
488	1st	-piste1 -silence -noise -low -lpc -cheb	289	3305	8.04
489	1st	-piste1 -bandstop -lpc -cheb	289	3305	8.04
490	1st	-piste1 -silence -high -fft -hamming	288	3306	8.01
491	1st	-piste1 -noise -high -aggr -mink	288	3306	8.01
492	1st	-piste1 -noise -band -aggr -hamming	288	3306	8.01
493	1st	-piste1 -noise -high -fft -mink	288	3306	8.01
494	1st	-piste1 -bandstop -lpc -eucl	287	3307	7.99
495	1st	-piste1 -silence -noise -low -lpc -diff	287	3307	7.99
496	1st	-piste1 -noise -low -lpc -diff	287	3307	7.99
497	1st	-piste1 -silence -noise -bandstop -minmax -cos	287	3307	7.99
498	1st	-piste1 -noise -low -lpc -eucl	287	3307	7.99
499	1st	-piste1 -low -lpc -eucl	287	3307	7.99

Table 63: Consolidated results (piste1-result1-marf-stats), Part 11.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
500	1st	-piste1 -noise -norm -lpc -eucl	287	3307	7.99
501	1st	-piste1 -silence -noise -bandstop -minmax -diff	286	3308	7.96
502	1st	-piste1 -low -lpc -diff	286	3308	7.96
503	1st	-piste1 -silence -noise -bandstop -lpc -diff	286	3308	7.96
504	1st	-piste1 -noise -norm -lpc -diff	286	3308	7.96
505	1st	-piste1 -silence -noise -band -lpc -eucl	286	3308	7.96
506	1st	-piste1 -silence -high -lpc -cos	286	3308	7.96
507	1st	-piste1 -silence -band -lpc -cos	286	3308	7.96
508	1st	-piste1 -noise -low -lpc -cos	285	3309	7.93
509	1st	-piste1 -noise -bandstop -minmax -hamming	284	3310	7.90
510	1st	-piste1 -silence -noise -band -lpc -cheb	284	3310	7.90
511	1st	-piste1 -silence -noise -norm -lpc -cheb	284	3310	7.90
512	1st	-piste1 -silence -noise -high -aggr -mink	284	3310	7.90
513	1st	-piste1 -silence -noise -high -fft -mink	284	3310	7.90
514	1st	-piste1 -high -aggr -hamming	284	3310	7.90
515	1st	-piste1 -silence -low -lpc -cheb	284	3310	7.90
516	1st	-piste1 -band -fft -hamming	283	3311	7.87
517	1st	-piste1 -silence -noise -low -lpc -cos	283	3311	7.87
518	1st	-piste1 -bandstop -lpc -mink	282	3312	7.85
519	1st	-piste1 -silence -noise -norm -minmax -hamming	282	3312	7.85
520	1st	-piste1 -silence -low -minmax -hamming	282	3312	7.85
521	1st	-piste1 -noise -bandstop -lpc -diff	282	3312	7.85
522	1st	-piste1 -band -lpc -diff	282	3312	7.85
523	1st	-piste1 -noise -high -lpc -eucl	281	3313	7.82
524	1st	-piste1 -band -lpc -cheb	281	3313	7.82
525	1st	-piste1 -silence -noise -high -minmax -cheb	280	3314	7.79
526	1st	-piste1 -noise -high -minmax -cheb	280	3314	7.79
527	1st	-piste1 -silence -noise -endp -minmax -hamming	280	3314	7.79
528	1st	-piste1 -noise -high -minmax -eucl	279	3315	7.76
529	1st	-piste1 -silence -bandstop -lpc -diff	279	3315	7.76
530	1st	-piste1 -silence -noise -bandstop -minmax -hamming	279	3315	7.76
531	1st	-piste1 -silence -high -aggr -hamming	279	3315	7.76
532	1st	-piste1 -silence -noise -high -minmax -eucl	279	3315	7.76
533	1st	-piste1 -silence -band -lpc -cheb	278	3316	7.74
534	1st	-piste1 -silence -low -lpc -cos	277	3317	7.71
535	1st	-piste1 -noise -endp -minmax -hamming	277	3317	7.71
536	1st	-piste1 -silence -noise -norm -lpc -cos	277	3317	7.71
537	1st	-piste1 -noise -norm -minmax -hamming	277	3317	7.71
538	1st	-piste1 -silence -band -aggr -hamming	277	3317	7.71
539	1st	-piste1 -low -minmax -hamming	277	3317	7.71
540	1st	-piste1 -noise -low -minmax -hamming	276	3318	7.68
541	1st	-piste1 -band -lpc -eucl	276	3318	7.68
542	1st	-piste1 -silence -noise -norm -lpc -diff	276	3318	7.68
543	1st	-piste1 -silence -noise -low -lpc -eucl	276	3318	7.68
544	1st	-piste1 -silence -low -lpc -diff	276	3318	7.68
545	1st	-piste1 -noise -norm -fft -hamming	275	3319	7.65
546	1st	-piste1 -silence -noise -raw -lpc -hamming	275	3319	7.65
547	1st	-piste1 -noise -band -lpc -cos	275	3319	7.65
548	1st	-piste1 -raw -lpc -hamming	275	3319	7.65
549	1st	-piste1 -low -fft -hamming	275	3319	7.65

Table 64: Consolidated results (piste1-result1-marf-stats), Part 12.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
550	1st	-piste1 -silence -raw -lpc -hamming	275	3319	7.65
551	1st	-piste1 -norm -lpc -hamming	275	3319	7.65
552	1st	-piste1 -silence -norm -lpc -hamming	275	3319	7.65
553	1st	-piste1 -bandstop -lpc -diff	275	3319	7.65
554	1st	-piste1 -noise -raw -lpc -hamming	275	3319	7.65
555	1st	-piste1 -noise -norm -lpc -mink	274	3320	7.62
556	1st	-piste1 -silence -noise -high -lpc -cheb	274	3320	7.62
557	1st	-piste1 -silence -noise -low -lpc -mink	274	3320	7.62
558	1st	-piste1 -low -lpc -mink	274	3320	7.62
559	1st	-piste1 -noise -band -lpc -mink	274	3320	7.62
560	1st	-piste1 -noise -low -aggr -hamming	273	3321	7.60
561	1st	-piste1 -silence -noise -high -lpc -mink	273	3321	7.60
562	1st	-piste1 -noise -low -lpc -mink	273	3321	7.60
563	1st	-piste1 -silence -high -minmax -hamming	272	3322	7.57
564	1st	-piste1 -high -minmax -hamming	272	3322	7.57
565	1st	-piste1 -noise -high -lpc -cos	271	3323	7.54
566	1st	-piste1 -noise -low -fft -hamming	271	3323	7.54
567	1st	-piste1 -silence -low -lpc -mink	270	3324	7.51
568	1st	-piste1 -noise -band -lpc -diff	270	3324	7.51
569	1st	-piste1 -silence -noise -norm -lpc -mink	270	3324	7.51
570	1st	-piste1 -noise -band -lpc -eucl	270	3324	7.51
571	1st	-piste1 -silence -noise -high -minmax -cos	268	3326	7.46
572	1st	-piste1 -high -lpc -cos	268	3326	7.46
573	1st	-piste1 -silence -noise -band -lpc -diff	268	3326	7.46
574	1st	-piste1 -noise -band -lpc -cheb	268	3326	7.46
575	1st	-piste1 -noise -high -minmax -cos	268	3326	7.46
576	1st	-piste1 -high -lpc -eucl	267	3327	7.43
577	1st	-piste1 -silence -high -lpc -hamming	267	3327	7.43
578	1st	-piste1 -silence -band -lpc -diff	267	3327	7.43
579	1st	-piste1 -high -lpc -cheb	266	3328	7.40
580	1st	-piste1 -band -lpc -cos	265	3329	7.37
581	1st	-piste1 -noise -high -lpc -hamming	265	3329	7.37
582	1st	-piste1 -band -lpc -mink	264	3330	7.35
583	1st	-piste1 -silence -noise -high -lpc -eucl	264	3330	7.35
584	1st	-piste1 -silence -band -fft -hamming	263	3331	7.32
585	1st	-piste1 -silence -noise -high -minmax -diff	263	3331	7.32
586	1st	-piste1 -noise -high -minmax -diff	263	3331	7.32
587	1st	-piste1 -noise -norm -lpc -cos	262	3332	7.29
588	1st	-piste1 -low -lpc -cos	262	3332	7.29
589	1st	-piste1 -silence -low -lpc -eucl	262	3332	7.29
590	1st	-piste1 -noise -high -lpc -diff	262	3332	7.29
591	1st	-piste1 -silence -noise -norm -lpc -eucl	262	3332	7.29
592	1st	-piste1 -silence -high -lpc -eucl	262	3332	7.29
593	1st	-piste1 -silence -noise -high -lpc -cos	261	3333	7.26
594	1st	-piste1 -high -lpc -mink	260	3334	7.23
595	1st	-piste1 -silence -noise -low -minmax -hamming	260	3334	7.23
596	1st	-piste1 -bandstop -fft -hamming	260	3334	7.23
597	1st	-piste1 -noise -norm -aggr -hamming	259	3335	7.21
598	1st	-piste1 -silence -noise -bandstop -lpc -hamming	259	3335	7.21
599	1st	-piste1 -silence -high -lpc -diff	259	3335	7.21

Table 65: Consolidated results (piste1-result1-marf-stats), Part 13.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
600	1st	-piste1 -low -aggr -hamming	259	3335	7.21
601	1st	-piste1 -silence -noise -high -minmax -hamming	259	3335	7.21
602	1st	-piste1 -noise -high -minmax -hamming	259	3335	7.21
603	1st	-piste1 -silence -noise -low -aggr -hamming	258	3336	7.18
604	1st	-piste1 -silence -noise -low -fft -hamming	257	3337	7.15
605	1st	-piste1 -silence -high -lpc -cheb	257	3337	7.15
606	1st	-piste1 -silence -high -lpc -mink	257	3337	7.15
607	1st	-piste1 -norm -minmax -diff	256	3338	7.12
608	1st	-piste1 -silence -norm -minmax -diff	256	3338	7.12
609	1st	-piste1 -silence -band -minmax -hamming	256	3338	7.12
610	1st	-piste1 -band -minmax -hamming	256	3338	7.12
611	1st	-piste1 -silence -bandstop -minmax -hamming	256	3338	7.12
612	1st	-piste1 -bandstop -lpc -hamming	255	3339	7.10
613	1st	-piste1 -noise -endp -fft -hamming	255	3339	7.10
614	1st	-piste1 -bandstop -minmax -hamming	254	3340	7.07
615	1st	-piste1 -noise -low -lpc -hamming	253	3341	7.04
616	1st	-piste1 -silence -bandstop -lpc -hamming	253	3341	7.04
617	1st	-piste1 -noise -highpassboost -aggr -cheb	252	3342	7.01
618	1st	-piste1 -highpassboost -aggr -hamming	252	3342	7.01
619	1st	-piste1 -silence -noise -highpassboost -aggr -eucl	252	3342	7.01
620	1st	-piste1 -highpassboost -fft -mink	252	3342	7.01
621	1st	-piste1 -silence -noise -boost -aggr -diff	252	3342	7.01
622	1st	-piste1 -silence -noise -boost -aggr -cos	252	3342	7.01
623	1st	-piste1 -silence -highpassboost -fft -cos	252	3342	7.01
624	1st	-piste1 -boost -minmax -hamming	252	3342	7.01
625	1st	-piste1 -silence -noise -highpassboost -fft -hamming	252	3342	7.01
626	1st	-piste1 -silence -noise -highpassboost -fft -mink	252	3342	7.01
627	1st	-piste1 -silence -highpassboost -lpc -hamming	252	3342	7.01
628	1st	-piste1 -boost -fft -mink	252	3342	7.01
629	1st	-piste1 -silence -noise -highpassboost -aggr -mink	252	3342	7.01
630	1st	-piste1 -silence -noise -highpassboost -lpc -cos	252	3342	7.01
631	1st	-piste1 -noise -highpassboost -lpc -eucl	252	3342	7.01
632	1st	-piste1 -highpassboost -lpc -cos	252	3342	7.01
633	1st	-piste1 -highpassboost -aggr -cheb	252	3342	7.01
634	1st	-piste1 -noise -highpassboost -minmax -hamming	252	3342	7.01
635	1st	-piste1 -noise -boost -minmax -eucl	252	3342	7.01
636	1st	-piste1 -noise -boost -fft -cos	252	3342	7.01
637	1st	-piste1 -silence -noise -boost -aggr -cheb	252	3342	7.01
638	1st	-piste1 -boost -minmax -eucl	252	3342	7.01
639	1st	-piste1 -noise -highpassboost -lpc -mink	252	3342	7.01
640	1st	-piste1 -silence -highpassboost -lpc -eucl	252	3342	7.01
641	1st	-piste1 -noise -highpassboost -aggr -hamming	252	3342	7.01
642	1st	-piste1 -noise -boost -aggr -eucl	252	3342	7.01
643	1st	-piste1 -noise -boost -minmax -mink	252	3342	7.01
644	1st	-piste1 -silence -highpassboost -lpc -cos	252	3342	7.01
645	1st	-piste1 -noise -highpassboost -fft -eucl	252	3342	7.01
646	1st	-piste1 -boost -minmax -mink	252	3342	7.01
647	1st	-piste1 -silence -highpassboost -lpc -mink	252	3342	7.01
648	1st	-piste1 -noise -boost -aggr -mink	252	3342	7.01
649	1st	-piste1 -boost -aggr -diff	252	3342	7.01

Table 66: Consolidated results (piste1-result1-marf-stats), Part 14.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
650	1st	-piste1 -noise -highpassboost -fft -cos	252	3342	7.01
651	1st	-piste1 -noise -boost -lpc -diff	252	3342	7.01
652	1st	-piste1 -noise -boost -aggr -hamming	252	3342	7.01
653	1st	-piste1 -noise -highpassboost -fft -mink	252	3342	7.01
654	1st	-piste1 -silence -highpassboost -aggr -eucl	252	3342	7.01
655	1st	-piste1 -silence -highpassboost -fft -eucl	252	3342	7.01
656	1st	-piste1 -noise -boost -lpc -cos	252	3342	7.01
657	1st	-piste1 -noise -highpassboost -fft -hamming	252	3342	7.01
658	1st	-piste1 -noise -highpassboost -minmax -diff	252	3342	7.01
659	1st	-piste1 -highpassboost -aggr -cos	252	3342	7.01
660	1st	-piste1 -silence -boost -fft -cos	252	3342	7.01
661	1st	-piste1 -silence -boost -lpc -diff	252	3342	7.01
662	1st	-piste1 -silence -highpassboost -aggr -mink	252	3342	7.01
663	1st	-piste1 -silence -highpassboost -fft -mink	252	3342	7.01
664	1st	-piste1 -silence -noise -highpassboost -lpc -hamming	252	3342	7.01
665	1st	-piste1 -silence -noise -highpassboost -aggr -cos	252	3342	7.01
666	1st	-piste1 -silence -noise -boost -lpc -diff	252	3342	7.01
667	1st	-piste1 -noise -highpassboost -aggr -eucl	252	3342	7.01
668	1st	-piste1 -boost -aggr -cheb	252	3342	7.01
669	1st	-piste1 -boost -aggr -cos	252	3342	7.01
670	1st	-piste1 -noise -boost -fft -diff	252	3342	7.01
671	1st	-piste1 -boost -minmax -cos	252	3342	7.01
672	1st	-piste1 -noise -boost -lpc -cheb	252	3342	7.01
673	1st	-piste1 -silence -noise -boost -fft -hamming	252	3342	7.01
674	1st	-piste1 -noise -highpassboost -lpc -cos	252	3342	7.01
675	1st	-piste1 -noise -highpassboost -minmax -cheb	252	3342	7.01
676	1st	-piste1 -noise -highpassboost -aggr -mink	252	3342	7.01
677	1st	-piste1 -silence -boost -fft -diff	252	3342	7.01
678	1st	-piste1 -highpassboost -aggr -eucl	252	3342	7.01
679	1st	-piste1 -silence -boost -lpc -cheb	252	3342	7.01
680	1st	-piste1 -silence -noise -boost -fft -diff	252	3342	7.01
681	1st	-piste1 -silence -noise -boost -lpc -cheb	252	3342	7.01
682	1st	-piste1 -silence -noise -boost -aggr -eucl	252	3342	7.01
683	1st	-piste1 -silence -boost -lpc -cos	252	3342	7.01
684	1st	-piste1 -noise -boost -fft -cheb	252	3342	7.01
685	1st	-piste1 -boost -fft -cos	252	3342	7.01
686	1st	-piste1 -highpassboost -aggr -mink	252	3342	7.01
687	1st	-piste1 -silence -boost -aggr -diff	252	3342	7.01
688	1st	-piste1 -silence -noise -boost -aggr -mink	252	3342	7.01
689	1st	-piste1 -noise -highpassboost -aggr -cos	252	3342	7.01
690	1st	-piste1 -silence -boost -fft -cheb	252	3342	7.01
691	1st	-piste1 -highpassboost -minmax -diff	252	3342	7.01
692	1st	-piste1 -noise -highpassboost -lpc -hamming	252	3342	7.01
693	1st	-piste1 -highpassboost -fft -hamming	252	3342	7.01
694	1st	-piste1 -silence -noise -boost -fft -cheb	252	3342	7.01
695	1st	-piste1 -silence -highpassboost -aggr -cos	252	3342	7.01
696	1st	-piste1 -highpassboost -lpc -diff	252	3342	7.01
697	1st	-piste1 -silence -boost -aggr -cheb	252	3342	7.01
698	1st	-piste1 -boost -lpc -cos	252	3342	7.01
699	1st	-piste1 -silence -noise -highpassboost -lpc -diff	252	3342	7.01

Table 67: Consolidated results (piste1-result1-marf-stats), Part 15.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
700	1st	-piste1 -boost -lpc -diff	252	3342	7.01
701	1st	-piste1 -silence -noise -boost -lpc -hamming	252	3342	7.01
702	1st	-piste1 -highpassboost -minmax -cheb	252	3342	7.01
703	1st	-piste1 -highpassboost -minmax -hamming	252	3342	7.01
704	1st	-piste1 -silence -noise -boost -aggr -hamming	252	3342	7.01
705	1st	-piste1 -boost -aggr -eucl	252	3342	7.01
706	1st	-piste1 -noise -bandstop -lpc -hamming	252	3342	7.01
707	1st	-piste1 -noise -boost -lpc -eucl	252	3342	7.01
708	1st	-piste1 -highpassboost -fft -diff	252	3342	7.01
709	1st	-piste1 -highpassboost -lpc -cheb	252	3342	7.01
710	1st	-piste1 -silence -boost -fft -hamming	252	3342	7.01
711	1st	-piste1 -noise -highpassboost -minmax -eucl	252	3342	7.01
712	1st	-piste1 -silence -noise -highpassboost -fft -diff	252	3342	7.01
713	1st	-piste1 -boost -aggr -mink	252	3342	7.01
714	1st	-piste1 -silence -noise -highpassboost -lpc -cheb	252	3342	7.01
715	1st	-piste1 -boost -fft -diff	252	3342	7.01
716	1st	-piste1 -noise -boost -lpc -mink	252	3342	7.01
717	1st	-piste1 -silence -boost -aggr -hamming	252	3342	7.01
718	1st	-piste1 -silence -boost -lpc -eucl	252	3342	7.01
719	1st	-piste1 -silence -noise -highpassboost -aggr -diff	252	3342	7.01
720	1st	-piste1 -boost -lpc -cheb	252	3342	7.01
721	1st	-piste1 -silence -noise -boost -lpc -eucl	252	3342	7.01
722	1st	-piste1 -noise -boost -minmax -hamming	252	3342	7.01
723	1st	-piste1 -noise -highpassboost -minmax -mink	252	3342	7.01
724	1st	-piste1 -noise -boost -fft -eucl	252	3342	7.01
725	1st	-piste1 -highpassboost -fft -cheb	252	3342	7.01
726	1st	-piste1 -highpassboost -minmax -cos	252	3342	7.01
727	1st	-piste1 -silence -boost -lpc -mink	252	3342	7.01
728	1st	-piste1 -highpassboost -lpc -hamming	252	3342	7.01
729	1st	-piste1 -noise -highpassboost -lpc -diff	252	3342	7.01
730	1st	-piste1 -silence -noise -highpassboost -fft -cheb	252	3342	7.01
731	1st	-piste1 -silence -noise -boost -lpc -mink	252	3342	7.01
732	1st	-piste1 -silence -boost -fft -eucl	252	3342	7.01
733	1st	-piste1 -noise -boost -minmax -diff	252	3342	7.01
734	1st	-piste1 -boost -fft -cheb	252	3342	7.01
735	1st	-piste1 -noise -boost -fft -hamming	252	3342	7.01
736	1st	-piste1 -noise -boost -fft -mink	252	3342	7.01
737	1st	-piste1 -silence -noise -highpassboost -aggr -cheb	252	3342	7.01
738	1st	-piste1 -boost -fft -hamming	252	3342	7.01
739	1st	-piste1 -silence -noise -boost -fft -eucl	252	3342	7.01
740	1st	-piste1 -boost -minmax -diff	252	3342	7.01
741	1st	-piste1 -silence -highpassboost -lpc -diff	252	3342	7.01
742	1st	-piste1 -boost -aggr -hamming	252	3342	7.01
743	1st	-piste1 -noise -boost -aggr -diff	252	3342	7.01
744	1st	-piste1 -silence -boost -fft -mink	252	3342	7.01
745	1st	-piste1 -silence -noise -boost -fft -cos	252	3342	7.01
746	1st	-piste1 -noise -highpassboost -fft -diff	252	3342	7.01
747	1st	-piste1 -noise -highpassboost -lpc -cheb	252	3342	7.01
748	1st	-piste1 -silence -noise -boost -fft -mink	252	3342	7.01
749	1st	-piste1 -silence -boost -aggr -eucl	252	3342	7.01

Table 68: Consolidated results (piste1-result1-marf-stats), Part 16.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
750	1st	-piste1 -silence -highpassboost -fft -hamming	252	3342	7.01
751	1st	-piste1 -noise -boost -minmax -cheb	252	3342	7.01
752	1st	-piste1 -highpassboost -minmax -eucl	252	3342	7.01
753	1st	-piste1 -silence -boost -lpc -hamming	252	3342	7.01
754	1st	-piste1 -boost -minmax -cheb	252	3342	7.01
755	1st	-piste1 -silence -highpassboost -aggr -diff	252	3342	7.01
756	1st	-piste1 -silence -highpassboost -fft -diff	252	3342	7.01
757	1st	-piste1 -silence -boost -aggr -mink	252	3342	7.01
758	1st	-piste1 -silence -highpassboost -lpc -cheb	252	3342	7.01
759	1st	-piste1 -noise -boost -aggr -cheb	252	3342	7.01
760	1st	-piste1 -noise -highpassboost -minmax -cos	252	3342	7.01
761	1st	-piste1 -highpassboost -lpc -eucl	252	3342	7.01
762	1st	-piste1 -highpassboost -minmax -mink	252	3342	7.01
763	1st	-piste1 -noise -highpassboost -fft -cheb	252	3342	7.01
764	1st	-piste1 -silence -noise -boost -lpc -cos	252	3342	7.01
765	1st	-piste1 -silence -noise -highpassboost -lpc -eucl	252	3342	7.01
766	1st	-piste1 -noise -highpassboost -aggr -diff	252	3342	7.01
767	1st	-piste1 -boost -lpc -eucl	252	3342	7.01
768	1st	-piste1 -highpassboost -lpc -mink	252	3342	7.01
769	1st	-piste1 -silence -highpassboost -aggr -cheb	252	3342	7.01
770	1st	-piste1 -silence -highpassboost -fft -cheb	252	3342	7.01
771	1st	-piste1 -silence -highpassboost -aggr -hamming	252	3342	7.01
772	1st	-piste1 -silence -noise -highpassboost -fft -cos	252	3342	7.01
773	1st	-piste1 -highpassboost -fft -cos	252	3342	7.01
774	1st	-piste1 -noise -boost -minmax -cos	252	3342	7.01
775	1st	-piste1 -noise -boost -aggr -cos	252	3342	7.01
776	1st	-piste1 -silence -noise -highpassboost -lpc -mink	252	3342	7.01
777	1st	-piste1 -noise -boost -lpc -hamming	252	3342	7.01
778	1st	-piste1 -highpassboost -fft -eucl	252	3342	7.01
779	1st	-piste1 -boost -lpc -hamming	252	3342	7.01
780	1st	-piste1 -boost -lpc -mink	252	3342	7.01
781	1st	-piste1 -silence -noise -highpassboost -fft -eucl	252	3342	7.01
782	1st	-piste1 -highpassboost -aggr -diff	252	3342	7.01
783	1st	-piste1 -silence -boost -aggr -cos	252	3342	7.01
784	1st	-piste1 -boost -fft -eucl	252	3342	7.01
785	1st	-piste1 -silence -noise -highpassboost -aggr -hamming	252	3342	7.01
786	1st	-piste1 -silence -noise -high -lpc -diff	251	3343	6.98
787	1st	-piste1 -silence -noise -endp -lpc -hamming	250	3344	6.96
788	1st	-piste1 -endp -fft -hamming	250	3344	6.96
789	1st	-piste1 -band -lpc -hamming	250	3344	6.96
790	1st	-piste1 -silence -endp -fft -hamming	250	3344	6.96
791	1st	-piste1 -high -lpc -diff	250	3344	6.96
792	1st	-piste1 -bandstop -aggr -hamming	249	3345	6.93
793	1st	-piste1 -silence -band -lpc -hamming	249	3345	6.93
794	1st	-piste1 -endp -lpc -hamming	248	3346	6.90
795	1st	-piste1 -silence -endp -lpc -hamming	248	3346	6.90
796	1st	-piste1 -silence -noise -endp -fft -hamming	248	3346	6.90
797	1st	-piste1 -high -lpc -hamming	247	3347	6.87
798	1st	-piste1 -noise -endp -aggr -hamming	247	3347	6.87
799	1st	-piste1 -noise -high -minmax -mink	245	3349	6.82

Table 69: Consolidated results (piste1-result1-marf-stats), Part 17.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
800	1st	-piste1 -noise -endp -lpc -hamming	245	3349	6.82
801	1st	-piste1 -noise -norm -lpc -hamming	245	3349	6.82
802	1st	-piste1 -low -lpc -hamming	245	3349	6.82
803	1st	-piste1 -silence -noise -high -minmax -mink	245	3349	6.82
804	1st	-piste1 -norm -fft -hamming	244	3350	6.79
805	1st	-piste1 -silence -norm -fft -hamming	244	3350	6.79
806	1st	-piste1 -silence -noise -band -fft -hamming	244	3350	6.79
807	1st	-piste1 -silence -noise -band -minmax -hamming	244	3350	6.79
808	1st	-piste1 -noise -band -minmax -hamming	244	3350	6.79
809	1st	-piste1 -silence -noise -norm -lpc -hamming	241	3353	6.71
810	1st	-piste1 -silence -noise -band -aggr -hamming	241	3353	6.71
811	1st	-piste1 -silence -low -lpc -hamming	241	3353	6.71
812	1st	-piste1 -silence -noise -low -lpc -hamming	239	3355	6.65
813	1st	-piste1 -silence -bandstop -aggr -hamming	238	3356	6.62
814	1st	-piste1 -silence -bandstop -fft -hamming	238	3356	6.62
815	1st	-piste1 -norm -aggr -hamming	235	3359	6.54
816	1st	-piste1 -silence -norm -aggr -hamming	235	3359	6.54
817	1st	-piste1 -silence -endp -aggr -hamming	232	3362	6.46
818	1st	-piste1 -endp -aggr -hamming	232	3362	6.46
819	1st	-piste1 -silence -noise -endp -aggr -hamming	231	3363	6.43
820	1st	-piste1 -silence -noise -band -lpc -hamming	231	3363	6.43
821	1st	-piste1 -silence -noise -raw -aggr -hamming	230	3364	6.40
822	1st	-piste1 -noise -raw -aggr -hamming	230	3364	6.40
823	1st	-piste1 -raw -aggr -hamming	230	3364	6.40
824	1st	-piste1 -silence -raw -aggr -hamming	230	3364	6.40
825	1st	-piste1 -noise -band -lpc -hamming	224	3370	6.23
826	1st	-piste1 -silence -low -fft -hamming	221	3373	6.15
827	1st	-piste1 -silence -noise -norm -fft -hamming	221	3373	6.15
828	1st	-piste1 -raw -fft -hamming	216	3378	6.01
829	1st	-piste1 -silence -raw -fft -hamming	216	3378	6.01
830	1st	-piste1 -noise -raw -fft -hamming	216	3378	6.01
831	1st	-piste1 -silence -noise -high -lpc -hamming	216	3378	6.01
832	1st	-piste1 -silence -noise -raw -fft -hamming	216	3378	6.01
833	1st	-piste1 -silence -noise -norm -aggr -hamming	209	3385	5.82
834	1st	-piste1 -silence -low -aggr -hamming	209	3385	5.82
835	2nd	-piste1 -norm -fft -cos	1627	1967	45.27
836	2nd	-piste1 -silence -norm -aggr -cos	1627	1967	45.27
837	2nd	-piste1 -silence -norm -fft -cos	1627	1967	45.27
838	2nd	-piste1 -norm -aggr -cos	1627	1967	45.27
839	2nd	-piste1 -raw -fft -cos	1625	1969	45.21
840	2nd	-piste1 -silence -raw -aggr -cos	1625	1969	45.21
841	2nd	-piste1 -silence -noise -raw -fft -cos	1625	1969	45.21
842	2nd	-piste1 -noise -raw -fft -cos	1625	1969	45.21
843	2nd	-piste1 -silence -noise -raw -aggr -cos	1625	1969	45.21
844	2nd	-piste1 -noise -raw -aggr -cos	1625	1969	45.21
845	2nd	-piste1 -raw -aggr -cos	1625	1969	45.21
846	2nd	-piste1 -silence -raw -fft -cos	1625	1969	45.21
847	2nd	-piste1 -norm -aggr -diff	1491	2103	41.49
848	2nd	-piste1 -silence -norm -aggr -diff	1491	2103	41.49
849	2nd	-piste1 -silence -norm -aggr -cheb	1489	2105	41.43

Table 70: Consolidated results (piste1-result1-marf-stats), Part 18.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
850	2nd	-piste1 -norm -fft -cheb	1490	2104	41.46
851	2nd	-piste1 -norm -aggr -cheb	1489	2105	41.43
852	2nd	-piste1 -silence -norm -fft -cheb	1490	2104	41.46
853	2nd	-piste1 -silence -norm -fft -diff	1486	2108	41.35
854	2nd	-piste1 -norm -fft -diff	1486	2108	41.35
855	2nd	-piste1 -silence -noise -raw -fft -cheb	1488	2106	41.40
856	2nd	-piste1 -noise -raw -fft -cheb	1488	2106	41.40
857	2nd	-piste1 -raw -fft -cheb	1488	2106	41.40
858	2nd	-piste1 -silence -raw -fft -cheb	1488	2106	41.40
859	2nd	-piste1 -raw -aggr -cheb	1488	2106	41.40
860	2nd	-piste1 -silence -noise -raw -aggr -cheb	1488	2106	41.40
861	2nd	-piste1 -noise -raw -aggr -cheb	1488	2106	41.40
862	2nd	-piste1 -silence -raw -aggr -cheb	1488	2106	41.40
863	2nd	-piste1 -silence -raw -aggr -eucl	1443	2151	40.15
864	2nd	-piste1 -silence -raw -fft -eucl	1443	2151	40.15
865	2nd	-piste1 -raw -aggr -eucl	1443	2151	40.15
866	2nd	-piste1 -silence -noise -raw -aggr -diff	1490	2104	41.46
867	2nd	-piste1 -silence -noise -raw -fft -eucl	1443	2151	40.15
868	2nd	-piste1 -noise -raw -fft -eucl	1443	2151	40.15
869	2nd	-piste1 -raw -fft -eucl	1443	2151	40.15
870	2nd	-piste1 -noise -raw -aggr -diff	1490	2104	41.46
871	2nd	-piste1 -silence -noise -raw -aggr -eucl	1443	2151	40.15
872	2nd	-piste1 -silence -raw -aggr -diff	1490	2104	41.46
873	2nd	-piste1 -raw -aggr -diff	1490	2104	41.46
874	2nd	-piste1 -noise -raw -aggr -eucl	1443	2151	40.15
875	2nd	-piste1 -silence -noise -raw -fft -diff	1491	2103	41.49
876	2nd	-piste1 -noise -raw -fft -diff	1491	2103	41.49
877	2nd	-piste1 -raw -fft -diff	1491	2103	41.49
878	2nd	-piste1 -silence -raw -fft -diff	1491	2103	41.49
879	2nd	-piste1 -silence -norm -fft -eucl	1403	2191	39.04
880	2nd	-piste1 -silence -norm -aggr -eucl	1403	2191	39.04
881	2nd	-piste1 -norm -fft -eucl	1403	2191	39.04
882	2nd	-piste1 -norm -aggr -eucl	1403	2191	39.04
883	2nd	-piste1 -silence -bandstop -aggr -cos	1389	2205	38.65
884	2nd	-piste1 -silence -bandstop -fft -cos	1389	2205	38.65
885	2nd	-piste1 -bandstop -aggr -cos	1408	2186	39.18
886	2nd	-piste1 -bandstop -fft -cos	1409	2185	39.20
887	2nd	-piste1 -silence -high -aggr -cos	1317	2277	36.64
888	2nd	-piste1 -silence -high -fft -cos	1317	2277	36.64
889	2nd	-piste1 -silence -high -fft -eucl	1298	2296	36.12
890	2nd	-piste1 -silence -high -aggr -eucl	1298	2296	36.12
891	2nd	-piste1 -silence -low -fft -cos	1324	2270	36.84
892	2nd	-piste1 -silence -noise -norm -fft -cos	1324	2270	36.84
893	2nd	-piste1 -silence -noise -norm -aggr -cos	1324	2270	36.84
894	2nd	-piste1 -silence -low -aggr -cos	1324	2270	36.84
895	2nd	-piste1 -bandstop -fft -cheb	1277	2317	35.53
896	2nd	-piste1 -silence -noise -low -aggr -cos	1309	2285	36.42
897	2nd	-piste1 -silence -noise -low -fft -cos	1309	2285	36.42
898	2nd	-piste1 -bandstop -aggr -cheb	1278	2316	35.56
899	2nd	-piste1 -low -aggr -cos	1301	2293	36.20

Table 71: Consolidated results (piste1-result1-marf-stats), Part 19.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
900	2nd	-piste1 -low -fft -cos	1300	2294	36.17
901	2nd	-piste1 -noise -norm -aggr -cos	1301	2293	36.20
902	2nd	-piste1 -noise -norm -fft -cos	1300	2294	36.17
903	2nd	-piste1 -noise -low -aggr -cos	1294	2300	36.00
904	2nd	-piste1 -noise -low -fft -cos	1295	2299	36.03
905	2nd	-piste1 -bandstop -aggr -diff	1276	2318	35.50
906	2nd	-piste1 -bandstop -fft -diff	1274	2320	35.45
907	2nd	-piste1 -high -fft -cos	1296	2298	36.06
908	2nd	-piste1 -silence -bandstop -aggr -diff	1260	2334	35.06
909	2nd	-piste1 -high -aggr -cos	1295	2299	36.03
910	2nd	-piste1 -high -fft -eucl	1288	2306	35.84
911	2nd	-piste1 -silence -bandstop -aggr -cheb	1265	2329	35.20
912	2nd	-piste1 -high -aggr -eucl	1288	2306	35.84
913	2nd	-piste1 -silence -bandstop -fft -cheb	1265	2329	35.20
914	2nd	-piste1 -silence -bandstop -fft -diff	1272	2322	35.39
915	2nd	-piste1 -bandstop -fft -eucl	1215	2379	33.81
916	2nd	-piste1 -bandstop -aggr -eucl	1215	2379	33.81
917	2nd	-piste1 -silence -bandstop -fft -eucl	1207	2387	33.58
918	2nd	-piste1 -silence -bandstop -aggr -eucl	1207	2387	33.58
919	2nd	-piste1 -noise -band -fft -cos	1225	2369	34.08
920	2nd	-piste1 -noise -band -aggr -cos	1226	2368	34.11
921	2nd	-piste1 -band -fft -cos	1240	2354	34.50
922	2nd	-piste1 -band -aggr -cos	1240	2354	34.50
923	2nd	-piste1 -band -aggr -eucl	1233	2361	34.31
924	2nd	-piste1 -band -fft -eucl	1234	2360	34.34
925	2nd	-piste1 -silence -noise -norm -fft -diff	1252	2342	34.84
926	2nd	-piste1 -low -fft -diff	1257	2337	34.97
927	2nd	-piste1 -low -aggr -diff	1255	2339	34.92
928	2nd	-piste1 -noise -norm -fft -diff	1257	2337	34.97
929	2nd	-piste1 -noise -norm -aggr -diff	1255	2339	34.92
930	2nd	-piste1 -silence -low -fft -diff	1252	2342	34.84
931	2nd	-piste1 -silence -low -fft -cheb	1252	2342	34.84
932	2nd	-piste1 -silence -noise -norm -fft -cheb	1252	2342	34.84
933	2nd	-piste1 -silence -low -aggr -diff	1252	2342	34.84
934	2nd	-piste1 -silence -noise -norm -aggr -diff	1252	2342	34.84
935	2nd	-piste1 -silence -noise -band -aggr -cos	1239	2355	34.47
936	2nd	-piste1 -silence -noise -norm -aggr -cheb	1251	2343	34.81
937	2nd	-piste1 -silence -low -aggr -cheb	1251	2343	34.81
938	2nd	-piste1 -silence -noise -band -fft -cos	1239	2355	34.47
939	2nd	-piste1 -low -fft -cheb	1253	2341	34.86
940	2nd	-piste1 -low -aggr -cheb	1249	2345	34.75
941	2nd	-piste1 -noise -norm -fft -cheb	1253	2341	34.86
942	2nd	-piste1 -noise -norm -aggr -cheb	1249	2345	34.75
943	2nd	-piste1 -noise -low -fft -diff	1234	2360	34.34
944	2nd	-piste1 -silence -band -fft -eucl	1201	2393	33.42
945	2nd	-piste1 -silence -band -aggr -eucl	1201	2393	33.42
946	2nd	-piste1 -noise -low -aggr -diff	1245	2349	34.64
947	2nd	-piste1 -noise -low -fft -cheb	1238	2356	34.45
948	2nd	-piste1 -noise -low -aggr -cheb	1240	2354	34.50
949	2nd	-piste1 -silence -endp -aggr -cos	1161	2433	32.30

Table 72: Consolidated results (piste1-result1-marf-stats), Part 20.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
950	2nd	-piste1 -endp -fft -cos	1161	2433	32.30
951	2nd	-piste1 -endp -aggr -cos	1161	2433	32.30
952	2nd	-piste1 -silence -endp -fft -cos	1161	2433	32.30
953	2nd	-piste1 -silence -band -aggr -cos	1217	2377	33.86
954	2nd	-piste1 -noise -band -aggr -eucl	1195	2399	33.25
955	2nd	-piste1 -silence -band -fft -cos	1215	2379	33.81
956	2nd	-piste1 -noise -band -fft -eucl	1196	2398	33.28
957	2nd	-piste1 -noise -norm -fft -eucl	1155	2439	32.14
958	2nd	-piste1 -noise -norm -aggr -eucl	1156	2438	32.16
959	2nd	-piste1 -low -fft -eucl	1155	2439	32.14
960	2nd	-piste1 -low -aggr -eucl	1156	2438	32.16
961	2nd	-piste1 -silence -noise -low -aggr -diff	1230	2364	34.22
962	2nd	-piste1 -silence -low -fft -eucl	1169	2425	32.53
963	2nd	-piste1 -silence -noise -norm -fft -eucl	1169	2425	32.53
964	2nd	-piste1 -silence -noise -low -aggr -cheb	1239	2355	34.47
965	2nd	-piste1 -silence -noise -norm -aggr -eucl	1169	2425	32.53
966	2nd	-piste1 -silence -noise -low -fft -cheb	1238	2356	34.45
967	2nd	-piste1 -silence -low -aggr -eucl	1169	2425	32.53
968	2nd	-piste1 -silence -noise -low -fft -diff	1231	2363	34.25
969	2nd	-piste1 -silence -noise -band -fft -eucl	1187	2407	33.03
970	2nd	-piste1 -silence -noise -band -aggr -eucl	1187	2407	33.03
971	2nd	-piste1 -silence -high -aggr -diff	1141	2453	31.75
972	2nd	-piste1 -silence -high -fft -cheb	1142	2452	31.78
973	2nd	-piste1 -silence -high -aggr -cheb	1136	2458	31.61
974	2nd	-piste1 -silence -high -fft -diff	1145	2449	31.86
975	2nd	-piste1 -noise -band -fft -cheb	1098	2496	30.55
976	2nd	-piste1 -noise -band -aggr -cheb	1096	2498	30.50
977	2nd	-piste1 -high -aggr -cheb	1089	2505	30.30
978	2nd	-piste1 -high -aggr -diff	1092	2502	30.38
979	2nd	-piste1 -noise -band -fft -diff	1093	2501	30.41
980	2nd	-piste1 -band -aggr -cheb	1099	2495	30.58
981	2nd	-piste1 -band -fft -cheb	1096	2498	30.50
982	2nd	-piste1 -high -fft -diff	1095	2499	30.47
983	2nd	-piste1 -noise -band -aggr -diff	1094	2500	30.44
984	2nd	-piste1 -high -fft -cheb	1091	2503	30.36
985	2nd	-piste1 -silence -noise -endp -fft -cos	1092	2502	30.38
986	2nd	-piste1 -silence -noise -endp -aggr -cos	1092	2502	30.38
987	2nd	-piste1 -endp -aggr -diff	1111	2483	30.91
988	2nd	-piste1 -silence -endp -fft -diff	1093	2501	30.41
989	2nd	-piste1 -silence -endp -fft -cheb	1115	2479	31.02
990	2nd	-piste1 -endp -fft -diff	1093	2501	30.41
991	2nd	-piste1 -silence -endp -aggr -diff	1111	2483	30.91
992	2nd	-piste1 -endp -fft -cheb	1115	2479	31.02
993	2nd	-piste1 -silence -noise -low -aggr -eucl	1105	2489	30.75
994	2nd	-piste1 -silence -noise -low -fft -eucl	1107	2487	30.80
995	2nd	-piste1 -endp -aggr -cheb	1115	2479	31.02
996	2nd	-piste1 -silence -endp -aggr -cheb	1115	2479	31.02
997	2nd	-piste1 -noise -endp -aggr -cos	1088	2506	30.27
998	2nd	-piste1 -noise -endp -fft -cos	1088	2506	30.27
999	2nd	-piste1 -noise -low -aggr -eucl	1096	2498	30.50

Table 73: Consolidated results (piste1-result1-marf-stats), Part 21.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1000	2nd	-piste1 -noise -low -fft -eucl	1096	2498	30.50
1001	2nd	-piste1 -band -fft -diff	1084	2510	30.16
1002	2nd	-piste1 -band -aggr -diff	1084	2510	30.16
1003	2nd	-piste1 -silence -noise -band -fft -diff	1041	2553	28.96
1004	2nd	-piste1 -silence -noise -band -fft -cheb	1039	2555	28.91
1005	2nd	-piste1 -silence -noise -band -aggr -diff	1025	2569	28.52
1006	2nd	-piste1 -silence -noise -band -aggr -cheb	1030	2564	28.66
1007	2nd	-piste1 -noise -bandstop -fft -cos	1023	2571	28.46
1008	2nd	-piste1 -noise -bandstop -aggr -cos	1023	2571	28.46
1009	2nd	-piste1 -silence -noise -bandstop -aggr -cos	1028	2566	28.60
1010	2nd	-piste1 -silence -noise -bandstop -fft -cos	1028	2566	28.60
1011	2nd	-piste1 -noise -raw -aggr -mink	993	2601	27.63
1012	2nd	-piste1 -silence -raw -aggr -mink	993	2601	27.63
1013	2nd	-piste1 -silence -raw -fft -mink	993	2601	27.63
1014	2nd	-piste1 -raw -aggr -mink	993	2601	27.63
1015	2nd	-piste1 -silence -noise -raw -fft -mink	993	2601	27.63
1016	2nd	-piste1 -noise -raw -fft -mink	993	2601	27.63
1017	2nd	-piste1 -raw -fft -mink	993	2601	27.63
1018	2nd	-piste1 -silence -noise -raw -aggr -mink	993	2601	27.63
1019	2nd	-piste1 -silence -norm -fft -mink	976	2618	27.16
1020	2nd	-piste1 -silence -norm -aggr -mink	976	2618	27.16
1021	2nd	-piste1 -norm -fft -mink	976	2618	27.16
1022	2nd	-piste1 -silence -band -aggr -cheb	969	2625	26.96
1023	2nd	-piste1 -norm -aggr -mink	976	2618	27.16
1024	2nd	-piste1 -silence -band -fft -diff	975	2619	27.13
1025	2nd	-piste1 -silence -band -fft -cheb	971	2623	27.02
1026	2nd	-piste1 -silence -band -aggr -diff	981	2613	27.30
1027	2nd	-piste1 -silence -noise -endp -aggr -cheb	923	2671	25.68
1028	2nd	-piste1 -silence -noise -endp -fft -cheb	922	2672	25.65
1029	2nd	-piste1 -silence -noise -endp -aggr -diff	925	2669	25.74
1030	2nd	-piste1 -noise -endp -fft -cheb	930	2664	25.88
1031	2nd	-piste1 -noise -endp -aggr -cheb	932	2662	25.93
1032	2nd	-piste1 -noise -endp -aggr -diff	931	2663	25.90
1033	2nd	-piste1 -noise -bandstop -aggr -diff	918	2676	25.54
1034	2nd	-piste1 -endp -fft -eucl	1021	2573	28.41
1035	2nd	-piste1 -silence -endp -aggr -eucl	1021	2573	28.41
1036	2nd	-piste1 -endp -aggr -eucl	1021	2573	28.41
1037	2nd	-piste1 -silence -endp -fft -eucl	1021	2573	28.41
1038	2nd	-piste1 -bandstop -fft -mink	917	2677	25.51
1039	2nd	-piste1 -noise -endp -fft -diff	940	2654	26.15
1040	2nd	-piste1 -bandstop -aggr -mink	917	2677	25.51
1041	2nd	-piste1 -silence -bandstop -fft -mink	910	2684	25.32
1042	2nd	-piste1 -silence -bandstop -aggr -mink	910	2684	25.32
1043	2nd	-piste1 -silence -noise -endp -fft -diff	939	2655	26.13
1044	2nd	-piste1 -noise -bandstop -fft -diff	919	2675	25.57
1045	2nd	-piste1 -silence -noise -bandstop -aggr -diff	912	2682	25.38
1046	2nd	-piste1 -silence -noise -bandstop -fft -diff	911	2683	25.35
1047	2nd	-piste1 -noise -bandstop -aggr -cheb	909	2685	25.29
1048	2nd	-piste1 -noise -bandstop -fft -cheb	908	2686	25.26
1049	2nd	-piste1 -silence -noise -bandstop -fft -cheb	911	2683	25.35

Table 74: Consolidated results (piste1-result1-marf-stats), Part 22.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1050	2nd	-piste1 -noise -norm -fft -mink	880	2714	24.49
1051	2nd	-piste1 -noise -norm -aggr -mink	880	2714	24.49
1052	2nd	-piste1 -low -fft -mink	880	2714	24.49
1053	2nd	-piste1 -low -aggr -mink	880	2714	24.49
1054	2nd	-piste1 -silence -noise -norm -aggr -mink	889	2705	24.74
1055	2nd	-piste1 -silence -low -fft -mink	889	2705	24.74
1056	2nd	-piste1 -silence -low -aggr -mink	889	2705	24.74
1057	2nd	-piste1 -silence -noise -norm -fft -mink	889	2705	24.74
1058	2nd	-piste1 -silence -high -fft -mink	869	2725	24.18
1059	2nd	-piste1 -silence -high -aggr -mink	869	2725	24.18
1060	2nd	-piste1 -silence -noise -low -aggr -mink	866	2728	24.10
1061	2nd	-piste1 -silence -noise -low -fft -mink	866	2728	24.10
1062	2nd	-piste1 -silence -noise -band -fft -mink	841	2753	23.40
1063	2nd	-piste1 -silence -noise -band -aggr -mink	841	2753	23.40
1064	2nd	-piste1 -noise -bandstop -aggr -eucl	830	2764	23.09
1065	2nd	-piste1 -noise -bandstop -fft -eucl	830	2764	23.09
1066	2nd	-piste1 -silence -noise -bandstop -fft -eucl	831	2763	23.12
1067	2nd	-piste1 -noise -low -aggr -mink	842	2752	23.43
1068	2nd	-piste1 -noise -low -fft -mink	842	2752	23.43
1069	2nd	-piste1 -silence -band -fft -mink	840	2754	23.37
1070	2nd	-piste1 -silence -band -aggr -mink	840	2754	23.37
1071	2nd	-piste1 -noise -endp -aggr -eucl	812	2782	22.59
1072	2nd	-piste1 -noise -endp -fft -eucl	812	2782	22.59
1073	2nd	-piste1 -silence -noise -endp -aggr -eucl	813	2781	22.62
1074	2nd	-piste1 -silence -noise -endp -fft -eucl	813	2781	22.62
1075	2nd	-piste1 -high -fft -mink	843	2751	23.46
1076	2nd	-piste1 -high -aggr -mink	843	2751	23.46
1077	2nd	-piste1 -noise -band -fft -mink	826	2768	22.98
1078	2nd	-piste1 -noise -band -aggr -mink	826	2768	22.98
1079	2nd	-piste1 -band -aggr -mink	801	2793	22.29
1080	2nd	-piste1 -band -fft -mink	801	2793	22.29
1081	2nd	-piste1 -silence -noise -bandstop -fft -mink	749	2845	20.84
1082	2nd	-piste1 -noise -endp -aggr -mink	739	2855	20.56
1083	2nd	-piste1 -noise -bandstop -aggr -mink	749	2845	20.84
1084	2nd	-piste1 -noise -bandstop -fft -mink	749	2845	20.84
1085	2nd	-piste1 -noise -endp -fft -mink	739	2855	20.56
1086	2nd	-piste1 -silence -noise -endp -aggr -mink	740	2854	20.59
1087	2nd	-piste1 -silence -noise -endp -fft -mink	740	2854	20.59
1088	2nd	-piste1 -endp -fft -mink	769	2825	21.40
1089	2nd	-piste1 -silence -endp -aggr -mink	769	2825	21.40
1090	2nd	-piste1 -endp -aggr -mink	769	2825	21.40
1091	2nd	-piste1 -silence -endp -fft -mink	769	2825	21.40
1092	2nd	-piste1 -silence -noise -high -fft -cheb	756	2838	21.04
1093	2nd	-piste1 -silence -noise -high -aggr -cheb	769	2825	21.40
1094	2nd	-piste1 -silence -noise -high -aggr -cos	743	2851	20.67
1095	2nd	-piste1 -silence -noise -high -fft -cos	733	2861	20.40
1096	2nd	-piste1 -noise -high -aggr -cheb	711	2883	19.78
1097	2nd	-piste1 -noise -band -minmax -cos	698	2896	19.42
1098	2nd	-piste1 -silence -noise -band -minmax -cos	698	2896	19.42
1099	2nd	-piste1 -silence -raw -lpc -eucl	679	2915	18.89

Table 75: Consolidated results (piste1-result1-marf-stats), Part 23.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1100	2nd	-piste1 -silence -norm -lpc -eucl	679	2915	18.89
1101	2nd	-piste1 -norm -lpc -eucl	679	2915	18.89
1102	2nd	-piste1 -silence -noise -raw -lpc -eucl	679	2915	18.89
1103	2nd	-piste1 -noise -raw -lpc -eucl	679	2915	18.89
1104	2nd	-piste1 -raw -lpc -eucl	679	2915	18.89
1105	2nd	-piste1 -noise -high -fft -cheb	712	2882	19.81
1106	2nd	-piste1 -silence -raw -lpc -cos	671	2923	18.67
1107	2nd	-piste1 -norm -lpc -cos	671	2923	18.67
1108	2nd	-piste1 -silence -noise -raw -lpc -cheb	685	2909	19.06
1109	2nd	-piste1 -noise -raw -lpc -cheb	685	2909	19.06
1110	2nd	-piste1 -raw -lpc -cheb	685	2909	19.06
1111	2nd	-piste1 -raw -lpc -cos	671	2923	18.67
1112	2nd	-piste1 -silence -norm -lpc -cos	671	2923	18.67
1113	2nd	-piste1 -silence -noise -raw -lpc -cos	671	2923	18.67
1114	2nd	-piste1 -silence -raw -lpc -cheb	685	2909	19.06
1115	2nd	-piste1 -silence -norm -lpc -cheb	685	2909	19.06
1116	2nd	-piste1 -noise -raw -lpc -cos	671	2923	18.67
1117	2nd	-piste1 -norm -lpc -cheb	685	2909	19.06
1118	2nd	-piste1 -silence -raw -lpc -mink	657	2937	18.28
1119	2nd	-piste1 -silence -norm -lpc -mink	657	2937	18.28
1120	2nd	-piste1 -norm -lpc -mink	657	2937	18.28
1121	2nd	-piste1 -endp -lpc -cos	657	2937	18.28
1122	2nd	-piste1 -silence -noise -raw -lpc -mink	657	2937	18.28
1123	2nd	-piste1 -noise -raw -lpc -mink	657	2937	18.28
1124	2nd	-piste1 -raw -lpc -mink	657	2937	18.28
1125	2nd	-piste1 -silence -endp -lpc -cos	657	2937	18.28
1126	2nd	-piste1 -silence -endp -lpc -eucl	655	2939	18.22
1127	2nd	-piste1 -endp -lpc -eucl	655	2939	18.22
1128	2nd	-piste1 -band -minmax -cos	703	2891	19.56
1129	2nd	-piste1 -silence -band -minmax -cos	703	2891	19.56
1130	2nd	-piste1 -high -minmax -cos	655	2939	18.22
1131	2nd	-piste1 -silence -high -minmax -cos	655	2939	18.22
1132	2nd	-piste1 -noise -endp -minmax -cheb	645	2949	17.95
1133	2nd	-piste1 -silence -noise -high -aggr -eucl	708	2886	19.70
1134	2nd	-piste1 -silence -endp -lpc -cheb	634	2960	17.64
1135	2nd	-piste1 -endp -lpc -cheb	634	2960	17.64
1136	2nd	-piste1 -silence -noise -endp -minmax -cheb	645	2949	17.95
1137	2nd	-piste1 -endp -minmax -cheb	623	2971	17.33
1138	2nd	-piste1 -silence -endp -minmax -cheb	623	2971	17.33
1139	2nd	-piste1 -noise -high -fft -cos	626	2968	17.42
1140	2nd	-piste1 -noise -low -minmax -eucl	619	2975	17.22
1141	2nd	-piste1 -silence -noise -high -fft -eucl	704	2890	19.59
1142	2nd	-piste1 -silence -noise -low -minmax -eucl	630	2964	17.53
1143	2nd	-piste1 -noise -high -aggr -cos	626	2968	17.42
1144	2nd	-piste1 -silence -noise -endp -lpc -eucl	667	2927	18.56
1145	2nd	-piste1 -noise -endp -minmax -mink	659	2935	18.34
1146	2nd	-piste1 -noise -endp -lpc -cheb	699	2895	19.45
1147	2nd	-piste1 -silence -noise -endp -lpc -cos	662	2932	18.42
1148	2nd	-piste1 -noise -endp -lpc -eucl	660	2934	18.36
1149	2nd	-piste1 -silence -noise -endp -lpc -cheb	706	2888	19.64

Table 76: Consolidated results (piste1-result1-marf-stats), Part 24.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1150	2nd	-piste1 -silence -noise -endp -minmax -mink	659	2935	18.34
1151	2nd	-piste1 -noise -endp -lpc -cos	654	2940	18.20
1152	2nd	-piste1 -silence -noise -endp -lpc -diff	642	2952	17.86
1153	2nd	-piste1 -endp -minmax -mink	624	2970	17.36
1154	2nd	-piste1 -silence -endp -minmax -mink	624	2970	17.36
1155	2nd	-piste1 -noise -low -minmax -cheb	614	2980	17.08
1156	2nd	-piste1 -noise -endp -minmax -diff	607	2987	16.89
1157	2nd	-piste1 -silence -noise -endp -minmax -eucl	627	2967	17.45
1158	2nd	-piste1 -silence -noise -high -fft -diff	645	2949	17.95
1159	2nd	-piste1 -noise -norm -minmax -cheb	625	2969	17.39
1160	2nd	-piste1 -silence -noise -low -minmax -cheb	609	2985	16.94
1161	2nd	-piste1 -noise -endp -minmax -eucl	632	2962	17.58
1162	2nd	-piste1 -low -minmax -cheb	625	2969	17.39
1163	2nd	-piste1 -silence -noise -band -minmax -mink	624	2970	17.36
1164	2nd	-piste1 -noise -band -minmax -mink	624	2970	17.36
1165	2nd	-piste1 -noise -endp -minmax -cos	635	2959	17.67
1166	2nd	-piste1 -noise -high -aggr -diff	616	2978	17.14
1167	2nd	-piste1 -silence -noise -low -minmax -cos	629	2965	17.50
1168	2nd	-piste1 -silence -noise -endp -minmax -diff	608	2986	16.92
1169	2nd	-piste1 -silence -noise -raw -lpc -diff	625	2969	17.39
1170	2nd	-piste1 -noise -raw -lpc -diff	625	2969	17.39
1171	2nd	-piste1 -raw -lpc -diff	625	2969	17.39
1172	2nd	-piste1 -noise -low -minmax -cos	633	2961	17.61
1173	2nd	-piste1 -silence -raw -lpc -diff	625	2969	17.39
1174	2nd	-piste1 -silence -norm -lpc -diff	625	2969	17.39
1175	2nd	-piste1 -norm -lpc -diff	625	2969	17.39
1176	2nd	-piste1 -silence -low -minmax -cos	631	2963	17.56
1177	2nd	-piste1 -silence -noise -norm -minmax -cos	631	2963	17.56
1178	2nd	-piste1 -silence -noise -high -aggr -diff	637	2957	17.72
1179	2nd	-piste1 -norm -minmax -cheb	625	2969	17.39
1180	2nd	-piste1 -silence -norm -minmax -cheb	625	2969	17.39
1181	2nd	-piste1 -silence -noise -endp -minmax -cos	627	2967	17.45
1182	2nd	-piste1 -endp -lpc -mink	604	2990	16.81
1183	2nd	-piste1 -silence -noise -bandstop -fft -hamming	628	2966	17.47
1184	2nd	-piste1 -noise -norm -minmax -cos	631	2963	17.56
1185	2nd	-piste1 -noise -norm -minmax -eucl	652	2942	18.14
1186	2nd	-piste1 -band -minmax -mink	613	2981	17.06
1187	2nd	-piste1 -silence -band -minmax -mink	613	2981	17.06
1188	2nd	-piste1 -low -minmax -cos	631	2963	17.56
1189	2nd	-piste1 -endp -minmax -eucl	617	2977	17.17
1190	2nd	-piste1 -silence -endp -minmax -eucl	617	2977	17.17
1191	2nd	-piste1 -low -minmax -eucl	652	2942	18.14
1192	2nd	-piste1 -silence -endp -lpc -mink	604	2990	16.81
1193	2nd	-piste1 -silence -noise -bandstop -aggr -hamming	624	2970	17.36
1194	2nd	-piste1 -band -minmax -eucl	622	2972	17.31
1195	2nd	-piste1 -silence -band -minmax -eucl	622	2972	17.31
1196	2nd	-piste1 -norm -minmax -eucl	615	2979	17.11
1197	2nd	-piste1 -silence -norm -minmax -eucl	615	2979	17.11
1198	2nd	-piste1 -silence -noise -norm -minmax -cheb	622	2972	17.31
1199	2nd	-piste1 -endp -minmax -cos	615	2979	17.11

Table 77: Consolidated results (piste1-result1-marf-stats), Part 25.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1200	2nd	-piste1 -noise -raw -minmax -cos	620	2974	17.25
1201	2nd	-piste1 -silence -endp -minmax -cos	615	2979	17.11
1202	2nd	-piste1 -silence -raw -minmax -cos	620	2974	17.25
1203	2nd	-piste1 -silence -noise -norm -minmax -eucl	647	2947	18.00
1204	2nd	-piste1 -silence -noise -raw -minmax -cos	620	2974	17.25
1205	2nd	-piste1 -raw -minmax -cos	620	2974	17.25
1206	2nd	-piste1 -norm -minmax -cos	623	2971	17.33
1207	2nd	-piste1 -silence -low -minmax -cheb	622	2972	17.31
1208	2nd	-piste1 -silence -norm -minmax -cos	623	2971	17.33
1209	2nd	-piste1 -silence -low -minmax -eucl	647	2947	18.00
1210	2nd	-piste1 -noise -raw -minmax -mink	619	2975	17.22
1211	2nd	-piste1 -silence -noise -raw -minmax -mink	619	2975	17.22
1212	2nd	-piste1 -raw -minmax -mink	619	2975	17.22
1213	2nd	-piste1 -silence -raw -minmax -mink	619	2975	17.22
1214	2nd	-piste1 -norm -minmax -mink	619	2975	17.22
1215	2nd	-piste1 -silence -norm -minmax -mink	619	2975	17.22
1216	2nd	-piste1 -silence -noise -raw -minmax -cheb	621	2973	17.28
1217	2nd	-piste1 -raw -minmax -cheb	621	2973	17.28
1218	2nd	-piste1 -silence -raw -minmax -cheb	621	2973	17.28
1219	2nd	-piste1 -noise -norm -minmax -mink	640	2954	17.81
1220	2nd	-piste1 -low -minmax -mink	640	2954	17.81
1221	2nd	-piste1 -noise -raw -minmax -cheb	621	2973	17.28
1222	2nd	-piste1 -silence -low -minmax -mink	636	2958	17.70
1223	2nd	-piste1 -silence -noise -norm -minmax -mink	636	2958	17.70
1224	2nd	-piste1 -noise -endp -lpc -diff	645	2949	17.95
1225	2nd	-piste1 -noise -raw -minmax -eucl	619	2975	17.22
1226	2nd	-piste1 -silence -noise -raw -minmax -eucl	619	2975	17.22
1227	2nd	-piste1 -raw -minmax -eucl	619	2975	17.22
1228	2nd	-piste1 -silence -raw -minmax -eucl	619	2975	17.22
1229	2nd	-piste1 -noise -bandstop -minmax -cheb	606	2988	16.86
1230	2nd	-piste1 -silence -bandstop -minmax -cheb	620	2974	17.25
1231	2nd	-piste1 -noise -high -fft -diff	598	2996	16.64
1232	2nd	-piste1 -silence -noise -low -minmax -mink	623	2971	17.33
1233	2nd	-piste1 -noise -low -minmax -mink	623	2971	17.33
1234	2nd	-piste1 -bandstop -minmax -cheb	622	2972	17.31
1235	2nd	-piste1 -noise -band -minmax -eucl	605	2989	16.83
1236	2nd	-piste1 -silence -noise -band -minmax -eucl	605	2989	16.83
1237	2nd	-piste1 -high -minmax -eucl	592	3002	16.47
1238	2nd	-piste1 -silence -high -minmax -eucl	592	3002	16.47
1239	2nd	-piste1 -band -minmax -cheb	607	2987	16.89
1240	2nd	-piste1 -silence -band -minmax -cheb	607	2987	16.89
1241	2nd	-piste1 -noise -endp -lpc -mink	623	2971	17.33
1242	2nd	-piste1 -silence -noise -bandstop -lpc -mink	596	2998	16.58
1243	2nd	-piste1 -noise -bandstop -lpc -mink	600	2994	16.69
1244	2nd	-piste1 -raw -minmax -hamming	577	3017	16.05
1245	2nd	-piste1 -noise -raw -minmax -hamming	577	3017	16.05
1246	2nd	-piste1 -silence -bandstop -minmax -eucl	600	2994	16.69
1247	2nd	-piste1 -silence -noise -raw -minmax -hamming	577	3017	16.05
1248	2nd	-piste1 -noise -high -fft -eucl	602	2992	16.75
1249	2nd	-piste1 -silence -raw -minmax -hamming	577	3017	16.05

Table 78: Consolidated results (piste1-result1-marf-stats), Part 26.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1250	2nd	-piste1 -bandstop -minmax -eucl	598	2996	16.64
1251	2nd	-piste1 -noise -high -aggr -eucl	604	2990	16.81
1252	2nd	-piste1 -noise -low -minmax -diff	590	3004	16.42
1253	2nd	-piste1 -silence -noise -high -fft -hamming	571	3023	15.89
1254	2nd	-piste1 -bandstop -minmax -diff	583	3011	16.22
1255	2nd	-piste1 -silence -noise -endp -lpc -mink	621	2973	17.28
1256	2nd	-piste1 -silence -endp -lpc -diff	617	2977	17.17
1257	2nd	-piste1 -endp -lpc -diff	617	2977	17.17
1258	2nd	-piste1 -silence -bandstop -minmax -cos	606	2988	16.86
1259	2nd	-piste1 -silence -endp -minmax -hamming	589	3005	16.39
1260	2nd	-piste1 -endp -minmax -hamming	589	3005	16.39
1261	2nd	-piste1 -raw -minmax -diff	599	2995	16.67
1262	2nd	-piste1 -high -minmax -cheb	585	3009	16.28
1263	2nd	-piste1 -silence -noise -low -minmax -diff	584	3010	16.25
1264	2nd	-piste1 -silence -high -minmax -cheb	585	3009	16.28
1265	2nd	-piste1 -silence -raw -minmax -diff	599	2995	16.67
1266	2nd	-piste1 -noise -raw -minmax -diff	599	2995	16.67
1267	2nd	-piste1 -silence -noise -raw -minmax -diff	599	2995	16.67
1268	2nd	-piste1 -noise -norm -minmax -diff	597	2997	16.61
1269	2nd	-piste1 -low -minmax -diff	597	2997	16.61
1270	2nd	-piste1 -noise -bandstop -fft -hamming	623	2971	17.33
1271	2nd	-piste1 -bandstop -minmax -cos	606	2988	16.86
1272	2nd	-piste1 -noise -high -fft -hamming	584	3010	16.25
1273	2nd	-piste1 -noise -bandstop -lpc -eucl	571	3023	15.89
1274	2nd	-piste1 -endp -minmax -diff	577	3017	16.05
1275	2nd	-piste1 -silence -endp -minmax -diff	577	3017	16.05
1276	2nd	-piste1 -silence -noise -high -aggr -hamming	573	3021	15.94
1277	2nd	-piste1 -silence -noise -bandstop -lpc -cheb	572	3022	15.92
1278	2nd	-piste1 -silence -norm -minmax -hamming	590	3004	16.42
1279	2nd	-piste1 -norm -minmax -hamming	590	3004	16.42
1280	2nd	-piste1 -silence -noise -bandstop -lpc -eucl	575	3019	16.00
1281	2nd	-piste1 -noise -high -aggr -hamming	597	2997	16.61
1282	2nd	-piste1 -silence -low -minmax -diff	594	3000	16.53
1283	2nd	-piste1 -silence -noise -norm -minmax -diff	594	3000	16.53
1284	2nd	-piste1 -high -minmax -diff	582	3012	16.19
1285	2nd	-piste1 -silence -high -minmax -diff	582	3012	16.19
1286	2nd	-piste1 -band -minmax -diff	589	3005	16.39
1287	2nd	-piste1 -silence -band -minmax -diff	589	3005	16.39
1288	2nd	-piste1 -silence -noise -bandstop -lpc -cos	587	3007	16.33
1289	2nd	-piste1 -noise -bandstop -aggr -hamming	615	2979	17.11
1290	2nd	-piste1 -high -minmax -mink	586	3008	16.30
1291	2nd	-piste1 -noise -high -lpc -cheb	556	3038	15.47
1292	2nd	-piste1 -silence -high -minmax -mink	586	3008	16.30
1293	2nd	-piste1 -noise -bandstop -minmax -cos	574	3020	15.97
1294	2nd	-piste1 -silence -bandstop -minmax -diff	594	3000	16.53
1295	2nd	-piste1 -silence -noise -band -minmax -cheb	561	3033	15.61
1296	2nd	-piste1 -noise -band -minmax -cheb	561	3033	15.61
1297	2nd	-piste1 -silence -band -lpc -mink	543	3051	15.11
1298	2nd	-piste1 -noise -bandstop -lpc -cos	583	3011	16.22
1299	2nd	-piste1 -noise -band -fft -hamming	532	3062	14.80

Table 79: Consolidated results (piste1-result1-marf-stats), Part 27.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1300	2nd	-piste1 -noise -bandstop -minmax -diff	593	3001	16.50
1301	2nd	-piste1 -noise -low -lpc -cheb	543	3051	15.11
1302	2nd	-piste1 -noise -bandstop -minmax -eucl	599	2995	16.67
1303	2nd	-piste1 -noise -bandstop -minmax -mink	570	3024	15.86
1304	2nd	-piste1 -bandstop -lpc -cos	546	3048	15.19
1305	2nd	-piste1 -band -aggr -hamming	553	3041	15.39
1306	2nd	-piste1 -low -lpc -cheb	534	3060	14.86
1307	2nd	-piste1 -noise -norm -lpc -cheb	534	3060	14.86
1308	2nd	-piste1 -silence -bandstop -lpc -cheb	557	3037	15.50
1309	2nd	-piste1 -silence -bandstop -lpc -mink	529	3065	14.72
1310	2nd	-piste1 -silence -bandstop -lpc -cos	555	3039	15.44
1311	2nd	-piste1 -silence -noise -band -minmax -diff	554	3040	15.41
1312	2nd	-piste1 -noise -band -minmax -diff	554	3040	15.41
1313	2nd	-piste1 -noise -bandstop -lpc -cheb	573	3021	15.94
1314	2nd	-piste1 -high -fft -hamming	563	3031	15.66
1315	2nd	-piste1 -silence -noise -band -lpc -cos	549	3045	15.28
1316	2nd	-piste1 -silence -noise -band -lpc -mink	549	3045	15.28
1317	2nd	-piste1 -silence -bandstop -lpc -eucl	539	3055	15.00
1318	2nd	-piste1 -silence -bandstop -minmax -mink	580	3014	16.14
1319	2nd	-piste1 -bandstop -minmax -mink	580	3014	16.14
1320	2nd	-piste1 -noise -high -lpc -mink	543	3051	15.11
1321	2nd	-piste1 -silence -band -lpc -eucl	544	3050	15.14
1322	2nd	-piste1 -silence -noise -low -lpc -cheb	535	3059	14.89
1323	2nd	-piste1 -bandstop -lpc -cheb	541	3053	15.05
1324	2nd	-piste1 -silence -high -fft -hamming	541	3053	15.05
1325	2nd	-piste1 -noise -high -aggr -mink	553	3041	15.39
1326	2nd	-piste1 -noise -band -aggr -hamming	533	3061	14.83
1327	2nd	-piste1 -noise -high -fft -mink	553	3041	15.39
1328	2nd	-piste1 -bandstop -lpc -eucl	539	3055	15.00
1329	2nd	-piste1 -silence -noise -low -lpc -diff	533	3061	14.83
1330	2nd	-piste1 -noise -low -lpc -diff	538	3056	14.97
1331	2nd	-piste1 -silence -noise -bandstop -minmax -cos	580	3014	16.14
1332	2nd	-piste1 -noise -low -lpc -eucl	550	3044	15.30
1333	2nd	-piste1 -low -lpc -eucl	541	3053	15.05
1334	2nd	-piste1 -noise -norm -lpc -eucl	541	3053	15.05
1335	2nd	-piste1 -silence -noise -bandstop -minmax -diff	577	3017	16.05
1336	2nd	-piste1 -low -lpc -diff	534	3060	14.86
1337	2nd	-piste1 -silence -noise -bandstop -lpc -diff	535	3059	14.89
1338	2nd	-piste1 -noise -norm -lpc -diff	534	3060	14.86
1339	2nd	-piste1 -silence -noise -band -lpc -eucl	547	3047	15.22
1340	2nd	-piste1 -silence -high -lpc -cos	537	3057	14.94
1341	2nd	-piste1 -silence -band -lpc -cos	552	3042	15.36
1342	2nd	-piste1 -noise -low -lpc -cos	544	3050	15.14
1343	2nd	-piste1 -noise -bandstop -minmax -hamming	515	3079	14.33
1344	2nd	-piste1 -silence -noise -band -lpc -cheb	539	3055	15.00
1345	2nd	-piste1 -silence -noise -norm -lpc -cheb	533	3061	14.83
1346	2nd	-piste1 -silence -noise -high -aggr -mink	579	3015	16.11
1347	2nd	-piste1 -silence -noise -high -fft -mink	579	3015	16.11
1348	2nd	-piste1 -high -aggr -hamming	574	3020	15.97
1349	2nd	-piste1 -silence -low -lpc -cheb	533	3061	14.83

Table 80: Consolidated results (piste1-result1-marf-stats), Part 28.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1350	2nd	-piste1 -band -fft -hamming	549	3045	15.28
1351	2nd	-piste1 -silence -noise -low -lpc -cos	528	3066	14.69
1352	2nd	-piste1 -bandstop -lpc -mink	527	3067	14.66
1353	2nd	-piste1 -silence -noise -norm -minmax -hamming	517	3077	14.39
1354	2nd	-piste1 -silence -low -minmax -hamming	517	3077	14.39
1355	2nd	-piste1 -noise -bandstop -lpc -diff	526	3068	14.64
1356	2nd	-piste1 -band -lpc -diff	530	3064	14.75
1357	2nd	-piste1 -noise -high -lpc -eucl	557	3037	15.50
1358	2nd	-piste1 -band -lpc -cheb	527	3067	14.66
1359	2nd	-piste1 -silence -noise -high -minmax -cheb	520	3074	14.47
1360	2nd	-piste1 -noise -high -minmax -cheb	520	3074	14.47
1361	2nd	-piste1 -silence -noise -endp -minmax -hamming	526	3068	14.64
1362	2nd	-piste1 -noise -high -minmax -eucl	548	3046	15.25
1363	2nd	-piste1 -silence -bandstop -lpc -diff	550	3044	15.30
1364	2nd	-piste1 -silence -noise -bandstop -minmax -hamming	513	3081	14.27
1365	2nd	-piste1 -silence -high -aggr -hamming	551	3043	15.33
1366	2nd	-piste1 -silence -noise -high -minmax -eucl	548	3046	15.25
1367	2nd	-piste1 -silence -band -lpc -cheb	548	3046	15.25
1368	2nd	-piste1 -silence -low -lpc -cos	548	3046	15.25
1369	2nd	-piste1 -noise -endp -minmax -hamming	522	3072	14.52
1370	2nd	-piste1 -silence -noise -norm -lpc -cos	548	3046	15.25
1371	2nd	-piste1 -noise -norm -minmax -hamming	523	3071	14.55
1372	2nd	-piste1 -silence -band -aggr -hamming	519	3075	14.44
1373	2nd	-piste1 -low -minmax -hamming	523	3071	14.55
1374	2nd	-piste1 -noise -low -minmax -hamming	517	3077	14.39
1375	2nd	-piste1 -band -lpc -eucl	525	3069	14.61
1376	2nd	-piste1 -silence -noise -norm -lpc -diff	526	3068	14.64
1377	2nd	-piste1 -silence -noise -low -lpc -eucl	530	3064	14.75
1378	2nd	-piste1 -silence -low -lpc -diff	526	3068	14.64
1379	2nd	-piste1 -noise -norm -fft -hamming	521	3073	14.50
1380	2nd	-piste1 -silence -noise -raw -lpc -hamming	491	3103	13.66
1381	2nd	-piste1 -noise -band -lpc -cos	525	3069	14.61
1382	2nd	-piste1 -raw -lpc -hamming	491	3103	13.66
1383	2nd	-piste1 -low -fft -hamming	521	3073	14.50
1384	2nd	-piste1 -silence -raw -lpc -hamming	491	3103	13.66
1385	2nd	-piste1 -norm -lpc -hamming	491	3103	13.66
1386	2nd	-piste1 -silence -norm -lpc -hamming	491	3103	13.66
1387	2nd	-piste1 -bandstop -lpc -diff	546	3048	15.19
1388	2nd	-piste1 -noise -raw -lpc -hamming	491	3103	13.66
1389	2nd	-piste1 -noise -norm -lpc -mink	533	3061	14.83
1390	2nd	-piste1 -silence -noise -high -lpc -cheb	548	3046	15.25
1391	2nd	-piste1 -silence -noise -low -lpc -mink	518	3076	14.41
1392	2nd	-piste1 -low -lpc -mink	533	3061	14.83
1393	2nd	-piste1 -noise -band -lpc -mink	549	3045	15.28
1394	2nd	-piste1 -noise -low -aggr -hamming	512	3082	14.25
1395	2nd	-piste1 -silence -noise -high -lpc -mink	554	3040	15.41
1396	2nd	-piste1 -noise -low -lpc -mink	519	3075	14.44
1397	2nd	-piste1 -silence -high -minmax -hamming	526	3068	14.64
1398	2nd	-piste1 -high -minmax -hamming	526	3068	14.64
1399	2nd	-piste1 -noise -high -lpc -cos	545	3049	15.16

Table 81: Consolidated results (piste1-result1-marf-stats), Part 29.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1400	2nd	-piste1 -noise -low -fft -hamming	526	3068	14.64
1401	2nd	-piste1 -silence -low -lpc -mink	519	3075	14.44
1402	2nd	-piste1 -noise -band -lpc -diff	508	3086	14.13
1403	2nd	-piste1 -silence -noise -norm -lpc -mink	519	3075	14.44
1404	2nd	-piste1 -noise -band -lpc -eucl	525	3069	14.61
1405	2nd	-piste1 -silence -noise -high -minmax -cos	553	3041	15.39
1406	2nd	-piste1 -high -lpc -cos	519	3075	14.44
1407	2nd	-piste1 -silence -noise -band -lpc -diff	535	3059	14.89
1408	2nd	-piste1 -noise -band -lpc -cheb	518	3076	14.41
1409	2nd	-piste1 -noise -high -minmax -cos	553	3041	15.39
1410	2nd	-piste1 -high -lpc -eucl	529	3065	14.72
1411	2nd	-piste1 -silence -high -lpc -hamming	528	3066	14.69
1412	2nd	-piste1 -silence -band -lpc -diff	528	3066	14.69
1413	2nd	-piste1 -high -lpc -cheb	536	3058	14.91
1414	2nd	-piste1 -band -lpc -cos	527	3067	14.66
1415	2nd	-piste1 -noise -high -lpc -hamming	479	3115	13.33
1416	2nd	-piste1 -band -lpc -mink	541	3053	15.05
1417	2nd	-piste1 -silence -noise -high -lpc -eucl	537	3057	14.94
1418	2nd	-piste1 -silence -band -fft -hamming	509	3085	14.16
1419	2nd	-piste1 -silence -noise -high -minmax -diff	502	3092	13.97
1420	2nd	-piste1 -noise -high -minmax -diff	502	3092	13.97
1421	2nd	-piste1 -noise -norm -lpc -cos	533	3061	14.83
1422	2nd	-piste1 -low -lpc -cos	533	3061	14.83
1423	2nd	-piste1 -silence -low -lpc -eucl	542	3052	15.08
1424	2nd	-piste1 -noise -high -lpc -diff	539	3055	15.00
1425	2nd	-piste1 -silence -noise -norm -lpc -eucl	542	3052	15.08
1426	2nd	-piste1 -silence -high -lpc -eucl	526	3068	14.64
1427	2nd	-piste1 -silence -noise -high -lpc -cos	547	3047	15.22
1428	2nd	-piste1 -high -lpc -mink	527	3067	14.66
1429	2nd	-piste1 -silence -noise -low -minmax -hamming	518	3076	14.41
1430	2nd	-piste1 -bandstop -fft -hamming	525	3069	14.61
1431	2nd	-piste1 -noise -norm -aggr -hamming	522	3072	14.52
1432	2nd	-piste1 -silence -noise -bandstop -lpc -hamming	499	3095	13.88
1433	2nd	-piste1 -silence -high -lpc -diff	515	3079	14.33
1434	2nd	-piste1 -low -aggr -hamming	522	3072	14.52
1435	2nd	-piste1 -silence -noise -high -minmax -hamming	511	3083	14.22
1436	2nd	-piste1 -noise -high -minmax -hamming	511	3083	14.22
1437	2nd	-piste1 -silence -noise -low -aggr -hamming	502	3092	13.97
1438	2nd	-piste1 -silence -noise -low -fft -hamming	494	3100	13.75
1439	2nd	-piste1 -silence -high -lpc -cheb	523	3071	14.55
1440	2nd	-piste1 -silence -high -lpc -mink	536	3058	14.91
1441	2nd	-piste1 -norm -minmax -diff	555	3039	15.44
1442	2nd	-piste1 -silence -norm -minmax -diff	555	3039	15.44
1443	2nd	-piste1 -silence -band -minmax -hamming	515	3079	14.33
1444	2nd	-piste1 -band -minmax -hamming	515	3079	14.33
1445	2nd	-piste1 -silence -bandstop -minmax -hamming	510	3084	14.19
1446	2nd	-piste1 -bandstop -lpc -hamming	485	3109	13.49
1447	2nd	-piste1 -noise -endp -fft -hamming	502	3092	13.97
1448	2nd	-piste1 -bandstop -minmax -hamming	513	3081	14.27
1449	2nd	-piste1 -noise -low -lpc -hamming	519	3075	14.44

Table 82: Consolidated results (piste1-result1-marf-stats), Part 30.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1450	2nd	-piste1 -silence -bandstop -lpc -hamming	496	3098	13.80
1451	2nd	-piste1 -noise -highpassboost -aggr -cheb	504	3090	14.02
1452	2nd	-piste1 -highpassboost -aggr -hamming	504	3090	14.02
1453	2nd	-piste1 -silence -noise -highpassboost -aggr -eucl	504	3090	14.02
1454	2nd	-piste1 -highpassboost -fft -mink	504	3090	14.02
1455	2nd	-piste1 -silence -noise -boost -aggr -diff	504	3090	14.02
1456	2nd	-piste1 -silence -noise -boost -aggr -cos	504	3090	14.02
1457	2nd	-piste1 -silence -highpassboost -fft -cos	504	3090	14.02
1458	2nd	-piste1 -boost -minmax -hamming	504	3090	14.02
1459	2nd	-piste1 -silence -noise -highpassboost -fft -hamming	504	3090	14.02
1460	2nd	-piste1 -silence -noise -highpassboost -fft -mink	504	3090	14.02
1461	2nd	-piste1 -silence -highpassboost -lpc -hamming	504	3090	14.02
1462	2nd	-piste1 -boost -fft -mink	504	3090	14.02
1463	2nd	-piste1 -silence -noise -highpassboost -aggr -mink	504	3090	14.02
1464	2nd	-piste1 -silence -noise -highpassboost -lpc -cos	504	3090	14.02
1465	2nd	-piste1 -noise -highpassboost -lpc -eucl	504	3090	14.02
1466	2nd	-piste1 -highpassboost -lpc -cos	504	3090	14.02
1467	2nd	-piste1 -highpassboost -aggr -cheb	504	3090	14.02
1468	2nd	-piste1 -noise -highpassboost -minmax -hamming	504	3090	14.02
1469	2nd	-piste1 -noise -boost -minmax -eucl	504	3090	14.02
1470	2nd	-piste1 -noise -boost -fft -cos	504	3090	14.02
1471	2nd	-piste1 -silence -noise -boost -aggr -cheb	504	3090	14.02
1472	2nd	-piste1 -boost -minmax -eucl	504	3090	14.02
1473	2nd	-piste1 -noise -highpassboost -lpc -mink	504	3090	14.02
1474	2nd	-piste1 -silence -highpassboost -lpc -eucl	504	3090	14.02
1475	2nd	-piste1 -noise -highpassboost -aggr -hamming	504	3090	14.02
1476	2nd	-piste1 -noise -boost -aggr -eucl	504	3090	14.02
1477	2nd	-piste1 -noise -boost -minmax -mink	504	3090	14.02
1478	2nd	-piste1 -silence -highpassboost -lpc -cos	504	3090	14.02
1479	2nd	-piste1 -noise -highpassboost -fft -eucl	504	3090	14.02
1480	2nd	-piste1 -boost -minmax -mink	504	3090	14.02
1481	2nd	-piste1 -silence -highpassboost -lpc -mink	504	3090	14.02
1482	2nd	-piste1 -noise -boost -aggr -mink	504	3090	14.02
1483	2nd	-piste1 -boost -aggr -diff	504	3090	14.02
1484	2nd	-piste1 -noise -highpassboost -fft -cos	504	3090	14.02
1485	2nd	-piste1 -noise -boost -lpc -diff	504	3090	14.02
1486	2nd	-piste1 -noise -boost -aggr -hamming	504	3090	14.02
1487	2nd	-piste1 -noise -highpassboost -fft -mink	504	3090	14.02
1488	2nd	-piste1 -silence -highpassboost -aggr -eucl	504	3090	14.02
1489	2nd	-piste1 -silence -highpassboost -fft -eucl	504	3090	14.02
1490	2nd	-piste1 -noise -boost -lpc -cos	504	3090	14.02
1491	2nd	-piste1 -noise -highpassboost -fft -hamming	504	3090	14.02
1492	2nd	-piste1 -noise -highpassboost -minmax -diff	504	3090	14.02
1493	2nd	-piste1 -highpassboost -aggr -cos	504	3090	14.02
1494	2nd	-piste1 -silence -boost -fft -cos	504	3090	14.02
1495	2nd	-piste1 -silence -boost -lpc -diff	504	3090	14.02
1496	2nd	-piste1 -silence -highpassboost -aggr -mink	504	3090	14.02
1497	2nd	-piste1 -silence -highpassboost -fft -mink	504	3090	14.02
1498	2nd	-piste1 -silence -noise -highpassboost -lpc -hamming	504	3090	14.02
1499	2nd	-piste1 -silence -noise -highpassboost -aggr -cos	504	3090	14.02

Table 83: Consolidated results (piste1-result1-marf-stats), Part 31.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1500	2nd	-piste1 -silence -noise -boost -lpc -diff	504	3090	14.02
1501	2nd	-piste1 -noise -highpassboost -aggr -eucl	504	3090	14.02
1502	2nd	-piste1 -boost -aggr -cheb	504	3090	14.02
1503	2nd	-piste1 -boost -aggr -cos	504	3090	14.02
1504	2nd	-piste1 -noise -boost -fft -diff	504	3090	14.02
1505	2nd	-piste1 -boost -minmax -cos	504	3090	14.02
1506	2nd	-piste1 -noise -boost -lpc -cheb	504	3090	14.02
1507	2nd	-piste1 -silence -noise -boost -fft -hamming	504	3090	14.02
1508	2nd	-piste1 -noise -highpassboost -lpc -cos	504	3090	14.02
1509	2nd	-piste1 -noise -highpassboost -minmax -cheb	504	3090	14.02
1510	2nd	-piste1 -noise -highpassboost -aggr -mink	504	3090	14.02
1511	2nd	-piste1 -silence -boost -fft -diff	504	3090	14.02
1512	2nd	-piste1 -highpassboost -aggr -eucl	504	3090	14.02
1513	2nd	-piste1 -silence -boost -lpc -cheb	504	3090	14.02
1514	2nd	-piste1 -silence -noise -boost -fft -diff	504	3090	14.02
1515	2nd	-piste1 -silence -noise -boost -lpc -cheb	504	3090	14.02
1516	2nd	-piste1 -silence -noise -boost -aggr -eucl	504	3090	14.02
1517	2nd	-piste1 -silence -boost -lpc -cos	504	3090	14.02
1518	2nd	-piste1 -noise -boost -fft -cheb	504	3090	14.02
1519	2nd	-piste1 -boost -fft -cos	504	3090	14.02
1520	2nd	-piste1 -highpassboost -aggr -mink	504	3090	14.02
1521	2nd	-piste1 -silence -boost -aggr -diff	504	3090	14.02
1522	2nd	-piste1 -silence -noise -boost -aggr -mink	504	3090	14.02
1523	2nd	-piste1 -noise -highpassboost -aggr -cos	504	3090	14.02
1524	2nd	-piste1 -silence -boost -fft -cheb	504	3090	14.02
1525	2nd	-piste1 -highpassboost -minmax -diff	504	3090	14.02
1526	2nd	-piste1 -noise -highpassboost -lpc -hamming	504	3090	14.02
1527	2nd	-piste1 -highpassboost -fft -hamming	504	3090	14.02
1528	2nd	-piste1 -silence -noise -boost -fft -cheb	504	3090	14.02
1529	2nd	-piste1 -silence -highpassboost -aggr -cos	504	3090	14.02
1530	2nd	-piste1 -highpassboost -lpc -diff	504	3090	14.02
1531	2nd	-piste1 -silence -boost -aggr -cheb	504	3090	14.02
1532	2nd	-piste1 -boost -lpc -cos	504	3090	14.02
1533	2nd	-piste1 -silence -noise -highpassboost -lpc -diff	504	3090	14.02
1534	2nd	-piste1 -boost -lpc -diff	504	3090	14.02
1535	2nd	-piste1 -silence -noise -boost -lpc -hamming	504	3090	14.02
1536	2nd	-piste1 -highpassboost -minmax -cheb	504	3090	14.02
1537	2nd	-piste1 -highpassboost -minmax -hamming	504	3090	14.02
1538	2nd	-piste1 -silence -noise -boost -aggr -hamming	504	3090	14.02
1539	2nd	-piste1 -boost -aggr -eucl	504	3090	14.02
1540	2nd	-piste1 -noise -bandstop -lpc -hamming	488	3106	13.58
1541	2nd	-piste1 -noise -boost -lpc -eucl	504	3090	14.02
1542	2nd	-piste1 -highpassboost -fft -diff	504	3090	14.02
1543	2nd	-piste1 -highpassboost -lpc -cheb	504	3090	14.02
1544	2nd	-piste1 -silence -boost -fft -hamming	504	3090	14.02
1545	2nd	-piste1 -noise -highpassboost -minmax -eucl	504	3090	14.02
1546	2nd	-piste1 -silence -noise -highpassboost -fft -diff	504	3090	14.02
1547	2nd	-piste1 -boost -aggr -mink	504	3090	14.02
1548	2nd	-piste1 -silence -noise -highpassboost -lpc -cheb	504	3090	14.02
1549	2nd	-piste1 -boost -fft -diff	504	3090	14.02

Table 84: Consolidated results (piste1-result1-marf-stats), Part 32.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1550	2nd	-piste1 -noise -boost -lpc -mink	504	3090	14.02
1551	2nd	-piste1 -silence -boost -aggr -hamming	504	3090	14.02
1552	2nd	-piste1 -silence -boost -lpc -eucl	504	3090	14.02
1553	2nd	-piste1 -silence -noise -highpassboost -aggr -diff	504	3090	14.02
1554	2nd	-piste1 -boost -lpc -cheb	504	3090	14.02
1555	2nd	-piste1 -silence -noise -boost -lpc -eucl	504	3090	14.02
1556	2nd	-piste1 -noise -boost -minmax -hamming	504	3090	14.02
1557	2nd	-piste1 -noise -highpassboost -minmax -mink	504	3090	14.02
1558	2nd	-piste1 -noise -boost -fft -eucl	504	3090	14.02
1559	2nd	-piste1 -highpassboost -fft -cheb	504	3090	14.02
1560	2nd	-piste1 -highpassboost -minmax -cos	504	3090	14.02
1561	2nd	-piste1 -silence -boost -lpc -mink	504	3090	14.02
1562	2nd	-piste1 -highpassboost -lpc -hamming	504	3090	14.02
1563	2nd	-piste1 -noise -highpassboost -lpc -diff	504	3090	14.02
1564	2nd	-piste1 -silence -noise -highpassboost -fft -cheb	504	3090	14.02
1565	2nd	-piste1 -silence -noise -boost -lpc -mink	504	3090	14.02
1566	2nd	-piste1 -silence -boost -fft -eucl	504	3090	14.02
1567	2nd	-piste1 -noise -boost -minmax -diff	504	3090	14.02
1568	2nd	-piste1 -boost -fft -cheb	504	3090	14.02
1569	2nd	-piste1 -noise -boost -fft -hamming	504	3090	14.02
1570	2nd	-piste1 -noise -boost -fft -mink	504	3090	14.02
1571	2nd	-piste1 -silence -noise -highpassboost -aggr -cheb	504	3090	14.02
1572	2nd	-piste1 -boost -fft -hamming	504	3090	14.02
1573	2nd	-piste1 -silence -noise -boost -fft -eucl	504	3090	14.02
1574	2nd	-piste1 -boost -minmax -diff	504	3090	14.02
1575	2nd	-piste1 -silence -highpassboost -lpc -diff	504	3090	14.02
1576	2nd	-piste1 -boost -aggr -hamming	504	3090	14.02
1577	2nd	-piste1 -noise -boost -aggr -diff	504	3090	14.02
1578	2nd	-piste1 -silence -boost -fft -mink	504	3090	14.02
1579	2nd	-piste1 -silence -noise -boost -fft -cos	504	3090	14.02
1580	2nd	-piste1 -noise -highpassboost -fft -diff	504	3090	14.02
1581	2nd	-piste1 -noise -highpassboost -lpc -cheb	504	3090	14.02
1582	2nd	-piste1 -silence -noise -boost -fft -mink	504	3090	14.02
1583	2nd	-piste1 -silence -boost -aggr -eucl	504	3090	14.02
1584	2nd	-piste1 -silence -highpassboost -fft -hamming	504	3090	14.02
1585	2nd	-piste1 -noise -boost -minmax -cheb	504	3090	14.02
1586	2nd	-piste1 -highpassboost -minmax -eucl	504	3090	14.02
1587	2nd	-piste1 -silence -boost -lpc -hamming	504	3090	14.02
1588	2nd	-piste1 -boost -minmax -cheb	504	3090	14.02
1589	2nd	-piste1 -silence -highpassboost -aggr -diff	504	3090	14.02
1590	2nd	-piste1 -silence -highpassboost -fft -diff	504	3090	14.02
1591	2nd	-piste1 -silence -boost -aggr -mink	504	3090	14.02
1592	2nd	-piste1 -silence -highpassboost -lpc -cheb	504	3090	14.02
1593	2nd	-piste1 -noise -boost -aggr -cheb	504	3090	14.02
1594	2nd	-piste1 -noise -highpassboost -minmax -cos	504	3090	14.02
1595	2nd	-piste1 -highpassboost -lpc -eucl	504	3090	14.02
1596	2nd	-piste1 -highpassboost -minmax -mink	504	3090	14.02
1597	2nd	-piste1 -noise -highpassboost -fft -cheb	504	3090	14.02
1598	2nd	-piste1 -silence -noise -boost -lpc -cos	504	3090	14.02
1599	2nd	-piste1 -silence -noise -highpassboost -lpc -eucl	504	3090	14.02

Table 85: Consolidated results (piste1-result1-marf-stats), Part 33.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1600	2nd	-piste1 -noise -highpassboost -aggr -diff	504	3090	14.02
1601	2nd	-piste1 -boost -lpc -eucl	504	3090	14.02
1602	2nd	-piste1 -highpassboost -lpc -mink	504	3090	14.02
1603	2nd	-piste1 -silence -highpassboost -aggr -cheb	504	3090	14.02
1604	2nd	-piste1 -silence -highpassboost -fft -cheb	504	3090	14.02
1605	2nd	-piste1 -silence -highpassboost -aggr -hamming	504	3090	14.02
1606	2nd	-piste1 -silence -noise -highpassboost -fft -cos	504	3090	14.02
1607	2nd	-piste1 -highpassboost -fft -cos	504	3090	14.02
1608	2nd	-piste1 -noise -boost -minmax -cos	504	3090	14.02
1609	2nd	-piste1 -noise -boost -aggr -cos	504	3090	14.02
1610	2nd	-piste1 -silence -noise -highpassboost -lpc -mink	504	3090	14.02
1611	2nd	-piste1 -noise -boost -lpc -hamming	504	3090	14.02
1612	2nd	-piste1 -highpassboost -fft -eucl	504	3090	14.02
1613	2nd	-piste1 -boost -lpc -hamming	504	3090	14.02
1614	2nd	-piste1 -boost -lpc -mink	504	3090	14.02
1615	2nd	-piste1 -silence -noise -highpassboost -fft -eucl	504	3090	14.02
1616	2nd	-piste1 -highpassboost -aggr -diff	504	3090	14.02
1617	2nd	-piste1 -silence -boost -aggr -cos	504	3090	14.02
1618	2nd	-piste1 -boost -fft -eucl	504	3090	14.02
1619	2nd	-piste1 -silence -noise -highpassboost -aggr -hamming	504	3090	14.02
1620	2nd	-piste1 -silence -noise -high -lpc -diff	541	3053	15.05
1621	2nd	-piste1 -silence -noise -endp -lpc -hamming	475	3119	13.22
1622	2nd	-piste1 -endp -fft -hamming	469	3125	13.05
1623	2nd	-piste1 -band -lpc -hamming	473	3121	13.16
1624	2nd	-piste1 -silence -endp -fft -hamming	469	3125	13.05
1625	2nd	-piste1 -high -lpc -diff	530	3064	14.75
1626	2nd	-piste1 -bandstop -aggr -hamming	528	3066	14.69
1627	2nd	-piste1 -silence -band -lpc -hamming	490	3104	13.63
1628	2nd	-piste1 -endp -lpc -hamming	518	3076	14.41
1629	2nd	-piste1 -silence -endp -lpc -hamming	518	3076	14.41
1630	2nd	-piste1 -silence -noise -endp -fft -hamming	491	3103	13.66
1631	2nd	-piste1 -high -lpc -hamming	463	3131	12.88
1632	2nd	-piste1 -noise -endp -aggr -hamming	493	3101	13.72
1633	2nd	-piste1 -noise -high -minmax -mink	522	3072	14.52
1634	2nd	-piste1 -noise -endp -lpc -hamming	489	3105	13.61
1635	2nd	-piste1 -noise -norm -lpc -hamming	512	3082	14.25
1636	2nd	-piste1 -low -lpc -hamming	512	3082	14.25
1637	2nd	-piste1 -silence -noise -high -minmax -mink	522	3072	14.52
1638	2nd	-piste1 -norm -fft -hamming	476	3118	13.24
1639	2nd	-piste1 -silence -norm -fft -hamming	476	3118	13.24
1640	2nd	-piste1 -silence -noise -band -fft -hamming	485	3109	13.49
1641	2nd	-piste1 -silence -noise -band -minmax -hamming	482	3112	13.41
1642	2nd	-piste1 -noise -band -minmax -hamming	482	3112	13.41
1643	2nd	-piste1 -silence -noise -norm -lpc -hamming	492	3102	13.69
1644	2nd	-piste1 -silence -noise -band -aggr -hamming	500	3094	13.91
1645	2nd	-piste1 -silence -low -lpc -hamming	492	3102	13.69
1646	2nd	-piste1 -silence -noise -low -lpc -hamming	464	3130	12.91
1647	2nd	-piste1 -silence -bandstop -aggr -hamming	486	3108	13.52
1648	2nd	-piste1 -silence -bandstop -fft -hamming	499	3095	13.88
1649	2nd	-piste1 -norm -aggr -hamming	459	3135	12.77

Table 86: Consolidated results (piste1-result1-marf-stats), Part 34.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1650	2nd	-piste1 -silence -norm -aggr -hamming	459	3135	12.77
1651	2nd	-piste1 -silence -endp -aggr -hamming	480	3114	13.36
1652	2nd	-piste1 -endp -aggr -hamming	480	3114	13.36
1653	2nd	-piste1 -silence -noise -endp -aggr -hamming	486	3108	13.52
1654	2nd	-piste1 -silence -noise -band -lpc -hamming	506	3088	14.08
1655	2nd	-piste1 -silence -noise -raw -aggr -hamming	460	3134	12.80
1656	2nd	-piste1 -noise -raw -aggr -hamming	460	3134	12.80
1657	2nd	-piste1 -raw -aggr -hamming	460	3134	12.80
1658	2nd	-piste1 -silence -raw -aggr -hamming	460	3134	12.80
1659	2nd	-piste1 -noise -band -lpc -hamming	457	3137	12.72
1660	2nd	-piste1 -silence -low -fft -hamming	438	3156	12.19
1661	2nd	-piste1 -silence -noise -norm -fft -hamming	438	3156	12.19
1662	2nd	-piste1 -raw -fft -hamming	454	3140	12.63
1663	2nd	-piste1 -silence -raw -fft -hamming	454	3140	12.63
1664	2nd	-piste1 -noise -raw -fft -hamming	454	3140	12.63
1665	2nd	-piste1 -silence -noise -high -lpc -hamming	469	3125	13.05
1666	2nd	-piste1 -silence -noise -raw -fft -hamming	454	3140	12.63
1667	2nd	-piste1 -silence -noise -norm -aggr -hamming	466	3128	12.97
1668	2nd	-piste1 -silence -low -aggr -hamming	466	3128	12.97

Table 87: Consolidated results (piste1-result1-marf-stats), Part 35.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	1830	84722	125446	40.31
2	1st	1940	38330	147652	20.61
3	1st	1810	38811	171357	18.47
4	1st	1820	29107	181061	13.85
5	1st	1900	15229	166583	8.38
6	1st	1920	15360	168954	8.33
7	1st	1850	16807	193361	8.00
8	1st	1880	15643	194525	7.44
9	1st	1800	14974	195194	7.12
10	1st	1860	14038	195296	6.71
11	1st	1870	14037	196131	6.68
12	1st	1930	11314	173000	6.14
13	1st	1840	12468	197700	5.93
14	1st	1890	10727	176089	5.74
15	1st	1910	10408	173072	5.67
16	2nd	1830	105137	105031	50.03
17	2nd	1940	53906	132076	28.98
18	2nd	1810	98904	111264	47.06
19	2nd	1820	45219	164949	21.52
20	2nd	1900	28690	153122	15.78
21	2nd	1920	30199	154115	16.38
22	2nd	1850	32345	177823	15.39
23	2nd	1880	36923	173245	17.57
24	2nd	1800	38997	171171	18.56
25	2nd	1860	29063	180271	13.88
26	2nd	1870	28356	181812	13.49
27	2nd	1930	23456	160858	12.73
28	2nd	1840	25489	184679	12.13
29	2nd	1890	21281	165535	11.39
30	2nd	1910	19657	163823	10.71

Table 88: Consolidated results (piste1-result3-nlp), Part 1.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	-piste1 -nopreprep -char -unigram -add-delta	400	3194	11.13
2	1st	-piste1 -nopreprep -char -unigram -mle	386	3208	10.74
3	1st	-piste1 -nopreprep -char -unigram -witten-bell	354	3240	9.85
4	1st	-piste1 -nopreprep -char -unigram -add-one	344	3250	9.57
5	1st	-piste1 -nopreprep -char -unigram -good-turing	315	3279	8.76
6	1st	-piste1 -nopreprep -char -bigram -add-one	266	3328	7.40
7	1st	-piste1 -nopreprep -char -bigram -add-delta	265	3329	7.37
8	1st	-piste1 -nopreprep -char -bigram -good-turing	254	3340	7.07
9	1st	-piste1 -nopreprep -char -bigram -witten-bell	252	3342	7.01
10	1st	-piste1 -nopreprep -char -bigram -mle	252	3342	7.01
11	2nd	-piste1 -nopreprep -char -unigram -add-delta	692	2902	19.25
12	2nd	-piste1 -nopreprep -char -unigram -mle	756	2838	21.04
13	2nd	-piste1 -nopreprep -char -unigram -witten-bell	611	2983	17.00
14	2nd	-piste1 -nopreprep -char -unigram -add-one	656	2938	18.25
15	2nd	-piste1 -nopreprep -char -unigram -good-turing	547	3047	15.22
16	2nd	-piste1 -nopreprep -char -bigram -add-one	542	3052	15.08
17	2nd	-piste1 -nopreprep -char -bigram -add-delta	551	3043	15.33
18	2nd	-piste1 -nopreprep -char -bigram -good-turing	553	3041	15.39
19	2nd	-piste1 -nopreprep -char -bigram -witten-bell	504	3090	14.02
20	2nd	-piste1 -nopreprep -char -bigram -mle	504	3090	14.02

Table 89: Consolidated results (piste1-result3-nlp), Part 2.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	1830	707	1813	28.06
2	1st	1920	453	1757	20.50
3	1st	1820	445	2075	17.66
4	1st	1930	339	1871	15.34
5	1st	1890	246	1994	10.98
6	1st	1800	230	2290	9.13
7	1st	1810	151	2369	5.99
8	1st	1870	140	2380	5.56
9	1st	1940	93	2137	4.17
10	1st	1860	94	2416	3.75
11	1st	1910	52	2148	2.36
12	1st	1900	43	2137	1.97
13	1st	1880	41	2479	1.63
14	1st	1850	32	2488	1.27
15	1st	1840	22	2498	0.87
16	2nd	1830	924	1596	36.67
17	2nd	1920	466	1744	21.09
18	2nd	1820	605	1915	24.01
19	2nd	1930	447	1763	20.23
20	2nd	1890	286	1954	12.77
21	2nd	1800	493	2027	19.56
22	2nd	1810	1056	1464	41.90
23	2nd	1870	306	2214	12.14
24	2nd	1940	540	1690	24.22
25	2nd	1860	243	2267	9.68
26	2nd	1910	144	2056	6.55
27	2nd	1900	140	2040	6.42
28	2nd	1880	103	2417	4.09
29	2nd	1850	102	2418	4.05
30	2nd	1840	61	2459	2.42

4.2 Piste 2 / Track 2: Place of Origin

France vs. Quebec; Journals

4.2.1 Results for testing data for text-only processing

Table 90: Consolidated results (piste2-result1-text-only-eval), Part 1.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	-text-only -ref -noise -band -fft -diff	1392	1090	56.08
2	1st	-text-only -ref -noise -band -aggr -diff	1391	1091	56.04
3	1st	-text-only -ref -noise -band -fft -cheb	1386	1096	55.84
4	1st	-text-only -ref -noise -band -aggr -cheb	1386	1096	55.84
5	1st	-text-only -ref -high -fft -diff	1380	1102	55.60
6	1st	-text-only -ref -band -aggr -cheb	1380	1102	55.60
7	1st	-text-only -ref -band -fft -cheb	1379	1103	55.56
8	1st	-text-only -ref -high -fft -cheb	1378	1104	55.52
9	1st	-text-only -ref -high -aggr -diff	1378	1104	55.52
10	1st	-text-only -ref -high -aggr -cheb	1377	1105	55.48
11	1st	-text-only -ref -band -aggr -diff	1376	1106	55.44
12	1st	-text-only -ref -band -fft -diff	1375	1107	55.40
13	1st	-text-only -ref -silence -band -aggr -cheb	1325	1157	53.38
14	1st	-text-only -ref -silence -band -fft -cheb	1322	1160	53.26
15	1st	-text-only -ref -silence -band -aggr -diff	1317	1165	53.06
16	1st	-text-only -ref -raw -lpc -eucl	1316	1166	53.02
17	1st	-text-only -ref -norm -lpc -eucl	1316	1166	53.02
18	1st	-text-only -ref -silence -noise -raw -lpc -eucl	1316	1166	53.02
19	1st	-text-only -ref -noise -raw -lpc -eucl	1316	1166	53.02
20	1st	-text-only -ref -silence -raw -lpc -eucl	1316	1166	53.02
21	1st	-text-only -ref -silence -norm -lpc -eucl	1316	1166	53.02
22	1st	-text-only -ref -silence -band -fft -diff	1311	1171	52.82
23	1st	-text-only -ref -silence -high -aggr -cheb	1308	1174	52.70
24	1st	-text-only -ref -silence -high -fft -diff	1306	1176	52.62
25	1st	-text-only -ref -silence -high -aggr -diff	1305	1177	52.58
26	1st	-text-only -ref -silence -noise -band -fft -cos	1294	1188	52.14
27	1st	-text-only -ref -silence -noise -band -aggr -cos	1293	1189	52.10
28	1st	-text-only -ref -band -fft -cos	1292	1190	52.05
29	1st	-text-only -ref -silence -high -aggr -cos	1290	1192	51.97
30	1st	-text-only -ref -band -aggr -cos	1290	1192	51.97
31	1st	-text-only -ref -silence -high -fft -cos	1290	1192	51.97
32	1st	-text-only -ref -noise -band -aggr -cos	1289	1193	51.93
33	1st	-text-only -ref -band -fft -eucl	1287	1195	51.85
34	1st	-text-only -ref -band -aggr -eucl	1286	1196	51.81
35	1st	-text-only -ref -noise -band -fft -cos	1285	1197	51.77
36	1st	-text-only -ref -noise -band -aggr -mink	1275	1207	51.37
37	1st	-text-only -ref -noise -band -fft -mink	1275	1207	51.37
38	1st	-text-only -ref -silence -high -fft -eucl	1264	1218	50.93
39	1st	-text-only -ref -high -fft -cos	1264	1218	50.93
40	1st	-text-only -ref -silence -high -aggr -eucl	1263	1219	50.89
41	1st	-text-only -ref -high -aggr -cos	1263	1219	50.89
42	1st	-text-only -ref -silence -band -aggr -cos	1262	1220	50.85
43	1st	-text-only -ref -silence -band -fft -cos	1262	1220	50.85
44	1st	-text-only -ref -high -aggr -eucl	1256	1226	50.60
45	1st	-text-only -ref -high -fft -eucl	1255	1227	50.56
46	1st	-text-only -ref -silence -band -fft -eucl	1241	1241	50.00
47	1st	-text-only -ref -noise -band -aggr -eucl	1241	1241	50.00
48	1st	-text-only -ref -noise -band -fft -eucl	1240	1242	49.96
49	1st	-text-only -ref -silence -band -aggr -eucl	1240	1242	49.96

Table 91: Consolidated results (piste2-result1-text-only-eval), Part 2.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
50	2nd	-text-only -ref -noise -band -fft -diff	2482	0	100.00
51	2nd	-text-only -ref -noise -band -aggr -diff	2482	0	100.00
52	2nd	-text-only -ref -noise -band -fft -cheb	2482	0	100.00
53	2nd	-text-only -ref -noise -band -aggr -cheb	2482	0	100.00
54	2nd	-text-only -ref -high -fft -diff	2482	0	100.00
55	2nd	-text-only -ref -band -aggr -cheb	2482	0	100.00
56	2nd	-text-only -ref -band -fft -cheb	2482	0	100.00
57	2nd	-text-only -ref -high -fft -cheb	2482	0	100.00
58	2nd	-text-only -ref -high -aggr -diff	2482	0	100.00
59	2nd	-text-only -ref -high -aggr -cheb	2482	0	100.00
60	2nd	-text-only -ref -band -aggr -diff	2482	0	100.00
61	2nd	-text-only -ref -band -fft -diff	2482	0	100.00
62	2nd	-text-only -ref -silence -band -aggr -cheb	2482	0	100.00
63	2nd	-text-only -ref -silence -band -fft -cheb	2482	0	100.00
64	2nd	-text-only -ref -silence -band -aggr -diff	2482	0	100.00
65	2nd	-text-only -ref -raw -lpc -eucl	2482	0	100.00
66	2nd	-text-only -ref -norm -lpc -eucl	2482	0	100.00
67	2nd	-text-only -ref -silence -noise -raw -lpc -eucl	2482	0	100.00
68	2nd	-text-only -ref -noise -raw -lpc -eucl	2482	0	100.00
69	2nd	-text-only -ref -silence -raw -lpc -eucl	2482	0	100.00
70	2nd	-text-only -ref -silence -norm -lpc -eucl	2482	0	100.00
71	2nd	-text-only -ref -silence -band -fft -diff	2482	0	100.00
72	2nd	-text-only -ref -silence -high -aggr -cheb	2482	0	100.00
73	2nd	-text-only -ref -silence -high -fft -diff	2482	0	100.00
74	2nd	-text-only -ref -silence -high -aggr -diff	2482	0	100.00
75	2nd	-text-only -ref -silence -noise -band -fft -cos	2482	0	100.00
76	2nd	-text-only -ref -silence -noise -band -aggr -cos	2482	0	100.00
77	2nd	-text-only -ref -band -fft -cos	2482	0	100.00
78	2nd	-text-only -ref -silence -high -aggr -cos	2482	0	100.00
79	2nd	-text-only -ref -band -aggr -cos	2482	0	100.00
80	2nd	-text-only -ref -silence -high -fft -cos	2482	0	100.00
81	2nd	-text-only -ref -noise -band -aggr -cos	2482	0	100.00
82	2nd	-text-only -ref -band -fft -eucl	2482	0	100.00
83	2nd	-text-only -ref -band -aggr -eucl	2482	0	100.00
84	2nd	-text-only -ref -noise -band -fft -cos	2482	0	100.00
85	2nd	-text-only -ref -noise -band -aggr -mink	2482	0	100.00
86	2nd	-text-only -ref -noise -band -fft -mink	2482	0	100.00
87	2nd	-text-only -ref -silence -high -fft -eucl	2482	0	100.00
88	2nd	-text-only -ref -high -fft -cos	2482	0	100.00
89	2nd	-text-only -ref -silence -high -aggr -eucl	2482	0	100.00
90	2nd	-text-only -ref -high -aggr -cos	2482	0	100.00
91	2nd	-text-only -ref -silence -band -aggr -cos	2482	0	100.00
92	2nd	-text-only -ref -silence -band -fft -cos	2482	0	100.00
93	2nd	-text-only -ref -high -aggr -eucl	2482	0	100.00
94	2nd	-text-only -ref -high -fft -eucl	2482	0	100.00
95	2nd	-text-only -ref -silence -band -fft -eucl	2482	0	100.00
96	2nd	-text-only -ref -noise -band -aggr -eucl	2482	0	100.00
97	2nd	-text-only -ref -noise -band -fft -eucl	2482	0	100.00
98	2nd	-text-only -ref -silence -band -aggr -eucl	2482	0	100.00

Table 92: Consolidated results (piste2-result1-text-only-eval), Part 3.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	France	32445	24052	57.43
2	1st	Quebec	31720	33401	48.71
3	2nd	France	56497	0	100.00
4	2nd	Quebec	65121	0	100.00

Table 93: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-band-aggr-cheb.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1491.00, corrects = 771.00)` `rappel = 0.669 precision = 0.517 f-mesure = 0.583`
`- classe Q (attendus = 1329, ramenes = 991.00, corrects = 609.00)` `rappel = 0.458 precision = 0.615 f-mesure = 0.525`
`- sur l'ensemble des 2 classes` `macro rappel = 0.563 macro precision = 0.566 macro F-mesure = 0.565`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1491.00, corrects = 370.00)` `rappel = 0.617 precision = 0.248 f-mesure = 0.354`
`- classe P (attendus = 677, ramenes = 991.00, corrects = 322.00)` `rappel = 0.476 precision = 0.325 f-mesure = 0.386`
`- sur l'ensemble des 4 classes` `macro rappel = 0.273 macro precision = 0.143 macro F-mesure = 0.188`

Table 94: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-band-aggr-cos.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1235.00, corrects = 598.00)` `rappel = 0.519 precision = 0.484 f-mesure = 0.501`
`- classe Q (attendus = 1329, ramenes = 1247.00, corrects = 692.00)` `rappel = 0.521 precision = 0.555 f-mesure = 0.537`
`- sur l'ensemble des 2 classes` `macro rappel = 0.520 macro precision = 0.520 macro F-mesure = 0.520`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1235.00, corrects = 312.00)` `rappel = 0.520 precision = 0.253 f-mesure = 0.340`
`- classe P (attendus = 677, ramenes = 1247.00, corrects = 358.00)` `rappel = 0.529 precision = 0.287 f-mesure = 0.372`
`- sur l'ensemble des 4 classes` `macro rappel = 0.262 macro precision = 0.135 macro F-mesure = 0.178`

Table 95: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-band-aggr-diff.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1501.00, corrects = 774.00) rappel = 0.671 precision = 0.516 f-mesure = 0.583
- classe Q (attendus = 1329, ramenes = 981.00, corrects = 602.00) rappel = 0.453 precision = 0.614 f-mesure = 0.521
- sur l'ensemble des 2 classes macro rappel = 0.562 macro precision = 0.565 macro F-mesure = 0.563
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1501.00, corrects = 371.00) rappel = 0.618 precision = 0.247 f-mesure = 0.353
- classe P (attendus = 677, ramenes = 981.00, corrects = 320.00) rappel = 0.473 precision = 0.326 f-mesure = 0.386
- sur l'ensemble des 4 classes macro rappel = 0.273 macro precision = 0.143 macro F-mesure = 0.188

Table 96: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-band-aggr-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1257.00, corrects = 607.00) rappel = 0.526 precision = 0.483 f-mesure = 0.504
- classe Q (attendus = 1329, ramenes = 1225.00, corrects = 679.00) rappel = 0.511 precision = 0.554 f-mesure = 0.532
- sur l'ensemble des 2 classes macro rappel = 0.519 macro precision = 0.519 macro F-mesure = 0.519
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1257.00, corrects = 327.00) rappel = 0.545 precision = 0.260 f-mesure = 0.352
- classe P (attendus = 677, ramenes = 1225.00, corrects = 347.00) rappel = 0.513 precision = 0.283 f-mesure = 0.365
- sur l'ensemble des 4 classes macro rappel = 0.264 macro precision = 0.136 macro F-mesure = 0.179

Table 97: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-band-fft-cheb.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1492.00, corrects = 771.00)` `rappel = 0.669 precision = 0.517 f-mesure = 0.583`
`- classe Q (attendus = 1329, ramenes = 990.00, corrects = 608.00)` `rappel = 0.457 precision = 0.614 f-mesure = 0.524`
`- sur l'ensemble des 2 classes` `macro rappel = 0.563 macro precision = 0.565 macro F-mesure = 0.564`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1492.00, corrects = 369.00)` `rappel = 0.615 precision = 0.247 f-mesure = 0.353`
`- classe P (attendus = 677, ramenes = 990.00, corrects = 321.00)` `rappel = 0.474 precision = 0.324 f-mesure = 0.385`
`- sur l'ensemble des 4 classes` `macro rappel = 0.272 macro precision = 0.143 macro F-mesure = 0.187`

Table 98: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-band-fft-cos.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1233.00, corrects = 598.00)` `rappel = 0.519 precision = 0.485 f-mesure = 0.501`
`- classe Q (attendus = 1329, ramenes = 1249.00, corrects = 694.00)` `rappel = 0.522 precision = 0.556 f-mesure = 0.538`
`- sur l'ensemble des 2 classes` `macro rappel = 0.520 macro precision = 0.520 macro F-mesure = 0.520`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1233.00, corrects = 312.00)` `rappel = 0.520 precision = 0.253 f-mesure = 0.340`
`- classe P (attendus = 677, ramenes = 1249.00, corrects = 360.00)` `rappel = 0.532 precision = 0.288 f-mesure = 0.374`
`- sur l'ensemble des 4 classes` `macro rappel = 0.263 macro precision = 0.135 macro F-mesure = 0.179`

Table 99: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-band-fft-diff.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1500.00, corrects = 773.00)` `rappel = 0.670 precision = 0.515 f-mesure = 0.583`
`- classe Q (attendus = 1329, ramenes = 982.00, corrects = 602.00)` `rappel = 0.453 precision = 0.613 f-mesure = 0.521`
`- sur l'ensemble des 2 classes` `macro rappel = 0.562 macro precision = 0.564 macro F-mesure = 0.563`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1500.00, corrects = 370.00)` `rappel = 0.617 precision = 0.247 f-mesure = 0.352`
`- classe P (attendus = 677, ramenes = 982.00, corrects = 319.00)` `rappel = 0.471 precision = 0.325 f-mesure = 0.385`
`- sur l'ensemble des 4 classes` `macro rappel = 0.272 macro precision = 0.143 macro F-mesure = 0.187`

Table 100: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-band-fft-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1256.00, corrects = 607.00)` `rappel = 0.526 precision = 0.483 f-mesure = 0.504`
`- classe Q (attendus = 1329, ramenes = 1226.00, corrects = 680.00)` `rappel = 0.512 precision = 0.555 f-mesure = 0.532`
`- sur l'ensemble des 2 classes` `macro rappel = 0.519 macro precision = 0.519 macro F-mesure = 0.519`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1256.00, corrects = 327.00)` `rappel = 0.545 precision = 0.260 f-mesure = 0.352`
`- classe P (attendus = 677, ramenes = 1226.00, corrects = 347.00)` `rappel = 0.513 precision = 0.283 f-mesure = 0.365`
`- sur l'ensemble des 4 classes` `macro rappel = 0.264 macro precision = 0.136 macro F-mesure = 0.179`

Table 101: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-high-aggr-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1666.00, corrects = 857.00) rappel = 0.743 precision = 0.514 f-mesure = 0.608
- classe Q (attendus = 1329, ramenes = 816.00, corrects = 520.00) rappel = 0.391 precision = 0.637 f-mesure = 0.485
- sur l'ensemble des 2 classes macro rappel = 0.567 macro precision = 0.576 macro F-mesure = 0.572
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1666.00, corrects = 425.00) rappel = 0.708 precision = 0.255 f-mesure = 0.375
- classe P (attendus = 677, ramenes = 816.00, corrects = 275.00) rappel = 0.406 precision = 0.337 f-mesure = 0.368
- sur l'ensemble des 4 classes macro rappel = 0.279 macro precision = 0.148 macro F-mesure = 0.193

Table 102: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-high-aggr-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1172.00, corrects = 553.00) rappel = 0.480 precision = 0.472 f-mesure = 0.476
- classe Q (attendus = 1329, ramenes = 1310.00, corrects = 710.00) rappel = 0.534 precision = 0.542 f-mesure = 0.538
- sur l'ensemble des 2 classes macro rappel = 0.507 macro precision = 0.507 macro F-mesure = 0.507
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1172.00, corrects = 273.00) rappel = 0.455 precision = 0.233 f-mesure = 0.308
- classe P (attendus = 677, ramenes = 1310.00, corrects = 372.00) rappel = 0.549 precision = 0.284 f-mesure = 0.374
- sur l'ensemble des 4 classes macro rappel = 0.251 macro precision = 0.129 macro F-mesure = 0.171

Table 103: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-high-aggr-diff.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1661.00, corrects = 855.00)` `rappel = 0.742 precision = 0.515 f-mesure = 0.608`
`- classe Q (attendus = 1329, ramenes = 821.00, corrects = 523.00)` `rappel = 0.394 precision = 0.637 f-mesure = 0.487`
`- sur l'ensemble des 2 classes` `macro rappel = 0.568 macro precision = 0.576 macro F-mesure = 0.572`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1661.00, corrects = 422.00)` `rappel = 0.703 precision = 0.254 f-mesure = 0.373`
`- classe P (attendus = 677, ramenes = 821.00, corrects = 277.00)` `rappel = 0.409 precision = 0.337 f-mesure = 0.370`
`- sur l'ensemble des 4 classes` `macro rappel = 0.278 macro precision = 0.148 macro F-mesure = 0.193`

Table 104: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-high-aggr-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1145.00, corrects = 536.00)` `rappel = 0.465 precision = 0.468 f-mesure = 0.466`
`- classe Q (attendus = 1329, ramenes = 1337.00, corrects = 720.00)` `rappel = 0.542 precision = 0.539 f-mesure = 0.540`
`- sur l'ensemble des 2 classes` `macro rappel = 0.503 macro precision = 0.503 macro F-mesure = 0.503`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1145.00, corrects = 301.00)` `rappel = 0.502 precision = 0.263 f-mesure = 0.345`
`- classe P (attendus = 677, ramenes = 1337.00, corrects = 368.00)` `rappel = 0.544 precision = 0.275 f-mesure = 0.365`
`- sur l'ensemble des 4 classes` `macro rappel = 0.261 macro precision = 0.135 macro F-mesure = 0.178`

Table 105: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-high-fft-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1665.00, corrects = 857.00) rappel = 0.743 precision = 0.515 f-mesure = 0.608
- classe Q (attendus = 1329, ramenes = 817.00, corrects = 521.00) rappel = 0.392 precision = 0.638 f-mesure = 0.486
- sur l'ensemble des 2 classes macro rappel = 0.568 macro precision = 0.576 macro F-mesure = 0.572
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1665.00, corrects = 425.00) rappel = 0.708 precision = 0.255 f-mesure = 0.375
- classe P (attendus = 677, ramenes = 817.00, corrects = 276.00) rappel = 0.408 precision = 0.338 f-mesure = 0.369
- sur l'ensemble des 4 classes macro rappel = 0.279 macro precision = 0.148 macro F-mesure = 0.194

Table 106: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-high-fft-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1171.00, corrects = 553.00) rappel = 0.480 precision = 0.472 f-mesure = 0.476
- classe Q (attendus = 1329, ramenes = 1311.00, corrects = 711.00) rappel = 0.535 precision = 0.542 f-mesure = 0.539
- sur l'ensemble des 2 classes macro rappel = 0.507 macro precision = 0.507 macro F-mesure = 0.507
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1171.00, corrects = 273.00) rappel = 0.455 precision = 0.233 f-mesure = 0.308
- classe P (attendus = 677, ramenes = 1311.00, corrects = 372.00) rappel = 0.549 precision = 0.284 f-mesure = 0.374
- sur l'ensemble des 4 classes macro rappel = 0.251 macro precision = 0.129 macro F-mesure = 0.171

Table 107: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-high-fft-diff.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1661.00, corrects = 856.00) rappel = 0.742 precision = 0.515 f-mesure = 0.608
- classe Q (attendus = 1329, ramenes = 821.00, corrects = 524.00) rappel = 0.394 precision = 0.638 f-mesure = 0.487
- sur l'ensemble des 2 classes macro rappel = 0.568 macro precision = 0.577 macro F-mesure = 0.573
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1661.00, corrects = 423.00) rappel = 0.705 precision = 0.255 f-mesure = 0.374
- classe P (attendus = 677, ramenes = 821.00, corrects = 278.00) rappel = 0.411 precision = 0.339 f-mesure = 0.371
- sur l'ensemble des 4 classes macro rappel = 0.279 macro precision = 0.148 macro F-mesure = 0.194

Table 108: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-high-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1146.00, corrects = 536.00) rappel = 0.465 precision = 0.468 f-mesure = 0.466
- classe Q (attendus = 1329, ramenes = 1336.00, corrects = 719.00) rappel = 0.541 precision = 0.538 f-mesure = 0.540
- sur l'ensemble des 2 classes macro rappel = 0.503 macro precision = 0.503 macro F-mesure = 0.503
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1146.00, corrects = 301.00) rappel = 0.502 precision = 0.263 f-mesure = 0.345
- classe P (attendus = 677, ramenes = 1336.00, corrects = 367.00) rappel = 0.542 precision = 0.275 f-mesure = 0.365
- sur l'ensemble des 4 classes macro rappel = 0.261 macro precision = 0.134 macro F-mesure = 0.177

Table 109: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-noise-band-aggr-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1589.00, corrects = 823.00) rappel = 0.714 precision = 0.518 f-mesure = 0.600
- classe Q (attendus = 1329, ramenes = 893.00, corrects = 563.00) rappel = 0.424 precision = 0.630 f-mesure = 0.507
- sur l'ensemble des 2 classes macro rappel = 0.569 macro precision = 0.574 macro F-mesure = 0.571
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1589.00, corrects = 420.00) rappel = 0.700 precision = 0.264 f-mesure = 0.384
- classe P (attendus = 677, ramenes = 893.00, corrects = 296.00) rappel = 0.437 precision = 0.331 f-mesure = 0.377
- sur l'ensemble des 4 classes macro rappel = 0.284 macro precision = 0.149 macro F-mesure = 0.195

Table 110: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-noise-band-aggr-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1230.00, corrects = 595.00) rappel = 0.516 precision = 0.484 f-mesure = 0.499
- classe Q (attendus = 1329, ramenes = 1252.00, corrects = 694.00) rappel = 0.522 precision = 0.554 f-mesure = 0.538
- sur l'ensemble des 2 classes macro rappel = 0.519 macro precision = 0.519 macro F-mesure = 0.519
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1230.00, corrects = 313.00) rappel = 0.522 precision = 0.254 f-mesure = 0.342
- classe P (attendus = 677, ramenes = 1252.00, corrects = 361.00) rappel = 0.533 precision = 0.288 f-mesure = 0.374
- sur l'ensemble des 4 classes macro rappel = 0.264 macro precision = 0.136 macro F-mesure = 0.179

Table 111: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-noise-band-aggr-diff.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1590.00, corrects = 826.00)` `rappel = 0.716 precision = 0.519 f-mesure = 0.602`
`- classe Q (attendus = 1329, ramenes = 892.00, corrects = 565.00)` `rappel = 0.425 precision = 0.633 f-mesure = 0.509`
`- sur l'ensemble des 2 classes` `macro rappel = 0.571 macro precision = 0.576 macro F-mesure = 0.574`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1590.00, corrects = 425.00)` `rappel = 0.708 precision = 0.267 f-mesure = 0.388`
`- classe P (attendus = 677, ramenes = 892.00, corrects = 295.00)` `rappel = 0.436 precision = 0.331 f-mesure = 0.376`
`- sur l'ensemble des 4 classes` `macro rappel = 0.286 macro precision = 0.150 macro F-mesure = 0.196`

Table 112: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-noise-band-aggr-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1114.00, corrects = 513.00)` `rappel = 0.445 precision = 0.461 f-mesure = 0.453`
`- classe Q (attendus = 1329, ramenes = 1368.00, corrects = 728.00)` `rappel = 0.548 precision = 0.532 f-mesure = 0.540`
`- sur l'ensemble des 2 classes` `macro rappel = 0.496 macro precision = 0.496 macro F-mesure = 0.496`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1114.00, corrects = 338.00)` `rappel = 0.563 precision = 0.303 f-mesure = 0.394`
`- classe P (attendus = 677, ramenes = 1368.00, corrects = 367.00)` `rappel = 0.542 precision = 0.268 f-mesure = 0.359`
`- sur l'ensemble des 4 classes` `macro rappel = 0.276 macro precision = 0.143 macro F-mesure = 0.188`

Table 113: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-noise-band-aggr-mink.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 842.00, corrects = 394.00)` `rappel = 0.342 precision = 0.468 f-mesure = 0.395`
`- classe Q (attendus = 1329, ramenes = 1640.00, corrects = 881.00)` `rappel = 0.663 precision = 0.537 f-mesure = 0.593`
`- sur l'ensemble des 2 classes` `macro rappel = 0.502 macro precision = 0.503 macro F-mesure = 0.502`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 842.00, corrects = 268.00)` `rappel = 0.447 precision = 0.318 f-mesure = 0.372`
`- classe P (attendus = 677, ramenes = 1640.00, corrects = 440.00)` `rappel = 0.650 precision = 0.268 f-mesure = 0.380`
`- sur l'ensemble des 4 classes` `macro rappel = 0.274 macro precision = 0.147 macro F-mesure = 0.191`

Table 114: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-noise-band-fft-cheb.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1589.00, corrects = 823.00)` `rappel = 0.714 precision = 0.518 f-mesure = 0.600`
`- classe Q (attendus = 1329, ramenes = 893.00, corrects = 563.00)` `rappel = 0.424 precision = 0.630 f-mesure = 0.507`
`- sur l'ensemble des 2 classes` `macro rappel = 0.569 macro precision = 0.574 macro F-mesure = 0.571`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1589.00, corrects = 420.00)` `rappel = 0.700 precision = 0.264 f-mesure = 0.384`
`- classe P (attendus = 677, ramenes = 893.00, corrects = 296.00)` `rappel = 0.437 precision = 0.331 f-mesure = 0.377`
`- sur l'ensemble des 4 classes` `macro rappel = 0.284 macro precision = 0.149 macro F-mesure = 0.195`

Table 115: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-noise-band-fft-cos.prexml.xml`

```
Evaluation du pays
- classe F (attendus = 1153, ramenes = 1230.00, corrects = 593.00)
  rappel = 0.514 precision = 0.482 f-mesure = 0.498
- classe Q (attendus = 1329, ramenes = 1252.00, corrects = 692.00)
  rappel = 0.521 precision = 0.553 f-mesure = 0.536
- sur l'ensemble des 2 classes
  macro rappel = 0.518 macro precision = 0.517 macro F-mesure = 0.517
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)
  rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)
  rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1230.00, corrects = 312.00)
  rappel = 0.520 precision = 0.254 f-mesure = 0.341
- classe P (attendus = 677, ramenes = 1252.00, corrects = 361.00)
  rappel = 0.533 precision = 0.288 f-mesure = 0.374
- sur l'ensemble des 4 classes
  macro rappel = 0.263 macro precision = 0.135 macro F-mesure = 0.179
```

Table 116: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-noise-band-fft-diff.prexml.xml`

```
Evaluation du pays
- classe F (attendus = 1153, ramenes = 1591.00, corrects = 827.00)
  rappel = 0.717 precision = 0.520 f-mesure = 0.603
- classe Q (attendus = 1329, ramenes = 891.00, corrects = 565.00)
  rappel = 0.425 precision = 0.634 f-mesure = 0.509
- sur l'ensemble des 2 classes
  macro rappel = 0.571 macro precision = 0.577 macro F-mesure = 0.574
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)
  rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)
  rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1591.00, corrects = 425.00)
  rappel = 0.708 precision = 0.267 f-mesure = 0.388
- classe P (attendus = 677, ramenes = 891.00, corrects = 296.00)
  rappel = 0.437 precision = 0.332 f-mesure = 0.378
- sur l'ensemble des 4 classes
  macro rappel = 0.286 macro precision = 0.150 macro F-mesure = 0.197
```

Table 117: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-noise-band-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1115.00, corrects = 513.00) rappel = 0.445 precision = 0.460 f-mesure = 0.452
- classe Q (attendus = 1329, ramenes = 1367.00, corrects = 727.00) rappel = 0.547 precision = 0.532 f-mesure = 0.539
- sur l'ensemble des 2 classes macro rappel = 0.496 macro precision = 0.496 macro F-mesure = 0.496
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1115.00, corrects = 338.00) rappel = 0.563 precision = 0.303 f-mesure = 0.394
- classe P (attendus = 677, ramenes = 1367.00, corrects = 367.00) rappel = 0.542 precision = 0.268 f-mesure = 0.359
- sur l'ensemble des 4 classes macro rappel = 0.276 macro precision = 0.143 macro F-mesure = 0.188

Table 118: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-noise-band-fft-mink.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 842.00, corrects = 394.00) rappel = 0.342 precision = 0.468 f-mesure = 0.395
- classe Q (attendus = 1329, ramenes = 1640.00, corrects = 881.00) rappel = 0.663 precision = 0.537 f-mesure = 0.593
- sur l'ensemble des 2 classes macro rappel = 0.502 macro precision = 0.503 macro F-mesure = 0.502
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 842.00, corrects = 268.00) rappel = 0.447 precision = 0.318 f-mesure = 0.372
- classe P (attendus = 677, ramenes = 1640.00, corrects = 440.00) rappel = 0.650 precision = 0.268 f-mesure = 0.380
- sur l'ensemble des 4 classes macro rappel = 0.274 macro precision = 0.147 macro F-mesure = 0.191

Table 119: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-noise-raw-lpc-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1313.00, corrects = 650.00) rappel = 0.564 precision = 0.495 f-mesure = 0.527
- classe Q (attendus = 1329, ramenes = 1169.00, corrects = 666.00) rappel = 0.501 precision = 0.570 f-mesure = 0.533
- sur l'ensemble des 2 classes macro rappel = 0.532 macro precision = 0.532 macro F-mesure = 0.532
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1313.00, corrects = 365.00) rappel = 0.608 precision = 0.278 f-mesure = 0.382
- classe P (attendus = 677, ramenes = 1169.00, corrects = 342.00) rappel = 0.505 precision = 0.293 f-mesure = 0.371
- sur l'ensemble des 4 classes macro rappel = 0.278 macro precision = 0.143 macro F-mesure = 0.189

Table 120: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-norm-lpc-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1313.00, corrects = 650.00) rappel = 0.564 precision = 0.495 f-mesure = 0.527
- classe Q (attendus = 1329, ramenes = 1169.00, corrects = 666.00) rappel = 0.501 precision = 0.570 f-mesure = 0.533
- sur l'ensemble des 2 classes macro rappel = 0.532 macro precision = 0.532 macro F-mesure = 0.532
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1313.00, corrects = 365.00) rappel = 0.608 precision = 0.278 f-mesure = 0.382
- classe P (attendus = 677, ramenes = 1169.00, corrects = 342.00) rappel = 0.505 precision = 0.293 f-mesure = 0.371
- sur l'ensemble des 4 classes macro rappel = 0.278 macro precision = 0.143 macro F-mesure = 0.189

Table 121: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-raw-lpc-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1313.00, corrects = 650.00)` `rappel = 0.564 precision = 0.495 f-mesure = 0.527`
`- classe Q (attendus = 1329, ramenes = 1169.00, corrects = 666.00)` `rappel = 0.501 precision = 0.570 f-mesure = 0.533`
`- sur l'ensemble des 2 classes` `macro rappel = 0.532 macro precision = 0.532 macro F-mesure = 0.532`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1313.00, corrects = 365.00)` `rappel = 0.608 precision = 0.278 f-mesure = 0.382`
`- classe P (attendus = 677, ramenes = 1169.00, corrects = 342.00)` `rappel = 0.505 precision = 0.293 f-mesure = 0.371`
`- sur l'ensemble des 4 classes` `macro rappel = 0.278 macro precision = 0.143 macro F-mesure = 0.189`

Table 122: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-band-aggr-cheb.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1518.00, corrects = 757.00)` `rappel = 0.657 precision = 0.499 f-mesure = 0.567`
`- classe Q (attendus = 1329, ramenes = 964.00, corrects = 568.00)` `rappel = 0.427 precision = 0.589 f-mesure = 0.495`
`- sur l'ensemble des 2 classes` `macro rappel = 0.542 macro precision = 0.544 macro F-mesure = 0.543`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1518.00, corrects = 384.00)` `rappel = 0.640 precision = 0.253 f-mesure = 0.363`
`- classe P (attendus = 677, ramenes = 964.00, corrects = 293.00)` `rappel = 0.433 precision = 0.304 f-mesure = 0.357`
`- sur l'ensemble des 4 classes` `macro rappel = 0.268 macro precision = 0.139 macro F-mesure = 0.183`

Table 123: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-band-aggr-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1211.00, corrects = 572.00) rappel = 0.496 precision = 0.472 f-mesure = 0.484
- classe Q (attendus = 1329, ramenes = 1271.00, corrects = 690.00) rappel = 0.519 precision = 0.543 f-mesure = 0.531
- sur l'ensemble des 2 classes macro rappel = 0.508 macro precision = 0.508 macro F-mesure = 0.508
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1211.00, corrects = 306.00) rappel = 0.510 precision = 0.253 f-mesure = 0.338
- classe P (attendus = 677, ramenes = 1271.00, corrects = 357.00) rappel = 0.527 precision = 0.281 f-mesure = 0.367
- sur l'ensemble des 4 classes macro rappel = 0.259 macro precision = 0.133 macro F-mesure = 0.176

Table 124: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-band-aggr-diff.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1522.00, corrects = 755.00) rappel = 0.655 precision = 0.496 f-mesure = 0.564
- classe Q (attendus = 1329, ramenes = 960.00, corrects = 562.00) rappel = 0.423 precision = 0.585 f-mesure = 0.491
- sur l'ensemble des 2 classes macro rappel = 0.539 macro precision = 0.541 macro F-mesure = 0.540
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1522.00, corrects = 380.00) rappel = 0.633 precision = 0.250 f-mesure = 0.358
- classe P (attendus = 677, ramenes = 960.00, corrects = 289.00) rappel = 0.427 precision = 0.301 f-mesure = 0.353
- sur l'ensemble des 4 classes macro rappel = 0.265 macro precision = 0.138 macro F-mesure = 0.181

Table 125: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-band-aggr-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1265.00, corrects = 588.00) rappel = 0.510 precision = 0.465 f-mesure = 0.486
- classe Q (attendus = 1329, ramenes = 1217.00, corrects = 652.00) rappel = 0.491 precision = 0.536 f-mesure = 0.512
- sur l'ensemble des 2 classes macro rappel = 0.500 macro precision = 0.500 macro F-mesure = 0.500
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1265.00, corrects = 342.00) rappel = 0.570 precision = 0.270 f-mesure = 0.367
- classe P (attendus = 677, ramenes = 1217.00, corrects = 324.00) rappel = 0.479 precision = 0.266 f-mesure = 0.342
- sur l'ensemble des 4 classes macro rappel = 0.262 macro precision = 0.134 macro F-mesure = 0.177

Table 126: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-band-fft-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1519.00, corrects = 756.00) rappel = 0.656 precision = 0.498 f-mesure = 0.566
- classe Q (attendus = 1329, ramenes = 963.00, corrects = 566.00) rappel = 0.426 precision = 0.588 f-mesure = 0.494
- sur l'ensemble des 2 classes macro rappel = 0.541 macro precision = 0.543 macro F-mesure = 0.542
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1519.00, corrects = 383.00) rappel = 0.638 precision = 0.252 f-mesure = 0.361
- classe P (attendus = 677, ramenes = 963.00, corrects = 291.00) rappel = 0.430 precision = 0.302 f-mesure = 0.355
- sur l'ensemble des 4 classes macro rappel = 0.267 macro precision = 0.139 macro F-mesure = 0.182

Table 127: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-band-fft-cos.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1209.00, corrects = 571.00)` `rappel = 0.495 precision = 0.472 f-mesure = 0.483`
`- classe Q (attendus = 1329, ramenes = 1273.00, corrects = 691.00)` `rappel = 0.520 precision = 0.543 f-mesure = 0.531`
`- sur l'ensemble des 2 classes` `macro rappel = 0.508 macro precision = 0.508 macro F-mesure = 0.508`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1209.00, corrects = 306.00)` `rappel = 0.510 precision = 0.253 f-mesure = 0.338`
`- classe P (attendus = 677, ramenes = 1273.00, corrects = 358.00)` `rappel = 0.529 precision = 0.281 f-mesure = 0.367`
`- sur l'ensemble des 4 classes` `macro rappel = 0.260 macro precision = 0.134 macro F-mesure = 0.176`

Table 128: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-band-fft-diff.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1522.00, corrects = 752.00)` `rappel = 0.652 precision = 0.494 f-mesure = 0.562`
`- classe Q (attendus = 1329, ramenes = 960.00, corrects = 559.00)` `rappel = 0.421 precision = 0.582 f-mesure = 0.488`
`- sur l'ensemble des 2 classes` `macro rappel = 0.536 macro precision = 0.538 macro F-mesure = 0.537`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1522.00, corrects = 380.00)` `rappel = 0.633 precision = 0.250 f-mesure = 0.358`
`- classe P (attendus = 677, ramenes = 960.00, corrects = 288.00)` `rappel = 0.425 precision = 0.300 f-mesure = 0.352`
`- sur l'ensemble des 4 classes` `macro rappel = 0.265 macro precision = 0.137 macro F-mesure = 0.181`

Table 129: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-band-fft-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1264.00, corrects = 588.00)` `rappel = 0.510 precision = 0.465 f-mesure = 0.487`
`- classe Q (attendus = 1329, ramenes = 1218.00, corrects = 653.00)` `rappel = 0.491 precision = 0.536 f-mesure = 0.513`
`- sur l'ensemble des 2 classes` `macro rappel = 0.501 macro precision = 0.501 macro F-mesure = 0.501`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1264.00, corrects = 342.00)` `rappel = 0.570 precision = 0.271 f-mesure = 0.367`
`- classe P (attendus = 677, ramenes = 1218.00, corrects = 325.00)` `rappel = 0.480 precision = 0.267 f-mesure = 0.343`
`- sur l'ensemble des 4 classes` `macro rappel = 0.263 macro precision = 0.134 macro F-mesure = 0.178`

Table 130: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-high-aggr-cheb.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1607.00, corrects = 793.00)` `rappel = 0.688 precision = 0.493 f-mesure = 0.575`
`- classe Q (attendus = 1329, ramenes = 875.00, corrects = 515.00)` `rappel = 0.388 precision = 0.589 f-mesure = 0.467`
`- sur l'ensemble des 2 classes` `macro rappel = 0.538 macro precision = 0.541 macro F-mesure = 0.539`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1607.00, corrects = 406.00)` `rappel = 0.677 precision = 0.253 f-mesure = 0.368`
`- classe P (attendus = 677, ramenes = 875.00, corrects = 266.00)` `rappel = 0.393 precision = 0.304 f-mesure = 0.343`
`- sur l'ensemble des 4 classes` `macro rappel = 0.267 macro precision = 0.139 macro F-mesure = 0.183`

Table 131: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-high-aggr-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1223.00, corrects = 592.00) rappel = 0.513 precision = 0.484 f-mesure = 0.498
- classe Q (attendus = 1329, ramenes = 1259.00, corrects = 698.00) rappel = 0.525 precision = 0.554 f-mesure = 0.539
- sur l'ensemble des 2 classes macro rappel = 0.519 macro precision = 0.519 macro F-mesure = 0.519
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1223.00, corrects = 301.00) rappel = 0.502 precision = 0.246 f-mesure = 0.330
- classe P (attendus = 677, ramenes = 1259.00, corrects = 358.00) rappel = 0.529 precision = 0.284 f-mesure = 0.370
- sur l'ensemble des 4 classes macro rappel = 0.258 macro precision = 0.133 macro F-mesure = 0.175

Table 132: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-high-aggr-diff.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1606.00, corrects = 791.00) rappel = 0.686 precision = 0.493 f-mesure = 0.573
- classe Q (attendus = 1329, ramenes = 876.00, corrects = 514.00) rappel = 0.387 precision = 0.587 f-mesure = 0.466
- sur l'ensemble des 2 classes macro rappel = 0.536 macro precision = 0.540 macro F-mesure = 0.538
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1606.00, corrects = 404.00) rappel = 0.673 precision = 0.252 f-mesure = 0.366
- classe P (attendus = 677, ramenes = 876.00, corrects = 267.00) rappel = 0.394 precision = 0.305 f-mesure = 0.344
- sur l'ensemble des 4 classes macro rappel = 0.267 macro precision = 0.139 macro F-mesure = 0.183

Table 133: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-high-aggr-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1104.00, corrects = 519.00)` `rappel = 0.450 precision = 0.470 f-mesure = 0.460`
`- classe Q (attendus = 1329, ramenes = 1378.00, corrects = 744.00)` `rappel = 0.560 precision = 0.540 f-mesure = 0.550`
`- sur l'ensemble des 2 classes` `macro rappel = 0.505 macro precision = 0.505 macro F-mesure = 0.505`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1104.00, corrects = 307.00)` `rappel = 0.512 precision = 0.278 f-mesure = 0.360`
`- classe P (attendus = 677, ramenes = 1378.00, corrects = 374.00)` `rappel = 0.552 precision = 0.271 f-mesure = 0.364`
`- sur l'ensemble des 4 classes` `macro rappel = 0.266 macro precision = 0.137 macro F-mesure = 0.181`

Table 134: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-high-fft-cos.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1223.00, corrects = 592.00)` `rappel = 0.513 precision = 0.484 f-mesure = 0.498`
`- classe Q (attendus = 1329, ramenes = 1259.00, corrects = 698.00)` `rappel = 0.525 precision = 0.554 f-mesure = 0.539`
`- sur l'ensemble des 2 classes` `macro rappel = 0.519 macro precision = 0.519 macro F-mesure = 0.519`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1223.00, corrects = 301.00)` `rappel = 0.502 precision = 0.246 f-mesure = 0.330`
`- classe P (attendus = 677, ramenes = 1259.00, corrects = 358.00)` `rappel = 0.529 precision = 0.284 f-mesure = 0.370`
`- sur l'ensemble des 4 classes` `macro rappel = 0.258 macro precision = 0.133 macro F-mesure = 0.175`

Table 135: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-high-fft-diff.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1605.00, corrects = 791.00)` `rappel = 0.686 precision = 0.493 f-mesure = 0.574`
`- classe Q (attendus = 1329, ramenes = 877.00, corrects = 515.00)` `rappel = 0.388 precision = 0.587 f-mesure = 0.467`
`- sur l'ensemble des 2 classes` `macro rappel = 0.537 macro precision = 0.540 macro F-mesure = 0.538`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1605.00, corrects = 404.00)` `rappel = 0.673 precision = 0.252 f-mesure = 0.366`
`- classe P (attendus = 677, ramenes = 877.00, corrects = 268.00)` `rappel = 0.396 precision = 0.306 f-mesure = 0.345`
`- sur l'ensemble des 4 classes` `macro rappel = 0.267 macro precision = 0.139 macro F-mesure = 0.183`

Table 136: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-high-fft-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1103.00, corrects = 519.00)` `rappel = 0.450 precision = 0.471 f-mesure = 0.460`
`- classe Q (attendus = 1329, ramenes = 1379.00, corrects = 745.00)` `rappel = 0.561 precision = 0.540 f-mesure = 0.550`
`- sur l'ensemble des 2 classes` `macro rappel = 0.505 macro precision = 0.505 macro F-mesure = 0.505`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1103.00, corrects = 307.00)` `rappel = 0.512 precision = 0.278 f-mesure = 0.361`
`- classe P (attendus = 677, ramenes = 1379.00, corrects = 374.00)` `rappel = 0.552 precision = 0.271 f-mesure = 0.364`
`- sur l'ensemble des 4 classes` `macro rappel = 0.266 macro precision = 0.137 macro F-mesure = 0.181`

Table 137: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-noise-band-aggr-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1242.00, corrects = 603.00) rappel = 0.523 precision = 0.486 f-mesure = 0.504
- classe Q (attendus = 1329, ramenes = 1240.00, corrects = 690.00) rappel = 0.519 precision = 0.556 f-mesure = 0.537
- sur l'ensemble des 2 classes macro rappel = 0.521 macro precision = 0.521 macro F-mesure = 0.521
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1242.00, corrects = 312.00) rappel = 0.520 precision = 0.251 f-mesure = 0.339
- classe P (attendus = 677, ramenes = 1240.00, corrects = 364.00) rappel = 0.538 precision = 0.294 f-mesure = 0.380
- sur l'ensemble des 4 classes macro rappel = 0.264 macro precision = 0.136 macro F-mesure = 0.180

Table 138: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-noise-band-fft-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1241.00, corrects = 603.00) rappel = 0.523 precision = 0.486 f-mesure = 0.504
- classe Q (attendus = 1329, ramenes = 1241.00, corrects = 691.00) rappel = 0.520 precision = 0.557 f-mesure = 0.538
- sur l'ensemble des 2 classes macro rappel = 0.521 macro precision = 0.521 macro F-mesure = 0.521
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1241.00, corrects = 312.00) rappel = 0.520 precision = 0.251 f-mesure = 0.339
- classe P (attendus = 677, ramenes = 1241.00, corrects = 366.00) rappel = 0.541 precision = 0.295 f-mesure = 0.382
- sur l'ensemble des 4 classes macro rappel = 0.265 macro precision = 0.137 macro F-mesure = 0.180

Table 139: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-noise-raw-lpc-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1313.00, corrects = 650.00) rappel = 0.564 precision = 0.495 f-mesure = 0.527
- classe Q (attendus = 1329, ramenes = 1169.00, corrects = 666.00) rappel = 0.501 precision = 0.570 f-mesure = 0.533
- sur l'ensemble des 2 classes macro rappel = 0.532 macro precision = 0.532 macro F-mesure = 0.532
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1313.00, corrects = 365.00) rappel = 0.608 precision = 0.278 f-mesure = 0.382
- classe P (attendus = 677, ramenes = 1169.00, corrects = 342.00) rappel = 0.505 precision = 0.293 f-mesure = 0.371
- sur l'ensemble des 4 classes macro rappel = 0.278 macro precision = 0.143 macro F-mesure = 0.189

Table 140: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-norm-lpc-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1313.00, corrects = 650.00) rappel = 0.564 precision = 0.495 f-mesure = 0.527
- classe Q (attendus = 1329, ramenes = 1169.00, corrects = 666.00) rappel = 0.501 precision = 0.570 f-mesure = 0.533
- sur l'ensemble des 2 classes macro rappel = 0.532 macro precision = 0.532 macro F-mesure = 0.532
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1313.00, corrects = 365.00) rappel = 0.608 precision = 0.278 f-mesure = 0.382
- classe P (attendus = 677, ramenes = 1169.00, corrects = 342.00) rappel = 0.505 precision = 0.293 f-mesure = 0.371
- sur l'ensemble des 4 classes macro rappel = 0.278 macro precision = 0.143 macro F-mesure = 0.189

Table 141: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-ref-silence-raw-lpc-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1313.00, corrects = 650.00)` `rappel = 0.564 precision = 0.495 f-mesure = 0.527`
`- classe Q (attendus = 1329, ramenes = 1169.00, corrects = 666.00)` `rappel = 0.501 precision = 0.570 f-mesure = 0.533`
`- sur l'ensemble des 2 classes` `macro rappel = 0.532 macro precision = 0.532 macro F-mesure = 0.532`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1313.00, corrects = 365.00)` `rappel = 0.608 precision = 0.278 f-mesure = 0.382`
`- classe P (attendus = 677, ramenes = 1169.00, corrects = 342.00)` `rappel = 0.505 precision = 0.293 f-mesure = 0.371`
`- sur l'ensemble des 4 classes` `macro rappel = 0.278 macro precision = 0.143 macro F-mesure = 0.189`

Table 142: Consolidated results (piste2-result1-marf-text-only-journal-eval), Part 1.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	-text-only -journal -ref -silence -noise -endp -fft -mink	1027	1455	41.38
2	1st	-text-only -journal -ref -noise -endp -aggr -mink	1027	1455	41.38
3	1st	-text-only -journal -ref -noise -endp -fft -mink	1027	1455	41.38
4	1st	-text-only -journal -ref -silence -noise -endp -aggr -mink	1027	1455	41.38
5	1st	-text-only -journal -ref -silence -noise -endp -fft -eucl	1025	1457	41.30
6	1st	-text-only -journal -ref -noise -endp -aggr -eucl	1025	1457	41.30
7	1st	-text-only -journal -ref -noise -endp -fft -eucl	1025	1457	41.30
8	1st	-text-only -journal -ref -silence -noise -endp -aggr -eucl	1025	1457	41.30
9	1st	-text-only -journal -ref -noise -endp -fft -diff	1013	1469	40.81
10	1st	-text-only -journal -ref -silence -noise -endp -fft -diff	1012	1470	40.77
11	1st	-text-only -journal -ref -silence -noise -endp -aggr -diff	1009	1473	40.65
12	1st	-text-only -journal -ref -silence -noise -endp -fft -cheb	1009	1473	40.65
13	1st	-text-only -journal -ref -silence -endp -aggr -diff	1009	1473	40.65
14	1st	-text-only -journal -ref -noise -endp -aggr -cheb	1009	1473	40.65
15	1st	-text-only -journal -ref -noise -endp -aggr -diff	1009	1473	40.65
16	1st	-text-only -journal -ref -noise -endp -fft -cheb	1009	1473	40.65
17	1st	-text-only -journal -ref -endp -aggr -diff	1009	1473	40.65
18	1st	-text-only -journal -ref -silence -noise -endp -aggr -cheb	1009	1473	40.65
19	1st	-text-only -journal -ref -endp -fft -cheb	1008	1474	40.61
20	1st	-text-only -journal -ref -silence -endp -fft -cheb	1008	1474	40.61
21	1st	-text-only -journal -ref -silence -endp -aggr -cheb	1008	1474	40.61
22	1st	-text-only -journal -ref -endp -aggr -cheb	1008	1474	40.61
23	1st	-text-only -journal -ref -endp -fft -diff	1000	1482	40.29
24	1st	-text-only -journal -ref -silence -endp -fft -diff	1000	1482	40.29
25	1st	-text-only -journal -ref -silence -noise -endp -aggr -cos	988	1494	39.81
26	1st	-text-only -journal -ref -noise -endp -aggr -cos	988	1494	39.81
27	1st	-text-only -journal -ref -silence -noise -endp -fft -cos	988	1494	39.81
28	1st	-text-only -journal -ref -noise -endp -fft -cos	988	1494	39.81
29	1st	-text-only -journal -ref -silence -endp -fft -cos	978	1504	39.40
30	1st	-text-only -journal -ref -endp -fft -cos	978	1504	39.40
31	1st	-text-only -journal -ref -endp -aggr -cos	978	1504	39.40
32	1st	-text-only -journal -ref -silence -endp -aggr -cos	978	1504	39.40
33	1st	-text-only -journal -ref -noise -endp -minmax -hamming	949	1533	38.24
34	1st	-text-only -journal -ref -silence -high -minmax -cheb	942	1540	37.95
35	1st	-text-only -journal -ref -noise -endp -minmax -cheb	942	1540	37.95
36	1st	-text-only -journal -ref -silence -noise -endp -minmax -cheb	942	1540	37.95
37	1st	-text-only -journal -ref -high -minmax -cheb	942	1540	37.95
38	1st	-text-only -journal -ref -silence -noise -endp -minmax -eucl	938	1544	37.79
39	1st	-text-only -journal -ref -high -minmax -cos	938	1544	37.79
40	1st	-text-only -journal -ref -silence -high -minmax -cos	938	1544	37.79
41	1st	-text-only -journal -ref -noise -endp -minmax -eucl	937	1545	37.75
42	1st	-text-only -journal -ref -noise -endp -minmax -diff	934	1548	37.63
43	1st	-text-only -journal -ref -silence -high -minmax -diff	933	1549	37.59
44	1st	-text-only -journal -ref -high -minmax -diff	933	1549	37.59
45	1st	-text-only -journal -ref -band -minmax -cheb	930	1552	37.47
46	1st	-text-only -journal -ref -silence -band -minmax -cheb	930	1552	37.47
47	1st	-text-only -journal -ref -silence -noise -endp -minmax -diff	929	1553	37.43
48	1st	-text-only -journal -ref -silence -noise -endp -minmax -cos	919	1563	37.03
49	1st	-text-only -journal -ref -noise -endp -minmax -cos	917	1565	36.95

Table 143: Consolidated results (piste2-result1-marf-text-only-journal-eval), Part 2.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
50	2nd	-text-only -journal -ref -silence -noise -endp -fft -mink	1714	768	69.06
51	2nd	-text-only -journal -ref -noise -endp -aggr -mink	1714	768	69.06
52	2nd	-text-only -journal -ref -noise -endp -fft -mink	1714	768	69.06
53	2nd	-text-only -journal -ref -silence -noise -endp -aggr -mink	1714	768	69.06
54	2nd	-text-only -journal -ref -silence -noise -endp -fft -eucl	1714	768	69.06
55	2nd	-text-only -journal -ref -noise -endp -aggr -eucl	1714	768	69.06
56	2nd	-text-only -journal -ref -noise -endp -fft -eucl	1714	768	69.06
57	2nd	-text-only -journal -ref -silence -noise -endp -aggr -eucl	1714	768	69.06
58	2nd	-text-only -journal -ref -noise -endp -fft -diff	1712	770	68.98
59	2nd	-text-only -journal -ref -silence -noise -endp -fft -diff	1712	770	68.98
60	2nd	-text-only -journal -ref -silence -noise -endp -aggr -diff	1708	774	68.82
61	2nd	-text-only -journal -ref -silence -noise -endp -fft -cheb	1708	774	68.82
62	2nd	-text-only -journal -ref -silence -endp -aggr -diff	1687	795	67.97
63	2nd	-text-only -journal -ref -noise -endp -aggr -cheb	1708	774	68.82
64	2nd	-text-only -journal -ref -noise -endp -aggr -diff	1708	774	68.82
65	2nd	-text-only -journal -ref -noise -endp -fft -cheb	1708	774	68.82
66	2nd	-text-only -journal -ref -endp -aggr -diff	1687	795	67.97
67	2nd	-text-only -journal -ref -silence -noise -endp -aggr -cheb	1708	774	68.82
68	2nd	-text-only -journal -ref -endp -fft -cheb	1687	795	67.97
69	2nd	-text-only -journal -ref -silence -endp -fft -cheb	1687	795	67.97
70	2nd	-text-only -journal -ref -silence -endp -aggr -cheb	1688	794	68.01
71	2nd	-text-only -journal -ref -endp -aggr -cheb	1688	794	68.01
72	2nd	-text-only -journal -ref -endp -fft -diff	1676	806	67.53
73	2nd	-text-only -journal -ref -silence -endp -fft -diff	1676	806	67.53
74	2nd	-text-only -journal -ref -silence -noise -endp -aggr -cos	1706	776	68.73
75	2nd	-text-only -journal -ref -noise -endp -aggr -cos	1706	776	68.73
76	2nd	-text-only -journal -ref -silence -noise -endp -fft -cos	1706	776	68.73
77	2nd	-text-only -journal -ref -noise -endp -fft -cos	1706	776	68.73
78	2nd	-text-only -journal -ref -silence -endp -fft -cos	1654	828	66.64
79	2nd	-text-only -journal -ref -endp -fft -cos	1654	828	66.64
80	2nd	-text-only -journal -ref -endp -aggr -cos	1654	828	66.64
81	2nd	-text-only -journal -ref -silence -endp -aggr -cos	1654	828	66.64
82	2nd	-text-only -journal -ref -noise -endp -minmax -hamming	1567	915	63.13
83	2nd	-text-only -journal -ref -silence -high -minmax -cheb	1649	833	66.44
84	2nd	-text-only -journal -ref -noise -endp -minmax -cheb	1634	848	65.83
85	2nd	-text-only -journal -ref -silence -noise -endp -minmax -cheb	1632	850	65.75
86	2nd	-text-only -journal -ref -high -minmax -cheb	1649	833	66.44
87	2nd	-text-only -journal -ref -silence -noise -endp -minmax -eucl	1627	855	65.55
88	2nd	-text-only -journal -ref -high -minmax -cos	1641	841	66.12
89	2nd	-text-only -journal -ref -silence -high -minmax -cos	1641	841	66.12
90	2nd	-text-only -journal -ref -noise -endp -minmax -eucl	1626	856	65.51
91	2nd	-text-only -journal -ref -noise -endp -minmax -diff	1634	848	65.83
92	2nd	-text-only -journal -ref -silence -high -minmax -diff	1650	832	66.48
93	2nd	-text-only -journal -ref -high -minmax -diff	1650	832	66.48
94	2nd	-text-only -journal -ref -band -minmax -cheb	1625	857	65.47
95	2nd	-text-only -journal -ref -silence -band -minmax -cheb	1625	857	65.47
96	2nd	-text-only -journal -ref -silence -noise -endp -minmax -diff	1635	847	65.87
97	2nd	-text-only -journal -ref -silence -noise -endp -minmax -cos	1626	856	65.51
98	2nd	-text-only -journal -ref -noise -endp -minmax -cos	1627	855	65.55

Table 144: Consolidated results (piste2-result1-marf-text-only-journal-eval), Part 3.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	Le Monde	22885	6515	77.84
2	1st	L'Est Republicain	18359	8738	67.75
3	1st	Le Devoir	3989	27959	12.49
4	1st	La Presse	2861	30312	8.62
5	2nd	Le Monde	23410	5990	79.63
6	2nd	L'Est Republicain	19072	8025	70.38
7	2nd	Le Devoir	20804	11144	65.12
8	2nd	La Presse	18752	14421	56.53

Table 145: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-band-minmax-cheb.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1936.00, corrects = 906.00)` `  rappel = 0.786 precision = 0.468 f-mesure = 0.587`
`- classe Q (attendus = 1329, ramenes = 546.00, corrects = 299.00)` `  rappel = 0.225 precision = 0.548 f-mesure = 0.319`
`- sur l'ensemble des 2 classes` `  macro rappel = 0.505 macro precision = 0.508 macro F-mesure = 0.507`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 359.00, corrects = 117.00)` `  rappel = 0.179 precision = 0.326 f-mesure = 0.231`
`- classe E (attendus = 553, ramenes = 901.00, corrects = 340.00)` `  rappel = 0.615 precision = 0.377 f-mesure = 0.468`
`- classe M (attendus = 600, ramenes = 1035.00, corrects = 426.00)` `  rappel = 0.710 precision = 0.412 f-mesure = 0.521`
`- classe P (attendus = 677, ramenes = 187.00, corrects = 47.00)` `  rappel = 0.069 precision = 0.251 f-mesure = 0.109`
`- sur l'ensemble des 4 classes` `  macro rappel = 0.393 macro precision = 0.342 macro F-mesure = 0.366`

Table 146: Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-endp-aggr-cheb.prexml.xml

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2121.00, corrects = 1072.00) rappel = 0.930 precision = 0.505 f-mesure = 0.655
- classe Q (attendus = 1329, ramenes = 361.00, corrects = 280.00) rappel = 0.211 precision = 0.776 f-mesure = 0.331
- sur l'ensemble des 2 classes macro rappel = 0.570 macro precision = 0.641 macro F-mesure = 0.603
Evaluation du journal
- classe D (attendus = 652, ramenes = 32.00, corrects = 7.00) rappel = 0.011 precision = 0.219 f-mesure = 0.020
- classe E (attendus = 553, ramenes = 691.00, corrects = 353.00) rappel = 0.638 precision = 0.511 f-mesure = 0.568
- classe M (attendus = 600, ramenes = 1430.00, corrects = 518.00) rappel = 0.863 precision = 0.362 f-mesure = 0.510
- classe P (attendus = 677, ramenes = 329.00, corrects = 130.00) rappel = 0.192 precision = 0.395 f-mesure = 0.258
- sur l'ensemble des 4 classes macro rappel = 0.426 macro precision = 0.372 macro F-mesure = 0.397

Table 147: Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-endp-aggr-cos.prexml.xml

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2174.00, corrects = 1028.00) rappel = 0.892 precision = 0.473 f-mesure = 0.618
- classe Q (attendus = 1329, ramenes = 308.00, corrects = 183.00) rappel = 0.138 precision = 0.594 f-mesure = 0.224
- sur l'ensemble des 2 classes macro rappel = 0.515 macro precision = 0.534 macro F-mesure = 0.524
Evaluation du journal
- classe D (attendus = 652, ramenes = 180.00, corrects = 68.00) rappel = 0.104 precision = 0.378 f-mesure = 0.163
- classe E (attendus = 553, ramenes = 879.00, corrects = 366.00) rappel = 0.662 precision = 0.416 f-mesure = 0.511
- classe M (attendus = 600, ramenes = 1295.00, corrects = 511.00) rappel = 0.852 precision = 0.395 f-mesure = 0.539
- classe P (attendus = 677, ramenes = 128.00, corrects = 33.00) rappel = 0.049 precision = 0.258 f-mesure = 0.082
- sur l'ensemble des 4 classes macro rappel = 0.417 macro precision = 0.362 macro F-mesure = 0.387

Table 148: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-endp-aggr-diff.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2120.00, corrects = 1072.00) rappel = 0.930 precision = 0.506 f-mesure = 0.655
- classe Q (attendus = 1329, ramenes = 362.00, corrects = 281.00) rappel = 0.211 precision = 0.776 f-mesure = 0.332
- sur l'ensemble des 2 classes macro rappel = 0.571 macro precision = 0.641 macro F-mesure = 0.604
Evaluation du journal
- classe D (attendus = 652, ramenes = 32.00, corrects = 7.00) rappel = 0.011 precision = 0.219 f-mesure = 0.020
- classe E (attendus = 553, ramenes = 690.00, corrects = 353.00) rappel = 0.638 precision = 0.512 f-mesure = 0.568
- classe M (attendus = 600, ramenes = 1430.00, corrects = 518.00) rappel = 0.863 precision = 0.362 f-mesure = 0.510
- classe P (attendus = 677, ramenes = 330.00, corrects = 131.00) rappel = 0.194 precision = 0.397 f-mesure = 0.260
- sur l'ensemble des 4 classes macro rappel = 0.426 macro precision = 0.372 macro F-mesure = 0.398

Table 149: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-endp-fft-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2121.00, corrects = 1072.00) rappel = 0.930 precision = 0.505 f-mesure = 0.655
- classe Q (attendus = 1329, ramenes = 361.00, corrects = 280.00) rappel = 0.211 precision = 0.776 f-mesure = 0.331
- sur l'ensemble des 2 classes macro rappel = 0.570 macro precision = 0.641 macro F-mesure = 0.603
Evaluation du journal
- classe D (attendus = 652, ramenes = 32.00, corrects = 7.00) rappel = 0.011 precision = 0.219 f-mesure = 0.020
- classe E (attendus = 553, ramenes = 691.00, corrects = 353.00) rappel = 0.638 precision = 0.511 f-mesure = 0.568
- classe M (attendus = 600, ramenes = 1430.00, corrects = 518.00) rappel = 0.863 precision = 0.362 f-mesure = 0.510
- classe P (attendus = 677, ramenes = 329.00, corrects = 130.00) rappel = 0.192 precision = 0.395 f-mesure = 0.258
- sur l'ensemble des 4 classes macro rappel = 0.426 macro precision = 0.372 macro F-mesure = 0.397

Table 150: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-endp-fft-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2174.00, corrects = 1028.00) rappel = 0.892 precision = 0.473 f-mesure = 0.618
- classe Q (attendus = 1329, ramenes = 308.00, corrects = 183.00) rappel = 0.138 precision = 0.594 f-mesure = 0.224
- sur l'ensemble des 2 classes macro rappel = 0.515 macro precision = 0.534 macro F-mesure = 0.524
Evaluation du journal
- classe D (attendus = 652, ramenes = 180.00, corrects = 68.00) rappel = 0.104 precision = 0.378 f-mesure = 0.163
- classe E (attendus = 553, ramenes = 879.00, corrects = 366.00) rappel = 0.662 precision = 0.416 f-mesure = 0.511
- classe M (attendus = 600, ramenes = 1295.00, corrects = 511.00) rappel = 0.852 precision = 0.395 f-mesure = 0.539
- classe P (attendus = 677, ramenes = 128.00, corrects = 33.00) rappel = 0.049 precision = 0.258 f-mesure = 0.082
- sur l'ensemble des 4 classes macro rappel = 0.417 macro precision = 0.362 macro F-mesure = 0.387

Table 151: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-endp-fft-diff.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2133.00, corrects = 1074.00) rappel = 0.931 precision = 0.504 f-mesure = 0.654
- classe Q (attendus = 1329, ramenes = 349.00, corrects = 270.00) rappel = 0.203 precision = 0.774 f-mesure = 0.322
- sur l'ensemble des 2 classes macro rappel = 0.567 macro precision = 0.639 macro F-mesure = 0.601
Evaluation du journal
- classe D (attendus = 652, ramenes = 36.00, corrects = 7.00) rappel = 0.011 precision = 0.194 f-mesure = 0.020
- classe E (attendus = 553, ramenes = 705.00, corrects = 356.00) rappel = 0.644 precision = 0.505 f-mesure = 0.566
- classe M (attendus = 600, ramenes = 1428.00, corrects = 518.00) rappel = 0.863 precision = 0.363 f-mesure = 0.511
- classe P (attendus = 677, ramenes = 313.00, corrects = 119.00) rappel = 0.176 precision = 0.380 f-mesure = 0.240
- sur l'ensemble des 4 classes macro rappel = 0.423 macro precision = 0.361 macro F-mesure = 0.389

Table 152: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-high-minmax-cheb.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1996.00, corrects = 948.00)` `rappel = 0.822 precision = 0.475 f-mesure = 0.602`
`- classe Q (attendus = 1329, ramenes = 486.00, corrects = 281.00)` `rappel = 0.211 precision = 0.578 f-mesure = 0.310`
`- sur l'ensemble des 2 classes` `macro rappel = 0.517 macro precision = 0.527 macro F-mesure = 0.522`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 338.00, corrects = 112.00)` `rappel = 0.172 precision = 0.331 f-mesure = 0.226`
`- classe E (attendus = 553, ramenes = 906.00, corrects = 355.00)` `rappel = 0.642 precision = 0.392 f-mesure = 0.487`
`- classe M (attendus = 600, ramenes = 1090.00, corrects = 432.00)` `rappel = 0.720 precision = 0.396 f-mesure = 0.511`
`- classe P (attendus = 677, ramenes = 148.00, corrects = 43.00)` `rappel = 0.064 precision = 0.291 f-mesure = 0.104`
`- sur l'ensemble des 4 classes` `macro rappel = 0.399 macro precision = 0.353 macro F-mesure = 0.374`

Table 153: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-high-minmax-cos.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 2060.00, corrects = 957.00)` `rappel = 0.830 precision = 0.465 f-mesure = 0.596`
`- classe Q (attendus = 1329, ramenes = 422.00, corrects = 226.00)` `rappel = 0.170 precision = 0.536 f-mesure = 0.258`
`- sur l'ensemble des 2 classes` `macro rappel = 0.500 macro precision = 0.500 macro F-mesure = 0.500`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 265.00, corrects = 84.00)` `rappel = 0.129 precision = 0.317 f-mesure = 0.183`
`- classe E (attendus = 553, ramenes = 926.00, corrects = 359.00)` `rappel = 0.649 precision = 0.388 f-mesure = 0.485`
`- classe M (attendus = 600, ramenes = 1134.00, corrects = 445.00)` `rappel = 0.742 precision = 0.392 f-mesure = 0.513`
`- classe P (attendus = 677, ramenes = 157.00, corrects = 50.00)` `rappel = 0.074 precision = 0.318 f-mesure = 0.120`
`- sur l'ensemble des 4 classes` `macro rappel = 0.398 macro precision = 0.354 macro F-mesure = 0.375`

Table 154: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-high-minmax-diff.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 2004.00, corrects = 950.00)` `rappel = 0.824 precision = 0.474 f-mesure = 0.602`
`- classe Q (attendus = 1329, ramenes = 478.00, corrects = 275.00)` `rappel = 0.207 precision = 0.575 f-mesure = 0.304`
`- sur l'ensemble des 2 classes` `macro rappel = 0.515 macro precision = 0.525 macro F-mesure = 0.520`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 322.00, corrects = 99.00)` `rappel = 0.152 precision = 0.307 f-mesure = 0.203`
`- classe E (attendus = 553, ramenes = 915.00, corrects = 358.00)` `rappel = 0.647 precision = 0.391 f-mesure = 0.488`
`- classe M (attendus = 600, ramenes = 1089.00, corrects = 433.00)` `rappel = 0.722 precision = 0.398 f-mesure = 0.513`
`- classe P (attendus = 677, ramenes = 156.00, corrects = 43.00)` `rappel = 0.064 precision = 0.276 f-mesure = 0.103`
`- sur l'ensemble des 4 classes` `macro rappel = 0.396 macro precision = 0.343 macro F-mesure = 0.368`

Table 155: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-aggr-cheb.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 2093.00, corrects = 1006.00)` `rappel = 0.873 precision = 0.481 f-mesure = 0.620`
`- classe Q (attendus = 1329, ramenes = 389.00, corrects = 242.00)` `rappel = 0.182 precision = 0.622 f-mesure = 0.282`
`- sur l'ensemble des 2 classes` `macro rappel = 0.527 macro precision = 0.551 macro F-mesure = 0.539`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 292.00, corrects = 95.00)` `rappel = 0.146 precision = 0.325 f-mesure = 0.201`
`- classe E (attendus = 553, ramenes = 1022.00, corrects = 418.00)` `rappel = 0.756 precision = 0.409 f-mesure = 0.531`
`- classe M (attendus = 600, ramenes = 1071.00, corrects = 468.00)` `rappel = 0.780 precision = 0.437 f-mesure = 0.560`
`- classe P (attendus = 677, ramenes = 97.00, corrects = 28.00)` `rappel = 0.041 precision = 0.289 f-mesure = 0.072`
`- sur l'ensemble des 4 classes` `macro rappel = 0.431 macro precision = 0.365 macro F-mesure = 0.395`

Table 156: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-aggr-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2099.00, corrects = 1014.00) rappel = 0.879 precision = 0.483 f-mesure = 0.624
- classe Q (attendus = 1329, ramenes = 383.00, corrects = 244.00) rappel = 0.184 precision = 0.637 f-mesure = 0.285
- sur l'ensemble des 2 classes macro rappel = 0.532 macro precision = 0.560 macro F-mesure = 0.545
Evaluation du journal
- classe D (attendus = 652, ramenes = 158.00, corrects = 39.00) rappel = 0.060 precision = 0.247 f-mesure = 0.096
- classe E (attendus = 553, ramenes = 1238.00, corrects = 467.00) rappel = 0.844 precision = 0.377 f-mesure = 0.521
- classe M (attendus = 600, ramenes = 861.00, corrects = 407.00) rappel = 0.678 precision = 0.473 f-mesure = 0.557
- classe P (attendus = 677, ramenes = 225.00, corrects = 75.00) rappel = 0.111 precision = 0.333 f-mesure = 0.166
- sur l'ensemble des 4 classes macro rappel = 0.423 macro precision = 0.358 macro F-mesure = 0.388

Table 157: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-aggr-diff.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2093.00, corrects = 1006.00) rappel = 0.873 precision = 0.481 f-mesure = 0.620
- classe Q (attendus = 1329, ramenes = 389.00, corrects = 242.00) rappel = 0.182 precision = 0.622 f-mesure = 0.282
- sur l'ensemble des 2 classes macro rappel = 0.527 macro precision = 0.551 macro F-mesure = 0.539
Evaluation du journal
- classe D (attendus = 652, ramenes = 292.00, corrects = 95.00) rappel = 0.146 precision = 0.325 f-mesure = 0.201
- classe E (attendus = 553, ramenes = 1022.00, corrects = 418.00) rappel = 0.756 precision = 0.409 f-mesure = 0.531
- classe M (attendus = 600, ramenes = 1071.00, corrects = 468.00) rappel = 0.780 precision = 0.437 f-mesure = 0.560
- classe P (attendus = 677, ramenes = 97.00, corrects = 28.00) rappel = 0.041 precision = 0.289 f-mesure = 0.072
- sur l'ensemble des 4 classes macro rappel = 0.431 macro precision = 0.365 macro F-mesure = 0.395

Table 158: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-aggr-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 2085.00, corrects = 1006.00)` `rappel = 0.873 precision = 0.482 f-mesure = 0.621`
`- classe Q (attendus = 1329, ramenes = 397.00, corrects = 250.00)` `rappel = 0.188 precision = 0.630 f-mesure = 0.290`
`- sur l'ensemble des 2 classes` `macro rappel = 0.530 macro precision = 0.556 macro F-mesure = 0.543`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 283.00, corrects = 98.00)` `rappel = 0.150 precision = 0.346 f-mesure = 0.210`
`- classe E (attendus = 553, ramenes = 999.00, corrects = 411.00)` `rappel = 0.743 precision = 0.411 f-mesure = 0.530`
`- classe M (attendus = 600, ramenes = 1086.00, corrects = 477.00)` `rappel = 0.795 precision = 0.439 f-mesure = 0.566`
`- classe P (attendus = 677, ramenes = 114.00, corrects = 39.00)` `rappel = 0.058 precision = 0.342 f-mesure = 0.099`
`- sur l'ensemble des 4 classes` `macro rappel = 0.437 macro precision = 0.385 macro F-mesure = 0.409`

Table 159: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-aggr-mink.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 2075.00, corrects = 1004.00)` `rappel = 0.871 precision = 0.484 f-mesure = 0.622`
`- classe Q (attendus = 1329, ramenes = 407.00, corrects = 258.00)` `rappel = 0.194 precision = 0.634 f-mesure = 0.297`
`- sur l'ensemble des 2 classes` `macro rappel = 0.532 macro precision = 0.559 macro F-mesure = 0.545`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 317.00, corrects = 108.00)` `rappel = 0.166 precision = 0.341 f-mesure = 0.223`
`- classe E (attendus = 553, ramenes = 995.00, corrects = 410.00)` `rappel = 0.741 precision = 0.412 f-mesure = 0.530`
`- classe M (attendus = 600, ramenes = 1080.00, corrects = 476.00)` `rappel = 0.793 precision = 0.441 f-mesure = 0.567`
`- classe P (attendus = 677, ramenes = 90.00, corrects = 33.00)` `rappel = 0.049 precision = 0.367 f-mesure = 0.086`
`- sur l'ensemble des 4 classes` `macro rappel = 0.437 macro precision = 0.390 macro F-mesure = 0.412`

Table 160: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-fft-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2093.00, corrects = 1006.00) rappel = 0.873 precision = 0.481 f-mesure = 0.620
- classe Q (attendus = 1329, ramenes = 389.00, corrects = 242.00) rappel = 0.182 precision = 0.622 f-mesure = 0.282
- sur l'ensemble des 2 classes macro rappel = 0.527 macro precision = 0.551 macro F-mesure = 0.539
Evaluation du journal
- classe D (attendus = 652, ramenes = 292.00, corrects = 95.00) rappel = 0.146 precision = 0.325 f-mesure = 0.201
- classe E (attendus = 553, ramenes = 1022.00, corrects = 418.00) rappel = 0.756 precision = 0.409 f-mesure = 0.531
- classe M (attendus = 600, ramenes = 1071.00, corrects = 468.00) rappel = 0.780 precision = 0.437 f-mesure = 0.560
- classe P (attendus = 677, ramenes = 97.00, corrects = 28.00) rappel = 0.041 precision = 0.289 f-mesure = 0.072
- sur l'ensemble des 4 classes macro rappel = 0.431 macro precision = 0.365 macro F-mesure = 0.395

Table 161: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-fft-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2099.00, corrects = 1014.00) rappel = 0.879 precision = 0.483 f-mesure = 0.624
- classe Q (attendus = 1329, ramenes = 383.00, corrects = 244.00) rappel = 0.184 precision = 0.637 f-mesure = 0.285
- sur l'ensemble des 2 classes macro rappel = 0.532 macro precision = 0.560 macro F-mesure = 0.545
Evaluation du journal
- classe D (attendus = 652, ramenes = 158.00, corrects = 39.00) rappel = 0.060 precision = 0.247 f-mesure = 0.096
- classe E (attendus = 553, ramenes = 1238.00, corrects = 467.00) rappel = 0.844 precision = 0.377 f-mesure = 0.521
- classe M (attendus = 600, ramenes = 861.00, corrects = 407.00) rappel = 0.678 precision = 0.473 f-mesure = 0.557
- classe P (attendus = 677, ramenes = 225.00, corrects = 75.00) rappel = 0.111 precision = 0.333 f-mesure = 0.166
- sur l'ensemble des 4 classes macro rappel = 0.423 macro precision = 0.358 macro F-mesure = 0.388

Table 162: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-fft-diff.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 2084.00, corrects = 1006.00)` `rappel = 0.873 precision = 0.483 f-mesure = 0.622`
`- classe Q (attendus = 1329, ramenes = 398.00, corrects = 251.00)` `rappel = 0.189 precision = 0.631 f-mesure = 0.291`
`- sur l'ensemble des 2 classes` `macro rappel = 0.531 macro precision = 0.557 macro F-mesure = 0.543`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 304.00, corrects = 101.00)` `rappel = 0.155 precision = 0.332 f-mesure = 0.211`
`- classe E (attendus = 553, ramenes = 1030.00, corrects = 422.00)` `rappel = 0.763 precision = 0.410 f-mesure = 0.533`
`- classe M (attendus = 600, ramenes = 1054.00, corrects = 463.00)` `rappel = 0.772 precision = 0.439 f-mesure = 0.560`
`- classe P (attendus = 677, ramenes = 94.00, corrects = 27.00)` `rappel = 0.040 precision = 0.287 f-mesure = 0.070`
`- sur l'ensemble des 4 classes` `macro rappel = 0.432 macro precision = 0.367 macro F-mesure = 0.397`

Table 163: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-fft-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 2085.00, corrects = 1006.00)` `rappel = 0.873 precision = 0.482 f-mesure = 0.621`
`- classe Q (attendus = 1329, ramenes = 397.00, corrects = 250.00)` `rappel = 0.188 precision = 0.630 f-mesure = 0.290`
`- sur l'ensemble des 2 classes` `macro rappel = 0.530 macro precision = 0.556 macro F-mesure = 0.543`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 283.00, corrects = 98.00)` `rappel = 0.150 precision = 0.346 f-mesure = 0.210`
`- classe E (attendus = 553, ramenes = 999.00, corrects = 411.00)` `rappel = 0.743 precision = 0.411 f-mesure = 0.530`
`- classe M (attendus = 600, ramenes = 1086.00, corrects = 477.00)` `rappel = 0.795 precision = 0.439 f-mesure = 0.566`
`- classe P (attendus = 677, ramenes = 114.00, corrects = 39.00)` `rappel = 0.058 precision = 0.342 f-mesure = 0.099`
`- sur l'ensemble des 4 classes` `macro rappel = 0.437 macro precision = 0.385 macro F-mesure = 0.409`

Table 164: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-fft-mink.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2075.00, corrects = 1004.00) rappel = 0.871 precision = 0.484 f-mesure = 0.622
- classe Q (attendus = 1329, ramenes = 407.00, corrects = 258.00) rappel = 0.194 precision = 0.634 f-mesure = 0.297
- sur l'ensemble des 2 classes macro rappel = 0.532 macro precision = 0.559 macro F-mesure = 0.545
Evaluation du journal
- classe D (attendus = 652, ramenes = 317.00, corrects = 108.00) rappel = 0.166 precision = 0.341 f-mesure = 0.223
- classe E (attendus = 553, ramenes = 995.00, corrects = 410.00) rappel = 0.741 precision = 0.412 f-mesure = 0.530
- classe M (attendus = 600, ramenes = 1080.00, corrects = 476.00) rappel = 0.793 precision = 0.441 f-mesure = 0.567
- classe P (attendus = 677, ramenes = 90.00, corrects = 33.00) rappel = 0.049 precision = 0.367 f-mesure = 0.086
- sur l'ensemble des 4 classes macro rappel = 0.437 macro precision = 0.390 macro F-mesure = 0.412

Table 165: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-minmax-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1934.00, corrects = 903.00) rappel = 0.783 precision = 0.467 f-mesure = 0.585
- classe Q (attendus = 1329, ramenes = 548.00, corrects = 298.00) rappel = 0.224 precision = 0.544 f-mesure = 0.318
- sur l'ensemble des 2 classes macro rappel = 0.504 macro precision = 0.505 macro F-mesure = 0.505
Evaluation du journal
- classe D (attendus = 652, ramenes = 381.00, corrects = 123.00) rappel = 0.189 precision = 0.323 f-mesure = 0.238
- classe E (attendus = 553, ramenes = 802.00, corrects = 315.00) rappel = 0.570 precision = 0.393 f-mesure = 0.465
- classe M (attendus = 600, ramenes = 1132.00, corrects = 458.00) rappel = 0.763 precision = 0.405 f-mesure = 0.529
- classe P (attendus = 677, ramenes = 167.00, corrects = 46.00) rappel = 0.068 precision = 0.275 f-mesure = 0.109
- sur l'ensemble des 4 classes macro rappel = 0.397 macro precision = 0.349 macro F-mesure = 0.372

Table 166: Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-minmax-cos.prexml.xml

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1987.00, corrects = 920.00) rappel = 0.798 precision = 0.463 f-mesure = 0.586
- classe Q (attendus = 1329, ramenes = 495.00, corrects = 262.00) rappel = 0.197 precision = 0.529 f-mesure = 0.287
- sur l'ensemble des 2 classes macro rappel = 0.498 macro precision = 0.496 macro F-mesure = 0.497
Evaluation du journal
- classe D (attendus = 652, ramenes = 323.00, corrects = 103.00) rappel = 0.158 precision = 0.319 f-mesure = 0.211
- classe E (attendus = 553, ramenes = 813.00, corrects = 315.00) rappel = 0.570 precision = 0.387 f-mesure = 0.461
- classe M (attendus = 600, ramenes = 1174.00, corrects = 460.00) rappel = 0.767 precision = 0.392 f-mesure = 0.519
- classe P (attendus = 677, ramenes = 172.00, corrects = 39.00) rappel = 0.058 precision = 0.227 f-mesure = 0.092
- sur l'ensemble des 4 classes macro rappel = 0.388 macro precision = 0.331 macro F-mesure = 0.357

Table 167: Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-minmax-diff.prexml.xml

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1946.00, corrects = 907.00) rappel = 0.787 precision = 0.466 f-mesure = 0.585
- classe Q (attendus = 1329, ramenes = 536.00, corrects = 290.00) rappel = 0.218 precision = 0.541 f-mesure = 0.311
- sur l'ensemble des 2 classes macro rappel = 0.502 macro precision = 0.504 macro F-mesure = 0.503
Evaluation du journal
- classe D (attendus = 652, ramenes = 378.00, corrects = 118.00) rappel = 0.181 precision = 0.312 f-mesure = 0.229
- classe E (attendus = 553, ramenes = 809.00, corrects = 314.00) rappel = 0.568 precision = 0.388 f-mesure = 0.461
- classe M (attendus = 600, ramenes = 1137.00, corrects = 459.00) rappel = 0.765 precision = 0.404 f-mesure = 0.528
- classe P (attendus = 677, ramenes = 158.00, corrects = 43.00) rappel = 0.064 precision = 0.272 f-mesure = 0.103
- sur l'ensemble des 4 classes macro rappel = 0.394 macro precision = 0.344 macro F-mesure = 0.367

Table 168: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-minmax-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1967.00, corrects = 920.00)` `rappel = 0.798 precision = 0.468 f-mesure = 0.590`
`- classe Q (attendus = 1329, ramenes = 515.00, corrects = 282.00)` `rappel = 0.212 precision = 0.548 f-mesure = 0.306`
`- sur l'ensemble des 2 classes` `macro rappel = 0.505 macro precision = 0.508 macro F-mesure = 0.506`

Evaluation du journal
`- classe D (attendus = 652, ramenes = 349.00, corrects = 120.00)` `rappel = 0.184 precision = 0.344 f-mesure = 0.240`
`- classe E (attendus = 553, ramenes = 820.00, corrects = 319.00)` `rappel = 0.577 precision = 0.389 f-mesure = 0.465`
`- classe M (attendus = 600, ramenes = 1147.00, corrects = 460.00)` `rappel = 0.767 precision = 0.401 f-mesure = 0.527`
`- classe P (attendus = 677, ramenes = 166.00, corrects = 38.00)` `rappel = 0.056 precision = 0.229 f-mesure = 0.090`
`- sur l'ensemble des 4 classes` `macro rappel = 0.396 macro precision = 0.341 macro F-mesure = 0.366`

Table 169: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-noise-endp-minmax-hamming.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1392.00, corrects = 710.00)` `rappel = 0.616 precision = 0.510 f-mesure = 0.558`
`- classe Q (attendus = 1329, ramenes = 1090.00, corrects = 647.00)` `rappel = 0.487 precision = 0.594 f-mesure = 0.535`
`- sur l'ensemble des 2 classes` `macro rappel = 0.551 macro precision = 0.552 macro F-mesure = 0.552`

Evaluation du journal
`- classe D (attendus = 652, ramenes = 490.00, corrects = 159.00)` `rappel = 0.244 precision = 0.324 f-mesure = 0.278`
`- classe E (attendus = 553, ramenes = 475.00, corrects = 215.00)` `rappel = 0.389 precision = 0.453 f-mesure = 0.418`
`- classe M (attendus = 600, ramenes = 917.00, corrects = 376.00)` `rappel = 0.627 precision = 0.410 f-mesure = 0.496`
`- classe P (attendus = 677, ramenes = 600.00, corrects = 199.00)` `rappel = 0.294 precision = 0.332 f-mesure = 0.312`
`- sur l'ensemble des 4 classes` `macro rappel = 0.388 macro precision = 0.380 macro F-mesure = 0.384`

Table 170: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-band-minmax-cheb.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1936.00, corrects = 906.00)` `rappel = 0.786 precision = 0.468 f-mesure = 0.587`
`- classe Q (attendus = 1329, ramenes = 546.00, corrects = 299.00)` `rappel = 0.225 precision = 0.548 f-mesure = 0.319`
`- sur l'ensemble des 2 classes` `macro rappel = 0.505 macro precision = 0.508 macro F-mesure = 0.507`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 359.00, corrects = 117.00)` `rappel = 0.179 precision = 0.326 f-mesure = 0.231`
`- classe E (attendus = 553, ramenes = 901.00, corrects = 340.00)` `rappel = 0.615 precision = 0.377 f-mesure = 0.468`
`- classe M (attendus = 600, ramenes = 1035.00, corrects = 426.00)` `rappel = 0.710 precision = 0.412 f-mesure = 0.521`
`- classe P (attendus = 677, ramenes = 187.00, corrects = 47.00)` `rappel = 0.069 precision = 0.251 f-mesure = 0.109`
`- sur l'ensemble des 4 classes` `macro rappel = 0.393 macro precision = 0.342 macro F-mesure = 0.366`

Table 171: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-endp-aggr-cheb.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 2121.00, corrects = 1072.00)` `rappel = 0.930 precision = 0.505 f-mesure = 0.655`
`- classe Q (attendus = 1329, ramenes = 361.00, corrects = 280.00)` `rappel = 0.211 precision = 0.776 f-mesure = 0.331`
`- sur l'ensemble des 2 classes` `macro rappel = 0.570 macro precision = 0.641 macro F-mesure = 0.603`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 32.00, corrects = 7.00)` `rappel = 0.011 precision = 0.219 f-mesure = 0.020`
`- classe E (attendus = 553, ramenes = 691.00, corrects = 353.00)` `rappel = 0.638 precision = 0.511 f-mesure = 0.568`
`- classe M (attendus = 600, ramenes = 1430.00, corrects = 518.00)` `rappel = 0.863 precision = 0.362 f-mesure = 0.510`
`- classe P (attendus = 677, ramenes = 329.00, corrects = 130.00)` `rappel = 0.192 precision = 0.395 f-mesure = 0.258`
`- sur l'ensemble des 4 classes` `macro rappel = 0.426 macro precision = 0.372 macro F-mesure = 0.397`

Table 172: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-endp-aggr-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2174.00, corrects = 1028.00) rappel = 0.892 precision = 0.473 f-mesure = 0.618
- classe Q (attendus = 1329, ramenes = 308.00, corrects = 183.00) rappel = 0.138 precision = 0.594 f-mesure = 0.224
- sur l'ensemble des 2 classes macro rappel = 0.515 macro precision = 0.534 macro F-mesure = 0.524
Evaluation du journal
- classe D (attendus = 652, ramenes = 180.00, corrects = 68.00) rappel = 0.104 precision = 0.378 f-mesure = 0.163
- classe E (attendus = 553, ramenes = 879.00, corrects = 366.00) rappel = 0.662 precision = 0.416 f-mesure = 0.511
- classe M (attendus = 600, ramenes = 1295.00, corrects = 511.00) rappel = 0.852 precision = 0.395 f-mesure = 0.539
- classe P (attendus = 677, ramenes = 128.00, corrects = 33.00) rappel = 0.049 precision = 0.258 f-mesure = 0.082
- sur l'ensemble des 4 classes macro rappel = 0.417 macro precision = 0.362 macro F-mesure = 0.387

Table 173: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-endp-aggr-diff.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2120.00, corrects = 1072.00) rappel = 0.930 precision = 0.506 f-mesure = 0.655
- classe Q (attendus = 1329, ramenes = 362.00, corrects = 281.00) rappel = 0.211 precision = 0.776 f-mesure = 0.332
- sur l'ensemble des 2 classes macro rappel = 0.571 macro precision = 0.641 macro F-mesure = 0.604
Evaluation du journal
- classe D (attendus = 652, ramenes = 32.00, corrects = 7.00) rappel = 0.011 precision = 0.219 f-mesure = 0.020
- classe E (attendus = 553, ramenes = 690.00, corrects = 353.00) rappel = 0.638 precision = 0.512 f-mesure = 0.568
- classe M (attendus = 600, ramenes = 1430.00, corrects = 518.00) rappel = 0.863 precision = 0.362 f-mesure = 0.510
- classe P (attendus = 677, ramenes = 330.00, corrects = 131.00) rappel = 0.194 precision = 0.397 f-mesure = 0.260
- sur l'ensemble des 4 classes macro rappel = 0.426 macro precision = 0.372 macro F-mesure = 0.398

Table 174: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-endp-fft-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2121.00, corrects = 1072.00) rappel = 0.930 precision = 0.505 f-mesure = 0.655
- classe Q (attendus = 1329, ramenes = 361.00, corrects = 280.00) rappel = 0.211 precision = 0.776 f-mesure = 0.331
- sur l'ensemble des 2 classes macro rappel = 0.570 macro precision = 0.641 macro F-mesure = 0.603
Evaluation du journal
- classe D (attendus = 652, ramenes = 32.00, corrects = 7.00) rappel = 0.011 precision = 0.219 f-mesure = 0.020
- classe E (attendus = 553, ramenes = 691.00, corrects = 353.00) rappel = 0.638 precision = 0.511 f-mesure = 0.568
- classe M (attendus = 600, ramenes = 1430.00, corrects = 518.00) rappel = 0.863 precision = 0.362 f-mesure = 0.510
- classe P (attendus = 677, ramenes = 329.00, corrects = 130.00) rappel = 0.192 precision = 0.395 f-mesure = 0.258
- sur l'ensemble des 4 classes macro rappel = 0.426 macro precision = 0.372 macro F-mesure = 0.397

Table 175: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-endp-fft-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2174.00, corrects = 1028.00) rappel = 0.892 precision = 0.473 f-mesure = 0.618
- classe Q (attendus = 1329, ramenes = 308.00, corrects = 183.00) rappel = 0.138 precision = 0.594 f-mesure = 0.224
- sur l'ensemble des 2 classes macro rappel = 0.515 macro precision = 0.534 macro F-mesure = 0.524
Evaluation du journal
- classe D (attendus = 652, ramenes = 180.00, corrects = 68.00) rappel = 0.104 precision = 0.378 f-mesure = 0.163
- classe E (attendus = 553, ramenes = 879.00, corrects = 366.00) rappel = 0.662 precision = 0.416 f-mesure = 0.511
- classe M (attendus = 600, ramenes = 1295.00, corrects = 511.00) rappel = 0.852 precision = 0.395 f-mesure = 0.539
- classe P (attendus = 677, ramenes = 128.00, corrects = 33.00) rappel = 0.049 precision = 0.258 f-mesure = 0.082
- sur l'ensemble des 4 classes macro rappel = 0.417 macro precision = 0.362 macro F-mesure = 0.387

Table 176: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-endp-fft-diff.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 2133.00, corrects = 1074.00)` `rappel = 0.931 precision = 0.504 f-mesure = 0.654`
`- classe Q (attendus = 1329, ramenes = 349.00, corrects = 270.00)` `rappel = 0.203 precision = 0.774 f-mesure = 0.322`
`- sur l'ensemble des 2 classes` `macro rappel = 0.567 macro precision = 0.639 macro F-mesure = 0.601`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 36.00, corrects = 7.00)` `rappel = 0.011 precision = 0.194 f-mesure = 0.020`
`- classe E (attendus = 553, ramenes = 705.00, corrects = 356.00)` `rappel = 0.644 precision = 0.505 f-mesure = 0.566`
`- classe M (attendus = 600, ramenes = 1428.00, corrects = 518.00)` `rappel = 0.863 precision = 0.363 f-mesure = 0.511`
`- classe P (attendus = 677, ramenes = 313.00, corrects = 119.00)` `rappel = 0.176 precision = 0.380 f-mesure = 0.240`
`- sur l'ensemble des 4 classes` `macro rappel = 0.423 macro precision = 0.361 macro F-mesure = 0.389`

Table 177: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-high-minmax-cheb.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1996.00, corrects = 948.00)` `rappel = 0.822 precision = 0.475 f-mesure = 0.602`
`- classe Q (attendus = 1329, ramenes = 486.00, corrects = 281.00)` `rappel = 0.211 precision = 0.578 f-mesure = 0.310`
`- sur l'ensemble des 2 classes` `macro rappel = 0.517 macro precision = 0.527 macro F-mesure = 0.522`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 338.00, corrects = 112.00)` `rappel = 0.172 precision = 0.331 f-mesure = 0.226`
`- classe E (attendus = 553, ramenes = 906.00, corrects = 355.00)` `rappel = 0.642 precision = 0.392 f-mesure = 0.487`
`- classe M (attendus = 600, ramenes = 1090.00, corrects = 432.00)` `rappel = 0.720 precision = 0.396 f-mesure = 0.511`
`- classe P (attendus = 677, ramenes = 148.00, corrects = 43.00)` `rappel = 0.064 precision = 0.291 f-mesure = 0.104`
`- sur l'ensemble des 4 classes` `macro rappel = 0.399 macro precision = 0.353 macro F-mesure = 0.374`

Table 178: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-high-minmax-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2060.00, corrects = 957.00) rappel = 0.830 precision = 0.465 f-mesure = 0.596
- classe Q (attendus = 1329, ramenes = 422.00, corrects = 226.00) rappel = 0.170 precision = 0.536 f-mesure = 0.258
- sur l'ensemble des 2 classes macro rappel = 0.500 macro precision = 0.500 macro F-mesure = 0.500
Evaluation du journal
- classe D (attendus = 652, ramenes = 265.00, corrects = 84.00) rappel = 0.129 precision = 0.317 f-mesure = 0.183
- classe E (attendus = 553, ramenes = 926.00, corrects = 359.00) rappel = 0.649 precision = 0.388 f-mesure = 0.485
- classe M (attendus = 600, ramenes = 1134.00, corrects = 445.00) rappel = 0.742 precision = 0.392 f-mesure = 0.513
- classe P (attendus = 677, ramenes = 157.00, corrects = 50.00) rappel = 0.074 precision = 0.318 f-mesure = 0.120
- sur l'ensemble des 4 classes macro rappel = 0.398 macro precision = 0.354 macro F-mesure = 0.375

Table 179: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-high-minmax-diff.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2004.00, corrects = 950.00) rappel = 0.824 precision = 0.474 f-mesure = 0.602
- classe Q (attendus = 1329, ramenes = 478.00, corrects = 275.00) rappel = 0.207 precision = 0.575 f-mesure = 0.304
- sur l'ensemble des 2 classes macro rappel = 0.515 macro precision = 0.525 macro F-mesure = 0.520
Evaluation du journal
- classe D (attendus = 652, ramenes = 322.00, corrects = 99.00) rappel = 0.152 precision = 0.307 f-mesure = 0.203
- classe E (attendus = 553, ramenes = 915.00, corrects = 358.00) rappel = 0.647 precision = 0.391 f-mesure = 0.488
- classe M (attendus = 600, ramenes = 1089.00, corrects = 433.00) rappel = 0.722 precision = 0.398 f-mesure = 0.513
- classe P (attendus = 677, ramenes = 156.00, corrects = 43.00) rappel = 0.064 precision = 0.276 f-mesure = 0.103
- sur l'ensemble des 4 classes macro rappel = 0.396 macro precision = 0.343 macro F-mesure = 0.368

Table 180: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-aggr-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2093.00, corrects = 1006.00) rappel = 0.873 precision = 0.481 f-mesure = 0.620
- classe Q (attendus = 1329, ramenes = 389.00, corrects = 242.00) rappel = 0.182 precision = 0.622 f-mesure = 0.282
- sur l'ensemble des 2 classes macro rappel = 0.527 macro precision = 0.551 macro F-mesure = 0.539
Evaluation du journal
- classe D (attendus = 652, ramenes = 292.00, corrects = 95.00) rappel = 0.146 precision = 0.325 f-mesure = 0.201
- classe E (attendus = 553, ramenes = 1022.00, corrects = 418.00) rappel = 0.756 precision = 0.409 f-mesure = 0.531
- classe M (attendus = 600, ramenes = 1071.00, corrects = 468.00) rappel = 0.780 precision = 0.437 f-mesure = 0.560
- classe P (attendus = 677, ramenes = 97.00, corrects = 28.00) rappel = 0.041 precision = 0.289 f-mesure = 0.072
- sur l'ensemble des 4 classes macro rappel = 0.431 macro precision = 0.365 macro F-mesure = 0.395

Table 181: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-aggr-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2099.00, corrects = 1014.00) rappel = 0.879 precision = 0.483 f-mesure = 0.624
- classe Q (attendus = 1329, ramenes = 383.00, corrects = 244.00) rappel = 0.184 precision = 0.637 f-mesure = 0.285
- sur l'ensemble des 2 classes macro rappel = 0.532 macro precision = 0.560 macro F-mesure = 0.545
Evaluation du journal
- classe D (attendus = 652, ramenes = 158.00, corrects = 39.00) rappel = 0.060 precision = 0.247 f-mesure = 0.096
- classe E (attendus = 553, ramenes = 1238.00, corrects = 467.00) rappel = 0.844 precision = 0.377 f-mesure = 0.521
- classe M (attendus = 600, ramenes = 861.00, corrects = 407.00) rappel = 0.678 precision = 0.473 f-mesure = 0.557
- classe P (attendus = 677, ramenes = 225.00, corrects = 75.00) rappel = 0.111 precision = 0.333 f-mesure = 0.166
- sur l'ensemble des 4 classes macro rappel = 0.423 macro precision = 0.358 macro F-mesure = 0.388

Table 182: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-aggr-diff.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 2093.00, corrects = 1006.00)` `rappel = 0.873 precision = 0.481 f-mesure = 0.620`
`- classe Q (attendus = 1329, ramenes = 389.00, corrects = 242.00)` `rappel = 0.182 precision = 0.622 f-mesure = 0.282`
`- sur l'ensemble des 2 classes` `macro rappel = 0.527 macro precision = 0.551 macro F-mesure = 0.539`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 292.00, corrects = 95.00)` `rappel = 0.146 precision = 0.325 f-mesure = 0.201`
`- classe E (attendus = 553, ramenes = 1022.00, corrects = 418.00)` `rappel = 0.756 precision = 0.409 f-mesure = 0.531`
`- classe M (attendus = 600, ramenes = 1071.00, corrects = 468.00)` `rappel = 0.780 precision = 0.437 f-mesure = 0.560`
`- classe P (attendus = 677, ramenes = 97.00, corrects = 28.00)` `rappel = 0.041 precision = 0.289 f-mesure = 0.072`
`- sur l'ensemble des 4 classes` `macro rappel = 0.431 macro precision = 0.365 macro F-mesure = 0.395`

Table 183: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-aggr-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 2085.00, corrects = 1006.00)` `rappel = 0.873 precision = 0.482 f-mesure = 0.621`
`- classe Q (attendus = 1329, ramenes = 397.00, corrects = 250.00)` `rappel = 0.188 precision = 0.630 f-mesure = 0.290`
`- sur l'ensemble des 2 classes` `macro rappel = 0.530 macro precision = 0.556 macro F-mesure = 0.543`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 283.00, corrects = 98.00)` `rappel = 0.150 precision = 0.346 f-mesure = 0.210`
`- classe E (attendus = 553, ramenes = 999.00, corrects = 411.00)` `rappel = 0.743 precision = 0.411 f-mesure = 0.530`
`- classe M (attendus = 600, ramenes = 1086.00, corrects = 477.00)` `rappel = 0.795 precision = 0.439 f-mesure = 0.566`
`- classe P (attendus = 677, ramenes = 114.00, corrects = 39.00)` `rappel = 0.058 precision = 0.342 f-mesure = 0.099`
`- sur l'ensemble des 4 classes` `macro rappel = 0.437 macro precision = 0.385 macro F-mesure = 0.409`

Table 184: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-aggr-mink.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2075.00, corrects = 1004.00) rappel = 0.871 precision = 0.484 f-mesure = 0.622
- classe Q (attendus = 1329, ramenes = 407.00, corrects = 258.00) rappel = 0.194 precision = 0.634 f-mesure = 0.297
- sur l'ensemble des 2 classes macro rappel = 0.532 macro precision = 0.559 macro F-mesure = 0.545
Evaluation du journal
- classe D (attendus = 652, ramenes = 318.00, corrects = 108.00) rappel = 0.166 precision = 0.340 f-mesure = 0.223
- classe E (attendus = 553, ramenes = 995.00, corrects = 410.00) rappel = 0.741 precision = 0.412 f-mesure = 0.530
- classe M (attendus = 600, ramenes = 1080.00, corrects = 476.00) rappel = 0.793 precision = 0.441 f-mesure = 0.567
- classe P (attendus = 677, ramenes = 89.00, corrects = 33.00) rappel = 0.049 precision = 0.371 f-mesure = 0.086
- sur l'ensemble des 4 classes macro rappel = 0.437 macro precision = 0.391 macro F-mesure = 0.413

Table 185: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-fft-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2093.00, corrects = 1006.00) rappel = 0.873 precision = 0.481 f-mesure = 0.620
- classe Q (attendus = 1329, ramenes = 389.00, corrects = 242.00) rappel = 0.182 precision = 0.622 f-mesure = 0.282
- sur l'ensemble des 2 classes macro rappel = 0.527 macro precision = 0.551 macro F-mesure = 0.539
Evaluation du journal
- classe D (attendus = 652, ramenes = 292.00, corrects = 95.00) rappel = 0.146 precision = 0.325 f-mesure = 0.201
- classe E (attendus = 553, ramenes = 1022.00, corrects = 418.00) rappel = 0.756 precision = 0.409 f-mesure = 0.531
- classe M (attendus = 600, ramenes = 1071.00, corrects = 468.00) rappel = 0.780 precision = 0.437 f-mesure = 0.560
- classe P (attendus = 677, ramenes = 97.00, corrects = 28.00) rappel = 0.041 precision = 0.289 f-mesure = 0.072
- sur l'ensemble des 4 classes macro rappel = 0.431 macro precision = 0.365 macro F-mesure = 0.395

Table 186: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-fft-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2099.00, corrects = 1014.00) rappel = 0.879 precision = 0.483 f-mesure = 0.624
- classe Q (attendus = 1329, ramenes = 383.00, corrects = 244.00) rappel = 0.184 precision = 0.637 f-mesure = 0.285
- sur l'ensemble des 2 classes macro rappel = 0.532 macro precision = 0.560 macro F-mesure = 0.545
Evaluation du journal
- classe D (attendus = 652, ramenes = 158.00, corrects = 39.00) rappel = 0.060 precision = 0.247 f-mesure = 0.096
- classe E (attendus = 553, ramenes = 1238.00, corrects = 467.00) rappel = 0.844 precision = 0.377 f-mesure = 0.521
- classe M (attendus = 600, ramenes = 861.00, corrects = 407.00) rappel = 0.678 precision = 0.473 f-mesure = 0.557
- classe P (attendus = 677, ramenes = 225.00, corrects = 75.00) rappel = 0.111 precision = 0.333 f-mesure = 0.166
- sur l'ensemble des 4 classes macro rappel = 0.423 macro precision = 0.358 macro F-mesure = 0.388

Table 187: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-fft-diff.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2083.00, corrects = 1005.00) rappel = 0.872 precision = 0.482 f-mesure = 0.621
- classe Q (attendus = 1329, ramenes = 399.00, corrects = 251.00) rappel = 0.189 precision = 0.629 f-mesure = 0.291
- sur l'ensemble des 2 classes macro rappel = 0.530 macro precision = 0.556 macro F-mesure = 0.543
Evaluation du journal
- classe D (attendus = 652, ramenes = 304.00, corrects = 101.00) rappel = 0.155 precision = 0.332 f-mesure = 0.211
- classe E (attendus = 553, ramenes = 1030.00, corrects = 422.00) rappel = 0.763 precision = 0.410 f-mesure = 0.533
- classe M (attendus = 600, ramenes = 1053.00, corrects = 462.00) rappel = 0.770 precision = 0.439 f-mesure = 0.559
- classe P (attendus = 677, ramenes = 95.00, corrects = 27.00) rappel = 0.040 precision = 0.284 f-mesure = 0.070
- sur l'ensemble des 4 classes macro rappel = 0.432 macro precision = 0.366 macro F-mesure = 0.396

Table 188: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-fft-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 2085.00, corrects = 1006.00)` `rappel = 0.873 precision = 0.482 f-mesure = 0.621`
`- classe Q (attendus = 1329, ramenes = 397.00, corrects = 250.00)` `rappel = 0.188 precision = 0.630 f-mesure = 0.290`
`- sur l'ensemble des 2 classes` `macro rappel = 0.530 macro precision = 0.556 macro F-mesure = 0.543`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 283.00, corrects = 98.00)` `rappel = 0.150 precision = 0.346 f-mesure = 0.210`
`- classe E (attendus = 553, ramenes = 999.00, corrects = 411.00)` `rappel = 0.743 precision = 0.411 f-mesure = 0.530`
`- classe M (attendus = 600, ramenes = 1086.00, corrects = 477.00)` `rappel = 0.795 precision = 0.439 f-mesure = 0.566`
`- classe P (attendus = 677, ramenes = 114.00, corrects = 39.00)` `rappel = 0.058 precision = 0.342 f-mesure = 0.099`
`- sur l'ensemble des 4 classes` `macro rappel = 0.437 macro precision = 0.385 macro F-mesure = 0.409`

Table 189: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-fft-mink.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 2075.00, corrects = 1004.00)` `rappel = 0.871 precision = 0.484 f-mesure = 0.622`
`- classe Q (attendus = 1329, ramenes = 407.00, corrects = 258.00)` `rappel = 0.194 precision = 0.634 f-mesure = 0.297`
`- sur l'ensemble des 2 classes` `macro rappel = 0.532 macro precision = 0.559 macro F-mesure = 0.545`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 318.00, corrects = 108.00)` `rappel = 0.166 precision = 0.340 f-mesure = 0.223`
`- classe E (attendus = 553, ramenes = 995.00, corrects = 410.00)` `rappel = 0.741 precision = 0.412 f-mesure = 0.530`
`- classe M (attendus = 600, ramenes = 1080.00, corrects = 476.00)` `rappel = 0.793 precision = 0.441 f-mesure = 0.567`
`- classe P (attendus = 677, ramenes = 89.00, corrects = 33.00)` `rappel = 0.049 precision = 0.371 f-mesure = 0.086`
`- sur l'ensemble des 4 classes` `macro rappel = 0.437 macro precision = 0.391 macro F-mesure = 0.413`

Table 190: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-minmax-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1937.00, corrects = 903.00) rappel = 0.783 precision = 0.466 f-mesure = 0.584
- classe Q (attendus = 1329, ramenes = 545.00, corrects = 295.00) rappel = 0.222 precision = 0.541 f-mesure = 0.315
- sur l'ensemble des 2 classes macro rappel = 0.503 macro precision = 0.504 macro F-mesure = 0.503
Evaluation du journal
- classe D (attendus = 652, ramenes = 379.00, corrects = 122.00) rappel = 0.187 precision = 0.322 f-mesure = 0.237
- classe E (attendus = 553, ramenes = 803.00, corrects = 315.00) rappel = 0.570 precision = 0.392 f-mesure = 0.465
- classe M (attendus = 600, ramenes = 1134.00, corrects = 459.00) rappel = 0.765 precision = 0.405 f-mesure = 0.529
- classe P (attendus = 677, ramenes = 166.00, corrects = 46.00) rappel = 0.068 precision = 0.277 f-mesure = 0.109
- sur l'ensemble des 4 classes macro rappel = 0.397 macro precision = 0.349 macro F-mesure = 0.372

Table 191: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-minmax-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1988.00, corrects = 920.00) rappel = 0.798 precision = 0.463 f-mesure = 0.586
- classe Q (attendus = 1329, ramenes = 494.00, corrects = 261.00) rappel = 0.196 precision = 0.528 f-mesure = 0.286
- sur l'ensemble des 2 classes macro rappel = 0.497 macro precision = 0.496 macro F-mesure = 0.496
Evaluation du journal
- classe D (attendus = 652, ramenes = 319.00, corrects = 103.00) rappel = 0.158 precision = 0.323 f-mesure = 0.212
- classe E (attendus = 553, ramenes = 812.00, corrects = 314.00) rappel = 0.568 precision = 0.387 f-mesure = 0.460
- classe M (attendus = 600, ramenes = 1176.00, corrects = 461.00) rappel = 0.768 precision = 0.392 f-mesure = 0.519
- classe P (attendus = 677, ramenes = 175.00, corrects = 41.00) rappel = 0.061 precision = 0.234 f-mesure = 0.096
- sur l'ensemble des 4 classes macro rappel = 0.389 macro precision = 0.334 macro F-mesure = 0.359

Table 192: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-minmax-diff.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1944.00, corrects = 903.00)` `rappel = 0.783 precision = 0.465 f-mesure = 0.583`
`- classe Q (attendus = 1329, ramenes = 538.00, corrects = 288.00)` `rappel = 0.217 precision = 0.535 f-mesure = 0.309`
`- sur l'ensemble des 2 classes` `macro rappel = 0.500 macro precision = 0.500 macro F-mesure = 0.500`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 375.00, corrects = 118.00)` `rappel = 0.181 precision = 0.315 f-mesure = 0.230`
`- classe E (attendus = 553, ramenes = 807.00, corrects = 310.00)` `rappel = 0.561 precision = 0.384 f-mesure = 0.456`
`- classe M (attendus = 600, ramenes = 1137.00, corrects = 459.00)` `rappel = 0.765 precision = 0.404 f-mesure = 0.528`
`- classe P (attendus = 677, ramenes = 163.00, corrects = 42.00)` `rappel = 0.062 precision = 0.258 f-mesure = 0.100`
`- sur l'ensemble des 4 classes` `macro rappel = 0.392 macro precision = 0.340 macro F-mesure = 0.364`

Table 193: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-text-only-journal-ref-silence-noise-endp-minmax-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1970.00, corrects = 923.00)` `rappel = 0.801 precision = 0.469 f-mesure = 0.591`
`- classe Q (attendus = 1329, ramenes = 512.00, corrects = 282.00)` `rappel = 0.212 precision = 0.551 f-mesure = 0.306`
`- sur l'ensemble des 2 classes` `macro rappel = 0.506 macro precision = 0.510 macro F-mesure = 0.508`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 346.00, corrects = 119.00)` `rappel = 0.183 precision = 0.344 f-mesure = 0.238`
`- classe E (attendus = 553, ramenes = 822.00, corrects = 320.00)` `rappel = 0.579 precision = 0.389 f-mesure = 0.465`
`- classe M (attendus = 600, ramenes = 1148.00, corrects = 460.00)` `rappel = 0.767 precision = 0.401 f-mesure = 0.526`
`- classe P (attendus = 677, ramenes = 166.00, corrects = 39.00)` `rappel = 0.058 precision = 0.235 f-mesure = 0.093`
`- sur l'ensemble des 4 classes` `macro rappel = 0.396 macro precision = 0.342 macro F-mesure = 0.367`

4.2.2 Results for training data for text-only processing

Table 194: Consolidated results (piste2-result1-marf-text-only-stats), Part 1.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	-silence -high -fft -cos	2203	1516	59.24
2	1st	-silence -high -aggr -cos	2202	1517	59.21
3	1st	-high -fft -cos	2169	1550	58.32
4	1st	-high -aggr -cos	2167	1552	58.27
5	1st	-silence -band -aggr -cos	2154	1565	57.92
6	1st	-silence -band -fft -cos	2154	1565	57.92
7	1st	-silence -noise -band -fft -cos	2138	1581	57.49
8	1st	-silence -noise -band -aggr -cos	2134	1585	57.38
9	1st	-silence -high -aggr -eucl	2134	1585	57.38
10	1st	-silence -high -fft -eucl	2133	1586	57.35
11	1st	-high -fft -diff	2129	1590	57.25
12	1st	-high -aggr -diff	2127	1592	57.19
13	1st	-high -aggr -cheb	2126	1593	57.17
14	1st	-high -fft -cheb	2124	1595	57.11
15	1st	-band -aggr -eucl	2124	1595	57.11
16	1st	-band -fft -eucl	2123	1596	57.09
17	1st	-noise -band -aggr -cos	2122	1597	57.06
18	1st	-band -fft -cos	2122	1597	57.06
19	1st	-band -aggr -cos	2122	1597	57.06
20	1st	-noise -band -fft -cos	2121	1598	57.03
21	1st	-high -aggr -eucl	2119	1600	56.98
22	1st	-high -fft -eucl	2118	1601	56.95
23	1st	-silence -band -fft -eucl	2115	1604	56.87
24	1st	-silence -band -aggr -eucl	2113	1606	56.82
25	1st	-silence -band -aggr -diff	2084	1635	56.04
26	1st	-silence -band -aggr -cheb	2084	1635	56.04
27	1st	-silence -band -fft -cheb	2083	1636	56.01
28	1st	-silence -band -fft -diff	2082	1637	55.98
29	1st	-band -fft -cheb	2071	1648	55.69
30	1st	-band -aggr -cheb	2070	1649	55.66
31	1st	-noise -raw -lpc -eucl	2058	1661	55.34
32	1st	-silence -raw -lpc -eucl	2058	1661	55.34
33	1st	-silence -noise -raw -lpc -eucl	2058	1661	55.34
34	1st	-band -fft -diff	2058	1661	55.34
35	1st	-silence -norm -lpc -eucl	2058	1661	55.34
36	1st	-norm -lpc -eucl	2058	1661	55.34
37	1st	-band -aggr -diff	2058	1661	55.34
38	1st	-raw -lpc -eucl	2058	1661	55.34
39	1st	-noise -band -fft -diff	2056	1663	55.28
40	1st	-noise -band -fft -mink	2055	1664	55.26
41	1st	-noise -band -aggr -diff	2055	1664	55.26
42	1st	-silence -high -fft -diff	2055	1664	55.26
43	1st	-noise -band -aggr -mink	2055	1664	55.26
44	1st	-noise -band -fft -cheb	2052	1667	55.18
45	1st	-silence -high -aggr -diff	2051	1668	55.15
46	1st	-noise -band -aggr -eucl	2051	1668	55.15
47	1st	-noise -band -fft -eucl	2050	1669	55.12
48	1st	-silence -high -aggr -cheb	2050	1669	55.12
49	1st	-noise -band -aggr -cheb	2048	1671	55.07

Table 195: Consolidated results (piste2-result1-marf-text-only-stats), Part 2.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
50	1st	-silence -high -fft -cheb	2047	1672	55.04
51	1st	-band -aggr -mink	2045	1674	54.99
52	1st	-silence -noise -band -aggr -mink	2045	1674	54.99
53	1st	-band -fft -mink	2045	1674	54.99
54	1st	-silence -noise -band -fft -mink	2045	1674	54.99
55	1st	-high -fft -mink	2041	1678	54.88
56	1st	-high -aggr -mink	2041	1678	54.88
57	1st	-silence -noise -endp -aggr -cos	2040	1679	54.85
58	1st	-silence -noise -endp -fft -cos	2040	1679	54.85
59	1st	-noise -endp -aggr -cos	2039	1680	54.83
60	1st	-noise -endp -fft -cos	2039	1680	54.83
61	1st	-silence -high -fft -mink	2029	1690	54.56
62	1st	-silence -high -aggr -mink	2029	1690	54.56
63	1st	-silence -noise -high -aggr -eucl	2021	1698	54.34
64	1st	-silence -band -aggr -mink	2020	1699	54.32
65	1st	-silence -band -fft -mink	2020	1699	54.32
66	1st	-silence -noise -high -fft -eucl	2017	1702	54.24
67	1st	-noise -raw -lpc -cos	2015	1704	54.18
68	1st	-silence -raw -lpc -cos	2015	1704	54.18
69	1st	-norm -lpc -cos	2015	1704	54.18
70	1st	-silence -norm -lpc -cos	2015	1704	54.18
71	1st	-silence -noise -raw -lpc -cos	2015	1704	54.18
72	1st	-raw -lpc -cos	2015	1704	54.18
73	1st	-norm -lpc -cheb	2013	1706	54.13
74	1st	-raw -lpc -cheb	2013	1706	54.13
75	1st	-noise -raw -lpc -cheb	2013	1706	54.13
76	1st	-silence -raw -lpc -cheb	2013	1706	54.13
77	1st	-silence -noise -raw -lpc -cheb	2013	1706	54.13
78	1st	-silence -norm -lpc -cheb	2013	1706	54.13
79	1st	-silence -noise -band -fft -diff	2012	1707	54.10
80	1st	-silence -noise -band -aggr -diff	2008	1711	53.99
81	1st	-silence -noise -band -fft -cheb	2006	1713	53.94
82	1st	-noise -high -aggr -eucl	2005	1714	53.91
83	1st	-noise -high -fft -eucl	2004	1715	53.89
84	1st	-silence -noise -band -aggr -cheb	2002	1717	53.83
85	1st	-endp -lpc -eucl	1998	1721	53.72
86	1st	-silence -endp -lpc -eucl	1998	1721	53.72
87	1st	-high -fft -hamming	1997	1722	53.70
88	1st	-noise -high -fft -cos	1996	1723	53.67
89	1st	-noise -high -aggr -cos	1995	1724	53.64
90	1st	-noise -band -lpc -hamming	1993	1726	53.59
91	1st	-silence -noise -high -aggr -cos	1992	1727	53.56
92	1st	-silence -boost -aggr -cheb	1991	1728	53.54
93	1st	-boost -lpc -mink	1991	1728	53.54
94	1st	-silence -noise -highpassboost -lpc -hamming	1991	1728	53.54
95	1st	-noise -highpassboost -fft -cheb	1991	1728	53.54
96	1st	-highpassboost -minmax -mink	1991	1728	53.54
97	1st	-highpassboost -lpc -mink	1991	1728	53.54
98	1st	-silence -noise -highpassboost -aggr -hamming	1991	1728	53.54
99	1st	-boost -fft -eucl	1991	1728	53.54

Table 196: Consolidated results (piste2-result1-marf-text-only-stats), Part 3.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
100	1st	-silence -noise -boost -lpc -cos	1991	1728	53.54
101	1st	-silence -highpassboost -fft -mink	1991	1728	53.54
102	1st	-silence -boost -fft -hamming	1991	1728	53.54
103	1st	-highpassboost -fft -eucl	1991	1728	53.54
104	1st	-silence -noise -highpassboost -fft -cos	1991	1728	53.54
105	1st	-highpassboost -lpc -cos	1991	1728	53.54
106	1st	-boost -fft -mink	1991	1728	53.54
107	1st	-highpassboost -fft -mink	1991	1728	53.54
108	1st	-boost -minmax -hamming	1991	1728	53.54
109	1st	-noise -boost -minmax -cos	1991	1728	53.54
110	1st	-silence -noise -boost -aggr -eucl	1991	1728	53.54
111	1st	-highpassboost -minmax -cos	1991	1728	53.54
112	1st	-silence -highpassboost -aggr -hamming	1991	1728	53.54
113	1st	-silence -noise -boost -lpc -eucl	1991	1728	53.54
114	1st	-highpassboost -minmax -hamming	1991	1728	53.54
115	1st	-highpassboost -aggr -diff	1991	1728	53.54
116	1st	-noise -boost -fft -cos	1991	1728	53.54
117	1st	-silence -noise -highpassboost -lpc -cos	1991	1728	53.54
118	1st	-boost -aggr -diff	1991	1728	53.54
119	1st	-noise -boost -fft -hamming	1991	1728	53.54
120	1st	-silence -highpassboost -lpc -hamming	1991	1728	53.54
121	1st	-noise -boost -lpc -diff	1991	1728	53.54
122	1st	-silence -boost -aggr -cos	1991	1728	53.54
123	1st	-silence -noise -boost -aggr -mink	1991	1728	53.54
124	1st	-noise -boost -minmax -diff	1991	1728	53.54
125	1st	-silence -noise -boost -lpc -mink	1991	1728	53.54
126	1st	-noise -highpassboost -lpc -eucl	1991	1728	53.54
127	1st	-silence -noise -highpassboost -aggr -cos	1991	1728	53.54
128	1st	-noise -boost -aggr -eucl	1991	1728	53.54
129	1st	-silence -noise -boost -fft -eucl	1991	1728	53.54
130	1st	-noise -highpassboost -lpc -mink	1991	1728	53.54
131	1st	-silence -highpassboost -aggr -cos	1991	1728	53.54
132	1st	-highpassboost -aggr -cheb	1991	1728	53.54
133	1st	-silence -highpassboost -aggr -eucl	1991	1728	53.54
134	1st	-silence -noise -band -aggr -eucl	1991	1728	53.54
135	1st	-silence -boost -aggr -eucl	1991	1728	53.54
136	1st	-silence -boost -lpc -hamming	1991	1728	53.54
137	1st	-noise -boost -aggr -mink	1991	1728	53.54
138	1st	-boost -aggr -cheb	1991	1728	53.54
139	1st	-noise -boost -fft -diff	1991	1728	53.54
140	1st	-noise -highpassboost -fft -eucl	1991	1728	53.54
141	1st	-noise -boost -lpc -cheb	1991	1728	53.54
142	1st	-silence -noise -boost -fft -mink	1991	1728	53.54
143	1st	-noise -highpassboost -minmax -diff	1991	1728	53.54
144	1st	-noise -boost -minmax -cheb	1991	1728	53.54
145	1st	-noise -highpassboost -minmax -hamming	1991	1728	53.54
146	1st	-noise -highpassboost -fft -hamming	1991	1728	53.54
147	1st	-boost -aggr -cos	1991	1728	53.54
148	1st	-noise -boost -lpc -cos	1991	1728	53.54
149	1st	-silence -highpassboost -aggr -mink	1991	1728	53.54

Table 197: Consolidated results (piste2-result1-marf-text-only-stats), Part 4.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
150	1st	-silence -boost -aggr -mink	1991	1728	53.54
151	1st	-highpassboost -aggr -cos	1991	1728	53.54
152	1st	-noise -highpassboost -fft -mink	1991	1728	53.54
153	1st	-noise -boost -aggr -hamming	1991	1728	53.54
154	1st	-silence -boost -fft -cos	1991	1728	53.54
155	1st	-silence -noise -highpassboost -aggr -diff	1991	1728	53.54
156	1st	-noise -highpassboost -aggr -hamming	1991	1728	53.54
157	1st	-noise -boost -fft -cheb	1991	1728	53.54
158	1st	-noise -highpassboost -minmax -cheb	1991	1728	53.54
159	1st	-noise -highpassboost -aggr -diff	1991	1728	53.54
160	1st	-noise -boost -lpc -hamming	1991	1728	53.54
161	1st	-highpassboost -aggr -hamming	1991	1728	53.54
162	1st	-silence -boost -lpc -diff	1991	1728	53.54
163	1st	-silence -noise -highpassboost -aggr -cheb	1991	1728	53.54
164	1st	-silence -noise -highpassboost -lpc -diff	1991	1728	53.54
165	1st	-silence -boost -lpc -cos	1991	1728	53.54
166	1st	-silence -highpassboost -fft -cos	1991	1728	53.54
167	1st	-noise -highpassboost -aggr -cheb	1991	1728	53.54
168	1st	-silence -noise -boost -aggr -cos	1991	1728	53.54
169	1st	-silence -highpassboost -lpc -diff	1991	1728	53.54
170	1st	-noise -highpassboost -lpc -hamming	1991	1728	53.54
171	1st	-highpassboost -aggr -eucl	1991	1728	53.54
172	1st	-silence -boost -fft -diff	1991	1728	53.54
173	1st	-boost -fft -cos	1991	1728	53.54
174	1st	-silence -boost -lpc -cheb	1991	1728	53.54
175	1st	-silence -noise -highpassboost -fft -diff	1991	1728	53.54
176	1st	-boost -aggr -eucl	1991	1728	53.54
177	1st	-silence -noise -boost -fft -hamming	1991	1728	53.54
178	1st	-boost -minmax -diff	1991	1728	53.54
179	1st	-noise -boost -lpc -eucl	1991	1728	53.54
180	1st	-noise -highpassboost -aggr -cos	1991	1728	53.54
181	1st	-boost -lpc -diff	1991	1728	53.54
182	1st	-boost -fft -hamming	1991	1728	53.54
183	1st	-noise -boost -minmax -eucl	1991	1728	53.54
184	1st	-silence -noise -highpassboost -lpc -cheb	1991	1728	53.54
185	1st	-highpassboost -fft -hamming	1991	1728	53.54
186	1st	-highpassboost -minmax -diff	1991	1728	53.54
187	1st	-highpassboost -aggr -mink	1991	1728	53.54
188	1st	-highpassboost -lpc -diff	1991	1728	53.54
189	1st	-silence -highpassboost -fft -diff	1991	1728	53.54
190	1st	-silence -highpassboost -lpc -cheb	1991	1728	53.54
191	1st	-boost -aggr -mink	1991	1728	53.54
192	1st	-noise -boost -lpc -mink	1991	1728	53.54
193	1st	-noise -boost -minmax -mink	1991	1728	53.54
194	1st	-noise -highpassboost -minmax -cos	1991	1728	53.54
195	1st	-silence -highpassboost -lpc -cos	1991	1728	53.54
196	1st	-silence -boost -fft -cheb	1991	1728	53.54
197	1st	-boost -fft -diff	1991	1728	53.54
198	1st	-silence -noise -highpassboost -fft -cheb	1991	1728	53.54
199	1st	-noise -boost -fft -eucl	1991	1728	53.54

Table 198: Consolidated results (piste2-result1-marf-text-only-stats), Part 5.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
200	1st	-boost -minmax -cheb	1991	1728	53.54
201	1st	-boost -lpc -cheb	1991	1728	53.54
202	1st	-noise -highpassboost -minmax -eucl	1991	1728	53.54
203	1st	-boost -lpc -cos	1991	1728	53.54
204	1st	-highpassboost -fft -diff	1991	1728	53.54
205	1st	-highpassboost -minmax -cheb	1991	1728	53.54
206	1st	-highpassboost -lpc -cheb	1991	1728	53.54
207	1st	-silence -boost -aggr -hamming	1991	1728	53.54
208	1st	-silence -highpassboost -fft -cheb	1991	1728	53.54
209	1st	-noise -boost -fft -mink	1991	1728	53.54
210	1st	-silence -noise -boost -aggr -hamming	1991	1728	53.54
211	1st	-noise -highpassboost -minmax -mink	1991	1728	53.54
212	1st	-noise -boost -minmax -hamming	1991	1728	53.54
213	1st	-boost -fft -cheb	1991	1728	53.54
214	1st	-silence -noise -highpassboost -aggr -eucl	1991	1728	53.54
215	1st	-silence -noise -highpassboost -fft -hamming	1991	1728	53.54
216	1st	-boost -minmax -cos	1991	1728	53.54
217	1st	-highpassboost -fft -cheb	1991	1728	53.54
218	1st	-silence -noise -boost -aggr -diff	1991	1728	53.54
219	1st	-silence -noise -boost -lpc -diff	1991	1728	53.54
220	1st	-noise -highpassboost -aggr -eucl	1991	1728	53.54
221	1st	-silence -noise -boost -lpc -hamming	1991	1728	53.54
222	1st	-silence -noise -highpassboost -aggr -mink	1991	1728	53.54
223	1st	-boost -lpc -hamming	1991	1728	53.54
224	1st	-highpassboost -lpc -hamming	1991	1728	53.54
225	1st	-noise -highpassboost -fft -cos	1991	1728	53.54
226	1st	-silence -noise -band -fft -eucl	1991	1728	53.54
227	1st	-silence -boost -lpc -eucl	1991	1728	53.54
228	1st	-noise -highpassboost -lpc -diff	1991	1728	53.54
229	1st	-noise -highpassboost -aggr -mink	1991	1728	53.54
230	1st	-noise -boost -aggr -diff	1991	1728	53.54
231	1st	-silence -noise -highpassboost -lpc -eucl	1991	1728	53.54
232	1st	-silence -noise -boost -fft -diff	1991	1728	53.54
233	1st	-silence -noise -boost -aggr -cheb	1991	1728	53.54
234	1st	-silence -noise -boost -lpc -cheb	1991	1728	53.54
235	1st	-silence -boost -lpc -mink	1991	1728	53.54
236	1st	-silence -highpassboost -lpc -eucl	1991	1728	53.54
237	1st	-silence -highpassboost -aggr -diff	1991	1728	53.54
238	1st	-silence -boost -aggr -diff	1991	1728	53.54
239	1st	-silence -noise -highpassboost -lpc -mink	1991	1728	53.54
240	1st	-silence -noise -boost -fft -cos	1991	1728	53.54
241	1st	-silence -boost -fft -eucl	1991	1728	53.54
242	1st	-noise -highpassboost -fft -diff	1991	1728	53.54
243	1st	-noise -highpassboost -lpc -cheb	1991	1728	53.54
244	1st	-boost -aggr -hamming	1991	1728	53.54
245	1st	-highpassboost -fft -cos	1991	1728	53.54
246	1st	-silence -noise -highpassboost -fft -eucl	1991	1728	53.54
247	1st	-noise -boost -aggr -cos	1991	1728	53.54
248	1st	-boost -minmax -eucl	1991	1728	53.54
249	1st	-noise -highpassboost -lpc -cos	1991	1728	53.54

Table 199: Consolidated results (piste2-result1-marf-text-only-stats), Part 6.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
250	1st	-boost -lpc -eucl	1991	1728	53.54
251	1st	-silence -highpassboost -lpc -mink	1991	1728	53.54
252	1st	-noise -boost -aggr -cheb	1991	1728	53.54
253	1st	-silence -noise -boost -fft -cheb	1991	1728	53.54
254	1st	-highpassboost -minmax -eucl	1991	1728	53.54
255	1st	-silence -highpassboost -fft -hamming	1991	1728	53.54
256	1st	-silence -boost -fft -mink	1991	1728	53.54
257	1st	-highpassboost -lpc -eucl	1991	1728	53.54
258	1st	-silence -highpassboost -fft -eucl	1991	1728	53.54
259	1st	-silence -noise -highpassboost -fft -mink	1991	1728	53.54
260	1st	-silence -highpassboost -aggr -cheb	1991	1728	53.54
261	1st	-boost -minmax -mink	1991	1728	53.54
262	1st	-bandstop -aggr -hamming	1990	1729	53.51
263	1st	-silence -endp -fft -hamming	1989	1730	53.48
264	1st	-endp -fft -hamming	1989	1730	53.48
265	1st	-silence -noise -endp -lpc -hamming	1988	1731	53.46
266	1st	-silence -high -lpc -hamming	1988	1731	53.46
267	1st	-silence -bandstop -lpc -eucl	1986	1733	53.40
268	1st	-silence -bandstop -lpc -cos	1985	1734	53.37
269	1st	-bandstop -lpc -diff	1985	1734	53.37
270	1st	-silence -bandstop -lpc -cheb	1984	1735	53.35
271	1st	-silence -norm -fft -hamming	1984	1735	53.35
272	1st	-high -aggr -hamming	1984	1735	53.35
273	1st	-norm -fft -hamming	1984	1735	53.35
274	1st	-band -minmax -mink	1982	1737	53.29
275	1st	-bandstop -lpc -cos	1982	1737	53.29
276	1st	-silence -band -minmax -mink	1982	1737	53.29
277	1st	-bandstop -lpc -cheb	1982	1737	53.29
278	1st	-bandstop -lpc -eucl	1981	1738	53.27
279	1st	-endp -aggr -hamming	1981	1738	53.27
280	1st	-silence -endp -aggr -hamming	1981	1738	53.27
281	1st	-noise -endp -lpc -eucl	1980	1739	53.24
282	1st	-noise -raw -lpc -hamming	1978	1741	53.19
283	1st	-silence -raw -lpc -hamming	1978	1741	53.19
284	1st	-norm -lpc -hamming	1978	1741	53.19
285	1st	-raw -lpc -hamming	1978	1741	53.19
286	1st	-silence -norm -lpc -hamming	1978	1741	53.19
287	1st	-silence -noise -raw -lpc -hamming	1978	1741	53.19
288	1st	-bandstop -minmax -mink	1976	1743	53.13
289	1st	-silence -noise -norm -minmax -eucl	1976	1743	53.13
290	1st	-silence -low -minmax -eucl	1976	1743	53.13
291	1st	-silence -noise -endp -lpc -eucl	1976	1743	53.13
292	1st	-silence -noise -high -fft -cos	1976	1743	53.13
293	1st	-silence -bandstop -minmax -mink	1976	1743	53.13
294	1st	-noise -norm -minmax -eucl	1975	1744	53.11
295	1st	-low -minmax -eucl	1975	1744	53.11
296	1st	-noise -raw -lpc -mink	1974	1745	53.08
297	1st	-silence -raw -lpc -mink	1974	1745	53.08
298	1st	-silence -noise -raw -lpc -mink	1974	1745	53.08
299	1st	-silence -noise -endp -lpc -cheb	1974	1745	53.08

Table 200: Consolidated results (piste2-result1-marf-text-only-stats), Part 7.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
300	1st	-silence -norm -lpc -mink	1974	1745	53.08
301	1st	-norm -lpc -mink	1974	1745	53.08
302	1st	-silence -bandstop -lpc -mink	1974	1745	53.08
303	1st	-raw -lpc -mink	1974	1745	53.08
304	1st	-noise -endp -lpc -cheb	1973	1746	53.05
305	1st	-bandstop -fft -hamming	1973	1746	53.05
306	1st	-endp -lpc -mink	1972	1747	53.03
307	1st	-silence -endp -lpc -mink	1972	1747	53.03
308	1st	-low -lpc -cheb	1971	1748	53.00
309	1st	-noise -norm -lpc -cheb	1971	1748	53.00
310	1st	-silence -endp -lpc -cheb	1970	1749	52.97
311	1st	-endp -lpc -cheb	1970	1749	52.97
312	1st	-noise -endp -lpc -hamming	1969	1750	52.94
313	1st	-norm -lpc -diff	1968	1751	52.92
314	1st	-silence -bandstop -lpc -diff	1968	1751	52.92
315	1st	-silence -noise -high -fft -cheb	1968	1751	52.92
316	1st	-raw -lpc -diff	1968	1751	52.92
317	1st	-silence -noise -high -aggr -cheb	1968	1751	52.92
318	1st	-noise -raw -lpc -diff	1968	1751	52.92
319	1st	-silence -raw -lpc -diff	1968	1751	52.92
320	1st	-silence -noise -raw -lpc -diff	1968	1751	52.92
321	1st	-silence -norm -lpc -diff	1968	1751	52.92
322	1st	-silence -high -minmax -mink	1967	1752	52.89
323	1st	-high -minmax -mink	1967	1752	52.89
324	1st	-noise -high -aggr -diff	1966	1753	52.86
325	1st	-raw -minmax -diff	1965	1754	52.84
326	1st	-silence -high -fft -hamming	1965	1754	52.84
327	1st	-noise -high -fft -diff	1965	1754	52.84
328	1st	-silence -noise -raw -minmax -diff	1965	1754	52.84
329	1st	-noise -raw -minmax -diff	1965	1754	52.84
330	1st	-silence -raw -minmax -diff	1965	1754	52.84
331	1st	-silence -noise -norm -minmax -diff	1964	1755	52.81
332	1st	-silence -low -minmax -diff	1964	1755	52.81
333	1st	-noise -low -lpc -eucl	1964	1755	52.81
334	1st	-noise -norm -minmax -cheb	1964	1755	52.81
335	1st	-low -minmax -cheb	1964	1755	52.81
336	1st	-low -lpc -diff	1964	1755	52.81
337	1st	-noise -band -lpc -diff	1964	1755	52.81
338	1st	-noise -norm -lpc -diff	1964	1755	52.81
339	1st	-silence -noise -norm -minmax -cheb	1963	1756	52.78
340	1st	-silence -low -minmax -cheb	1963	1756	52.78
341	1st	-silence -noise -high -aggr -diff	1963	1756	52.78
342	1st	-silence -noise -bandstop -lpc -hamming	1963	1756	52.78
343	1st	-silence -high -aggr -hamming	1962	1757	52.76
344	1st	-noise -low -lpc -mink	1962	1757	52.76
345	1st	-silence -noise -high -fft -diff	1962	1757	52.76
346	1st	-silence -norm -aggr -hamming	1962	1757	52.76
347	1st	-norm -aggr -hamming	1962	1757	52.76
348	1st	-noise -norm -fft -hamming	1961	1758	52.73
349	1st	-low -fft -hamming	1961	1758	52.73

Table 201: Consolidated results (piste2-result1-marf-text-only-stats), Part 8.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
350	1st	-noise -bandstop -minmax -diff	1961	1758	52.73
351	1st	-silence -endp -lpc -diff	1961	1758	52.73
352	1st	-noise -band -lpc -cheb	1961	1758	52.73
353	1st	-endp -lpc -diff	1961	1758	52.73
354	1st	-noise -bandstop -minmax -mink	1961	1758	52.73
355	1st	-noise -high -aggr -cheb	1961	1758	52.73
356	1st	-silence -noise -bandstop -minmax -diff	1960	1759	52.70
357	1st	-silence -noise -bandstop -minmax -mink	1960	1759	52.70
358	1st	-noise -high -fft -cheb	1960	1759	52.70
359	1st	-noise -norm -lpc -eucl	1959	1760	52.68
360	1st	-silence -noise -low -minmax -mink	1959	1760	52.68
361	1st	-noise -low -minmax -mink	1959	1760	52.68
362	1st	-noise -norm -minmax -mink	1959	1760	52.68
363	1st	-low -minmax -mink	1959	1760	52.68
364	1st	-low -lpc -eucl	1959	1760	52.68
365	1st	-low -lpc -mink	1958	1761	52.65
366	1st	-noise -norm -lpc -mink	1958	1761	52.65
367	1st	-silence -band -lpc -diff	1958	1761	52.65
368	1st	-silence -band -minmax -eucl	1957	1762	52.62
369	1st	-band -minmax -eucl	1957	1762	52.62
370	1st	-silence -noise -endp -lpc -diff	1956	1763	52.59
371	1st	-silence -noise -low -lpc -hamming	1956	1763	52.59
372	1st	-silence -band -minmax -cheb	1956	1763	52.59
373	1st	-noise -bandstop -lpc -hamming	1956	1763	52.59
374	1st	-band -minmax -cheb	1956	1763	52.59
375	1st	-silence -band -lpc -cheb	1956	1763	52.59
376	1st	-silence -noise -norm -minmax -cos	1955	1764	52.57
377	1st	-silence -band -minmax -diff	1955	1764	52.57
378	1st	-silence -noise -low -minmax -eucl	1955	1764	52.57
379	1st	-noise -low -minmax -eucl	1955	1764	52.57
380	1st	-silence -noise -norm -minmax -mink	1955	1764	52.57
381	1st	-silence -low -minmax -mink	1955	1764	52.57
382	1st	-silence -low -minmax -cos	1955	1764	52.57
383	1st	-band -minmax -diff	1955	1764	52.57
384	1st	-silence -noise -high -lpc -cos	1955	1764	52.57
385	1st	-noise -endp -lpc -diff	1954	1765	52.54
386	1st	-noise -band -lpc -eucl	1953	1766	52.51
387	1st	-noise -norm -minmax -cos	1952	1767	52.49
388	1st	-noise -norm -minmax -diff	1952	1767	52.49
389	1st	-low -minmax -diff	1952	1767	52.49
390	1st	-low -minmax -cos	1952	1767	52.49
391	1st	-bandstop -lpc -mink	1951	1768	52.46
392	1st	-noise -low -minmax -cos	1951	1768	52.46
393	1st	-endp -lpc -cos	1951	1768	52.46
394	1st	-silence -endp -lpc -cos	1951	1768	52.46
395	1st	-silence -noise -norm -lpc -cheb	1950	1769	52.43
396	1st	-noise -low -lpc -diff	1950	1769	52.43
397	1st	-silence -noise -low -minmax -cos	1950	1769	52.43
398	1st	-silence -low -lpc -cheb	1950	1769	52.43
399	1st	-noise -low -lpc -hamming	1949	1770	52.41

Table 202: Consolidated results (piste2-result1-marf-text-only-stats), Part 9.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
400	1st	-silence -low -lpc -mink	1949	1770	52.41
401	1st	-silence -endp -aggr -cos	1949	1770	52.41
402	1st	-silence -noise -norm -lpc -diff	1949	1770	52.41
403	1st	-endp -aggr -cos	1949	1770	52.41
404	1st	-endp -fft -cos	1949	1770	52.41
405	1st	-silence -endp -fft -cos	1949	1770	52.41
406	1st	-silence -noise -norm -lpc -mink	1949	1770	52.41
407	1st	-silence -low -lpc -diff	1949	1770	52.41
408	1st	-endp -lpc -hamming	1948	1771	52.38
409	1st	-low -aggr -hamming	1948	1771	52.38
410	1st	-silence -noise -bandstop -minmax -cheb	1948	1771	52.38
411	1st	-noise -norm -aggr -hamming	1948	1771	52.38
412	1st	-noise -bandstop -minmax -cheb	1948	1771	52.38
413	1st	-silence -endp -lpc -hamming	1948	1771	52.38
414	1st	-noise -high -lpc -mink	1948	1771	52.38
415	1st	-noise -low -lpc -cheb	1948	1771	52.38
416	1st	-bandstop -minmax -eucl	1947	1772	52.35
417	1st	-silence -noise -bandstop -minmax -eucl	1947	1772	52.35
418	1st	-silence -noise -high -aggr -mink	1947	1772	52.35
419	1st	-silence -bandstop -minmax -eucl	1947	1772	52.35
420	1st	-noise -low -minmax -cheb	1946	1773	52.33
421	1st	-noise -bandstop -lpc -eucl	1946	1773	52.33
422	1st	-silence -noise -high -fft -mink	1946	1773	52.33
423	1st	-silence -noise -bandstop -lpc -eucl	1945	1774	52.30
424	1st	-silence -noise -raw -minmax -mink	1944	1775	52.27
425	1st	-noise -raw -minmax -mink	1944	1775	52.27
426	1st	-silence -raw -minmax -mink	1944	1775	52.27
427	1st	-raw -minmax -mink	1944	1775	52.27
428	1st	-silence -noise -low -minmax -cheb	1943	1776	52.25
429	1st	-silence -norm -minmax -mink	1943	1776	52.25
430	1st	-norm -minmax -mink	1943	1776	52.25
431	1st	-noise -bandstop -minmax -eucl	1943	1776	52.25
432	1st	-silence -noise -low -minmax -diff	1943	1776	52.25
433	1st	-silence -noise -high -minmax -mink	1940	1779	52.16
434	1st	-bandstop -minmax -cos	1940	1779	52.16
435	1st	-noise -high -minmax -mink	1940	1779	52.16
436	1st	-silence -high -minmax -cheb	1940	1779	52.16
437	1st	-band -lpc -mink	1940	1779	52.16
438	1st	-high -minmax -cheb	1940	1779	52.16
439	1st	-silence -noise -norm -fft -hamming	1939	1780	52.14
440	1st	-silence -low -fft -hamming	1939	1780	52.14
441	1st	-silence -noise -low -lpc -eucl	1939	1780	52.14
442	1st	-silence -high -minmax -diff	1939	1780	52.14
443	1st	-silence -noise -bandstop -minmax -hamming	1939	1780	52.14
444	1st	-high -minmax -diff	1939	1780	52.14
445	1st	-silence -band -lpc -hamming	1939	1780	52.14
446	1st	-noise -endp -minmax -mink	1939	1780	52.14
447	1st	-silence -bandstop -minmax -cheb	1939	1780	52.14
448	1st	-bandstop -minmax -cheb	1939	1780	52.14
449	1st	-noise -low -minmax -diff	1938	1781	52.11

Table 203: Consolidated results (piste2-result1-marf-text-only-stats), Part 10.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
450	1st	-silence -noise -band -minmax -mink	1938	1781	52.11
451	1st	-silence -bandstop -minmax -cos	1938	1781	52.11
452	1st	-silence -noise -endp -minmax -mink	1938	1781	52.11
453	1st	-noise -band -minmax -mink	1938	1781	52.11
454	1st	-silence -bandstop -fft -hamming	1938	1781	52.11
455	1st	-silence -bandstop -minmax -diff	1938	1781	52.11
456	1st	-bandstop -minmax -diff	1938	1781	52.11
457	1st	-noise -endp -aggr -hamming	1937	1782	52.08
458	1st	-silence -noise -endp -lpc -mink	1937	1782	52.08
459	1st	-high -lpc -hamming	1937	1782	52.08
460	1st	-silence -low -lpc -eucl	1936	1783	52.06
461	1st	-silence -noise -norm -lpc -eucl	1936	1783	52.06
462	1st	-noise -endp -lpc -mink	1936	1783	52.06
463	1st	-band -lpc -cheb	1935	1784	52.03
464	1st	-endp -minmax -mink	1935	1784	52.03
465	1st	-silence -noise -low -lpc -mink	1935	1784	52.03
466	1st	-silence -bandstop -lpc -hamming	1935	1784	52.03
467	1st	-silence -noise -bandstop -minmax -cos	1935	1784	52.03
468	1st	-silence -endp -minmax -mink	1935	1784	52.03
469	1st	-silence -noise -high -minmax -eucl	1934	1785	52.00
470	1st	-noise -high -minmax -eucl	1934	1785	52.00
471	1st	-silence -noise -high -lpc -eucl	1934	1785	52.00
472	1st	-silence -high -minmax -eucl	1934	1785	52.00
473	1st	-high -minmax -eucl	1934	1785	52.00
474	1st	-silence -noise -high -minmax -cos	1933	1786	51.98
475	1st	-noise -high -minmax -cos	1933	1786	51.98
476	1st	-noise -bandstop -minmax -cos	1932	1787	51.95
477	1st	-silence -band -lpc -eucl	1931	1788	51.92
478	1st	-noise -band -lpc -mink	1930	1789	51.90
479	1st	-noise -bandstop -minmax -hamming	1930	1789	51.90
480	1st	-silence -noise -low -lpc -diff	1930	1789	51.90
481	1st	-noise -endp -lpc -cos	1930	1789	51.90
482	1st	-noise -endp -fft -hamming	1929	1790	51.87
483	1st	-silence -low -aggr -hamming	1929	1790	51.87
484	1st	-silence -noise -norm -aggr -hamming	1929	1790	51.87
485	1st	-noise -bandstop -lpc -mink	1928	1791	51.84
486	1st	-band -lpc -hamming	1928	1791	51.84
487	1st	-silence -band -lpc -mink	1927	1792	51.82
488	1st	-silence -noise -high -lpc -hamming	1926	1793	51.79
489	1st	-high -lpc -mink	1925	1794	51.76
490	1st	-band -lpc -diff	1924	1795	51.73
491	1st	-bandstop -lpc -hamming	1924	1795	51.73
492	1st	-high -lpc -eucl	1924	1795	51.73
493	1st	-silence -band -fft -hamming	1924	1795	51.73
494	1st	-silence -noise -high -minmax -hamming	1923	1796	51.71
495	1st	-noise -high -minmax -hamming	1923	1796	51.71
496	1st	-band -lpc -eucl	1923	1796	51.71
497	1st	-silence -noise -endp -aggr -hamming	1923	1796	51.71
498	1st	-silence -noise -band -minmax -cos	1923	1796	51.71
499	1st	-noise -band -minmax -cos	1923	1796	51.71

Table 204: Consolidated results (piste2-result1-marf-text-only-stats), Part 11.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
500	1st	-noise -band -fft -hamming	1923	1796	51.71
501	1st	-silence -noise -low -lpc -cheb	1923	1796	51.71
502	1st	-silence -noise -bandstop -lpc -mink	1922	1797	51.68
503	1st	-silence -noise -high -lpc -diff	1922	1797	51.68
504	1st	-silence -noise -high -lpc -cheb	1922	1797	51.68
505	1st	-silence -noise -bandstop -lpc -cheb	1922	1797	51.68
506	1st	-silence -noise -endp -lpc -cos	1922	1797	51.68
507	1st	-silence -noise -band -minmax -eucl	1921	1798	51.65
508	1st	-noise -high -lpc -hamming	1921	1798	51.65
509	1st	-noise -band -minmax -eucl	1921	1798	51.65
510	1st	-noise -bandstop -lpc -cheb	1921	1798	51.65
511	1st	-noise -norm -lpc -hamming	1921	1798	51.65
512	1st	-low -lpc -hamming	1921	1798	51.65
513	1st	-silence -noise -high -lpc -mink	1921	1798	51.65
514	1st	-noise -high -lpc -eucl	1921	1798	51.65
515	1st	-silence -noise -band -lpc -hamming	1921	1798	51.65
516	1st	-noise -high -lpc -diff	1920	1799	51.63
517	1st	-silence -noise -band -minmax -diff	1920	1799	51.63
518	1st	-noise -band -minmax -diff	1920	1799	51.63
519	1st	-silence -band -aggr -hamming	1920	1799	51.63
520	1st	-silence -raw -minmax -hamming	1919	1800	51.60
521	1st	-silence -noise -raw -minmax -hamming	1919	1800	51.60
522	1st	-noise -band -minmax -cheb	1919	1800	51.60
523	1st	-silence -endp -aggr -cheb	1919	1800	51.60
524	1st	-endp -aggr -diff	1919	1800	51.60
525	1st	-endp -aggr -cheb	1919	1800	51.60
526	1st	-raw -minmax -hamming	1919	1800	51.60
527	1st	-noise -raw -minmax -hamming	1919	1800	51.60
528	1st	-silence -endp -fft -cheb	1919	1800	51.60
529	1st	-silence -noise -band -minmax -cheb	1919	1800	51.60
530	1st	-endp -fft -cheb	1919	1800	51.60
531	1st	-silence -endp -aggr -diff	1919	1800	51.60
532	1st	-silence -endp -minmax -cheb	1918	1801	51.57
533	1st	-silence -noise -endp -fft -hamming	1918	1801	51.57
534	1st	-endp -minmax -cheb	1918	1801	51.57
535	1st	-norm -minmax -cheb	1917	1802	51.55
536	1st	-endp -minmax -cos	1917	1802	51.55
537	1st	-silence -norm -minmax -cheb	1917	1802	51.55
538	1st	-silence -endp -minmax -cos	1917	1802	51.55
539	1st	-silence -norm -minmax -cos	1915	1804	51.49
540	1st	-noise -high -lpc -cheb	1915	1804	51.49
541	1st	-norm -minmax -cos	1915	1804	51.49
542	1st	-silence -norm -minmax -eucl	1914	1805	51.47
543	1st	-endp -minmax -eucl	1914	1805	51.47
544	1st	-band -minmax -cos	1914	1805	51.47
545	1st	-norm -minmax -eucl	1914	1805	51.47
546	1st	-silence -noise -norm -minmax -hamming	1914	1805	51.47
547	1st	-silence -low -minmax -hamming	1914	1805	51.47
548	1st	-silence -band -minmax -cos	1914	1805	51.47
549	1st	-silence -endp -minmax -eucl	1914	1805	51.47

Table 205: Consolidated results (piste2-result1-marf-text-only-stats), Part 12.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
550	1st	-silence -high -lpc -mink	1913	1806	51.44
551	1st	-high -minmax -hamming	1912	1807	51.41
552	1st	-silence -high -minmax -hamming	1912	1807	51.41
553	1st	-noise -high -lpc -cos	1911	1808	51.38
554	1st	-silence -bandstop -minmax -hamming	1911	1808	51.38
555	1st	-noise -band -aggr -hamming	1910	1809	51.36
556	1st	-high -minmax -cos	1910	1809	51.36
557	1st	-bandstop -minmax -hamming	1910	1809	51.36
558	1st	-noise -raw -minmax -cos	1910	1809	51.36
559	1st	-silence -raw -minmax -cos	1910	1809	51.36
560	1st	-silence -endp -fft -diff	1910	1809	51.36
561	1st	-raw -minmax -cos	1910	1809	51.36
562	1st	-endp -fft -diff	1910	1809	51.36
563	1st	-silence -noise -raw -minmax -cos	1910	1809	51.36
564	1st	-silence -high -minmax -cos	1910	1809	51.36
565	1st	-low -minmax -hamming	1909	1810	51.33
566	1st	-silence -band -lpc -cos	1909	1810	51.33
567	1st	-noise -norm -minmax -hamming	1909	1810	51.33
568	1st	-noise -high -fft -mink	1906	1813	51.25
569	1st	-raw -minmax -cheb	1906	1813	51.25
570	1st	-noise -high -aggr -mink	1906	1813	51.25
571	1st	-band -aggr -hamming	1906	1813	51.25
572	1st	-silence -noise -raw -minmax -cheb	1906	1813	51.25
573	1st	-noise -raw -minmax -cheb	1906	1813	51.25
574	1st	-silence -raw -minmax -cheb	1906	1813	51.25
575	1st	-noise -band -minmax -hamming	1904	1815	51.20
576	1st	-band -fft -hamming	1904	1815	51.20
577	1st	-silence -noise -band -minmax -hamming	1904	1815	51.20
578	1st	-silence -noise -endp -fft -diff	1902	1817	51.14
579	1st	-noise -endp -fft -diff	1902	1817	51.14
580	1st	-high -lpc -cheb	1902	1817	51.14
581	1st	-noise -endp -minmax -diff	1900	1819	51.09
582	1st	-silence -noise -endp -minmax -diff	1900	1819	51.09
583	1st	-norm -minmax -hamming	1899	1820	51.06
584	1st	-silence -norm -minmax -hamming	1899	1820	51.06
585	1st	-silence -noise -low -aggr -hamming	1899	1820	51.06
586	1st	-silence -bandstop -aggr -hamming	1899	1820	51.06
587	1st	-silence -noise -band -lpc -mink	1899	1820	51.06
588	1st	-silence -noise -band -lpc -cos	1899	1820	51.06
589	1st	-silence -endp -fft -mink	1898	1821	51.04
590	1st	-endp -fft -mink	1898	1821	51.04
591	1st	-silence -endp -aggr -mink	1898	1821	51.04
592	1st	-endp -aggr -mink	1898	1821	51.04
593	1st	-silence -high -lpc -cheb	1898	1821	51.04
594	1st	-silence -noise -raw -minmax -eucl	1897	1822	51.01
595	1st	-noise -raw -minmax -eucl	1897	1822	51.01
596	1st	-silence -raw -minmax -eucl	1897	1822	51.01
597	1st	-raw -minmax -eucl	1897	1822	51.01
598	1st	-silence -noise -bandstop -lpc -diff	1896	1823	50.98
599	1st	-raw -fft -hamming	1895	1824	50.95

Table 206: Consolidated results (piste2-result1-marf-text-only-stats), Part 13.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
600	1st	-silence -noise -band -fft -hamming	1895	1824	50.95
601	1st	-silence -noise -raw -fft -hamming	1895	1824	50.95
602	1st	-noise -raw -fft -hamming	1895	1824	50.95
603	1st	-silence -raw -fft -hamming	1895	1824	50.95
604	1st	-high -lpc -diff	1895	1824	50.95
605	1st	-noise -high -fft -hamming	1895	1824	50.95
606	1st	-silence -high -lpc -eucl	1894	1825	50.93
607	1st	-raw -aggr -hamming	1893	1826	50.90
608	1st	-silence -noise -raw -aggr -hamming	1893	1826	50.90
609	1st	-silence -noise -endp -minmax -eucl	1893	1826	50.90
610	1st	-silence -noise -bandstop -lpc -cos	1893	1826	50.90
611	1st	-noise -raw -aggr -hamming	1893	1826	50.90
612	1st	-silence -noise -band -aggr -hamming	1893	1826	50.90
613	1st	-noise -bandstop -lpc -cos	1893	1826	50.90
614	1st	-silence -high -lpc -cos	1893	1826	50.90
615	1st	-silence -raw -aggr -hamming	1893	1826	50.90
616	1st	-noise -bandstop -lpc -diff	1892	1827	50.87
617	1st	-silence -noise -endp -aggr -diff	1892	1827	50.87
618	1st	-silence -noise -endp -fft -cheb	1892	1827	50.87
619	1st	-silence -noise -endp -aggr -cheb	1892	1827	50.87
620	1st	-noise -endp -fft -cheb	1892	1827	50.87
621	1st	-noise -endp -aggr -diff	1892	1827	50.87
622	1st	-noise -endp -aggr -cheb	1892	1827	50.87
623	1st	-noise -band -lpc -cos	1892	1827	50.87
624	1st	-noise -endp -minmax -cheb	1891	1828	50.85
625	1st	-noise -endp -minmax -eucl	1891	1828	50.85
626	1st	-noise -low -fft -cheb	1890	1829	50.82
627	1st	-silence -noise -norm -lpc -hamming	1890	1829	50.82
628	1st	-silence -low -lpc -hamming	1890	1829	50.82
629	1st	-high -lpc -cos	1890	1829	50.82
630	1st	-silence -high -lpc -diff	1890	1829	50.82
631	1st	-silence -endp -fft -eucl	1889	1830	50.79
632	1st	-noise -low -aggr -diff	1889	1830	50.79
633	1st	-endp -fft -eucl	1889	1830	50.79
634	1st	-noise -low -aggr -cheb	1889	1830	50.79
635	1st	-silence -endp -aggr -eucl	1889	1830	50.79
636	1st	-endp -aggr -eucl	1889	1830	50.79
637	1st	-silence -norm -minmax -diff	1889	1830	50.79
638	1st	-noise -low -fft -diff	1889	1830	50.79
639	1st	-norm -minmax -diff	1889	1830	50.79
640	1st	-silence -noise -endp -minmax -cheb	1889	1830	50.79
641	1st	-silence -noise -high -fft -hamming	1886	1833	50.71
642	1st	-noise -endp -minmax -cos	1885	1834	50.69
643	1st	-noise -endp -minmax -hamming	1884	1835	50.66
644	1st	-noise -endp -aggr -eucl	1883	1836	50.63
645	1st	-noise -high -aggr -hamming	1883	1836	50.63
646	1st	-silence -noise -endp -fft -eucl	1883	1836	50.63
647	1st	-silence -noise -endp -aggr -eucl	1883	1836	50.63
648	1st	-silence -noise -endp -minmax -cos	1883	1836	50.63
649	1st	-noise -endp -fft -eucl	1883	1836	50.63

Table 207: Consolidated results (piste2-result1-marf-text-only-stats), Part 14.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
650	1st	-silence -noise -endp -fft -mink	1882	1837	50.61
651	1st	-silence -noise -endp -aggr -mink	1882	1837	50.61
652	1st	-noise -endp -aggr -mink	1881	1838	50.58
653	1st	-silence -noise -endp -minmax -hamming	1881	1838	50.58
654	1st	-silence -noise -band -lpc -eucl	1881	1838	50.58
655	1st	-noise -endp -fft -mink	1881	1838	50.58
656	1st	-silence -noise -high -minmax -diff	1880	1839	50.55
657	1st	-noise -high -minmax -diff	1880	1839	50.55
658	1st	-noise -high -minmax -cheb	1878	1841	50.50
659	1st	-silence -noise -high -aggr -hamming	1878	1841	50.50
660	1st	-silence -noise -high -minmax -cheb	1878	1841	50.50
661	1st	-silence -noise -low -fft -cheb	1876	1843	50.44
662	1st	-silence -noise -low -aggr -diff	1876	1843	50.44
663	1st	-silence -noise -low -fft -diff	1876	1843	50.44
664	1st	-silence -noise -low -aggr -cheb	1875	1844	50.42
665	1st	-noise -norm -lpc -cos	1873	1846	50.36
666	1st	-low -lpc -cos	1873	1846	50.36
667	1st	-silence -noise -low -fft -hamming	1872	1847	50.34
668	1st	-silence -bandstop -aggr -diff	1871	1848	50.31
669	1st	-silence -bandstop -fft -diff	1870	1849	50.28
670	1st	-silence -noise -bandstop -fft -hamming	1870	1849	50.28
671	1st	-silence -bandstop -fft -cheb	1870	1849	50.28
672	1st	-silence -bandstop -aggr -cheb	1870	1849	50.28
673	1st	-silence -noise -band -lpc -cheb	1870	1849	50.28
674	1st	-silence -noise -bandstop -aggr -diff	1869	1850	50.26
675	1st	-noise -bandstop -fft -diff	1869	1850	50.26
676	1st	-silence -noise -band -lpc -diff	1869	1850	50.26
677	1st	-silence -noise -bandstop -aggr -cheb	1869	1850	50.26
678	1st	-silence -noise -bandstop -fft -cheb	1869	1850	50.26
679	1st	-noise -bandstop -aggr -diff	1869	1850	50.26
680	1st	-silence -noise -low -minmax -hamming	1868	1851	50.23
681	1st	-silence -noise -bandstop -fft -diff	1868	1851	50.23
682	1st	-noise -bandstop -aggr -cheb	1867	1852	50.20
683	1st	-noise -bandstop -fft -cheb	1867	1852	50.20
684	1st	-noise -low -fft -hamming	1866	1853	50.17
685	1st	-noise -low -minmax -hamming	1865	1854	50.15
686	1st	-noise -bandstop -fft -hamming	1865	1854	50.15
687	1st	-noise -bandstop -aggr -hamming	1865	1854	50.15
688	1st	-silence -noise -low -lpc -cos	1864	1855	50.12
689	1st	-silence -noise -bandstop -aggr -hamming	1863	1856	50.09
690	1st	-bandstop -fft -cheb	1863	1856	50.09
691	1st	-bandstop -aggr -diff	1862	1857	50.07
692	1st	-bandstop -aggr -cheb	1862	1857	50.07
693	1st	-bandstop -fft -diff	1862	1857	50.07
694	1st	-silence -low -aggr -cheb	1861	1858	50.04
695	1st	-silence -noise -norm -fft -diff	1861	1858	50.04
696	1st	-silence -noise -norm -aggr -cheb	1861	1858	50.04
697	1st	-low -aggr -diff	1861	1858	50.04
698	1st	-low -fft -diff	1861	1858	50.04
699	1st	-noise -norm -fft -diff	1861	1858	50.04

Table 208: Consolidated results (piste2-result1-marf-text-only-stats), Part 15.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
700	1st	-noise -norm -aggr -diff	1861	1858	50.04
701	1st	-silence -low -fft -diff	1861	1858	50.04
702	1st	-silence -low -fft -cheb	1860	1859	50.01
703	1st	-silence -low -lpc -cos	1860	1859	50.01
704	1st	-silence -low -aggr -diff	1860	1859	50.01
705	1st	-silence -noise -norm -aggr -diff	1860	1859	50.01
706	1st	-silence -noise -norm -fft -cheb	1860	1859	50.01
707	1st	-silence -noise -norm -lpc -cos	1860	1859	50.01
708	1st	-noise -low -aggr -hamming	1858	1861	49.96
709	1st	-band -minmax -hamming	1855	1864	49.88
710	1st	-silence -band -minmax -hamming	1855	1864	49.88
711	1st	-low -aggr -cheb	1855	1864	49.88
712	1st	-low -fft -cheb	1855	1864	49.88
713	1st	-noise -norm -fft -cheb	1855	1864	49.88
714	1st	-noise -norm -aggr -cheb	1855	1864	49.88
715	1st	-norm -fft -diff	1853	1866	49.83
716	1st	-silence -norm -aggr -cheb	1853	1866	49.83
717	1st	-norm -aggr -cheb	1853	1866	49.83
718	1st	-silence -norm -fft -diff	1853	1866	49.83
719	1st	-silence -norm -fft -cheb	1852	1867	49.80
720	1st	-norm -fft -cheb	1852	1867	49.80
721	1st	-band -lpc -cos	1852	1867	49.80
722	1st	-silence -norm -aggr -diff	1849	1870	49.72
723	1st	-norm -aggr -diff	1849	1870	49.72
724	1st	-noise -low -lpc -cos	1849	1870	49.72
725	1st	-raw -aggr -cheb	1848	1871	49.69
726	1st	-silence -noise -raw -aggr -cheb	1848	1871	49.69
727	1st	-raw -fft -diff	1848	1871	49.69
728	1st	-noise -raw -fft -diff	1848	1871	49.69
729	1st	-silence -raw -fft -diff	1848	1871	49.69
730	1st	-silence -noise -raw -fft -diff	1848	1871	49.69
731	1st	-noise -raw -aggr -cheb	1848	1871	49.69
732	1st	-silence -raw -aggr -cheb	1848	1871	49.69
733	1st	-raw -fft -cheb	1847	1872	49.66
734	1st	-noise -raw -fft -cheb	1847	1872	49.66
735	1st	-silence -raw -fft -cheb	1847	1872	49.66
736	1st	-silence -noise -raw -fft -cheb	1847	1872	49.66
737	1st	-raw -aggr -diff	1846	1873	49.64
738	1st	-silence -noise -raw -aggr -diff	1846	1873	49.64
739	1st	-noise -raw -aggr -diff	1846	1873	49.64
740	1st	-silence -raw -aggr -diff	1846	1873	49.64
741	1st	-silence -endp -minmax -diff	1845	1874	49.61
742	1st	-endp -minmax -diff	1845	1874	49.61
743	1st	-endp -minmax -hamming	1837	1882	49.39
744	1st	-silence -endp -minmax -hamming	1837	1882	49.39
745	1st	-silence -low -fft -eucl	1774	1945	47.70
746	1st	-silence -bandstop -fft -eucl	1774	1945	47.70
747	1st	-silence -bandstop -aggr -eucl	1774	1945	47.70
748	1st	-silence -low -aggr -eucl	1774	1945	47.70
749	1st	-silence -noise -norm -aggr -eucl	1774	1945	47.70

Table 209: Consolidated results (piste2-result1-marf-text-only-stats), Part 16.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
750	1st	-silence -noise -norm -fft -eucl	1774	1945	47.70
751	1st	-low -fft -eucl	1772	1947	47.65
752	1st	-noise -norm -fft -eucl	1772	1947	47.65
753	1st	-noise -norm -aggr -eucl	1772	1947	47.65
754	1st	-silence -norm -fft -eucl	1772	1947	47.65
755	1st	-silence -norm -aggr -eucl	1772	1947	47.65
756	1st	-norm -fft -eucl	1772	1947	47.65
757	1st	-norm -aggr -eucl	1772	1947	47.65
758	1st	-low -aggr -eucl	1772	1947	47.65
759	1st	-bandstop -fft -eucl	1771	1948	47.62
760	1st	-bandstop -aggr -eucl	1771	1948	47.62
761	1st	-silence -noise -bandstop -fft -eucl	1769	1950	47.57
762	1st	-silence -noise -bandstop -aggr -eucl	1769	1950	47.57
763	1st	-noise -bandstop -aggr -eucl	1768	1951	47.54
764	1st	-noise -bandstop -fft -eucl	1768	1951	47.54
765	1st	-silence -raw -fft -cos	1761	1958	47.35
766	1st	-raw -aggr -cos	1761	1958	47.35
767	1st	-norm -fft -cos	1761	1958	47.35
768	1st	-noise -raw -aggr -cos	1761	1958	47.35
769	1st	-silence -raw -aggr -cos	1761	1958	47.35
770	1st	-silence -noise -raw -aggr -cos	1761	1958	47.35
771	1st	-silence -norm -fft -cos	1761	1958	47.35
772	1st	-silence -norm -aggr -cos	1761	1958	47.35
773	1st	-silence -noise -raw -fft -cos	1761	1958	47.35
774	1st	-norm -aggr -cos	1761	1958	47.35
775	1st	-raw -fft -cos	1761	1958	47.35
776	1st	-noise -raw -fft -cos	1761	1958	47.35
777	1st	-noise -raw -aggr -eucl	1760	1959	47.32
778	1st	-noise -raw -fft -eucl	1760	1959	47.32
779	1st	-silence -raw -fft -eucl	1760	1959	47.32
780	1st	-silence -noise -raw -fft -eucl	1760	1959	47.32
781	1st	-silence -raw -aggr -eucl	1760	1959	47.32
782	1st	-raw -aggr -eucl	1760	1959	47.32
783	1st	-silence -noise -raw -aggr -eucl	1760	1959	47.32
784	1st	-raw -fft -eucl	1760	1959	47.32
785	1st	-low -aggr -mink	1759	1960	47.30
786	1st	-low -fft -mink	1759	1960	47.30
787	1st	-noise -norm -fft -mink	1759	1960	47.30
788	1st	-noise -norm -aggr -mink	1759	1960	47.30
789	1st	-noise -low -aggr -cos	1759	1960	47.30
790	1st	-silence -bandstop -fft -mink	1759	1960	47.30
791	1st	-silence -bandstop -aggr -mink	1759	1960	47.30
792	1st	-noise -low -fft -cos	1759	1960	47.30
793	1st	-silence -noise -bandstop -fft -mink	1758	1961	47.27
794	1st	-bandstop -fft -mink	1758	1961	47.27
795	1st	-silence -noise -norm -aggr -cos	1758	1961	47.27
796	1st	-bandstop -fft -cos	1758	1961	47.27
797	1st	-noise -bandstop -aggr -mink	1758	1961	47.27
798	1st	-silence -low -fft -mink	1758	1961	47.27
799	1st	-bandstop -aggr -cos	1758	1961	47.27

Table 210: Consolidated results (piste2-result1-marf-text-only-stats), Part 17.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
800	1st	-silence -noise -norm -fft -cos	1758	1961	47.27
801	1st	-silence -low -aggr -cos	1758	1961	47.27
802	1st	-silence -noise -low -aggr -cos	1758	1961	47.27
803	1st	-silence -noise -low -fft -cos	1758	1961	47.27
804	1st	-silence -noise -bandstop -aggr -mink	1758	1961	47.27
805	1st	-noise -bandstop -fft -mink	1758	1961	47.27
806	1st	-silence -low -aggr -mink	1758	1961	47.27
807	1st	-silence -bandstop -aggr -cos	1758	1961	47.27
808	1st	-silence -noise -norm -aggr -mink	1758	1961	47.27
809	1st	-silence -bandstop -fft -cos	1758	1961	47.27
810	1st	-silence -noise -norm -fft -mink	1758	1961	47.27
811	1st	-bandstop -aggr -mink	1758	1961	47.27
812	1st	-silence -low -fft -cos	1758	1961	47.27
813	1st	-low -aggr -cos	1757	1962	47.24
814	1st	-silence -norm -fft -mink	1757	1962	47.24
815	1st	-noise -norm -aggr -cos	1757	1962	47.24
816	1st	-silence -norm -aggr -mink	1757	1962	47.24
817	1st	-noise -norm -fft -cos	1757	1962	47.24
818	1st	-norm -fft -mink	1757	1962	47.24
819	1st	-norm -aggr -mink	1757	1962	47.24
820	1st	-low -fft -cos	1757	1962	47.24
821	1st	-noise -bandstop -aggr -cos	1754	1965	47.16
822	1st	-silence -noise -bandstop -fft -cos	1754	1965	47.16
823	1st	-silence -noise -bandstop -aggr -cos	1754	1965	47.16
824	1st	-noise -bandstop -fft -cos	1754	1965	47.16
825	1st	-noise -low -fft -eucl	1743	1976	46.87
826	1st	-noise -low -aggr -eucl	1743	1976	46.87
827	1st	-silence -noise -low -fft -eucl	1742	1977	46.84
828	1st	-noise -raw -aggr -mink	1741	1978	46.81
829	1st	-noise -raw -fft -mink	1741	1978	46.81
830	1st	-silence -raw -fft -mink	1741	1978	46.81
831	1st	-silence -noise -raw -fft -mink	1741	1978	46.81
832	1st	-silence -raw -aggr -mink	1741	1978	46.81
833	1st	-raw -aggr -mink	1741	1978	46.81
834	1st	-silence -noise -raw -aggr -mink	1741	1978	46.81
835	1st	-raw -fft -mink	1741	1978	46.81
836	1st	-noise -low -fft -mink	1733	1986	46.60
837	1st	-noise -low -aggr -mink	1733	1986	46.60
838	1st	-silence -noise -low -aggr -mink	1731	1988	46.54
839	1st	-silence -noise -low -fft -mink	1731	1988	46.54
840	2nd	-silence -high -fft -cos	3719	0	100.00
841	2nd	-silence -high -aggr -cos	3719	0	100.00
842	2nd	-high -fft -cos	3719	0	100.00
843	2nd	-high -aggr -cos	3719	0	100.00
844	2nd	-silence -band -aggr -cos	3719	0	100.00
845	2nd	-silence -band -fft -cos	3719	0	100.00
846	2nd	-silence -noise -band -fft -cos	3719	0	100.00
847	2nd	-silence -noise -band -aggr -cos	3719	0	100.00
848	2nd	-silence -high -aggr -eucl	3719	0	100.00
849	2nd	-silence -high -fft -eucl	3719	0	100.00

Table 211: Consolidated results (piste2-result1-marf-text-only-stats), Part 18.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
850	2nd	-high -fft -diff	3719	0	100.00
851	2nd	-high -aggr -diff	3719	0	100.00
852	2nd	-high -aggr -cheb	3719	0	100.00
853	2nd	-high -fft -cheb	3719	0	100.00
854	2nd	-band -aggr -eucl	3719	0	100.00
855	2nd	-band -fft -eucl	3719	0	100.00
856	2nd	-noise -band -aggr -cos	3719	0	100.00
857	2nd	-band -fft -cos	3719	0	100.00
858	2nd	-band -aggr -cos	3719	0	100.00
859	2nd	-noise -band -fft -cos	3719	0	100.00
860	2nd	-high -aggr -eucl	3719	0	100.00
861	2nd	-high -fft -eucl	3719	0	100.00
862	2nd	-silence -band -fft -eucl	3719	0	100.00
863	2nd	-silence -band -aggr -eucl	3719	0	100.00
864	2nd	-silence -band -aggr -diff	3719	0	100.00
865	2nd	-silence -band -aggr -cheb	3719	0	100.00
866	2nd	-silence -band -fft -cheb	3719	0	100.00
867	2nd	-silence -band -fft -diff	3719	0	100.00
868	2nd	-band -fft -cheb	3719	0	100.00
869	2nd	-band -aggr -cheb	3719	0	100.00
870	2nd	-noise -raw -lpc -eucl	3719	0	100.00
871	2nd	-silence -raw -lpc -eucl	3719	0	100.00
872	2nd	-silence -noise -raw -lpc -eucl	3719	0	100.00
873	2nd	-band -fft -diff	3719	0	100.00
874	2nd	-silence -norm -lpc -eucl	3719	0	100.00
875	2nd	-norm -lpc -eucl	3719	0	100.00
876	2nd	-band -aggr -diff	3719	0	100.00
877	2nd	-raw -lpc -eucl	3719	0	100.00
878	2nd	-noise -band -fft -diff	3719	0	100.00
879	2nd	-noise -band -fft -mink	3719	0	100.00
880	2nd	-noise -band -aggr -diff	3719	0	100.00
881	2nd	-silence -high -fft -diff	3719	0	100.00
882	2nd	-noise -band -aggr -mink	3719	0	100.00
883	2nd	-noise -band -fft -cheb	3719	0	100.00
884	2nd	-silence -high -aggr -diff	3719	0	100.00
885	2nd	-noise -band -aggr -eucl	3719	0	100.00
886	2nd	-noise -band -fft -eucl	3719	0	100.00
887	2nd	-silence -high -aggr -cheb	3719	0	100.00
888	2nd	-noise -band -aggr -cheb	3719	0	100.00
889	2nd	-silence -high -fft -cheb	3719	0	100.00
890	2nd	-band -aggr -mink	3719	0	100.00
891	2nd	-silence -noise -band -aggr -mink	3719	0	100.00
892	2nd	-band -fft -mink	3719	0	100.00
893	2nd	-silence -noise -band -fft -mink	3719	0	100.00
894	2nd	-high -fft -mink	3719	0	100.00
895	2nd	-high -aggr -mink	3719	0	100.00
896	2nd	-silence -noise -endp -aggr -cos	3719	0	100.00
897	2nd	-silence -noise -endp -fft -cos	3719	0	100.00
898	2nd	-noise -endp -aggr -cos	3719	0	100.00
899	2nd	-noise -endp -fft -cos	3719	0	100.00

Table 212: Consolidated results (piste2-result1-marf-text-only-stats), Part 19.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
900	2nd	-silence -high -fft -mink	3719	0	100.00
901	2nd	-silence -high -aggr -mink	3719	0	100.00
902	2nd	-silence -noise -high -aggr -eucl	3719	0	100.00
903	2nd	-silence -band -aggr -mink	3719	0	100.00
904	2nd	-silence -band -fft -mink	3719	0	100.00
905	2nd	-silence -noise -high -fft -eucl	3719	0	100.00
906	2nd	-noise -raw -lpc -cos	3719	0	100.00
907	2nd	-silence -raw -lpc -cos	3719	0	100.00
908	2nd	-norm -lpc -cos	3719	0	100.00
909	2nd	-silence -norm -lpc -cos	3719	0	100.00
910	2nd	-silence -noise -raw -lpc -cos	3719	0	100.00
911	2nd	-raw -lpc -cos	3719	0	100.00
912	2nd	-norm -lpc -cheb	3719	0	100.00
913	2nd	-raw -lpc -cheb	3719	0	100.00
914	2nd	-noise -raw -lpc -cheb	3719	0	100.00
915	2nd	-silence -raw -lpc -cheb	3719	0	100.00
916	2nd	-silence -noise -raw -lpc -cheb	3719	0	100.00
917	2nd	-silence -norm -lpc -cheb	3719	0	100.00
918	2nd	-silence -noise -band -fft -diff	3719	0	100.00
919	2nd	-silence -noise -band -aggr -diff	3719	0	100.00
920	2nd	-silence -noise -band -fft -cheb	3719	0	100.00
921	2nd	-noise -high -aggr -eucl	3719	0	100.00
922	2nd	-noise -high -fft -eucl	3719	0	100.00
923	2nd	-silence -noise -band -aggr -cheb	3719	0	100.00
924	2nd	-endp -lpc -eucl	3719	0	100.00
925	2nd	-silence -endp -lpc -eucl	3719	0	100.00
926	2nd	-high -fft -hamming	3719	0	100.00
927	2nd	-noise -high -fft -cos	3719	0	100.00
928	2nd	-noise -high -aggr -cos	3719	0	100.00
929	2nd	-noise -band -lpc -hamming	3719	0	100.00
930	2nd	-silence -noise -high -aggr -cos	3719	0	100.00
931	2nd	-silence -boost -aggr -cheb	3719	0	100.00
932	2nd	-boost -lpc -mink	3719	0	100.00
933	2nd	-silence -noise -highpassboost -lpc -hamming	3719	0	100.00
934	2nd	-noise -highpassboost -fft -cheb	3719	0	100.00
935	2nd	-highpassboost -minmax -mink	3719	0	100.00
936	2nd	-highpassboost -lpc -mink	3719	0	100.00
937	2nd	-silence -noise -highpassboost -aggr -hamming	3719	0	100.00
938	2nd	-boost -fft -eucl	3719	0	100.00
939	2nd	-silence -noise -boost -lpc -cos	3719	0	100.00
940	2nd	-silence -highpassboost -fft -mink	3719	0	100.00
941	2nd	-silence -boost -fft -hamming	3719	0	100.00
942	2nd	-highpassboost -fft -eucl	3719	0	100.00
943	2nd	-silence -noise -highpassboost -fft -cos	3719	0	100.00
944	2nd	-highpassboost -lpc -cos	3719	0	100.00
945	2nd	-boost -fft -mink	3719	0	100.00
946	2nd	-highpassboost -fft -mink	3719	0	100.00
947	2nd	-boost -minmax -hamming	3719	0	100.00
948	2nd	-noise -boost -minmax -cos	3719	0	100.00
949	2nd	-silence -noise -boost -aggr -eucl	3719	0	100.00

Table 213: Consolidated results (piste2-result1-marf-text-only-stats), Part 20.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
950	2nd	-highpassboost -minmax -cos	3719	0	100.00
951	2nd	-silence -highpassboost -aggr -hamming	3719	0	100.00
952	2nd	-silence -noise -boost -lpc -eucl	3719	0	100.00
953	2nd	-highpassboost -minmax -hamming	3719	0	100.00
954	2nd	-highpassboost -aggr -diff	3719	0	100.00
955	2nd	-noise -boost -fft -cos	3719	0	100.00
956	2nd	-silence -noise -highpassboost -lpc -cos	3719	0	100.00
957	2nd	-boost -aggr -diff	3719	0	100.00
958	2nd	-noise -boost -fft -hamming	3719	0	100.00
959	2nd	-silence -highpassboost -lpc -hamming	3719	0	100.00
960	2nd	-noise -boost -lpc -diff	3719	0	100.00
961	2nd	-silence -boost -aggr -cos	3719	0	100.00
962	2nd	-silence -noise -boost -aggr -mink	3719	0	100.00
963	2nd	-noise -boost -minmax -diff	3719	0	100.00
964	2nd	-silence -noise -boost -lpc -mink	3719	0	100.00
965	2nd	-noise -highpassboost -lpc -eucl	3719	0	100.00
966	2nd	-silence -noise -highpassboost -aggr -cos	3719	0	100.00
967	2nd	-noise -boost -aggr -eucl	3719	0	100.00
968	2nd	-silence -noise -boost -fft -eucl	3719	0	100.00
969	2nd	-noise -highpassboost -lpc -mink	3719	0	100.00
970	2nd	-silence -highpassboost -aggr -cos	3719	0	100.00
971	2nd	-highpassboost -aggr -cheb	3719	0	100.00
972	2nd	-silence -highpassboost -aggr -eucl	3719	0	100.00
973	2nd	-silence -noise -band -aggr -eucl	3719	0	100.00
974	2nd	-silence -boost -aggr -eucl	3719	0	100.00
975	2nd	-silence -boost -lpc -hamming	3719	0	100.00
976	2nd	-noise -boost -aggr -mink	3719	0	100.00
977	2nd	-boost -aggr -cheb	3719	0	100.00
978	2nd	-noise -boost -fft -diff	3719	0	100.00
979	2nd	-noise -highpassboost -fft -eucl	3719	0	100.00
980	2nd	-noise -boost -lpc -cheb	3719	0	100.00
981	2nd	-silence -noise -boost -fft -mink	3719	0	100.00
982	2nd	-noise -highpassboost -minmax -diff	3719	0	100.00
983	2nd	-noise -boost -minmax -cheb	3719	0	100.00
984	2nd	-noise -highpassboost -minmax -hamming	3719	0	100.00
985	2nd	-noise -highpassboost -fft -hamming	3719	0	100.00
986	2nd	-boost -aggr -cos	3719	0	100.00
987	2nd	-noise -boost -lpc -cos	3719	0	100.00
988	2nd	-silence -highpassboost -aggr -mink	3719	0	100.00
989	2nd	-silence -boost -aggr -mink	3719	0	100.00
990	2nd	-highpassboost -aggr -cos	3719	0	100.00
991	2nd	-noise -highpassboost -fft -mink	3719	0	100.00
992	2nd	-noise -boost -aggr -hamming	3719	0	100.00
993	2nd	-silence -boost -fft -cos	3719	0	100.00
994	2nd	-silence -noise -highpassboost -aggr -diff	3719	0	100.00
995	2nd	-noise -highpassboost -aggr -hamming	3719	0	100.00
996	2nd	-noise -boost -fft -cheb	3719	0	100.00
997	2nd	-noise -highpassboost -minmax -cheb	3719	0	100.00
998	2nd	-noise -highpassboost -aggr -diff	3719	0	100.00
999	2nd	-noise -boost -lpc -hamming	3719	0	100.00

Table 214: Consolidated results (piste2-result1-marf-text-only-stats), Part 21.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1000	2nd	-highpassboost -aggr -hamming	3719	0	100.00
1001	2nd	-silence -boost -lpc -diff	3719	0	100.00
1002	2nd	-silence -noise -highpassboost -aggr -cheb	3719	0	100.00
1003	2nd	-silence -noise -highpassboost -lpc -diff	3719	0	100.00
1004	2nd	-silence -boost -lpc -cos	3719	0	100.00
1005	2nd	-silence -highpassboost -fft -cos	3719	0	100.00
1006	2nd	-noise -highpassboost -aggr -cheb	3719	0	100.00
1007	2nd	-silence -noise -boost -aggr -cos	3719	0	100.00
1008	2nd	-silence -highpassboost -lpc -diff	3719	0	100.00
1009	2nd	-noise -highpassboost -lpc -hamming	3719	0	100.00
1010	2nd	-highpassboost -aggr -eucl	3719	0	100.00
1011	2nd	-silence -boost -fft -diff	3719	0	100.00
1012	2nd	-boost -fft -cos	3719	0	100.00
1013	2nd	-silence -boost -lpc -cheb	3719	0	100.00
1014	2nd	-silence -noise -highpassboost -fft -diff	3719	0	100.00
1015	2nd	-boost -aggr -eucl	3719	0	100.00
1016	2nd	-silence -noise -boost -fft -hamming	3719	0	100.00
1017	2nd	-boost -minmax -diff	3719	0	100.00
1018	2nd	-noise -boost -lpc -eucl	3719	0	100.00
1019	2nd	-noise -highpassboost -aggr -cos	3719	0	100.00
1020	2nd	-boost -lpc -diff	3719	0	100.00
1021	2nd	-boost -fft -hamming	3719	0	100.00
1022	2nd	-noise -boost -minmax -eucl	3719	0	100.00
1023	2nd	-silence -noise -highpassboost -lpc -cheb	3719	0	100.00
1024	2nd	-highpassboost -fft -hamming	3719	0	100.00
1025	2nd	-highpassboost -minmax -diff	3719	0	100.00
1026	2nd	-highpassboost -aggr -mink	3719	0	100.00
1027	2nd	-highpassboost -lpc -diff	3719	0	100.00
1028	2nd	-silence -highpassboost -fft -diff	3719	0	100.00
1029	2nd	-silence -highpassboost -lpc -cheb	3719	0	100.00
1030	2nd	-boost -aggr -mink	3719	0	100.00
1031	2nd	-noise -boost -lpc -mink	3719	0	100.00
1032	2nd	-noise -boost -minmax -mink	3719	0	100.00
1033	2nd	-noise -highpassboost -minmax -cos	3719	0	100.00
1034	2nd	-silence -highpassboost -lpc -cos	3719	0	100.00
1035	2nd	-silence -boost -fft -cheb	3719	0	100.00
1036	2nd	-boost -fft -diff	3719	0	100.00
1037	2nd	-silence -noise -highpassboost -fft -cheb	3719	0	100.00
1038	2nd	-noise -boost -fft -eucl	3719	0	100.00
1039	2nd	-boost -minmax -cheb	3719	0	100.00
1040	2nd	-boost -lpc -cheb	3719	0	100.00
1041	2nd	-noise -highpassboost -minmax -eucl	3719	0	100.00
1042	2nd	-boost -lpc -cos	3719	0	100.00
1043	2nd	-highpassboost -fft -diff	3719	0	100.00
1044	2nd	-highpassboost -minmax -cheb	3719	0	100.00
1045	2nd	-highpassboost -lpc -cheb	3719	0	100.00
1046	2nd	-silence -boost -aggr -hamming	3719	0	100.00
1047	2nd	-silence -highpassboost -fft -cheb	3719	0	100.00
1048	2nd	-noise -boost -fft -mink	3719	0	100.00
1049	2nd	-silence -noise -boost -aggr -hamming	3719	0	100.00

Table 215: Consolidated results (piste2-result1-marf-text-only-stats), Part 22.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1050	2nd	-noise -highpassboost -minmax -mink	3719	0	100.00
1051	2nd	-noise -boost -minmax -hamming	3719	0	100.00
1052	2nd	-boost -fft -cheb	3719	0	100.00
1053	2nd	-silence -noise -highpassboost -aggr -eucl	3719	0	100.00
1054	2nd	-silence -noise -highpassboost -fft -hamming	3719	0	100.00
1055	2nd	-boost -minmax -cos	3719	0	100.00
1056	2nd	-highpassboost -fft -cheb	3719	0	100.00
1057	2nd	-silence -noise -boost -aggr -diff	3719	0	100.00
1058	2nd	-silence -noise -boost -lpc -diff	3719	0	100.00
1059	2nd	-noise -highpassboost -aggr -eucl	3719	0	100.00
1060	2nd	-silence -noise -boost -lpc -hamming	3719	0	100.00
1061	2nd	-silence -noise -highpassboost -aggr -mink	3719	0	100.00
1062	2nd	-boost -lpc -hamming	3719	0	100.00
1063	2nd	-highpassboost -lpc -hamming	3719	0	100.00
1064	2nd	-noise -highpassboost -fft -cos	3719	0	100.00
1065	2nd	-silence -noise -band -fft -eucl	3719	0	100.00
1066	2nd	-silence -boost -lpc -eucl	3719	0	100.00
1067	2nd	-noise -highpassboost -lpc -diff	3719	0	100.00
1068	2nd	-noise -highpassboost -aggr -mink	3719	0	100.00
1069	2nd	-noise -boost -aggr -diff	3719	0	100.00
1070	2nd	-silence -noise -highpassboost -lpc -eucl	3719	0	100.00
1071	2nd	-silence -noise -boost -fft -diff	3719	0	100.00
1072	2nd	-silence -noise -boost -aggr -cheb	3719	0	100.00
1073	2nd	-silence -noise -boost -lpc -cheb	3719	0	100.00
1074	2nd	-silence -boost -lpc -mink	3719	0	100.00
1075	2nd	-silence -highpassboost -lpc -eucl	3719	0	100.00
1076	2nd	-silence -highpassboost -aggr -diff	3719	0	100.00
1077	2nd	-silence -boost -aggr -diff	3719	0	100.00
1078	2nd	-silence -noise -highpassboost -lpc -mink	3719	0	100.00
1079	2nd	-silence -noise -boost -fft -cos	3719	0	100.00
1080	2nd	-silence -boost -fft -eucl	3719	0	100.00
1081	2nd	-noise -highpassboost -fft -diff	3719	0	100.00
1082	2nd	-noise -highpassboost -lpc -cheb	3719	0	100.00
1083	2nd	-boost -aggr -hamming	3719	0	100.00
1084	2nd	-highpassboost -fft -cos	3719	0	100.00
1085	2nd	-silence -noise -highpassboost -fft -eucl	3719	0	100.00
1086	2nd	-noise -boost -aggr -cos	3719	0	100.00
1087	2nd	-boost -minmax -eucl	3719	0	100.00
1088	2nd	-noise -highpassboost -lpc -cos	3719	0	100.00
1089	2nd	-boost -lpc -eucl	3719	0	100.00
1090	2nd	-silence -highpassboost -lpc -mink	3719	0	100.00
1091	2nd	-noise -boost -aggr -cheb	3719	0	100.00
1092	2nd	-silence -noise -boost -fft -cheb	3719	0	100.00
1093	2nd	-highpassboost -minmax -eucl	3719	0	100.00
1094	2nd	-silence -highpassboost -fft -hamming	3719	0	100.00
1095	2nd	-silence -boost -fft -mink	3719	0	100.00
1096	2nd	-highpassboost -lpc -eucl	3719	0	100.00
1097	2nd	-silence -highpassboost -fft -eucl	3719	0	100.00
1098	2nd	-silence -noise -highpassboost -fft -mink	3719	0	100.00
1099	2nd	-silence -highpassboost -aggr -cheb	3719	0	100.00

Table 216: Consolidated results (piste2-result1-marf-text-only-stats), Part 23.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1100	2nd	-boost -minmax -mink	3719	0	100.00
1101	2nd	-bandstop -aggr -hamming	3719	0	100.00
1102	2nd	-silence -endp -fft -hamming	3719	0	100.00
1103	2nd	-endp -fft -hamming	3719	0	100.00
1104	2nd	-silence -noise -endp -lpc -hamming	3719	0	100.00
1105	2nd	-silence -high -lpc -hamming	3719	0	100.00
1106	2nd	-silence -bandstop -lpc -eucl	3719	0	100.00
1107	2nd	-silence -bandstop -lpc -cos	3719	0	100.00
1108	2nd	-bandstop -lpc -diff	3719	0	100.00
1109	2nd	-silence -bandstop -lpc -cheb	3719	0	100.00
1110	2nd	-silence -norm -fft -hamming	3719	0	100.00
1111	2nd	-high -aggr -hamming	3719	0	100.00
1112	2nd	-norm -fft -hamming	3719	0	100.00
1113	2nd	-band -minmax -mink	3719	0	100.00
1114	2nd	-bandstop -lpc -cos	3719	0	100.00
1115	2nd	-silence -band -minmax -mink	3719	0	100.00
1116	2nd	-bandstop -lpc -cheb	3719	0	100.00
1117	2nd	-bandstop -lpc -eucl	3719	0	100.00
1118	2nd	-endp -aggr -hamming	3719	0	100.00
1119	2nd	-silence -endp -aggr -hamming	3719	0	100.00
1120	2nd	-noise -endp -lpc -eucl	3719	0	100.00
1121	2nd	-noise -raw -lpc -hamming	3719	0	100.00
1122	2nd	-silence -raw -lpc -hamming	3719	0	100.00
1123	2nd	-norm -lpc -hamming	3719	0	100.00
1124	2nd	-raw -lpc -hamming	3719	0	100.00
1125	2nd	-silence -norm -lpc -hamming	3719	0	100.00
1126	2nd	-silence -noise -raw -lpc -hamming	3719	0	100.00
1127	2nd	-bandstop -minmax -mink	3719	0	100.00
1128	2nd	-silence -noise -norm -minmax -eucl	3719	0	100.00
1129	2nd	-silence -low -minmax -eucl	3719	0	100.00
1130	2nd	-silence -noise -endp -lpc -eucl	3719	0	100.00
1131	2nd	-silence -noise -high -fft -cos	3719	0	100.00
1132	2nd	-silence -bandstop -minmax -mink	3719	0	100.00
1133	2nd	-noise -norm -minmax -eucl	3719	0	100.00
1134	2nd	-low -minmax -eucl	3719	0	100.00
1135	2nd	-noise -raw -lpc -mink	3719	0	100.00
1136	2nd	-silence -raw -lpc -mink	3719	0	100.00
1137	2nd	-silence -noise -raw -lpc -mink	3719	0	100.00
1138	2nd	-silence -noise -endp -lpc -cheb	3719	0	100.00
1139	2nd	-silence -norm -lpc -mink	3719	0	100.00
1140	2nd	-norm -lpc -mink	3719	0	100.00
1141	2nd	-silence -bandstop -lpc -mink	3719	0	100.00
1142	2nd	-raw -lpc -mink	3719	0	100.00
1143	2nd	-noise -endp -lpc -cheb	3719	0	100.00
1144	2nd	-bandstop -fft -hamming	3719	0	100.00
1145	2nd	-endp -lpc -mink	3719	0	100.00
1146	2nd	-silence -endp -lpc -mink	3719	0	100.00
1147	2nd	-low -lpc -cheb	3719	0	100.00
1148	2nd	-noise -norm -lpc -cheb	3719	0	100.00
1149	2nd	-silence -endp -lpc -cheb	3719	0	100.00

Table 217: Consolidated results (piste2-result1-marf-text-only-stats), Part 24.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1150	2nd	-endp -lpc -cheb	3719	0	100.00
1151	2nd	-noise -endp -lpc -hamming	3719	0	100.00
1152	2nd	-norm -lpc -diff	3719	0	100.00
1153	2nd	-silence -bandstop -lpc -diff	3719	0	100.00
1154	2nd	-silence -noise -high -fft -cheb	3719	0	100.00
1155	2nd	-raw -lpc -diff	3719	0	100.00
1156	2nd	-silence -noise -high -aggr -cheb	3719	0	100.00
1157	2nd	-noise -raw -lpc -diff	3719	0	100.00
1158	2nd	-silence -raw -lpc -diff	3719	0	100.00
1159	2nd	-silence -noise -raw -lpc -diff	3719	0	100.00
1160	2nd	-silence -norm -lpc -diff	3719	0	100.00
1161	2nd	-silence -high -minmax -mink	3719	0	100.00
1162	2nd	-high -minmax -mink	3719	0	100.00
1163	2nd	-noise -high -aggr -diff	3719	0	100.00
1164	2nd	-raw -minmax -diff	3719	0	100.00
1165	2nd	-silence -high -fft -hamming	3719	0	100.00
1166	2nd	-noise -high -fft -diff	3719	0	100.00
1167	2nd	-silence -noise -raw -minmax -diff	3719	0	100.00
1168	2nd	-noise -raw -minmax -diff	3719	0	100.00
1169	2nd	-silence -raw -minmax -diff	3719	0	100.00
1170	2nd	-silence -noise -norm -minmax -diff	3719	0	100.00
1171	2nd	-silence -low -minmax -diff	3719	0	100.00
1172	2nd	-noise -low -lpc -eucl	3719	0	100.00
1173	2nd	-noise -norm -minmax -cheb	3719	0	100.00
1174	2nd	-low -minmax -cheb	3719	0	100.00
1175	2nd	-low -lpc -diff	3719	0	100.00
1176	2nd	-noise -band -lpc -diff	3719	0	100.00
1177	2nd	-noise -norm -lpc -diff	3719	0	100.00
1178	2nd	-silence -noise -norm -minmax -cheb	3719	0	100.00
1179	2nd	-silence -low -minmax -cheb	3719	0	100.00
1180	2nd	-silence -noise -high -aggr -diff	3719	0	100.00
1181	2nd	-silence -noise -bandstop -lpc -hamming	3719	0	100.00
1182	2nd	-silence -high -aggr -hamming	3719	0	100.00
1183	2nd	-noise -low -lpc -mink	3719	0	100.00
1184	2nd	-silence -noise -high -fft -diff	3719	0	100.00
1185	2nd	-silence -norm -aggr -hamming	3719	0	100.00
1186	2nd	-norm -aggr -hamming	3719	0	100.00
1187	2nd	-noise -norm -fft -hamming	3719	0	100.00
1188	2nd	-low -fft -hamming	3719	0	100.00
1189	2nd	-noise -bandstop -minmax -diff	3719	0	100.00
1190	2nd	-silence -endp -lpc -diff	3719	0	100.00
1191	2nd	-noise -band -lpc -cheb	3719	0	100.00
1192	2nd	-endp -lpc -diff	3719	0	100.00
1193	2nd	-noise -bandstop -minmax -mink	3719	0	100.00
1194	2nd	-noise -high -aggr -cheb	3719	0	100.00
1195	2nd	-silence -noise -bandstop -minmax -diff	3719	0	100.00
1196	2nd	-silence -noise -bandstop -minmax -mink	3719	0	100.00
1197	2nd	-noise -high -fft -cheb	3719	0	100.00
1198	2nd	-noise -norm -lpc -eucl	3719	0	100.00
1199	2nd	-silence -noise -low -minmax -mink	3719	0	100.00

Table 218: Consolidated results (piste2-result1-marf-text-only-stats), Part 25.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1200	2nd	-noise -low -minmax -mink	3719	0	100.00
1201	2nd	-noise -norm -minmax -mink	3719	0	100.00
1202	2nd	-low -minmax -mink	3719	0	100.00
1203	2nd	-low -lpc -eucl	3719	0	100.00
1204	2nd	-low -lpc -mink	3719	0	100.00
1205	2nd	-noise -norm -lpc -mink	3719	0	100.00
1206	2nd	-silence -band -lpc -diff	3719	0	100.00
1207	2nd	-silence -band -minmax -eucl	3719	0	100.00
1208	2nd	-band -minmax -eucl	3719	0	100.00
1209	2nd	-silence -noise -endp -lpc -diff	3719	0	100.00
1210	2nd	-silence -noise -low -lpc -hamming	3719	0	100.00
1211	2nd	-silence -band -minmax -cheb	3719	0	100.00
1212	2nd	-noise -bandstop -lpc -hamming	3719	0	100.00
1213	2nd	-band -minmax -cheb	3719	0	100.00
1214	2nd	-silence -band -lpc -cheb	3719	0	100.00
1215	2nd	-silence -noise -norm -minmax -cos	3719	0	100.00
1216	2nd	-silence -band -minmax -diff	3719	0	100.00
1217	2nd	-silence -noise -low -minmax -eucl	3719	0	100.00
1218	2nd	-noise -low -minmax -eucl	3719	0	100.00
1219	2nd	-silence -noise -norm -minmax -mink	3719	0	100.00
1220	2nd	-silence -low -minmax -mink	3719	0	100.00
1221	2nd	-silence -low -minmax -cos	3719	0	100.00
1222	2nd	-band -minmax -diff	3719	0	100.00
1223	2nd	-silence -noise -high -lpc -cos	3719	0	100.00
1224	2nd	-noise -endp -lpc -diff	3719	0	100.00
1225	2nd	-noise -band -lpc -eucl	3719	0	100.00
1226	2nd	-noise -norm -minmax -cos	3719	0	100.00
1227	2nd	-noise -norm -minmax -diff	3719	0	100.00
1228	2nd	-low -minmax -diff	3719	0	100.00
1229	2nd	-low -minmax -cos	3719	0	100.00
1230	2nd	-bandstop -lpc -mink	3719	0	100.00
1231	2nd	-noise -low -minmax -cos	3719	0	100.00
1232	2nd	-endp -lpc -cos	3719	0	100.00
1233	2nd	-silence -endp -lpc -cos	3719	0	100.00
1234	2nd	-silence -noise -norm -lpc -cheb	3719	0	100.00
1235	2nd	-noise -low -lpc -diff	3719	0	100.00
1236	2nd	-silence -noise -low -minmax -cos	3719	0	100.00
1237	2nd	-silence -low -lpc -cheb	3719	0	100.00
1238	2nd	-noise -low -lpc -hamming	3719	0	100.00
1239	2nd	-silence -low -lpc -mink	3719	0	100.00
1240	2nd	-silence -endp -aggr -cos	3719	0	100.00
1241	2nd	-silence -noise -norm -lpc -diff	3719	0	100.00
1242	2nd	-endp -aggr -cos	3719	0	100.00
1243	2nd	-endp -fft -cos	3719	0	100.00
1244	2nd	-silence -endp -fft -cos	3719	0	100.00
1245	2nd	-silence -noise -norm -lpc -mink	3719	0	100.00
1246	2nd	-silence -low -lpc -diff	3719	0	100.00
1247	2nd	-endp -lpc -hamming	3719	0	100.00
1248	2nd	-low -aggr -hamming	3719	0	100.00
1249	2nd	-silence -noise -bandstop -minmax -cheb	3719	0	100.00

Table 219: Consolidated results (piste2-result1-marf-text-only-stats), Part 26.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1250	2nd	-noise -norm -aggr -hamming	3719	0	100.00
1251	2nd	-noise -bandstop -minmax -cheb	3719	0	100.00
1252	2nd	-silence -endp -lpc -hamming	3719	0	100.00
1253	2nd	-noise -high -lpc -mink	3719	0	100.00
1254	2nd	-noise -low -lpc -cheb	3719	0	100.00
1255	2nd	-bandstop -minmax -eucl	3719	0	100.00
1256	2nd	-silence -noise -bandstop -minmax -eucl	3719	0	100.00
1257	2nd	-silence -noise -high -aggr -mink	3719	0	100.00
1258	2nd	-silence -bandstop -minmax -eucl	3719	0	100.00
1259	2nd	-noise -low -minmax -cheb	3719	0	100.00
1260	2nd	-noise -bandstop -lpc -eucl	3719	0	100.00
1261	2nd	-silence -noise -high -fft -mink	3719	0	100.00
1262	2nd	-silence -noise -bandstop -lpc -eucl	3719	0	100.00
1263	2nd	-silence -noise -raw -minmax -mink	3719	0	100.00
1264	2nd	-noise -raw -minmax -mink	3719	0	100.00
1265	2nd	-silence -raw -minmax -mink	3719	0	100.00
1266	2nd	-raw -minmax -mink	3719	0	100.00
1267	2nd	-silence -noise -low -minmax -cheb	3719	0	100.00
1268	2nd	-silence -norm -minmax -mink	3719	0	100.00
1269	2nd	-norm -minmax -mink	3719	0	100.00
1270	2nd	-noise -bandstop -minmax -eucl	3719	0	100.00
1271	2nd	-silence -noise -low -minmax -diff	3719	0	100.00
1272	2nd	-silence -noise -high -minmax -mink	3719	0	100.00
1273	2nd	-bandstop -minmax -cos	3719	0	100.00
1274	2nd	-noise -high -minmax -mink	3719	0	100.00
1275	2nd	-silence -high -minmax -cheb	3719	0	100.00
1276	2nd	-band -lpc -mink	3719	0	100.00
1277	2nd	-high -minmax -cheb	3719	0	100.00
1278	2nd	-silence -noise -norm -fft -hamming	3719	0	100.00
1279	2nd	-silence -low -fft -hamming	3719	0	100.00
1280	2nd	-silence -noise -low -lpc -eucl	3719	0	100.00
1281	2nd	-silence -high -minmax -diff	3719	0	100.00
1282	2nd	-silence -noise -bandstop -minmax -hamming	3719	0	100.00
1283	2nd	-high -minmax -diff	3719	0	100.00
1284	2nd	-silence -band -lpc -hamming	3719	0	100.00
1285	2nd	-noise -endp -minmax -mink	3719	0	100.00
1286	2nd	-silence -bandstop -minmax -cheb	3719	0	100.00
1287	2nd	-bandstop -minmax -cheb	3719	0	100.00
1288	2nd	-noise -low -minmax -diff	3719	0	100.00
1289	2nd	-silence -noise -band -minmax -mink	3719	0	100.00
1290	2nd	-silence -bandstop -minmax -cos	3719	0	100.00
1291	2nd	-silence -noise -endp -minmax -mink	3719	0	100.00
1292	2nd	-noise -band -minmax -mink	3719	0	100.00
1293	2nd	-silence -bandstop -fft -hamming	3719	0	100.00
1294	2nd	-silence -bandstop -minmax -diff	3719	0	100.00
1295	2nd	-bandstop -minmax -diff	3719	0	100.00
1296	2nd	-noise -endp -aggr -hamming	3719	0	100.00
1297	2nd	-silence -noise -endp -lpc -mink	3719	0	100.00
1298	2nd	-high -lpc -hamming	3719	0	100.00
1299	2nd	-silence -low -lpc -eucl	3719	0	100.00

Table 220: Consolidated results (piste2-result1-marf-text-only-stats), Part 27.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1300	2nd	-silence -noise -norm -lpc -eucl	3719	0	100.00
1301	2nd	-noise -endp -lpc -mink	3719	0	100.00
1302	2nd	-band -lpc -cheb	3719	0	100.00
1303	2nd	-endp -minmax -mink	3719	0	100.00
1304	2nd	-silence -noise -low -lpc -mink	3719	0	100.00
1305	2nd	-silence -bandstop -lpc -hamming	3719	0	100.00
1306	2nd	-silence -noise -bandstop -minmax -cos	3719	0	100.00
1307	2nd	-silence -endp -minmax -mink	3719	0	100.00
1308	2nd	-silence -noise -high -minmax -eucl	3719	0	100.00
1309	2nd	-noise -high -minmax -eucl	3719	0	100.00
1310	2nd	-silence -noise -high -lpc -eucl	3719	0	100.00
1311	2nd	-silence -high -minmax -eucl	3719	0	100.00
1312	2nd	-high -minmax -eucl	3719	0	100.00
1313	2nd	-silence -noise -high -minmax -cos	3719	0	100.00
1314	2nd	-noise -high -minmax -cos	3719	0	100.00
1315	2nd	-noise -bandstop -minmax -cos	3719	0	100.00
1316	2nd	-silence -band -lpc -eucl	3719	0	100.00
1317	2nd	-noise -band -lpc -mink	3719	0	100.00
1318	2nd	-noise -bandstop -minmax -hamming	3719	0	100.00
1319	2nd	-silence -noise -low -lpc -diff	3719	0	100.00
1320	2nd	-noise -endp -lpc -cos	3719	0	100.00
1321	2nd	-noise -endp -fft -hamming	3719	0	100.00
1322	2nd	-silence -low -aggr -hamming	3719	0	100.00
1323	2nd	-silence -noise -norm -aggr -hamming	3719	0	100.00
1324	2nd	-noise -bandstop -lpc -mink	3719	0	100.00
1325	2nd	-band -lpc -hamming	3719	0	100.00
1326	2nd	-silence -band -lpc -mink	3719	0	100.00
1327	2nd	-silence -noise -high -lpc -hamming	3719	0	100.00
1328	2nd	-high -lpc -mink	3719	0	100.00
1329	2nd	-band -lpc -diff	3719	0	100.00
1330	2nd	-bandstop -lpc -hamming	3719	0	100.00
1331	2nd	-high -lpc -eucl	3719	0	100.00
1332	2nd	-silence -band -fft -hamming	3719	0	100.00
1333	2nd	-silence -noise -high -minmax -hamming	3719	0	100.00
1334	2nd	-noise -high -minmax -hamming	3719	0	100.00
1335	2nd	-band -lpc -eucl	3719	0	100.00
1336	2nd	-silence -noise -endp -aggr -hamming	3719	0	100.00
1337	2nd	-silence -noise -band -minmax -cos	3719	0	100.00
1338	2nd	-noise -band -minmax -cos	3719	0	100.00
1339	2nd	-noise -band -fft -hamming	3719	0	100.00
1340	2nd	-silence -noise -low -lpc -cheb	3719	0	100.00
1341	2nd	-silence -noise -bandstop -lpc -mink	3719	0	100.00
1342	2nd	-silence -noise -high -lpc -diff	3719	0	100.00
1343	2nd	-silence -noise -high -lpc -cheb	3719	0	100.00
1344	2nd	-silence -noise -bandstop -lpc -cheb	3719	0	100.00
1345	2nd	-silence -noise -endp -lpc -cos	3719	0	100.00
1346	2nd	-silence -noise -band -minmax -eucl	3719	0	100.00
1347	2nd	-noise -high -lpc -hamming	3719	0	100.00
1348	2nd	-noise -band -minmax -eucl	3719	0	100.00
1349	2nd	-noise -bandstop -lpc -cheb	3719	0	100.00

Table 221: Consolidated results (piste2-result1-marf-text-only-stats), Part 28.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1350	2nd	-noise -norm -lpc -hamming	3719	0	100.00
1351	2nd	-low -lpc -hamming	3719	0	100.00
1352	2nd	-silence -noise -high -lpc -mink	3719	0	100.00
1353	2nd	-noise -high -lpc -eucl	3719	0	100.00
1354	2nd	-silence -noise -band -lpc -hamming	3719	0	100.00
1355	2nd	-noise -high -lpc -diff	3719	0	100.00
1356	2nd	-silence -noise -band -minmax -diff	3719	0	100.00
1357	2nd	-noise -band -minmax -diff	3719	0	100.00
1358	2nd	-silence -band -aggr -hamming	3719	0	100.00
1359	2nd	-silence -raw -minmax -hamming	3719	0	100.00
1360	2nd	-silence -noise -raw -minmax -hamming	3719	0	100.00
1361	2nd	-noise -band -minmax -cheb	3719	0	100.00
1362	2nd	-silence -endp -aggr -cheb	3719	0	100.00
1363	2nd	-endp -aggr -diff	3719	0	100.00
1364	2nd	-endp -aggr -cheb	3719	0	100.00
1365	2nd	-raw -minmax -hamming	3719	0	100.00
1366	2nd	-noise -raw -minmax -hamming	3719	0	100.00
1367	2nd	-silence -endp -fft -cheb	3719	0	100.00
1368	2nd	-silence -noise -band -minmax -cheb	3719	0	100.00
1369	2nd	-endp -fft -cheb	3719	0	100.00
1370	2nd	-silence -endp -aggr -diff	3719	0	100.00
1371	2nd	-silence -endp -minmax -cheb	3719	0	100.00
1372	2nd	-silence -noise -endp -fft -hamming	3719	0	100.00
1373	2nd	-endp -minmax -cheb	3719	0	100.00
1374	2nd	-norm -minmax -cheb	3719	0	100.00
1375	2nd	-endp -minmax -cos	3719	0	100.00
1376	2nd	-silence -norm -minmax -cheb	3719	0	100.00
1377	2nd	-silence -endp -minmax -cos	3719	0	100.00
1378	2nd	-silence -norm -minmax -cos	3719	0	100.00
1379	2nd	-noise -high -lpc -cheb	3719	0	100.00
1380	2nd	-norm -minmax -cos	3719	0	100.00
1381	2nd	-silence -norm -minmax -eucl	3719	0	100.00
1382	2nd	-endp -minmax -eucl	3719	0	100.00
1383	2nd	-band -minmax -cos	3719	0	100.00
1384	2nd	-norm -minmax -eucl	3719	0	100.00
1385	2nd	-silence -noise -norm -minmax -hamming	3719	0	100.00
1386	2nd	-silence -low -minmax -hamming	3719	0	100.00
1387	2nd	-silence -band -minmax -cos	3719	0	100.00
1388	2nd	-silence -endp -minmax -eucl	3719	0	100.00
1389	2nd	-silence -high -lpc -mink	3719	0	100.00
1390	2nd	-high -minmax -hamming	3719	0	100.00
1391	2nd	-silence -high -minmax -hamming	3719	0	100.00
1392	2nd	-noise -high -lpc -cos	3719	0	100.00
1393	2nd	-silence -bandstop -minmax -hamming	3719	0	100.00
1394	2nd	-noise -band -aggr -hamming	3719	0	100.00
1395	2nd	-high -minmax -cos	3719	0	100.00
1396	2nd	-bandstop -minmax -hamming	3719	0	100.00
1397	2nd	-noise -raw -minmax -cos	3719	0	100.00
1398	2nd	-silence -raw -minmax -cos	3719	0	100.00
1399	2nd	-silence -endp -fft -diff	3719	0	100.00

Table 222: Consolidated results (piste2-result1-marf-text-only-stats), Part 29.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1400	2nd	-raw -minmax -cos	3719	0	100.00
1401	2nd	-endp -fft -diff	3719	0	100.00
1402	2nd	-silence -noise -raw -minmax -cos	3719	0	100.00
1403	2nd	-silence -high -minmax -cos	3719	0	100.00
1404	2nd	-low -minmax -hamming	3719	0	100.00
1405	2nd	-silence -band -lpc -cos	3719	0	100.00
1406	2nd	-noise -norm -minmax -hamming	3719	0	100.00
1407	2nd	-noise -high -fft -mink	3719	0	100.00
1408	2nd	-raw -minmax -cheb	3719	0	100.00
1409	2nd	-noise -high -aggr -mink	3719	0	100.00
1410	2nd	-band -aggr -hamming	3719	0	100.00
1411	2nd	-silence -noise -raw -minmax -cheb	3719	0	100.00
1412	2nd	-noise -raw -minmax -cheb	3719	0	100.00
1413	2nd	-silence -raw -minmax -cheb	3719	0	100.00
1414	2nd	-noise -band -minmax -hamming	3719	0	100.00
1415	2nd	-band -fft -hamming	3719	0	100.00
1416	2nd	-silence -noise -band -minmax -hamming	3719	0	100.00
1417	2nd	-silence -noise -endp -fft -diff	3719	0	100.00
1418	2nd	-noise -endp -fft -diff	3719	0	100.00
1419	2nd	-high -lpc -cheb	3719	0	100.00
1420	2nd	-noise -endp -minmax -diff	3719	0	100.00
1421	2nd	-silence -noise -endp -minmax -diff	3719	0	100.00
1422	2nd	-norm -minmax -hamming	3719	0	100.00
1423	2nd	-silence -norm -minmax -hamming	3719	0	100.00
1424	2nd	-silence -noise -low -aggr -hamming	3719	0	100.00
1425	2nd	-silence -bandstop -aggr -hamming	3719	0	100.00
1426	2nd	-silence -noise -band -lpc -mink	3719	0	100.00
1427	2nd	-silence -noise -band -lpc -cos	3719	0	100.00
1428	2nd	-silence -endp -fft -mink	3719	0	100.00
1429	2nd	-endp -fft -mink	3719	0	100.00
1430	2nd	-silence -endp -aggr -mink	3719	0	100.00
1431	2nd	-endp -aggr -mink	3719	0	100.00
1432	2nd	-silence -high -lpc -cheb	3719	0	100.00
1433	2nd	-silence -noise -raw -minmax -eucl	3719	0	100.00
1434	2nd	-noise -raw -minmax -eucl	3719	0	100.00
1435	2nd	-silence -raw -minmax -eucl	3719	0	100.00
1436	2nd	-raw -minmax -eucl	3719	0	100.00
1437	2nd	-silence -noise -bandstop -lpc -diff	3719	0	100.00
1438	2nd	-raw -fft -hamming	3719	0	100.00
1439	2nd	-silence -noise -band -fft -hamming	3719	0	100.00
1440	2nd	-silence -noise -raw -fft -hamming	3719	0	100.00
1441	2nd	-noise -raw -fft -hamming	3719	0	100.00
1442	2nd	-silence -raw -fft -hamming	3719	0	100.00
1443	2nd	-high -lpc -diff	3719	0	100.00
1444	2nd	-noise -high -fft -hamming	3719	0	100.00
1445	2nd	-silence -high -lpc -eucl	3719	0	100.00
1446	2nd	-raw -aggr -hamming	3719	0	100.00
1447	2nd	-silence -noise -raw -aggr -hamming	3719	0	100.00
1448	2nd	-silence -noise -endp -minmax -eucl	3719	0	100.00
1449	2nd	-silence -noise -bandstop -lpc -cos	3719	0	100.00

Table 223: Consolidated results (piste2-result1-marf-text-only-stats), Part 30.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1450	2nd	-noise -raw -aggr -hamming	3719	0	100.00
1451	2nd	-silence -noise -band -aggr -hamming	3719	0	100.00
1452	2nd	-noise -bandstop -lpc -cos	3719	0	100.00
1453	2nd	-silence -high -lpc -cos	3719	0	100.00
1454	2nd	-silence -raw -aggr -hamming	3719	0	100.00
1455	2nd	-noise -bandstop -lpc -diff	3719	0	100.00
1456	2nd	-silence -noise -endp -aggr -diff	3719	0	100.00
1457	2nd	-silence -noise -endp -fft -cheb	3719	0	100.00
1458	2nd	-silence -noise -endp -aggr -cheb	3719	0	100.00
1459	2nd	-noise -endp -fft -cheb	3719	0	100.00
1460	2nd	-noise -endp -aggr -diff	3719	0	100.00
1461	2nd	-noise -endp -aggr -cheb	3719	0	100.00
1462	2nd	-noise -band -lpc -cos	3719	0	100.00
1463	2nd	-noise -endp -minmax -cheb	3719	0	100.00
1464	2nd	-noise -endp -minmax -eucl	3719	0	100.00
1465	2nd	-noise -low -fft -cheb	3719	0	100.00
1466	2nd	-silence -noise -norm -lpc -hamming	3719	0	100.00
1467	2nd	-silence -low -lpc -hamming	3719	0	100.00
1468	2nd	-high -lpc -cos	3719	0	100.00
1469	2nd	-silence -high -lpc -diff	3719	0	100.00
1470	2nd	-silence -endp -fft -eucl	3719	0	100.00
1471	2nd	-noise -low -aggr -diff	3719	0	100.00
1472	2nd	-endp -fft -eucl	3719	0	100.00
1473	2nd	-noise -low -aggr -cheb	3719	0	100.00
1474	2nd	-silence -endp -aggr -eucl	3719	0	100.00
1475	2nd	-endp -aggr -eucl	3719	0	100.00
1476	2nd	-silence -norm -minmax -diff	3719	0	100.00
1477	2nd	-noise -low -fft -diff	3719	0	100.00
1478	2nd	-norm -minmax -diff	3719	0	100.00
1479	2nd	-silence -noise -endp -minmax -cheb	3719	0	100.00
1480	2nd	-silence -noise -high -fft -hamming	3719	0	100.00
1481	2nd	-noise -endp -minmax -cos	3719	0	100.00
1482	2nd	-noise -endp -minmax -hamming	3719	0	100.00
1483	2nd	-noise -endp -aggr -eucl	3719	0	100.00
1484	2nd	-noise -high -aggr -hamming	3719	0	100.00
1485	2nd	-silence -noise -endp -fft -eucl	3719	0	100.00
1486	2nd	-silence -noise -endp -aggr -eucl	3719	0	100.00
1487	2nd	-silence -noise -endp -minmax -cos	3719	0	100.00
1488	2nd	-noise -endp -fft -eucl	3719	0	100.00
1489	2nd	-silence -noise -endp -fft -mink	3719	0	100.00
1490	2nd	-silence -noise -endp -aggr -mink	3719	0	100.00
1491	2nd	-noise -endp -aggr -mink	3719	0	100.00
1492	2nd	-silence -noise -endp -minmax -hamming	3719	0	100.00
1493	2nd	-silence -noise -band -lpc -eucl	3719	0	100.00
1494	2nd	-noise -endp -fft -mink	3719	0	100.00
1495	2nd	-silence -noise -high -minmax -diff	3719	0	100.00
1496	2nd	-noise -high -minmax -diff	3719	0	100.00
1497	2nd	-noise -high -minmax -cheb	3719	0	100.00
1498	2nd	-silence -noise -high -aggr -hamming	3719	0	100.00
1499	2nd	-silence -noise -high -minmax -cheb	3719	0	100.00

Table 224: Consolidated results (piste2-result1-marf-text-only-stats), Part 31.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1500	2nd	-silence -noise -low -fft -cheb	3719	0	100.00
1501	2nd	-silence -noise -low -aggr -diff	3719	0	100.00
1502	2nd	-silence -noise -low -fft -diff	3719	0	100.00
1503	2nd	-silence -noise -low -aggr -cheb	3719	0	100.00
1504	2nd	-noise -norm -lpc -cos	3719	0	100.00
1505	2nd	-low -lpc -cos	3719	0	100.00
1506	2nd	-silence -noise -low -fft -hamming	3719	0	100.00
1507	2nd	-silence -bandstop -aggr -diff	3719	0	100.00
1508	2nd	-silence -bandstop -fft -diff	3719	0	100.00
1509	2nd	-silence -noise -bandstop -fft -hamming	3719	0	100.00
1510	2nd	-silence -bandstop -fft -cheb	3719	0	100.00
1511	2nd	-silence -bandstop -aggr -cheb	3719	0	100.00
1512	2nd	-silence -noise -band -lpc -cheb	3719	0	100.00
1513	2nd	-silence -noise -bandstop -aggr -diff	3719	0	100.00
1514	2nd	-noise -bandstop -fft -diff	3719	0	100.00
1515	2nd	-silence -noise -band -lpc -diff	3719	0	100.00
1516	2nd	-silence -noise -bandstop -aggr -cheb	3719	0	100.00
1517	2nd	-silence -noise -bandstop -fft -cheb	3719	0	100.00
1518	2nd	-noise -bandstop -aggr -diff	3719	0	100.00
1519	2nd	-silence -noise -low -minmax -hamming	3719	0	100.00
1520	2nd	-silence -noise -bandstop -fft -diff	3719	0	100.00
1521	2nd	-noise -bandstop -aggr -cheb	3719	0	100.00
1522	2nd	-noise -bandstop -fft -cheb	3719	0	100.00
1523	2nd	-noise -low -fft -hamming	3719	0	100.00
1524	2nd	-noise -low -minmax -hamming	3719	0	100.00
1525	2nd	-noise -bandstop -fft -hamming	3719	0	100.00
1526	2nd	-noise -bandstop -aggr -hamming	3719	0	100.00
1527	2nd	-silence -noise -low -lpc -cos	3719	0	100.00
1528	2nd	-silence -noise -bandstop -aggr -hamming	3719	0	100.00
1529	2nd	-bandstop -fft -cheb	3719	0	100.00
1530	2nd	-bandstop -aggr -diff	3719	0	100.00
1531	2nd	-bandstop -aggr -cheb	3719	0	100.00
1532	2nd	-bandstop -fft -diff	3719	0	100.00
1533	2nd	-silence -low -aggr -cheb	3719	0	100.00
1534	2nd	-silence -noise -norm -fft -diff	3719	0	100.00
1535	2nd	-silence -noise -norm -aggr -cheb	3719	0	100.00
1536	2nd	-low -aggr -diff	3719	0	100.00
1537	2nd	-low -fft -diff	3719	0	100.00
1538	2nd	-noise -norm -fft -diff	3719	0	100.00
1539	2nd	-noise -norm -aggr -diff	3719	0	100.00
1540	2nd	-silence -low -fft -diff	3719	0	100.00
1541	2nd	-silence -low -fft -cheb	3719	0	100.00
1542	2nd	-silence -low -lpc -cos	3719	0	100.00
1543	2nd	-silence -low -aggr -diff	3719	0	100.00
1544	2nd	-silence -noise -norm -aggr -diff	3719	0	100.00
1545	2nd	-silence -noise -norm -fft -cheb	3719	0	100.00
1546	2nd	-silence -noise -norm -lpc -cos	3719	0	100.00
1547	2nd	-noise -low -aggr -hamming	3719	0	100.00
1548	2nd	-band -minmax -hamming	3719	0	100.00
1549	2nd	-silence -band -minmax -hamming	3719	0	100.00

Table 225: Consolidated results (piste2-result1-marf-text-only-stats), Part 32.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1550	2nd	-low -aggr -cheb	3719	0	100.00
1551	2nd	-low -fft -cheb	3719	0	100.00
1552	2nd	-noise -norm -fft -cheb	3719	0	100.00
1553	2nd	-noise -norm -aggr -cheb	3719	0	100.00
1554	2nd	-norm -fft -diff	3719	0	100.00
1555	2nd	-silence -norm -aggr -cheb	3719	0	100.00
1556	2nd	-norm -aggr -cheb	3719	0	100.00
1557	2nd	-silence -norm -fft -diff	3719	0	100.00
1558	2nd	-silence -norm -fft -cheb	3719	0	100.00
1559	2nd	-norm -fft -cheb	3719	0	100.00
1560	2nd	-band -lpc -cos	3719	0	100.00
1561	2nd	-silence -norm -aggr -diff	3719	0	100.00
1562	2nd	-norm -aggr -diff	3719	0	100.00
1563	2nd	-noise -low -lpc -cos	3719	0	100.00
1564	2nd	-raw -aggr -cheb	3719	0	100.00
1565	2nd	-silence -noise -raw -aggr -cheb	3719	0	100.00
1566	2nd	-raw -fft -diff	3719	0	100.00
1567	2nd	-noise -raw -fft -diff	3719	0	100.00
1568	2nd	-silence -raw -fft -diff	3719	0	100.00
1569	2nd	-silence -noise -raw -fft -diff	3719	0	100.00
1570	2nd	-noise -raw -aggr -cheb	3719	0	100.00
1571	2nd	-silence -raw -aggr -cheb	3719	0	100.00
1572	2nd	-raw -fft -cheb	3719	0	100.00
1573	2nd	-noise -raw -fft -cheb	3719	0	100.00
1574	2nd	-silence -raw -fft -cheb	3719	0	100.00
1575	2nd	-silence -noise -raw -fft -cheb	3719	0	100.00
1576	2nd	-raw -aggr -diff	3719	0	100.00
1577	2nd	-silence -noise -raw -aggr -diff	3719	0	100.00
1578	2nd	-noise -raw -aggr -diff	3719	0	100.00
1579	2nd	-silence -raw -aggr -diff	3719	0	100.00
1580	2nd	-silence -endp -minmax -diff	3719	0	100.00
1581	2nd	-endp -minmax -diff	3719	0	100.00
1582	2nd	-endp -minmax -hamming	3719	0	100.00
1583	2nd	-silence -endp -minmax -hamming	3719	0	100.00
1584	2nd	-silence -low -fft -eucl	3719	0	100.00
1585	2nd	-silence -bandstop -fft -eucl	3719	0	100.00
1586	2nd	-silence -bandstop -aggr -eucl	3719	0	100.00
1587	2nd	-silence -low -aggr -eucl	3719	0	100.00
1588	2nd	-silence -noise -norm -aggr -eucl	3719	0	100.00
1589	2nd	-silence -noise -norm -fft -eucl	3719	0	100.00
1590	2nd	-low -fft -eucl	3719	0	100.00
1591	2nd	-noise -norm -fft -eucl	3719	0	100.00
1592	2nd	-noise -norm -aggr -eucl	3719	0	100.00
1593	2nd	-silence -norm -fft -eucl	3719	0	100.00
1594	2nd	-silence -norm -aggr -eucl	3719	0	100.00
1595	2nd	-norm -fft -eucl	3719	0	100.00
1596	2nd	-norm -aggr -eucl	3719	0	100.00
1597	2nd	-low -aggr -eucl	3719	0	100.00
1598	2nd	-bandstop -fft -eucl	3719	0	100.00
1599	2nd	-bandstop -aggr -eucl	3719	0	100.00

Table 226: Consolidated results (piste2-result1-marf-text-only-stats), Part 33.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1600	2nd	-silence -noise -bandstop -fft -eucl	3719	0	100.00
1601	2nd	-silence -noise -bandstop -aggr -eucl	3719	0	100.00
1602	2nd	-noise -bandstop -aggr -eucl	3719	0	100.00
1603	2nd	-noise -bandstop -fft -eucl	3719	0	100.00
1604	2nd	-silence -raw -fft -cos	3719	0	100.00
1605	2nd	-raw -aggr -cos	3719	0	100.00
1606	2nd	-norm -fft -cos	3719	0	100.00
1607	2nd	-noise -raw -aggr -cos	3719	0	100.00
1608	2nd	-silence -raw -aggr -cos	3719	0	100.00
1609	2nd	-silence -noise -raw -aggr -cos	3719	0	100.00
1610	2nd	-silence -norm -fft -cos	3719	0	100.00
1611	2nd	-silence -norm -aggr -cos	3719	0	100.00
1612	2nd	-silence -noise -raw -fft -cos	3719	0	100.00
1613	2nd	-norm -aggr -cos	3719	0	100.00
1614	2nd	-raw -fft -cos	3719	0	100.00
1615	2nd	-noise -raw -fft -cos	3719	0	100.00
1616	2nd	-noise -raw -aggr -eucl	3719	0	100.00
1617	2nd	-noise -raw -fft -eucl	3719	0	100.00
1618	2nd	-silence -raw -fft -eucl	3719	0	100.00
1619	2nd	-silence -noise -raw -fft -eucl	3719	0	100.00
1620	2nd	-silence -raw -aggr -eucl	3719	0	100.00
1621	2nd	-raw -aggr -eucl	3719	0	100.00
1622	2nd	-silence -noise -raw -aggr -eucl	3719	0	100.00
1623	2nd	-raw -fft -eucl	3719	0	100.00
1624	2nd	-low -aggr -mink	3719	0	100.00
1625	2nd	-low -fft -mink	3719	0	100.00
1626	2nd	-noise -norm -fft -mink	3719	0	100.00
1627	2nd	-noise -norm -aggr -mink	3719	0	100.00
1628	2nd	-noise -low -aggr -cos	3719	0	100.00
1629	2nd	-silence -bandstop -fft -mink	3719	0	100.00
1630	2nd	-silence -bandstop -aggr -mink	3719	0	100.00
1631	2nd	-noise -low -fft -cos	3719	0	100.00
1632	2nd	-silence -noise -bandstop -fft -mink	3719	0	100.00
1633	2nd	-bandstop -fft -mink	3719	0	100.00
1634	2nd	-silence -noise -norm -aggr -cos	3719	0	100.00
1635	2nd	-bandstop -fft -cos	3719	0	100.00
1636	2nd	-noise -bandstop -aggr -mink	3719	0	100.00
1637	2nd	-silence -low -fft -mink	3719	0	100.00
1638	2nd	-bandstop -aggr -cos	3719	0	100.00
1639	2nd	-silence -noise -norm -fft -cos	3719	0	100.00
1640	2nd	-silence -low -aggr -cos	3719	0	100.00
1641	2nd	-silence -noise -low -aggr -cos	3719	0	100.00
1642	2nd	-silence -noise -low -fft -cos	3719	0	100.00
1643	2nd	-silence -noise -bandstop -aggr -mink	3719	0	100.00
1644	2nd	-noise -bandstop -fft -mink	3719	0	100.00
1645	2nd	-silence -low -aggr -mink	3719	0	100.00
1646	2nd	-silence -bandstop -aggr -cos	3719	0	100.00
1647	2nd	-silence -noise -norm -aggr -mink	3719	0	100.00
1648	2nd	-silence -bandstop -fft -cos	3719	0	100.00
1649	2nd	-silence -noise -norm -fft -mink	3719	0	100.00

Table 227: Consolidated results (piste2-result1-marf-text-only-stats), Part 34.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1650	2nd	-bandstop -aggr -mink	3719	0	100.00
1651	2nd	-silence -low -fft -cos	3719	0	100.00
1652	2nd	-low -aggr -cos	3719	0	100.00
1653	2nd	-silence -norm -fft -mink	3719	0	100.00
1654	2nd	-noise -norm -aggr -cos	3719	0	100.00
1655	2nd	-silence -norm -aggr -mink	3719	0	100.00
1656	2nd	-noise -norm -fft -cos	3719	0	100.00
1657	2nd	-norm -fft -mink	3719	0	100.00
1658	2nd	-norm -aggr -mink	3719	0	100.00
1659	2nd	-low -fft -cos	3719	0	100.00
1660	2nd	-noise -bandstop -aggr -cos	3719	0	100.00
1661	2nd	-silence -noise -bandstop -fft -cos	3719	0	100.00
1662	2nd	-silence -noise -bandstop -aggr -cos	3719	0	100.00
1663	2nd	-noise -bandstop -fft -cos	3719	0	100.00
1664	2nd	-noise -low -fft -eucl	3719	0	100.00
1665	2nd	-noise -low -aggr -eucl	3719	0	100.00
1666	2nd	-silence -noise -low -fft -eucl	3719	0	100.00
1667	2nd	-noise -raw -aggr -mink	3719	0	100.00
1668	2nd	-noise -raw -fft -mink	3719	0	100.00
1669	2nd	-silence -raw -fft -mink	3719	0	100.00
1670	2nd	-silence -noise -raw -fft -mink	3719	0	100.00
1671	2nd	-silence -raw -aggr -mink	3719	0	100.00
1672	2nd	-raw -aggr -mink	3719	0	100.00
1673	2nd	-silence -noise -raw -aggr -mink	3719	0	100.00
1674	2nd	-raw -fft -mink	3719	0	100.00
1675	2nd	-noise -low -fft -mink	3719	0	100.00
1676	2nd	-noise -low -aggr -mink	3719	0	100.00
1677	2nd	-silence -noise -low -aggr -mink	3719	0	100.00
1678	2nd	-silence -noise -low -fft -mink	3719	0	100.00

Table 228: Consolidated results (piste2-result1-marf-text-only-stats), Part 35.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	Quebec	932695	737754	55.83
2	1st	France	688020	761772	47.46
3	2nd	Quebec	1670449	0	100.00
4	2nd	France	1449792	0	100.00

Table 229: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 1.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	-journal -noise -endp -aggr -mink	1518	2201	40.82
2	1st	-journal -silence -noise -endp -aggr -mink	1518	2201	40.82
3	1st	-journal -noise -endp -fft -mink	1518	2201	40.82
4	1st	-journal -silence -noise -endp -fft -mink	1518	2201	40.82
5	1st	-journal -noise -endp -fft -cheb	1516	2203	40.76
6	1st	-journal -noise -endp -aggr -diff	1516	2203	40.76
7	1st	-journal -noise -endp -aggr -cheb	1516	2203	40.76
8	1st	-journal -silence -noise -endp -fft -cos	1515	2204	40.74
9	1st	-journal -silence -noise -endp -aggr -cos	1515	2204	40.74
10	1st	-journal -silence -noise -endp -aggr -cheb	1514	2205	40.71
11	1st	-journal -silence -noise -endp -fft -cheb	1514	2205	40.71
12	1st	-journal -noise -endp -fft -cos	1514	2205	40.71
13	1st	-journal -noise -endp -aggr -cos	1514	2205	40.71
14	1st	-journal -silence -noise -endp -aggr -diff	1514	2205	40.71
15	1st	-journal -noise -endp -fft -diff	1513	2206	40.68
16	1st	-journal -silence -noise -endp -fft -diff	1513	2206	40.68
17	1st	-journal -silence -noise -endp -aggr -eucl	1513	2206	40.68
18	1st	-journal -silence -noise -endp -fft -eucl	1513	2206	40.68
19	1st	-journal -noise -endp -aggr -eucl	1512	2207	40.66
20	1st	-journal -noise -endp -fft -eucl	1512	2207	40.66
21	1st	-journal -silence -endp -aggr -cheb	1498	2221	40.28
22	1st	-journal -silence -endp -fft -cheb	1498	2221	40.28
23	1st	-journal -endp -fft -cheb	1498	2221	40.28
24	1st	-journal -endp -aggr -cheb	1498	2221	40.28
25	1st	-journal -silence -endp -aggr -diff	1497	2222	40.25
26	1st	-journal -endp -aggr -diff	1497	2222	40.25
27	1st	-journal -silence -endp -fft -diff	1490	2229	40.06
28	1st	-journal -endp -fft -diff	1490	2229	40.06
29	1st	-journal -endp -fft -cos	1460	2259	39.26
30	1st	-journal -silence -endp -aggr -cos	1460	2259	39.26
31	1st	-journal -endp -aggr -cos	1460	2259	39.26
32	1st	-journal -silence -endp -fft -cos	1460	2259	39.26
33	1st	-journal -high -minmax -cos	1420	2299	38.18
34	1st	-journal -silence -high -minmax -cos	1420	2299	38.18
35	1st	-journal -noise -endp -minmax -diff	1405	2314	37.78
36	1st	-journal -silence -high -minmax -diff	1402	2317	37.70
37	1st	-journal -high -minmax -diff	1402	2317	37.70
38	1st	-journal -silence -high -minmax -cheb	1400	2319	37.64
39	1st	-journal -silence -noise -endp -minmax -eucl	1400	2319	37.64
40	1st	-journal -high -minmax -cheb	1400	2319	37.64
41	1st	-journal -noise -endp -minmax -eucl	1398	2321	37.59
42	1st	-journal -silence -noise -endp -minmax -diff	1396	2323	37.54
43	1st	-journal -silence -noise -endp -minmax -cos	1394	2325	37.48
44	1st	-journal -silence -band -minmax -cheb	1394	2325	37.48
45	1st	-journal -band -minmax -cheb	1394	2325	37.48
46	1st	-journal -noise -endp -minmax -hamming	1393	2326	37.46
47	1st	-journal -noise -endp -minmax -cos	1393	2326	37.46
48	1st	-journal -noise -endp -minmax -cheb	1393	2326	37.46
49	1st	-journal -silence -noise -endp -minmax -cheb	1393	2326	37.46

Table 230: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 2.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
50	1st	-journal -band -minmax -cos	1390	2329	37.38
51	1st	-journal -silence -band -minmax -cos	1390	2329	37.38
52	1st	-journal -silence -band -minmax -diff	1389	2330	37.35
53	1st	-journal -band -minmax -diff	1389	2330	37.35
54	1st	-journal -silence -high -aggr -cos	1389	2330	37.35
55	1st	-journal -band -minmax -eucl	1388	2331	37.32
56	1st	-journal -silence -band -minmax -eucl	1388	2331	37.32
57	1st	-journal -silence -noise -endp -minmax -hamming	1387	2332	37.29
58	1st	-journal -silence -noise -band -minmax -cos	1386	2333	37.27
59	1st	-journal -noise -band -minmax -cos	1386	2333	37.27
60	1st	-journal -low -minmax -diff	1386	2333	37.27
61	1st	-journal -noise -norm -minmax -diff	1386	2333	37.27
62	1st	-journal -silence -bandstop -minmax -cheb	1386	2333	37.27
63	1st	-journal -silence -bandstop -minmax -diff	1385	2334	37.24
64	1st	-journal -bandstop -minmax -cheb	1384	2335	37.21
65	1st	-journal -high -minmax -eucl	1383	2336	37.19
66	1st	-journal -low -minmax -cheb	1383	2336	37.19
67	1st	-journal -noise -norm -minmax -cheb	1383	2336	37.19
68	1st	-journal -silence -high -minmax -eucl	1383	2336	37.19
69	1st	-journal -bandstop -minmax -diff	1382	2337	37.16
70	1st	-journal -silence -low -minmax -cheb	1382	2337	37.16
71	1st	-journal -silence -noise -norm -minmax -cheb	1382	2337	37.16
72	1st	-journal -silence -bandstop -minmax -eucl	1373	2346	36.92
73	1st	-journal -silence -low -minmax -diff	1372	2347	36.89
74	1st	-journal -silence -noise -norm -minmax -diff	1372	2347	36.89
75	1st	-journal -bandstop -minmax -eucl	1372	2347	36.89
76	1st	-journal -silence -high -fft -cos	1370	2349	36.84
77	1st	-journal -silence -noise -low -minmax -diff	1367	2352	36.76
78	1st	-journal -noise -endp -minmax -mink	1367	2352	36.76
79	1st	-journal -silence -noise -low -minmax -cheb	1366	2353	36.73
80	1st	-journal -silence -endp -aggr -eucl	1366	2353	36.73
81	1st	-journal -silence -endp -fft -eucl	1366	2353	36.73
82	1st	-journal -endp -fft -eucl	1366	2353	36.73
83	1st	-journal -endp -aggr -eucl	1366	2353	36.73
84	1st	-journal -silence -noise -endp -minmax -mink	1365	2354	36.70
85	1st	-journal -noise -low -minmax -eucl	1364	2355	36.68
86	1st	-journal -silence -noise -low -minmax -eucl	1364	2355	36.68
87	1st	-journal -noise -low -minmax -cheb	1364	2355	36.68
88	1st	-journal -silence -noise -band -aggr -cos	1363	2356	36.65
89	1st	-journal -silence -noise -norm -minmax -hamming	1363	2356	36.65
90	1st	-journal -silence -low -minmax -hamming	1363	2356	36.65
91	1st	-journal -low -minmax -hamming	1361	2358	36.60
92	1st	-journal -noise -norm -minmax -hamming	1361	2358	36.60
93	1st	-journal -silence -noise -band -fft -cos	1360	2359	36.57
94	1st	-journal -noise -low -minmax -diff	1360	2359	36.57
95	1st	-journal -silence -noise -raw -minmax -diff	1357	2362	36.49
96	1st	-journal -raw -minmax -diff	1357	2362	36.49
97	1st	-journal -silence -raw -minmax -diff	1357	2362	36.49
98	1st	-journal -noise -raw -minmax -diff	1357	2362	36.49
99	1st	-journal -high -minmax -mink	1352	2367	36.35

Table 231: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 3.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
100	1st	-journal -bandstop -minmax -cos	1352	2367	36.35
101	1st	-journal -low -minmax -eucl	1352	2367	36.35
102	1st	-journal -silence -bandstop -minmax -cos	1352	2367	36.35
103	1st	-journal -silence -high -minmax -mink	1352	2367	36.35
104	1st	-journal -noise -norm -minmax -eucl	1352	2367	36.35
105	1st	-journal -high -aggr -cos	1349	2370	36.27
106	1st	-journal -silence -noise -norm -minmax -eucl	1348	2371	36.25
107	1st	-journal -silence -low -minmax -eucl	1348	2371	36.25
108	1st	-journal -silence -noise -low -minmax -cos	1343	2376	36.11
109	1st	-journal -silence -band -aggr -cos	1341	2378	36.06
110	1st	-journal -noise -endp -lpc -eucl	1341	2378	36.06
111	1st	-journal -noise -low -minmax -cos	1341	2378	36.06
112	1st	-journal -silence -noise -endp -lpc -eucl	1341	2378	36.06
113	1st	-journal -high -fft -cos	1340	2379	36.03
114	1st	-journal -silence -noise -norm -minmax -cos	1340	2379	36.03
115	1st	-journal -silence -low -minmax -cos	1340	2379	36.03
116	1st	-journal -low -minmax -cos	1336	2383	35.92
117	1st	-journal -noise -norm -minmax -cos	1336	2383	35.92
118	1st	-journal -silence -band -fft -cos	1334	2385	35.87
119	1st	-journal -band -minmax -hamming	1332	2387	35.82
120	1st	-journal -silence -band -minmax -hamming	1332	2387	35.82
121	1st	-journal -band -minmax -mink	1328	2391	35.71
122	1st	-journal -silence -bandstop -minmax -hamming	1328	2391	35.71
123	1st	-journal -silence -band -minmax -mink	1328	2391	35.71
124	1st	-journal -bandstop -minmax -hamming	1327	2392	35.68
125	1st	-journal -silence -endp -aggr -mink	1322	2397	35.55
126	1st	-journal -silence -endp -fft -mink	1322	2397	35.55
127	1st	-journal -endp -fft -mink	1322	2397	35.55
128	1st	-journal -endp -aggr -mink	1322	2397	35.55
129	1st	-journal -band -fft -cos	1320	2399	35.49
130	1st	-journal -band -aggr -cos	1317	2402	35.41
131	1st	-journal -silence -endp -lpc -eucl	1317	2402	35.41
132	1st	-journal -endp -lpc -eucl	1317	2402	35.41
133	1st	-journal -raw -minmax -hamming	1316	2403	35.39
134	1st	-journal -silence -raw -minmax -hamming	1316	2403	35.39
135	1st	-journal -silence -noise -raw -minmax -hamming	1316	2403	35.39
136	1st	-journal -noise -raw -minmax -hamming	1316	2403	35.39
137	1st	-journal -noise -band -aggr -cos	1314	2405	35.33
138	1st	-journal -bandstop -minmax -mink	1310	2409	35.22
139	1st	-journal -silence -bandstop -minmax -mink	1309	2410	35.20
140	1st	-journal -noise -band -fft -cos	1307	2412	35.14
141	1st	-journal -high -minmax -hamming	1295	2424	34.82
142	1st	-journal -silence -high -minmax -hamming	1295	2424	34.82
143	1st	-journal -silence -norm -minmax -mink	1295	2424	34.82
144	1st	-journal -norm -minmax -mink	1295	2424	34.82
145	1st	-journal -silence -noise -raw -minmax -mink	1281	2438	34.44
146	1st	-journal -raw -minmax -mink	1281	2438	34.44
147	1st	-journal -silence -raw -minmax -mink	1281	2438	34.44
148	1st	-journal -noise -raw -minmax -mink	1281	2438	34.44
149	1st	-journal -silence -endp -minmax -mink	1276	2443	34.31

Table 232: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 4.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
150	1st	-journal -endp -minmax -mink	1276	2443	34.31
151	1st	-journal -endp -minmax -cos	1275	2444	34.28
152	1st	-journal -silence -endp -minmax -cos	1275	2444	34.28
153	1st	-journal -silence -noise -raw -minmax -eucl	1272	2447	34.20
154	1st	-journal -raw -minmax -eucl	1272	2447	34.20
155	1st	-journal -silence -raw -minmax -eucl	1272	2447	34.20
156	1st	-journal -noise -raw -minmax -eucl	1272	2447	34.20
157	1st	-journal -raw -minmax -cos	1270	2449	34.15
158	1st	-journal -noise -raw -minmax -cos	1270	2449	34.15
159	1st	-journal -silence -noise -raw -minmax -cos	1270	2449	34.15
160	1st	-journal -silence -raw -minmax -cos	1270	2449	34.15
161	1st	-journal -norm -minmax -cos	1269	2450	34.12
162	1st	-journal -silence -norm -minmax -cos	1269	2450	34.12
163	1st	-journal -silence -endp -minmax -eucl	1268	2451	34.10
164	1st	-journal -silence -norm -minmax -eucl	1268	2451	34.10
165	1st	-journal -endp -minmax -eucl	1268	2451	34.10
166	1st	-journal -norm -minmax -eucl	1268	2451	34.10
167	1st	-journal -noise -bandstop -lpc -mink	1267	2452	34.07
168	1st	-journal -silence -noise -bandstop -lpc -mink	1267	2452	34.07
169	1st	-journal -low -minmax -mink	1261	2458	33.91
170	1st	-journal -noise -norm -minmax -mink	1261	2458	33.91
171	1st	-journal -silence -low -minmax -mink	1260	2459	33.88
172	1st	-journal -silence -noise -norm -minmax -mink	1260	2459	33.88
173	1st	-journal -noise -band -minmax -diff	1260	2459	33.88
174	1st	-journal -silence -noise -band -minmax -diff	1260	2459	33.88
175	1st	-journal -silence -noise -raw -minmax -cheb	1255	2464	33.75
176	1st	-journal -raw -minmax -cheb	1255	2464	33.75
177	1st	-journal -silence -raw -minmax -cheb	1255	2464	33.75
178	1st	-journal -noise -raw -minmax -cheb	1255	2464	33.75
179	1st	-journal -noise -band -minmax -cheb	1253	2466	33.69
180	1st	-journal -silence -noise -band -minmax -cheb	1253	2466	33.69
181	1st	-journal -silence -noise -band -fft -eucl	1253	2466	33.69
182	1st	-journal -silence -noise -band -aggr -eucl	1253	2466	33.69
183	1st	-journal -noise -band -fft -eucl	1246	2473	33.50
184	1st	-journal -noise -band -aggr -eucl	1246	2473	33.50
185	1st	-journal -noise -band -minmax -eucl	1245	2474	33.48
186	1st	-journal -silence -noise -band -minmax -eucl	1245	2474	33.48
187	1st	-journal -norm -minmax -cheb	1244	2475	33.45
188	1st	-journal -silence -norm -minmax -cheb	1244	2475	33.45
189	1st	-journal -endp -minmax -cheb	1243	2476	33.42
190	1st	-journal -silence -endp -minmax -cheb	1243	2476	33.42
191	1st	-journal -noise -endp -lpc -mink	1242	2477	33.40
192	1st	-journal -silence -noise -endp -lpc -mink	1241	2478	33.37
193	1st	-journal -silence -noise -bandstop -lpc -cheb	1237	2482	33.26
194	1st	-journal -noise -bandstop -lpc -cheb	1236	2483	33.23
195	1st	-journal -silence -endp -minmax -diff	1229	2490	33.05
196	1st	-journal -silence -noise -low -minmax -mink	1229	2490	33.05
197	1st	-journal -endp -minmax -diff	1229	2490	33.05
198	1st	-journal -noise -low -minmax -mink	1228	2491	33.02
199	1st	-journal -silence -noise -bandstop -lpc -eucl	1225	2494	32.94

Table 233: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 5.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
200	1st	-journal -noise -bandstop -lpc -eucl	1224	2495	32.91
201	1st	-journal -noise -endp -lpc -cheb	1223	2496	32.89
202	1st	-journal -silence -noise -band -fft -diff	1222	2497	32.86
203	1st	-journal -norm -minmax -diff	1221	2498	32.83
204	1st	-journal -silence -noise -endp -lpc -cheb	1221	2498	32.83
205	1st	-journal -silence -norm -minmax -diff	1221	2498	32.83
206	1st	-journal -silence -noise -band -fft -cheb	1220	2499	32.80
207	1st	-journal -silence -noise -band -aggr -diff	1219	2500	32.78
208	1st	-journal -noise -band -fft -diff	1218	2501	32.75
209	1st	-journal -silence -raw -lpc -eucl	1217	2502	32.72
210	1st	-journal -noise -band -aggr -diff	1217	2502	32.72
211	1st	-journal -noise -raw -lpc -eucl	1217	2502	32.72
212	1st	-journal -silence -noise -raw -lpc -eucl	1217	2502	32.72
213	1st	-journal -silence -norm -lpc -eucl	1217	2502	32.72
214	1st	-journal -norm -lpc -eucl	1217	2502	32.72
215	1st	-journal -raw -lpc -eucl	1217	2502	32.72
216	1st	-journal -silence -noise -band -aggr -cheb	1216	2503	32.70
217	1st	-journal -noise -band -aggr -cheb	1214	2505	32.64
218	1st	-journal -norm -minmax -hamming	1214	2505	32.64
219	1st	-journal -silence -norm -minmax -hamming	1214	2505	32.64
220	1st	-journal -noise -band -fft -cheb	1213	2506	32.62
221	1st	-journal -noise -bandstop -minmax -cheb	1211	2508	32.56
222	1st	-journal -noise -bandstop -minmax -cos	1208	2511	32.48
223	1st	-journal -silence -noise -bandstop -minmax -eucl	1207	2512	32.45
224	1st	-journal -noise -bandstop -minmax -eucl	1207	2512	32.45
225	1st	-journal -silence -noise -bandstop -minmax -cheb	1204	2515	32.37
226	1st	-journal -endp -minmax -hamming	1201	2518	32.29
227	1st	-journal -silence -endp -minmax -hamming	1201	2518	32.29
228	1st	-journal -silence -noise -bandstop -minmax -cos	1199	2520	32.24
229	1st	-journal -noise -bandstop -minmax -diff	1199	2520	32.24
230	1st	-journal -silence -noise -bandstop -minmax -diff	1197	2522	32.19
231	1st	-journal -noise -endp -lpc -diff	1185	2534	31.86
232	1st	-journal -silence -noise -endp -lpc -diff	1182	2537	31.78
233	1st	-journal -noise -band -minmax -hamming	1181	2538	31.76
234	1st	-journal -silence -noise -band -minmax -hamming	1181	2538	31.76
235	1st	-journal -noise -bandstop -minmax -mink	1177	2542	31.65
236	1st	-journal -high -fft -eucl	1176	2543	31.62
237	1st	-journal -high -aggr -eucl	1175	2544	31.59
238	1st	-journal -silence -noise -bandstop -minmax -mink	1174	2545	31.57
239	1st	-journal -silence -endp -lpc -cheb	1174	2545	31.57
240	1st	-journal -endp -lpc -cheb	1174	2545	31.57
241	1st	-journal -noise -band -minmax -mink	1174	2545	31.57
242	1st	-journal -silence -noise -band -minmax -mink	1174	2545	31.57
243	1st	-journal -silence -noise -bandstop -lpc -diff	1172	2547	31.51
244	1st	-journal -silence -band -aggr -eucl	1169	2550	31.43
245	1st	-journal -band -aggr -eucl	1169	2550	31.43
246	1st	-journal -silence -high -aggr -eucl	1169	2550	31.43
247	1st	-journal -silence -band -fft -eucl	1169	2550	31.43
248	1st	-journal -band -fft -eucl	1169	2550	31.43
249	1st	-journal -silence -high -fft -eucl	1168	2551	31.41

Table 234: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 6.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
250	1st	-journal -silence -endp -lpc -mink	1166	2553	31.35
251	1st	-journal -endp -lpc -mink	1166	2553	31.35
252	1st	-journal -noise -band -fft -mink	1166	2553	31.35
253	1st	-journal -noise -band -aggr -mink	1166	2553	31.35
254	1st	-journal -bandstop -lpc -mink	1162	2557	31.24
255	1st	-journal -bandstop -lpc -eucl	1157	2562	31.11
256	1st	-journal -silence -noise -band -fft -mink	1155	2564	31.06
257	1st	-journal -silence -noise -band -aggr -mink	1155	2564	31.06
258	1st	-journal -silence -bandstop -lpc -mink	1153	2566	31.00
259	1st	-journal -silence -bandstop -lpc -eucl	1148	2571	30.87
260	1st	-journal -bandstop -lpc -cheb	1147	2572	30.84
261	1st	-journal -noise -bandstop -lpc -diff	1146	2573	30.81
262	1st	-journal -silence -noise -low -minmax -hamming	1145	2574	30.79
263	1st	-journal -noise -low -minmax -hamming	1143	2576	30.73
264	1st	-journal -noise -raw -lpc -cheb	1141	2578	30.68
265	1st	-journal -silence -noise -raw -lpc -cheb	1141	2578	30.68
266	1st	-journal -silence -norm -lpc -cheb	1141	2578	30.68
267	1st	-journal -norm -lpc -cheb	1141	2578	30.68
268	1st	-journal -raw -lpc -cheb	1141	2578	30.68
269	1st	-journal -silence -raw -lpc -cheb	1141	2578	30.68
270	1st	-journal -silence -high -aggr -diff	1137	2582	30.57
271	1st	-journal -silence -high -aggr -cheb	1137	2582	30.57
272	1st	-journal -silence -bandstop -lpc -cheb	1136	2583	30.55
273	1st	-journal -noise -low -lpc -mink	1134	2585	30.49
274	1st	-journal -silence -high -fft -cheb	1132	2587	30.44
275	1st	-journal -silence -raw -lpc -mink	1131	2588	30.41
276	1st	-journal -noise -raw -lpc -mink	1131	2588	30.41
277	1st	-journal -silence -noise -raw -lpc -mink	1131	2588	30.41
278	1st	-journal -silence -norm -lpc -mink	1131	2588	30.41
279	1st	-journal -norm -lpc -mink	1131	2588	30.41
280	1st	-journal -raw -lpc -mink	1131	2588	30.41
281	1st	-journal -low -lpc -mink	1130	2589	30.38
282	1st	-journal -noise -norm -lpc -mink	1130	2589	30.38
283	1st	-journal -silence -high -fft -diff	1129	2590	30.36
284	1st	-journal -silence -noise -bandstop -lpc -hamming	1127	2592	30.30
285	1st	-journal -silence -band -aggr -cheb	1126	2593	30.28
286	1st	-journal -silence -noise -high -aggr -cos	1126	2593	30.28
287	1st	-journal -noise -bandstop -lpc -hamming	1125	2594	30.25
288	1st	-journal -silence -band -aggr -diff	1120	2599	30.12
289	1st	-journal -silence -band -fft -cheb	1119	2600	30.09
290	1st	-journal -bandstop -lpc -diff	1116	2603	30.01
291	1st	-journal -noise -low -lpc -eucl	1116	2603	30.01
292	1st	-journal -low -lpc -eucl	1115	2604	29.98
293	1st	-journal -silence -endp -lpc -diff	1115	2604	29.98
294	1st	-journal -endp -lpc -diff	1115	2604	29.98
295	1st	-journal -noise -norm -lpc -eucl	1115	2604	29.98
296	1st	-journal -silence -band -fft -diff	1113	2606	29.93
297	1st	-journal -silence -noise -band -lpc -eucl	1111	2608	29.87
298	1st	-journal -silence -bandstop -lpc -diff	1107	2612	29.77
299	1st	-journal -silence -band -aggr -mink	1106	2613	29.74

Table 235: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 7.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
300	1st	-journal -noise -high -aggr -eucl	1106	2613	29.74
301	1st	-journal -silence -band -fft -mink	1106	2613	29.74
302	1st	-journal -noise -bandstop -aggr -diff	1105	2614	29.71
303	1st	-journal -noise -bandstop -aggr -cheb	1105	2614	29.71
304	1st	-journal -noise -high -fft -eucl	1105	2614	29.71
305	1st	-journal -high -aggr -cheb	1105	2614	29.71
306	1st	-journal -noise -bandstop -fft -cheb	1105	2614	29.71
307	1st	-journal -noise -bandstop -fft -diff	1104	2615	29.69
308	1st	-journal -silence -noise -bandstop -aggr -cheb	1104	2615	29.69
309	1st	-journal -raw -lpc -cos	1103	2616	29.66
310	1st	-journal -norm -lpc -cos	1103	2616	29.66
311	1st	-journal -silence -noise -bandstop -fft -cheb	1103	2616	29.66
312	1st	-journal -silence -raw -lpc -cos	1103	2616	29.66
313	1st	-journal -silence -norm -lpc -cos	1103	2616	29.66
314	1st	-journal -noise -raw -lpc -cos	1103	2616	29.66
315	1st	-journal -silence -noise -raw -lpc -cos	1103	2616	29.66
316	1st	-journal -silence -noise -raw -aggr -cos	1102	2617	29.63
317	1st	-journal -silence -norm -aggr -cos	1102	2617	29.63
318	1st	-journal -norm -aggr -cos	1102	2617	29.63
319	1st	-journal -raw -aggr -cos	1102	2617	29.63
320	1st	-journal -norm -fft -cos	1102	2617	29.63
321	1st	-journal -silence -low -lpc -mink	1102	2617	29.63
322	1st	-journal -high -fft -cheb	1102	2617	29.63
323	1st	-journal -silence -raw -aggr -cos	1102	2617	29.63
324	1st	-journal -silence -noise -bandstop -fft -diff	1102	2617	29.63
325	1st	-journal -silence -raw -fft -cos	1102	2617	29.63
326	1st	-journal -silence -norm -fft -cos	1102	2617	29.63
327	1st	-journal -noise -raw -fft -cos	1102	2617	29.63
328	1st	-journal -silence -noise -norm -lpc -mink	1102	2617	29.63
329	1st	-journal -silence -noise -raw -fft -cos	1102	2617	29.63
330	1st	-journal -silence -noise -bandstop -aggr -diff	1102	2617	29.63
331	1st	-journal -raw -fft -cos	1102	2617	29.63
332	1st	-journal -noise -raw -aggr -cos	1102	2617	29.63
333	1st	-journal -band -aggr -diff	1101	2618	29.60
334	1st	-journal -band -aggr -cheb	1100	2619	29.58
335	1st	-journal -silence -noise -band -lpc -mink	1100	2619	29.58
336	1st	-journal -band -fft -cheb	1099	2620	29.55
337	1st	-journal -silence -high -aggr -mink	1098	2621	29.52
338	1st	-journal -silence -high -fft -mink	1098	2621	29.52
339	1st	-journal -band -aggr -mink	1097	2622	29.50
340	1st	-journal -band -fft -mink	1097	2622	29.50
341	1st	-journal -band -fft -diff	1096	2623	29.47
342	1st	-journal -high -aggr -diff	1096	2623	29.47
343	1st	-journal -silence -noise -endp -fft -hamming	1094	2625	29.42
344	1st	-journal -silence -noise -low -fft -diff	1092	2627	29.36
345	1st	-journal -silence -noise -low -aggr -diff	1090	2629	29.31
346	1st	-journal -silence -noise -low -fft -cheb	1089	2630	29.28
347	1st	-journal -noise -low -aggr -diff	1088	2631	29.26
348	1st	-journal -silence -noise -low -aggr -cheb	1088	2631	29.26
349	1st	-journal -noise -low -aggr -cheb	1087	2632	29.23

Table 236: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 8.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
350	1st	-journal -noise -raw -lpc -diff	1086	2633	29.20
351	1st	-journal -silence -noise -raw -lpc -diff	1086	2633	29.20
352	1st	-journal -silence -norm -lpc -diff	1086	2633	29.20
353	1st	-journal -norm -lpc -diff	1086	2633	29.20
354	1st	-journal -raw -lpc -diff	1086	2633	29.20
355	1st	-journal -noise -low -fft -cheb	1086	2633	29.20
356	1st	-journal -silence -raw -lpc -diff	1086	2633	29.20
357	1st	-journal -silence -low -lpc -eucl	1085	2634	29.17
358	1st	-journal -noise -high -minmax -eucl	1085	2634	29.17
359	1st	-journal -noise -low -fft -diff	1085	2634	29.17
360	1st	-journal -silence -noise -high -minmax -eucl	1085	2634	29.17
361	1st	-journal -silence -noise -norm -lpc -eucl	1085	2634	29.17
362	1st	-journal -high -fft -diff	1084	2635	29.15
363	1st	-journal -bandstop -lpc -cos	1084	2635	29.15
364	1st	-journal -noise -high -fft -diff	1083	2636	29.12
365	1st	-journal -silence -noise -bandstop -fft -mink	1082	2637	29.09
366	1st	-journal -high -aggr -mink	1082	2637	29.09
367	1st	-journal -silence -noise -bandstop -aggr -mink	1082	2637	29.09
368	1st	-journal -noise -bandstop -fft -mink	1082	2637	29.09
369	1st	-journal -noise -bandstop -aggr -mink	1082	2637	29.09
370	1st	-journal -high -fft -mink	1082	2637	29.09
371	1st	-journal -noise -low -aggr -eucl	1078	2641	28.99
372	1st	-journal -silence -noise -low -aggr -eucl	1078	2641	28.99
373	1st	-journal -noise -low -fft -eucl	1078	2641	28.99
374	1st	-journal -silence -bandstop -lpc -cos	1077	2642	28.96
375	1st	-journal -silence -noise -high -aggr -eucl	1077	2642	28.96
376	1st	-journal -silence -noise -low -fft -eucl	1077	2642	28.96
377	1st	-journal -noise -high -fft -cheb	1076	2643	28.93
378	1st	-journal -noise -high -aggr -diff	1076	2643	28.93
379	1st	-journal -noise -high -aggr -cheb	1075	2644	28.91
380	1st	-journal -noise -high -lpc -cheb	1075	2644	28.91
381	1st	-journal -noise -band -lpc -mink	1074	2645	28.88
382	1st	-journal -silence -noise -high -fft -eucl	1073	2646	28.85
383	1st	-journal -silence -noise -high -aggr -diff	1072	2647	28.82
384	1st	-journal -noise -low -aggr -mink	1072	2647	28.82
385	1st	-journal -noise -low -fft -mink	1072	2647	28.82
386	1st	-journal -norm -aggr -mink	1071	2648	28.80
387	1st	-journal -silence -low -aggr -mink	1071	2648	28.80
388	1st	-journal -silence -noise -band -lpc -cheb	1071	2648	28.80
389	1st	-journal -silence -low -fft -mink	1071	2648	28.80
390	1st	-journal -silence -noise -norm -aggr -mink	1071	2648	28.80
391	1st	-journal -silence -norm -aggr -mink	1071	2648	28.80
392	1st	-journal -silence -noise -norm -fft -mink	1071	2648	28.80
393	1st	-journal -silence -norm -fft -mink	1071	2648	28.80
394	1st	-journal -norm -fft -mink	1071	2648	28.80
395	1st	-journal -norm -aggr -eucl	1070	2649	28.77
396	1st	-journal -low -fft -mink	1070	2649	28.77
397	1st	-journal -bandstop -fft -mink	1070	2649	28.77
398	1st	-journal -noise -norm -aggr -mink	1070	2649	28.77
399	1st	-journal -low -aggr -mink	1070	2649	28.77

Table 237: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 9.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
400	1st	-journal -silence -norm -aggr -eucl	1070	2649	28.77
401	1st	-journal -bandstop -aggr -mink	1070	2649	28.77
402	1st	-journal -noise -norm -fft -mink	1070	2649	28.77
403	1st	-journal -silence -band -lpc -mink	1070	2649	28.77
404	1st	-journal -silence -norm -fft -eucl	1070	2649	28.77
405	1st	-journal -norm -fft -eucl	1070	2649	28.77
406	1st	-journal -silence -noise -low -aggr -mink	1069	2650	28.74
407	1st	-journal -silence -bandstop -fft -mink	1069	2650	28.74
408	1st	-journal -silence -bandstop -aggr -mink	1069	2650	28.74
409	1st	-journal -silence -noise -low -fft -mink	1069	2650	28.74
410	1st	-journal -silence -low -lpc -cheb	1068	2651	28.72
411	1st	-journal -noise -high -minmax -cheb	1068	2651	28.72
412	1st	-journal -silence -noise -high -minmax -cheb	1068	2651	28.72
413	1st	-journal -silence -noise -norm -lpc -cheb	1068	2651	28.72
414	1st	-journal -noise -band -lpc -eucl	1068	2651	28.72
415	1st	-journal -band -lpc -mink	1068	2651	28.72
416	1st	-journal -silence -noise -low -lpc -mink	1068	2651	28.72
417	1st	-journal -silence -low -aggr -cheb	1067	2652	28.69
418	1st	-journal -low -fft -eucl	1067	2652	28.69
419	1st	-journal -silence -low -fft -cheb	1067	2652	28.69
420	1st	-journal -silence -noise -norm -aggr -cheb	1067	2652	28.69
421	1st	-journal -noise -norm -aggr -eucl	1067	2652	28.69
422	1st	-journal -low -aggr -eucl	1067	2652	28.69
423	1st	-journal -silence -bandstop -fft -eucl	1067	2652	28.69
424	1st	-journal -silence -noise -norm -fft -cheb	1067	2652	28.69
425	1st	-journal -noise -norm -fft -eucl	1067	2652	28.69
426	1st	-journal -silence -bandstop -aggr -eucl	1067	2652	28.69
427	1st	-journal -silence -low -fft -diff	1066	2653	28.66
428	1st	-journal -silence -noise -norm -aggr -diff	1066	2653	28.66
429	1st	-journal -bandstop -fft -eucl	1066	2653	28.66
430	1st	-journal -silence -low -aggr -eucl	1066	2653	28.66
431	1st	-journal -silence -low -fft -eucl	1066	2653	28.66
432	1st	-journal -silence -noise -norm -fft -diff	1066	2653	28.66
433	1st	-journal -silence -noise -norm -aggr -eucl	1066	2653	28.66
434	1st	-journal -bandstop -aggr -eucl	1066	2653	28.66
435	1st	-journal -silence -noise -norm -fft -eucl	1066	2653	28.66
436	1st	-journal -silence -low -aggr -diff	1066	2653	28.66
437	1st	-journal -noise -bandstop -fft -eucl	1063	2656	28.58
438	1st	-journal -noise -bandstop -aggr -eucl	1063	2656	28.58
439	1st	-journal -silence -noise -bandstop -aggr -eucl	1062	2657	28.56
440	1st	-journal -noise -endp -fft -hamming	1062	2657	28.56
441	1st	-journal -silence -noise -bandstop -fft -eucl	1062	2657	28.56
442	1st	-journal -silence -noise -high -fft -diff	1061	2658	28.53
443	1st	-journal -noise -band -lpc -diff	1060	2659	28.50
444	1st	-journal -high -lpc -cheb	1059	2660	28.48
445	1st	-journal -band -lpc -eucl	1058	2661	28.45
446	1st	-journal -noise -high -aggr -cos	1057	2662	28.42
447	1st	-journal -noise -norm -fft -diff	1056	2663	28.39
448	1st	-journal -noise -low -lpc -cheb	1056	2663	28.39
449	1st	-journal -low -fft -diff	1056	2663	28.39

Table 238: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 10.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
450	1st	-journal -silence -endp -lpc -cos	1055	2664	28.37
451	1st	-journal -noise -norm -fft -cheb	1055	2664	28.37
452	1st	-journal -endp -lpc -cos	1055	2664	28.37
453	1st	-journal -low -fft -cheb	1055	2664	28.37
454	1st	-journal -silence -noise -bandstop -minmax -hamming	1054	2665	28.34
455	1st	-journal -silence -noise -norm -lpc -diff	1054	2665	28.34
456	1st	-journal -noise -norm -aggr -diff	1054	2665	28.34
457	1st	-journal -silence -low -lpc -diff	1054	2665	28.34
458	1st	-journal -low -aggr -diff	1054	2665	28.34
459	1st	-journal -noise -norm -aggr -cheb	1053	2666	28.31
460	1st	-journal -low -aggr -cheb	1053	2666	28.31
461	1st	-journal -noise -high -lpc -eucl	1053	2666	28.31
462	1st	-journal -noise -high -lpc -mink	1053	2666	28.31
463	1st	-journal -silence -noise -low -lpc -eucl	1053	2666	28.31
464	1st	-journal -silence -noise -high -aggr -cheb	1051	2668	28.26
465	1st	-journal -silence -noise -low -aggr -cos	1050	2669	28.23
466	1st	-journal -noise -low -fft -cos	1050	2669	28.23
467	1st	-journal -noise -norm -aggr -cos	1049	2670	28.21
468	1st	-journal -noise -norm -fft -cos	1049	2670	28.21
469	1st	-journal -noise -bandstop -minmax -hamming	1049	2670	28.21
470	1st	-journal -silence -raw -fft -mink	1049	2670	28.21
471	1st	-journal -noise -norm -lpc -cheb	1049	2670	28.21
472	1st	-journal -low -aggr -cos	1049	2670	28.21
473	1st	-journal -noise -raw -aggr -mink	1049	2670	28.21
474	1st	-journal -noise -raw -fft -mink	1049	2670	28.21
475	1st	-journal -low -lpc -cheb	1049	2670	28.21
476	1st	-journal -silence -noise -raw -fft -mink	1049	2670	28.21
477	1st	-journal -silence -noise -raw -aggr -mink	1049	2670	28.21
478	1st	-journal -low -fft -cos	1049	2670	28.21
479	1st	-journal -silence -raw -aggr -mink	1049	2670	28.21
480	1st	-journal -raw -aggr -mink	1049	2670	28.21
481	1st	-journal -raw -fft -mink	1049	2670	28.21
482	1st	-journal -silence -bandstop -fft -diff	1048	2671	28.18
483	1st	-journal -silence -bandstop -fft -cos	1048	2671	28.18
484	1st	-journal -silence -bandstop -fft -cheb	1048	2671	28.18
485	1st	-journal -silence -noise -norm -aggr -cos	1048	2671	28.18
486	1st	-journal -noise -low -aggr -cos	1048	2671	28.18
487	1st	-journal -silence -bandstop -aggr -diff	1048	2671	28.18
488	1st	-journal -silence -bandstop -aggr -cheb	1048	2671	28.18
489	1st	-journal -silence -bandstop -aggr -cos	1048	2671	28.18
490	1st	-journal -silence -low -aggr -cos	1048	2671	28.18
491	1st	-journal -noise -bandstop -lpc -cos	1048	2671	28.18
492	1st	-journal -silence -noise -bandstop -lpc -cos	1048	2671	28.18
493	1st	-journal -silence -noise -high -fft -cheb	1047	2672	28.15
494	1st	-journal -bandstop -fft -cos	1047	2672	28.15
495	1st	-journal -silence -norm -fft -diff	1047	2672	28.15
496	1st	-journal -norm -fft -diff	1047	2672	28.15
497	1st	-journal -silence -noise -low -fft -cos	1047	2672	28.15
498	1st	-journal -silence -noise -norm -fft -cos	1046	2673	28.13
499	1st	-journal -noise -band -lpc -cheb	1046	2673	28.13

Table 239: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 11.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
500	1st	-journal -bandstop -aggr -cos	1046	2673	28.13
501	1st	-journal -silence -low -fft -cos	1046	2673	28.13
502	1st	-journal -silence -noise -endp -lpc -cos	1046	2673	28.13
503	1st	-journal -bandstop -fft -diff	1046	2673	28.13
504	1st	-journal -bandstop -fft -cheb	1046	2673	28.13
505	1st	-journal -silence -noise -high -fft -cos	1045	2674	28.10
506	1st	-journal -bandstop -aggr -diff	1045	2674	28.10
507	1st	-journal -silence -noise -band -lpc -diff	1045	2674	28.10
508	1st	-journal -bandstop -aggr -cheb	1045	2674	28.10
509	1st	-journal -silence -band -lpc -eucl	1045	2674	28.10
510	1st	-journal -silence -norm -aggr -diff	1044	2675	28.07
511	1st	-journal -silence -norm -aggr -cheb	1044	2675	28.07
512	1st	-journal -noise -low -lpc -diff	1044	2675	28.07
513	1st	-journal -silence -norm -fft -cheb	1044	2675	28.07
514	1st	-journal -norm -fft -cheb	1044	2675	28.07
515	1st	-journal -norm -aggr -diff	1044	2675	28.07
516	1st	-journal -norm -aggr -cheb	1044	2675	28.07
517	1st	-journal -high -lpc -diff	1042	2677	28.02
518	1st	-journal -noise -endp -lpc -cos	1042	2677	28.02
519	1st	-journal -silence -noise -high -fft -mink	1041	2678	27.99
520	1st	-journal -silence -noise -endp -aggr -hamming	1040	2679	27.96
521	1st	-journal -silence -noise -high -aggr -mink	1040	2679	27.96
522	1st	-journal -silence -raw -fft -eucl	1039	2680	27.94
523	1st	-journal -noise -endp -aggr -hamming	1039	2680	27.94
524	1st	-journal -noise -raw -aggr -eucl	1039	2680	27.94
525	1st	-journal -noise -raw -fft -eucl	1039	2680	27.94
526	1st	-journal -silence -noise -raw -fft -eucl	1039	2680	27.94
527	1st	-journal -silence -noise -raw -aggr -eucl	1039	2680	27.94
528	1st	-journal -silence -raw -aggr -eucl	1039	2680	27.94
529	1st	-journal -raw -aggr -eucl	1039	2680	27.94
530	1st	-journal -raw -fft -eucl	1039	2680	27.94
531	1st	-journal -noise -high -minmax -diff	1038	2681	27.91
532	1st	-journal -silence -noise -high -minmax -diff	1038	2681	27.91
533	1st	-journal -silence -noise -low -lpc -cheb	1038	2681	27.91
534	1st	-journal -noise -high -minmax -hamming	1035	2684	27.83
535	1st	-journal -silence -noise -high -minmax -hamming	1035	2684	27.83
536	1st	-journal -band -lpc -cheb	1034	2685	27.80
537	1st	-journal -band -lpc -diff	1032	2687	27.75
538	1st	-journal -silence -band -lpc -cheb	1032	2687	27.75
539	1st	-journal -bandstop -lpc -hamming	1031	2688	27.72
540	1st	-journal -high -lpc -eucl	1031	2688	27.72
541	1st	-journal -noise -high -minmax -mink	1030	2689	27.70
542	1st	-journal -silence -noise -high -minmax -mink	1030	2689	27.70
543	1st	-journal -silence -noise -bandstop -aggr -cos	1029	2690	27.67
544	1st	-journal -noise -bandstop -aggr -cos	1029	2690	27.67
545	1st	-journal -noise -bandstop -fft -cos	1029	2690	27.67
546	1st	-journal -silence -noise -bandstop -fft -cos	1029	2690	27.67
547	1st	-journal -noise -high -aggr -mink	1028	2691	27.64
548	1st	-journal -noise -high -fft -mink	1028	2691	27.64
549	1st	-journal -noise -high -lpc -diff	1027	2692	27.61

Table 240: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 12.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
550	1st	-journal -silence -band -lpc -diff	1027	2692	27.61
551	1st	-journal -silence -noise -band -lpc -cos	1027	2692	27.61
552	1st	-journal -silence -bandstop -lpc -hamming	1026	2693	27.59
553	1st	-journal -silence -noise -high -minmax -cos	1025	2694	27.56
554	1st	-journal -noise -raw -aggr -diff	1025	2694	27.56
555	1st	-journal -silence -noise -raw -aggr -diff	1025	2694	27.56
556	1st	-journal -noise -high -minmax -cos	1025	2694	27.56
557	1st	-journal -silence -raw -aggr -diff	1025	2694	27.56
558	1st	-journal -raw -aggr -diff	1025	2694	27.56
559	1st	-journal -silence -noise -band -lpc -hamming	1025	2694	27.56
560	1st	-journal -noise -raw -aggr -cheb	1024	2695	27.53
561	1st	-journal -noise -raw -fft -cheb	1024	2695	27.53
562	1st	-journal -silence -noise -raw -fft -cheb	1024	2695	27.53
563	1st	-journal -silence -noise -raw -aggr -cheb	1024	2695	27.53
564	1st	-journal -silence -raw -aggr -cheb	1024	2695	27.53
565	1st	-journal -raw -aggr -cheb	1024	2695	27.53
566	1st	-journal -raw -fft -cheb	1024	2695	27.53
567	1st	-journal -silence -raw -fft -cheb	1024	2695	27.53
568	1st	-journal -silence -noise -low -lpc -hamming	1023	2696	27.51
569	1st	-journal -noise -norm -lpc -diff	1022	2697	27.48
570	1st	-journal -low -lpc -diff	1022	2697	27.48
571	1st	-journal -silence -noise -high -lpc -mink	1021	2698	27.45
572	1st	-journal -noise -raw -fft -diff	1020	2699	27.43
573	1st	-journal -silence -noise -raw -fft -diff	1020	2699	27.43
574	1st	-journal -raw -fft -diff	1020	2699	27.43
575	1st	-journal -silence -raw -fft -diff	1020	2699	27.43
576	1st	-journal -silence -noise -low -lpc -diff	1019	2700	27.40
577	1st	-journal -endp -lpc -hamming	1017	2702	27.35
578	1st	-journal -silence -endp -lpc -hamming	1017	2702	27.35
579	1st	-journal -noise -high -fft -cos	1016	2703	27.32
580	1st	-journal -silence -high -lpc -cheb	1016	2703	27.32
581	1st	-journal -noise -highpassboost -minmax -cos	1015	2704	27.29
582	1st	-journal -silence -boost -lpc -eucl	1015	2704	27.29
583	1st	-journal -highpassboost -fft -cos	1015	2704	27.29
584	1st	-journal -noise -boost -aggr -cos	1015	2704	27.29
585	1st	-journal -silence -noise -highpassboost -fft -cos	1015	2704	27.29
586	1st	-journal -boost -lpc -diff	1015	2704	27.29
587	1st	-journal -silence -noise -highpassboost -aggr -cheb	1015	2704	27.29
588	1st	-journal -silence -boost -lpc -cos	1015	2704	27.29
589	1st	-journal -silence -boost -lpc -mink	1015	2704	27.29
590	1st	-journal -boost -minmax -eucl	1015	2704	27.29
591	1st	-journal -noise -highpassboost -aggr -diff	1015	2704	27.29
592	1st	-journal -boost -lpc -cos	1015	2704	27.29
593	1st	-journal -silence -highpassboost -fft -cheb	1015	2704	27.29
594	1st	-journal -silence -boost -lpc -hamming	1015	2704	27.29
595	1st	-journal -noise -boost -minmax -eucl	1015	2704	27.29
596	1st	-journal -silence -noise -highpassboost -lpc -eucl	1015	2704	27.29
597	1st	-journal -silence -boost -fft -eucl	1015	2704	27.29
598	1st	-journal -noise -highpassboost -lpc -hamming	1015	2704	27.29
599	1st	-journal -boost -minmax -mink	1015	2704	27.29

Table 241: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 13.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
600	1st	-journal -highpassboost -minmax -eucl	1015	2704	27.29
601	1st	-journal -boost -fft -diff	1015	2704	27.29
602	1st	-journal -noise -boost -minmax -mink	1015	2704	27.29
603	1st	-journal -silence -noise -highpassboost -lpc -mink	1015	2704	27.29
604	1st	-journal -highpassboost -lpc -cos	1015	2704	27.29
605	1st	-journal -silence -boost -fft -mink	1015	2704	27.29
606	1st	-journal -boost -lpc -cheb	1015	2704	27.29
607	1st	-journal -silence -noise -boost -aggr -diff	1015	2704	27.29
608	1st	-journal -silence -noise -highpassboost -lpc -cos	1015	2704	27.29
609	1st	-journal -noise -highpassboost -aggr -cheb	1015	2704	27.29
610	1st	-journal -noise -highpassboost -lpc -eucl	1015	2704	27.29
611	1st	-journal -highpassboost -minmax -mink	1015	2704	27.29
612	1st	-journal -silence -noise -boost -aggr -cos	1015	2704	27.29
613	1st	-journal -silence -highpassboost -fft -cos	1015	2704	27.29
614	1st	-journal -silence -noise -highpassboost -lpc -hamming	1015	2704	27.29
615	1st	-journal -silence -noise -highpassboost -fft -eucl	1015	2704	27.29
616	1st	-journal -highpassboost -lpc -diff	1015	2704	27.29
617	1st	-journal -noise -highpassboost -lpc -mink	1015	2704	27.29
618	1st	-journal -boost -fft -cheb	1015	2704	27.29
619	1st	-journal -boost -aggr -diff	1015	2704	27.29
620	1st	-journal -silence -noise -highpassboost -fft -mink	1015	2704	27.29
621	1st	-journal -noise -highpassboost -minmax -eucl	1015	2704	27.29
622	1st	-journal -noise -highpassboost -aggr -hamming	1015	2704	27.29
623	1st	-journal -silence -noise -boost -aggr -cheb	1015	2704	27.29
624	1st	-journal -noise -highpassboost -fft -eucl	1015	2704	27.29
625	1st	-journal -highpassboost -aggr -hamming	1015	2704	27.29
626	1st	-journal -silence -highpassboost -lpc -eucl	1015	2704	27.29
627	1st	-journal -highpassboost -fft -diff	1015	2704	27.29
628	1st	-journal -highpassboost -lpc -cheb	1015	2704	27.29
629	1st	-journal -noise -boost -lpc -diff	1015	2704	27.29
630	1st	-journal -silence -noise -boost -aggr -hamming	1015	2704	27.29
631	1st	-journal -noise -highpassboost -minmax -mink	1015	2704	27.29
632	1st	-journal -noise -highpassboost -fft -mink	1015	2704	27.29
633	1st	-journal -silence -highpassboost -lpc -cos	1015	2704	27.29
634	1st	-journal -silence -highpassboost -lpc -mink	1015	2704	27.29
635	1st	-journal -noise -boost -minmax -cos	1015	2704	27.29
636	1st	-journal -boost -aggr -cheb	1015	2704	27.29
637	1st	-journal -silence -noise -highpassboost -aggr -eucl	1015	2704	27.29
638	1st	-journal -highpassboost -aggr -diff	1015	2704	27.29
639	1st	-journal -silence -highpassboost -fft -eucl	1015	2704	27.29
640	1st	-journal -highpassboost -fft -cheb	1015	2704	27.29
641	1st	-journal -noise -boost -fft -diff	1015	2704	27.29
642	1st	-journal -silence -boost -aggr -cos	1015	2704	27.29
643	1st	-journal -noise -boost -lpc -cheb	1015	2704	27.29
644	1st	-journal -silence -noise -highpassboost -aggr -mink	1015	2704	27.29
645	1st	-journal -noise -highpassboost -fft -cos	1015	2704	27.29
646	1st	-journal -silence -boost -aggr -diff	1015	2704	27.29
647	1st	-journal -silence -highpassboost -fft -mink	1015	2704	27.29
648	1st	-journal -silence -noise -boost -fft -hamming	1015	2704	27.29
649	1st	-journal -boost -lpc -eucl	1015	2704	27.29

Table 242: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 14.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
650	1st	-journal -silence -noise -boost -lpc -diff	1015	2704	27.29
651	1st	-journal -noise -highpassboost -aggr -eucl	1015	2704	27.29
652	1st	-journal -noise -boost -aggr -diff	1015	2704	27.29
653	1st	-journal -highpassboost -aggr -cheb	1015	2704	27.29
654	1st	-journal -noise -boost -fft -cheb	1015	2704	27.29
655	1st	-journal -silence -noise -highpassboost -aggr -cos	1015	2704	27.29
656	1st	-journal -silence -highpassboost -aggr -diff	1015	2704	27.29
657	1st	-journal -boost -lpc -mink	1015	2704	27.29
658	1st	-journal -noise -highpassboost -aggr -mink	1015	2704	27.29
659	1st	-journal -noise -boost -aggr -hamming	1015	2704	27.29
660	1st	-journal -silence -boost -aggr -cheb	1015	2704	27.29
661	1st	-journal -boost -fft -eucl	1015	2704	27.29
662	1st	-journal -silence -noise -boost -fft -diff	1015	2704	27.29
663	1st	-journal -silence -noise -boost -aggr -eucl	1015	2704	27.29
664	1st	-journal -noise -highpassboost -lpc -cos	1015	2704	27.29
665	1st	-journal -noise -highpassboost -aggr -cos	1015	2704	27.29
666	1st	-journal -silence -noise -boost -lpc -cheb	1015	2704	27.29
667	1st	-journal -silence -highpassboost -fft -hamming	1015	2704	27.29
668	1st	-journal -noise -boost -aggr -cheb	1015	2704	27.29
669	1st	-journal -boost -fft -mink	1015	2704	27.29
670	1st	-journal -highpassboost -lpc -eucl	1015	2704	27.29
671	1st	-journal -silence -highpassboost -aggr -cheb	1015	2704	27.29
672	1st	-journal -silence -noise -boost -aggr -mink	1015	2704	27.29
673	1st	-journal -boost -aggr -eucl	1015	2704	27.29
674	1st	-journal -highpassboost -lpc -mink	1015	2704	27.29
675	1st	-journal -silence -noise -boost -fft -cheb	1015	2704	27.29
676	1st	-journal -silence -highpassboost -aggr -cos	1015	2704	27.29
677	1st	-journal -silence -boost -lpc -diff	1015	2704	27.29
678	1st	-journal -highpassboost -fft -eucl	1015	2704	27.29
679	1st	-journal -silence -noise -highpassboost -aggr -hamming	1015	2704	27.29
680	1st	-journal -silence -noise -boost -lpc -hamming	1015	2704	27.29
681	1st	-journal -noise -boost -lpc -eucl	1015	2704	27.29
682	1st	-journal -boost -aggr -mink	1015	2704	27.29
683	1st	-journal -highpassboost -minmax -cos	1015	2704	27.29
684	1st	-journal -boost -minmax -diff	1015	2704	27.29
685	1st	-journal -boost -minmax -hamming	1015	2704	27.29
686	1st	-journal -highpassboost -fft -mink	1015	2704	27.29
687	1st	-journal -boost -fft -hamming	1015	2704	27.29
688	1st	-journal -noise -boost -lpc -mink	1015	2704	27.29
689	1st	-journal -noise -boost -minmax -diff	1015	2704	27.29
690	1st	-journal -noise -boost -fft -hamming	1015	2704	27.29
691	1st	-journal -silence -noise -highpassboost -lpc -diff	1015	2704	27.29
692	1st	-journal -highpassboost -aggr -eucl	1015	2704	27.29
693	1st	-journal -silence -boost -fft -diff	1015	2704	27.29
694	1st	-journal -boost -aggr -hamming	1015	2704	27.29
695	1st	-journal -silence -boost -lpc -cheb	1015	2704	27.29
696	1st	-journal -noise -boost -fft -eucl	1015	2704	27.29
697	1st	-journal -highpassboost -fft -hamming	1015	2704	27.29
698	1st	-journal -highpassboost -minmax -diff	1015	2704	27.29
699	1st	-journal -highpassboost -minmax -hamming	1015	2704	27.29

Table 243: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 15.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
700	1st	-journal -silence -highpassboost -lpc -hamming	1015	2704	27.29
701	1st	-journal -noise -boost -fft -cos	1015	2704	27.29
702	1st	-journal -highpassboost -aggr -mink	1015	2704	27.29
703	1st	-journal -silence -boost -aggr -eucl	1015	2704	27.29
704	1st	-journal -boost -aggr -cos	1015	2704	27.29
705	1st	-journal -boost -minmax -cheb	1015	2704	27.29
706	1st	-journal -noise -boost -fft -mink	1015	2704	27.29
707	1st	-journal -noise -highpassboost -lpc -diff	1015	2704	27.29
708	1st	-journal -noise -boost -minmax -cheb	1015	2704	27.29
709	1st	-journal -silence -noise -highpassboost -fft -diff	1015	2704	27.29
710	1st	-journal -silence -noise -boost -lpc -eucl	1015	2704	27.29
711	1st	-journal -silence -noise -highpassboost -lpc -cheb	1015	2704	27.29
712	1st	-journal -noise -boost -aggr -eucl	1015	2704	27.29
713	1st	-journal -silence -boost -aggr -hamming	1015	2704	27.29
714	1st	-journal -silence -boost -fft -cheb	1015	2704	27.29
715	1st	-journal -silence -boost -aggr -mink	1015	2704	27.29
716	1st	-journal -highpassboost -minmax -cheb	1015	2704	27.29
717	1st	-journal -noise -boost -minmax -hamming	1015	2704	27.29
718	1st	-journal -silence -highpassboost -aggr -eucl	1015	2704	27.29
719	1st	-journal -silence -highpassboost -aggr -hamming	1015	2704	27.29
720	1st	-journal -silence -boost -fft -hamming	1015	2704	27.29
721	1st	-journal -noise -boost -aggr -mink	1015	2704	27.29
722	1st	-journal -silence -noise -boost -lpc -mink	1015	2704	27.29
723	1st	-journal -silence -noise -boost -fft -cos	1015	2704	27.29
724	1st	-journal -noise -highpassboost -minmax -diff	1015	2704	27.29
725	1st	-journal -noise -highpassboost -fft -hamming	1015	2704	27.29
726	1st	-journal -noise -highpassboost -fft -diff	1015	2704	27.29
727	1st	-journal -noise -boost -lpc -cos	1015	2704	27.29
728	1st	-journal -noise -highpassboost -lpc -cheb	1015	2704	27.29
729	1st	-journal -silence -noise -boost -fft -eucl	1015	2704	27.29
730	1st	-journal -silence -highpassboost -lpc -diff	1015	2704	27.29
731	1st	-journal -silence -highpassboost -aggr -mink	1015	2704	27.29
732	1st	-journal -silence -noise -highpassboost -fft -cheb	1015	2704	27.29
733	1st	-journal -highpassboost -aggr -cos	1015	2704	27.29
734	1st	-journal -boost -lpc -hamming	1015	2704	27.29
735	1st	-journal -silence -boost -fft -cos	1015	2704	27.29
736	1st	-journal -silence -noise -boost -fft -mink	1015	2704	27.29
737	1st	-journal -silence -noise -highpassboost -fft -hamming	1015	2704	27.29
738	1st	-journal -noise -boost -lpc -hamming	1015	2704	27.29
739	1st	-journal -boost -fft -cos	1015	2704	27.29
740	1st	-journal -silence -noise -highpassboost -aggr -diff	1015	2704	27.29
741	1st	-journal -noise -highpassboost -minmax -cheb	1015	2704	27.29
742	1st	-journal -highpassboost -lpc -hamming	1015	2704	27.29
743	1st	-journal -noise -highpassboost -fft -cheb	1015	2704	27.29
744	1st	-journal -boost -minmax -cos	1015	2704	27.29
745	1st	-journal -noise -highpassboost -minmax -hamming	1015	2704	27.29
746	1st	-journal -silence -highpassboost -fft -diff	1015	2704	27.29
747	1st	-journal -silence -highpassboost -lpc -cheb	1015	2704	27.29
748	1st	-journal -silence -noise -boost -lpc -cos	1015	2704	27.29
749	1st	-journal -noise -high -lpc -cos	1014	2705	27.27

Table 244: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 16.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
750	1st	-journal -silence -noise -high -lpc -eucl	1014	2705	27.27
751	1st	-journal -high -lpc -mink	1011	2708	27.18
752	1st	-journal -silence -noise -high -lpc -cheb	1010	2709	27.16
753	1st	-journal -silence -noise -high -lpc -diff	1009	2710	27.13
754	1st	-journal -noise -low -lpc -hamming	1008	2711	27.10
755	1st	-journal -silence -noise -bandstop -aggr -hamming	1007	2712	27.08
756	1st	-journal -silence -high -lpc -diff	1002	2717	26.94
757	1st	-journal -noise -endp -lpc -hamming	1002	2717	26.94
758	1st	-journal -noise -bandstop -aggr -hamming	1002	2717	26.94
759	1st	-journal -silence -high -lpc -eucl	1002	2717	26.94
760	1st	-journal -silence -noise -high -lpc -cos	999	2720	26.86
761	1st	-journal -silence -band -lpc -hamming	999	2720	26.86
762	1st	-journal -noise -high -fft -hamming	998	2721	26.84
763	1st	-journal -silence -noise -endp -lpc -hamming	997	2722	26.81
764	1st	-journal -noise -band -lpc -hamming	996	2723	26.78
765	1st	-journal -bandstop -aggr -hamming	993	2726	26.70
766	1st	-journal -silence -noise -low -fft -hamming	993	2726	26.70
767	1st	-journal -noise -band -fft -hamming	990	2729	26.62
768	1st	-journal -low -fft -hamming	989	2730	26.59
769	1st	-journal -noise -norm -fft -hamming	989	2730	26.59
770	1st	-journal -noise -norm -aggr -hamming	988	2731	26.57
771	1st	-journal -low -aggr -hamming	988	2731	26.57
772	1st	-journal -high -lpc -cos	987	2732	26.54
773	1st	-journal -silence -noise -high -fft -hamming	986	2733	26.51
774	1st	-journal -silence -high -lpc -hamming	986	2733	26.51
775	1st	-journal -silence -high -lpc -mink	986	2733	26.51
776	1st	-journal -noise -low -aggr -hamming	985	2734	26.49
777	1st	-journal -silence -noise -high -aggr -hamming	984	2735	26.46
778	1st	-journal -silence -low -fft -hamming	983	2736	26.43
779	1st	-journal -silence -noise -norm -fft -hamming	983	2736	26.43
780	1st	-journal -noise -high -lpc -hamming	982	2737	26.40
781	1st	-journal -silence -bandstop -aggr -hamming	981	2738	26.38
782	1st	-journal -noise -band -aggr -hamming	981	2738	26.38
783	1st	-journal -noise -band -lpc -cos	980	2739	26.35
784	1st	-journal -silence -endp -fft -hamming	979	2740	26.32
785	1st	-journal -endp -fft -hamming	979	2740	26.32
786	1st	-journal -silence -noise -norm -lpc -cos	977	2742	26.27
787	1st	-journal -low -lpc -hamming	977	2742	26.27
788	1st	-journal -silence -low -lpc -cos	977	2742	26.27
789	1st	-journal -noise -norm -lpc -hamming	977	2742	26.27
790	1st	-journal -silence -band -lpc -cos	977	2742	26.27
791	1st	-journal -noise -high -aggr -hamming	975	2744	26.22
792	1st	-journal -silence -noise -band -aggr -hamming	974	2745	26.19
793	1st	-journal -silence -high -aggr -hamming	972	2747	26.14
794	1st	-journal -band -lpc -cos	972	2747	26.14
795	1st	-journal -high -fft -hamming	972	2747	26.14
796	1st	-journal -silence -noise -high -lpc -hamming	971	2748	26.11
797	1st	-journal -endp -aggr -hamming	970	2749	26.08
798	1st	-journal -silence -endp -aggr -hamming	970	2749	26.08
799	1st	-journal -silence -noise -low -aggr -hamming	968	2751	26.03

Table 245: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 17.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
800	1st	-journal -noise -norm -lpc -cos	967	2752	26.00
801	1st	-journal -high -lpc -hamming	967	2752	26.00
802	1st	-journal -low -lpc -cos	967	2752	26.00
803	1st	-journal -high -aggr -hamming	964	2755	25.92
804	1st	-journal -noise -low -lpc -cos	962	2757	25.87
805	1st	-journal -bandstop -fft -hamming	961	2758	25.84
806	1st	-journal -silence -low -lpc -hamming	961	2758	25.84
807	1st	-journal -silence -noise -norm -lpc -hamming	961	2758	25.84
808	1st	-journal -noise -low -fft -hamming	960	2759	25.81
809	1st	-journal -silence -high -fft -hamming	959	2760	25.79
810	1st	-journal -silence -bandstop -fft -hamming	958	2761	25.76
811	1st	-journal -silence -noise -low -lpc -cos	958	2761	25.76
812	1st	-journal -silence -noise -norm -aggr -hamming	957	2762	25.73
813	1st	-journal -silence -low -aggr -hamming	957	2762	25.73
814	1st	-journal -silence -high -lpc -cos	956	2763	25.71
815	1st	-journal -band -fft -hamming	955	2764	25.68
816	1st	-journal -silence -noise -raw -fft -hamming	952	2767	25.60
817	1st	-journal -raw -fft -hamming	952	2767	25.60
818	1st	-journal -silence -raw -fft -hamming	952	2767	25.60
819	1st	-journal -noise -raw -fft -hamming	952	2767	25.60
820	1st	-journal -norm -fft -hamming	944	2775	25.38
821	1st	-journal -silence -noise -band -fft -hamming	944	2775	25.38
822	1st	-journal -silence -norm -fft -hamming	944	2775	25.38
823	1st	-journal -band -lpc -hamming	942	2777	25.33
824	1st	-journal -noise -bandstop -fft -hamming	936	2783	25.17
825	1st	-journal -band -aggr -hamming	936	2783	25.17
826	1st	-journal -silence -noise -bandstop -fft -hamming	935	2784	25.14
827	1st	-journal -silence -norm -lpc -hamming	934	2785	25.11
828	1st	-journal -silence -noise -raw -lpc -hamming	934	2785	25.11
829	1st	-journal -norm -lpc -hamming	934	2785	25.11
830	1st	-journal -raw -lpc -hamming	934	2785	25.11
831	1st	-journal -silence -raw -lpc -hamming	934	2785	25.11
832	1st	-journal -noise -raw -lpc -hamming	934	2785	25.11
833	1st	-journal -raw -aggr -hamming	929	2790	24.98
834	1st	-journal -noise -raw -aggr -hamming	929	2790	24.98
835	1st	-journal -silence -noise -raw -aggr -hamming	929	2790	24.98
836	1st	-journal -silence -raw -aggr -hamming	929	2790	24.98
837	1st	-journal -norm -aggr -hamming	926	2793	24.90
838	1st	-journal -silence -norm -aggr -hamming	926	2793	24.90
839	1st	-journal -silence -band -aggr -hamming	924	2795	24.85
840	1st	-journal -silence -band -fft -hamming	898	2821	24.15
841	2nd	-journal -noise -endp -aggr -mink	2540	1179	68.30
842	2nd	-journal -silence -noise -endp -aggr -mink	2539	1180	68.27
843	2nd	-journal -noise -endp -fft -mink	2540	1179	68.30
844	2nd	-journal -silence -noise -endp -fft -mink	2539	1180	68.27
845	2nd	-journal -noise -endp -fft -cheb	2532	1187	68.08
846	2nd	-journal -noise -endp -aggr -diff	2532	1187	68.08
847	2nd	-journal -noise -endp -aggr -cheb	2532	1187	68.08
848	2nd	-journal -silence -noise -endp -fft -cos	2521	1198	67.79
849	2nd	-journal -silence -noise -endp -aggr -cos	2521	1198	67.79

Table 246: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 18.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
850	2nd	-journal -silence -noise -endp -aggr -cheb	2532	1187	68.08
851	2nd	-journal -silence -noise -endp -fft -cheb	2532	1187	68.08
852	2nd	-journal -noise -endp -fft -cos	2521	1198	67.79
853	2nd	-journal -noise -endp -aggr -cos	2521	1198	67.79
854	2nd	-journal -silence -noise -endp -aggr -diff	2532	1187	68.08
855	2nd	-journal -noise -endp -fft -diff	2542	1177	68.35
856	2nd	-journal -silence -noise -endp -fft -diff	2543	1176	68.38
857	2nd	-journal -silence -noise -endp -aggr -eucl	2543	1176	68.38
858	2nd	-journal -silence -noise -endp -fft -eucl	2543	1176	68.38
859	2nd	-journal -noise -endp -aggr -eucl	2542	1177	68.35
860	2nd	-journal -noise -endp -fft -eucl	2542	1177	68.35
861	2nd	-journal -silence -endp -aggr -cheb	2506	1213	67.38
862	2nd	-journal -silence -endp -fft -cheb	2506	1213	67.38
863	2nd	-journal -endp -fft -cheb	2506	1213	67.38
864	2nd	-journal -endp -aggr -cheb	2506	1213	67.38
865	2nd	-journal -silence -endp -aggr -diff	2507	1212	67.41
866	2nd	-journal -endp -aggr -diff	2507	1212	67.41
867	2nd	-journal -silence -endp -fft -diff	2494	1225	67.06
868	2nd	-journal -endp -fft -diff	2494	1225	67.06
869	2nd	-journal -endp -fft -cos	2460	1259	66.15
870	2nd	-journal -silence -endp -aggr -cos	2460	1259	66.15
871	2nd	-journal -endp -aggr -cos	2460	1259	66.15
872	2nd	-journal -silence -endp -fft -cos	2460	1259	66.15
873	2nd	-journal -high -minmax -cos	2468	1251	66.36
874	2nd	-journal -silence -high -minmax -cos	2468	1251	66.36
875	2nd	-journal -noise -endp -minmax -diff	2446	1273	65.77
876	2nd	-journal -silence -high -minmax -diff	2423	1296	65.15
877	2nd	-journal -high -minmax -diff	2423	1296	65.15
878	2nd	-journal -silence -high -minmax -cheb	2416	1303	64.96
879	2nd	-journal -silence -noise -endp -minmax -eucl	2424	1295	65.18
880	2nd	-journal -high -minmax -cheb	2416	1303	64.96
881	2nd	-journal -noise -endp -minmax -eucl	2427	1292	65.26
882	2nd	-journal -silence -noise -endp -minmax -diff	2443	1276	65.69
883	2nd	-journal -silence -noise -endp -minmax -cos	2422	1297	65.13
884	2nd	-journal -silence -band -minmax -cheb	2444	1275	65.72
885	2nd	-journal -band -minmax -cheb	2444	1275	65.72
886	2nd	-journal -noise -endp -minmax -hamming	2332	1387	62.71
887	2nd	-journal -noise -endp -minmax -cos	2423	1296	65.15
888	2nd	-journal -noise -endp -minmax -cheb	2440	1279	65.61
889	2nd	-journal -silence -noise -endp -minmax -cheb	2435	1284	65.47
890	2nd	-journal -band -minmax -cos	2408	1311	64.75
891	2nd	-journal -silence -band -minmax -cos	2408	1311	64.75
892	2nd	-journal -silence -band -minmax -diff	2447	1272	65.80
893	2nd	-journal -band -minmax -diff	2447	1272	65.80
894	2nd	-journal -silence -high -aggr -cos	2400	1319	64.53
895	2nd	-journal -band -minmax -eucl	2430	1289	65.34
896	2nd	-journal -silence -band -minmax -eucl	2430	1289	65.34
897	2nd	-journal -silence -noise -endp -minmax -hamming	2329	1390	62.62
898	2nd	-journal -silence -noise -band -minmax -cos	2403	1316	64.61
899	2nd	-journal -noise -band -minmax -cos	2403	1316	64.61

Table 247: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 19.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
900	2nd	-journal -low -minmax -diff	2410	1309	64.80
901	2nd	-journal -noise -norm -minmax -diff	2410	1309	64.80
902	2nd	-journal -silence -bandstop -minmax -cheb	2400	1319	64.53
903	2nd	-journal -silence -bandstop -minmax -diff	2395	1324	64.40
904	2nd	-journal -bandstop -minmax -cheb	2402	1317	64.59
905	2nd	-journal -high -minmax -eucl	2416	1303	64.96
906	2nd	-journal -low -minmax -cheb	2406	1313	64.69
907	2nd	-journal -noise -norm -minmax -cheb	2406	1313	64.69
908	2nd	-journal -silence -high -minmax -eucl	2416	1303	64.96
909	2nd	-journal -bandstop -minmax -diff	2399	1320	64.51
910	2nd	-journal -silence -low -minmax -cheb	2407	1312	64.72
911	2nd	-journal -silence -noise -norm -minmax -cheb	2407	1312	64.72
912	2nd	-journal -silence -bandstop -minmax -eucl	2383	1336	64.08
913	2nd	-journal -silence -low -minmax -diff	2405	1314	64.67
914	2nd	-journal -silence -noise -norm -minmax -diff	2405	1314	64.67
915	2nd	-journal -bandstop -minmax -eucl	2384	1335	64.10
916	2nd	-journal -silence -high -fft -cos	2387	1332	64.18
917	2nd	-journal -silence -noise -low -minmax -diff	2396	1323	64.43
918	2nd	-journal -noise -endp -minmax -mink	2388	1331	64.21
919	2nd	-journal -silence -noise -low -minmax -cheb	2409	1310	64.78
920	2nd	-journal -silence -endp -aggr -eucl	2404	1315	64.64
921	2nd	-journal -silence -endp -fft -eucl	2404	1315	64.64
922	2nd	-journal -endp -fft -eucl	2404	1315	64.64
923	2nd	-journal -endp -aggr -eucl	2404	1315	64.64
924	2nd	-journal -silence -noise -endp -minmax -mink	2387	1332	64.18
925	2nd	-journal -noise -low -minmax -eucl	2396	1323	64.43
926	2nd	-journal -silence -noise -low -minmax -eucl	2397	1322	64.45
927	2nd	-journal -noise -low -minmax -cheb	2407	1312	64.72
928	2nd	-journal -silence -noise -band -aggr -cos	2349	1370	63.16
929	2nd	-journal -silence -noise -norm -minmax -hamming	2316	1403	62.27
930	2nd	-journal -silence -low -minmax -hamming	2316	1403	62.27
931	2nd	-journal -low -minmax -hamming	2313	1406	62.19
932	2nd	-journal -noise -norm -minmax -hamming	2313	1406	62.19
933	2nd	-journal -silence -noise -band -fft -cos	2342	1377	62.97
934	2nd	-journal -noise -low -minmax -diff	2396	1323	64.43
935	2nd	-journal -silence -noise -raw -minmax -diff	2327	1392	62.57
936	2nd	-journal -raw -minmax -diff	2327	1392	62.57
937	2nd	-journal -silence -raw -minmax -diff	2327	1392	62.57
938	2nd	-journal -noise -raw -minmax -diff	2327	1392	62.57
939	2nd	-journal -high -minmax -mink	2399	1320	64.51
940	2nd	-journal -bandstop -minmax -cos	2369	1350	63.70
941	2nd	-journal -low -minmax -eucl	2388	1331	64.21
942	2nd	-journal -silence -bandstop -minmax -cos	2368	1351	63.67
943	2nd	-journal -silence -high -minmax -mink	2399	1320	64.51
944	2nd	-journal -noise -norm -minmax -eucl	2388	1331	64.21
945	2nd	-journal -high -aggr -cos	2381	1338	64.02
946	2nd	-journal -silence -noise -norm -minmax -eucl	2387	1332	64.18
947	2nd	-journal -silence -low -minmax -eucl	2387	1332	64.18
948	2nd	-journal -silence -noise -low -minmax -cos	2381	1338	64.02
949	2nd	-journal -silence -band -aggr -cos	2332	1387	62.71

Table 248: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 20.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
950	2nd	-journal -noise -endp -lpc -eucl	2324	1395	62.49
951	2nd	-journal -noise -low -minmax -cos	2380	1339	64.00
952	2nd	-journal -silence -noise -endp -lpc -eucl	2328	1391	62.60
953	2nd	-journal -high -fft -cos	2366	1353	63.62
954	2nd	-journal -silence -noise -norm -minmax -cos	2374	1345	63.83
955	2nd	-journal -silence -low -minmax -cos	2374	1345	63.83
956	2nd	-journal -low -minmax -cos	2374	1345	63.83
957	2nd	-journal -noise -norm -minmax -cos	2374	1345	63.83
958	2nd	-journal -silence -band -fft -cos	2331	1388	62.68
959	2nd	-journal -band -minmax -hamming	2243	1476	60.31
960	2nd	-journal -silence -band -minmax -hamming	2243	1476	60.31
961	2nd	-journal -band -minmax -mink	2356	1363	63.35
962	2nd	-journal -silence -bandstop -minmax -hamming	2259	1460	60.74
963	2nd	-journal -silence -band -minmax -mink	2356	1363	63.35
964	2nd	-journal -bandstop -minmax -hamming	2260	1459	60.77
965	2nd	-journal -silence -endp -aggr -mink	2340	1379	62.92
966	2nd	-journal -silence -endp -fft -mink	2340	1379	62.92
967	2nd	-journal -endp -fft -mink	2340	1379	62.92
968	2nd	-journal -endp -aggr -mink	2340	1379	62.92
969	2nd	-journal -band -fft -cos	2327	1392	62.57
970	2nd	-journal -band -aggr -cos	2339	1380	62.89
971	2nd	-journal -silence -endp -lpc -eucl	2308	1411	62.06
972	2nd	-journal -endp -lpc -eucl	2308	1411	62.06
973	2nd	-journal -raw -minmax -hamming	2286	1433	61.47
974	2nd	-journal -silence -raw -minmax -hamming	2286	1433	61.47
975	2nd	-journal -silence -noise -raw -minmax -hamming	2286	1433	61.47
976	2nd	-journal -noise -raw -minmax -hamming	2286	1433	61.47
977	2nd	-journal -noise -band -aggr -cos	2348	1371	63.14
978	2nd	-journal -bandstop -minmax -mink	2339	1380	62.89
979	2nd	-journal -silence -bandstop -minmax -mink	2338	1381	62.87
980	2nd	-journal -noise -band -fft -cos	2337	1382	62.84
981	2nd	-journal -high -minmax -hamming	2222	1497	59.75
982	2nd	-journal -silence -high -minmax -hamming	2222	1497	59.75
983	2nd	-journal -silence -norm -minmax -mink	2307	1412	62.03
984	2nd	-journal -norm -minmax -mink	2307	1412	62.03
985	2nd	-journal -silence -noise -raw -minmax -mink	2310	1409	62.11
986	2nd	-journal -raw -minmax -mink	2310	1409	62.11
987	2nd	-journal -silence -raw -minmax -mink	2310	1409	62.11
988	2nd	-journal -noise -raw -minmax -mink	2310	1409	62.11
989	2nd	-journal -silence -endp -minmax -mink	2305	1414	61.98
990	2nd	-journal -endp -minmax -mink	2305	1414	61.98
991	2nd	-journal -endp -minmax -cos	2293	1426	61.66
992	2nd	-journal -silence -endp -minmax -cos	2293	1426	61.66
993	2nd	-journal -silence -noise -raw -minmax -eucl	2294	1425	61.68
994	2nd	-journal -raw -minmax -eucl	2294	1425	61.68
995	2nd	-journal -silence -raw -minmax -eucl	2294	1425	61.68
996	2nd	-journal -noise -raw -minmax -eucl	2294	1425	61.68
997	2nd	-journal -raw -minmax -cos	2296	1423	61.74
998	2nd	-journal -noise -raw -minmax -cos	2296	1423	61.74
999	2nd	-journal -silence -noise -raw -minmax -cos	2296	1423	61.74

Table 249: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 21.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1000	2nd	-journal -silence -raw -minmax -cos	2296	1423	61.74
1001	2nd	-journal -norm -minmax -cos	2296	1423	61.74
1002	2nd	-journal -silence -norm -minmax -cos	2296	1423	61.74
1003	2nd	-journal -silence -endp -minmax -eucl	2293	1426	61.66
1004	2nd	-journal -silence -norm -minmax -eucl	2294	1425	61.68
1005	2nd	-journal -endp -minmax -eucl	2293	1426	61.66
1006	2nd	-journal -norm -minmax -eucl	2294	1425	61.68
1007	2nd	-journal -noise -bandstop -lpc -mink	2258	1461	60.72
1008	2nd	-journal -silence -noise -bandstop -lpc -mink	2258	1461	60.72
1009	2nd	-journal -low -minmax -mink	2286	1433	61.47
1010	2nd	-journal -noise -norm -minmax -mink	2286	1433	61.47
1011	2nd	-journal -silence -low -minmax -mink	2285	1434	61.44
1012	2nd	-journal -silence -noise -norm -minmax -mink	2285	1434	61.44
1013	2nd	-journal -noise -band -minmax -diff	2262	1457	60.82
1014	2nd	-journal -silence -noise -band -minmax -diff	2262	1457	60.82
1015	2nd	-journal -silence -noise -raw -minmax -cheb	2288	1431	61.52
1016	2nd	-journal -raw -minmax -cheb	2288	1431	61.52
1017	2nd	-journal -silence -raw -minmax -cheb	2288	1431	61.52
1018	2nd	-journal -noise -raw -minmax -cheb	2288	1431	61.52
1019	2nd	-journal -noise -band -minmax -cheb	2262	1457	60.82
1020	2nd	-journal -silence -noise -band -minmax -cheb	2262	1457	60.82
1021	2nd	-journal -silence -noise -band -fft -eucl	2260	1459	60.77
1022	2nd	-journal -silence -noise -band -aggr -eucl	2260	1459	60.77
1023	2nd	-journal -noise -band -fft -eucl	2278	1441	61.25
1024	2nd	-journal -noise -band -aggr -eucl	2278	1441	61.25
1025	2nd	-journal -noise -band -minmax -eucl	2256	1463	60.66
1026	2nd	-journal -silence -noise -band -minmax -eucl	2256	1463	60.66
1027	2nd	-journal -norm -minmax -cheb	2272	1447	61.09
1028	2nd	-journal -silence -norm -minmax -cheb	2272	1447	61.09
1029	2nd	-journal -endp -minmax -cheb	2274	1445	61.15
1030	2nd	-journal -silence -endp -minmax -cheb	2274	1445	61.15
1031	2nd	-journal -noise -endp -lpc -mink	2250	1469	60.50
1032	2nd	-journal -silence -noise -endp -lpc -mink	2249	1470	60.47
1033	2nd	-journal -silence -noise -bandstop -lpc -cheb	2275	1444	61.17
1034	2nd	-journal -noise -bandstop -lpc -cheb	2272	1447	61.09
1035	2nd	-journal -silence -endp -minmax -diff	2272	1447	61.09
1036	2nd	-journal -silence -noise -low -minmax -mink	2308	1411	62.06
1037	2nd	-journal -endp -minmax -diff	2272	1447	61.09
1038	2nd	-journal -noise -low -minmax -mink	2307	1412	62.03
1039	2nd	-journal -silence -noise -bandstop -lpc -eucl	2254	1465	60.61
1040	2nd	-journal -noise -bandstop -lpc -eucl	2256	1463	60.66
1041	2nd	-journal -noise -endp -lpc -cheb	2236	1483	60.12
1042	2nd	-journal -silence -noise -band -fft -diff	2264	1455	60.88
1043	2nd	-journal -norm -minmax -diff	2240	1479	60.23
1044	2nd	-journal -silence -noise -endp -lpc -cheb	2238	1481	60.18
1045	2nd	-journal -silence -norm -minmax -diff	2240	1479	60.23
1046	2nd	-journal -silence -noise -band -fft -cheb	2268	1451	60.98
1047	2nd	-journal -silence -noise -band -aggr -diff	2267	1452	60.96
1048	2nd	-journal -noise -band -fft -diff	2257	1462	60.69
1049	2nd	-journal -silence -raw -lpc -eucl	2247	1472	60.42

Table 250: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 22.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1050	2nd	-journal -noise -band -aggr -diff	2257	1462	60.69
1051	2nd	-journal -noise -raw -lpc -eucl	2247	1472	60.42
1052	2nd	-journal -silence -noise -raw -lpc -eucl	2247	1472	60.42
1053	2nd	-journal -silence -norm -lpc -eucl	2247	1472	60.42
1054	2nd	-journal -norm -lpc -eucl	2247	1472	60.42
1055	2nd	-journal -raw -lpc -eucl	2247	1472	60.42
1056	2nd	-journal -silence -noise -band -aggr -cheb	2270	1449	61.04
1057	2nd	-journal -noise -band -aggr -cheb	2254	1465	60.61
1058	2nd	-journal -norm -minmax -hamming	2033	1686	54.67
1059	2nd	-journal -silence -norm -minmax -hamming	2033	1686	54.67
1060	2nd	-journal -noise -band -fft -cheb	2257	1462	60.69
1061	2nd	-journal -noise -bandstop -minmax -cheb	2238	1481	60.18
1062	2nd	-journal -noise -bandstop -minmax -cos	2241	1478	60.26
1063	2nd	-journal -silence -noise -bandstop -minmax -eucl	2236	1483	60.12
1064	2nd	-journal -noise -bandstop -minmax -eucl	2240	1479	60.23
1065	2nd	-journal -silence -noise -bandstop -minmax -cheb	2238	1481	60.18
1066	2nd	-journal -endp -minmax -hamming	2027	1692	54.50
1067	2nd	-journal -silence -endp -minmax -hamming	2027	1692	54.50
1068	2nd	-journal -silence -noise -bandstop -minmax -cos	2237	1482	60.15
1069	2nd	-journal -noise -bandstop -minmax -diff	2231	1488	59.99
1070	2nd	-journal -silence -noise -bandstop -minmax -diff	2231	1488	59.99
1071	2nd	-journal -noise -endp -lpc -diff	2218	1501	59.64
1072	2nd	-journal -silence -noise -endp -lpc -diff	2218	1501	59.64
1073	2nd	-journal -noise -band -minmax -hamming	2073	1646	55.74
1074	2nd	-journal -silence -noise -band -minmax -hamming	2073	1646	55.74
1075	2nd	-journal -noise -bandstop -minmax -mink	2218	1501	59.64
1076	2nd	-journal -high -fft -eucl	2170	1549	58.35
1077	2nd	-journal -high -aggr -eucl	2170	1549	58.35
1078	2nd	-journal -silence -noise -bandstop -minmax -mink	2217	1502	59.61
1079	2nd	-journal -silence -endp -lpc -cheb	2209	1510	59.40
1080	2nd	-journal -endp -lpc -cheb	2209	1510	59.40
1081	2nd	-journal -noise -band -minmax -mink	2208	1511	59.37
1082	2nd	-journal -silence -noise -band -minmax -mink	2208	1511	59.37
1083	2nd	-journal -silence -noise -bandstop -lpc -diff	2240	1479	60.23
1084	2nd	-journal -silence -band -aggr -eucl	2177	1542	58.54
1085	2nd	-journal -band -aggr -eucl	2191	1528	58.91
1086	2nd	-journal -silence -high -aggr -eucl	2162	1557	58.13
1087	2nd	-journal -silence -band -fft -eucl	2177	1542	58.54
1088	2nd	-journal -band -fft -eucl	2191	1528	58.91
1089	2nd	-journal -silence -high -fft -eucl	2163	1556	58.16
1090	2nd	-journal -silence -endp -lpc -mink	2178	1541	58.56
1091	2nd	-journal -endp -lpc -mink	2178	1541	58.56
1092	2nd	-journal -noise -band -fft -mink	2206	1513	59.32
1093	2nd	-journal -noise -band -aggr -mink	2206	1513	59.32
1094	2nd	-journal -bandstop -lpc -mink	2159	1560	58.05
1095	2nd	-journal -bandstop -lpc -eucl	2103	1616	56.55
1096	2nd	-journal -silence -noise -band -fft -mink	2186	1533	58.78
1097	2nd	-journal -silence -noise -band -aggr -mink	2186	1533	58.78
1098	2nd	-journal -silence -bandstop -lpc -mink	2137	1582	57.46
1099	2nd	-journal -silence -bandstop -lpc -eucl	2107	1612	56.66

Table 251: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 23.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1100	2nd	-journal -bandstop -lpc -cheb	2104	1615	56.57
1101	2nd	-journal -noise -bandstop -lpc -diff	2243	1476	60.31
1102	2nd	-journal -silence -noise -low -minmax -hamming	2098	1621	56.41
1103	2nd	-journal -noise -low -minmax -hamming	2098	1621	56.41
1104	2nd	-journal -noise -raw -lpc -cheb	2149	1570	57.78
1105	2nd	-journal -silence -noise -raw -lpc -cheb	2149	1570	57.78
1106	2nd	-journal -silence -norm -lpc -cheb	2149	1570	57.78
1107	2nd	-journal -norm -lpc -cheb	2149	1570	57.78
1108	2nd	-journal -raw -lpc -cheb	2149	1570	57.78
1109	2nd	-journal -silence -raw -lpc -cheb	2149	1570	57.78
1110	2nd	-journal -silence -high -aggr -diff	2144	1575	57.65
1111	2nd	-journal -silence -high -aggr -cheb	2142	1577	57.60
1112	2nd	-journal -silence -bandstop -lpc -cheb	2075	1644	55.79
1113	2nd	-journal -noise -low -lpc -mink	2076	1643	55.82
1114	2nd	-journal -silence -high -fft -cheb	2140	1579	57.54
1115	2nd	-journal -silence -raw -lpc -mink	2100	1619	56.47
1116	2nd	-journal -noise -raw -lpc -mink	2100	1619	56.47
1117	2nd	-journal -silence -noise -raw -lpc -mink	2100	1619	56.47
1118	2nd	-journal -silence -norm -lpc -mink	2100	1619	56.47
1119	2nd	-journal -norm -lpc -mink	2100	1619	56.47
1120	2nd	-journal -raw -lpc -mink	2100	1619	56.47
1121	2nd	-journal -low -lpc -mink	2088	1631	56.14
1122	2nd	-journal -noise -norm -lpc -mink	2088	1631	56.14
1123	2nd	-journal -silence -high -fft -diff	2141	1578	57.57
1124	2nd	-journal -silence -noise -bandstop -lpc -hamming	2003	1716	53.86
1125	2nd	-journal -silence -band -aggr -cheb	2162	1557	58.13
1126	2nd	-journal -silence -noise -high -aggr -cos	2062	1657	55.45
1127	2nd	-journal -noise -bandstop -lpc -hamming	1978	1741	53.19
1128	2nd	-journal -silence -band -aggr -diff	2166	1553	58.24
1129	2nd	-journal -silence -band -fft -cheb	2161	1558	58.11
1130	2nd	-journal -bandstop -lpc -diff	2092	1627	56.25
1131	2nd	-journal -noise -low -lpc -eucl	2073	1646	55.74
1132	2nd	-journal -low -lpc -eucl	2071	1648	55.69
1133	2nd	-journal -silence -endp -lpc -diff	2136	1583	57.43
1134	2nd	-journal -endp -lpc -diff	2136	1583	57.43
1135	2nd	-journal -noise -norm -lpc -eucl	2071	1648	55.69
1136	2nd	-journal -silence -band -fft -diff	2166	1553	58.24
1137	2nd	-journal -silence -noise -band -lpc -eucl	2045	1674	54.99
1138	2nd	-journal -silence -bandstop -lpc -diff	2053	1666	55.20
1139	2nd	-journal -silence -band -aggr -mink	2105	1614	56.60
1140	2nd	-journal -noise -high -aggr -eucl	2102	1617	56.52
1141	2nd	-journal -silence -band -fft -mink	2105	1614	56.60
1142	2nd	-journal -noise -bandstop -aggr -diff	2042	1677	54.91
1143	2nd	-journal -noise -bandstop -aggr -cheb	2044	1675	54.96
1144	2nd	-journal -noise -high -fft -eucl	2101	1618	56.49
1145	2nd	-journal -high -aggr -cheb	2122	1597	57.06
1146	2nd	-journal -noise -bandstop -fft -cheb	2044	1675	54.96
1147	2nd	-journal -noise -bandstop -fft -diff	2044	1675	54.96
1148	2nd	-journal -silence -noise -bandstop -aggr -cheb	2046	1673	55.01
1149	2nd	-journal -raw -lpc -cos	2104	1615	56.57

Table 252: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 24.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1150	2nd	-journal -norm -lpc -cos	2104	1615	56.57
1151	2nd	-journal -silence -noise -bandstop -fft -cheb	2046	1673	55.01
1152	2nd	-journal -silence -raw -lpc -cos	2104	1615	56.57
1153	2nd	-journal -silence -norm -lpc -cos	2104	1615	56.57
1154	2nd	-journal -noise -raw -lpc -cos	2104	1615	56.57
1155	2nd	-journal -silence -noise -raw -lpc -cos	2104	1615	56.57
1156	2nd	-journal -silence -noise -raw -aggr -cos	1811	1908	48.70
1157	2nd	-journal -silence -norm -aggr -cos	1809	1910	48.64
1158	2nd	-journal -norm -aggr -cos	1809	1910	48.64
1159	2nd	-journal -raw -aggr -cos	1811	1908	48.70
1160	2nd	-journal -norm -fft -cos	1809	1910	48.64
1161	2nd	-journal -silence -low -lpc -mink	2087	1632	56.12
1162	2nd	-journal -high -fft -cheb	2120	1599	57.00
1163	2nd	-journal -silence -raw -aggr -cos	1811	1908	48.70
1164	2nd	-journal -silence -noise -bandstop -fft -diff	2040	1679	54.85
1165	2nd	-journal -silence -raw -fft -cos	1811	1908	48.70
1166	2nd	-journal -silence -norm -fft -cos	1809	1910	48.64
1167	2nd	-journal -noise -raw -fft -cos	1811	1908	48.70
1168	2nd	-journal -silence -noise -norm -lpc -mink	2087	1632	56.12
1169	2nd	-journal -silence -noise -raw -fft -cos	1811	1908	48.70
1170	2nd	-journal -silence -noise -bandstop -aggr -diff	2038	1681	54.80
1171	2nd	-journal -raw -fft -cos	1811	1908	48.70
1172	2nd	-journal -noise -raw -aggr -cos	1811	1908	48.70
1173	2nd	-journal -band -aggr -diff	2182	1537	58.67
1174	2nd	-journal -band -aggr -cheb	2174	1545	58.46
1175	2nd	-journal -silence -noise -band -lpc -mink	2079	1640	55.90
1176	2nd	-journal -band -fft -cheb	2175	1544	58.48
1177	2nd	-journal -silence -high -aggr -mink	2108	1611	56.68
1178	2nd	-journal -silence -high -fft -mink	2108	1611	56.68
1179	2nd	-journal -band -aggr -mink	2093	1626	56.28
1180	2nd	-journal -band -fft -mink	2093	1626	56.28
1181	2nd	-journal -band -fft -diff	2179	1540	58.59
1182	2nd	-journal -high -aggr -diff	2118	1601	56.95
1183	2nd	-journal -silence -noise -endp -fft -hamming	1997	1722	53.70
1184	2nd	-journal -silence -noise -low -fft -diff	2137	1582	57.46
1185	2nd	-journal -silence -noise -low -aggr -diff	2137	1582	57.46
1186	2nd	-journal -silence -noise -low -fft -cheb	2134	1585	57.38
1187	2nd	-journal -noise -low -aggr -diff	2140	1579	57.54
1188	2nd	-journal -silence -noise -low -aggr -cheb	2135	1584	57.41
1189	2nd	-journal -noise -low -aggr -cheb	2136	1583	57.43
1190	2nd	-journal -noise -raw -lpc -diff	2108	1611	56.68
1191	2nd	-journal -silence -noise -raw -lpc -diff	2108	1611	56.68
1192	2nd	-journal -silence -norm -lpc -diff	2108	1611	56.68
1193	2nd	-journal -norm -lpc -diff	2108	1611	56.68
1194	2nd	-journal -raw -lpc -diff	2108	1611	56.68
1195	2nd	-journal -noise -low -fft -cheb	2138	1581	57.49
1196	2nd	-journal -silence -raw -lpc -diff	2108	1611	56.68
1197	2nd	-journal -silence -low -lpc -eucl	2066	1653	55.55
1198	2nd	-journal -noise -high -minmax -eucl	2066	1653	55.55
1199	2nd	-journal -noise -low -fft -diff	2141	1578	57.57

Table 253: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 25.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1200	2nd	-journal -silence -noise -high -minmax -eucl	2066	1653	55.55
1201	2nd	-journal -silence -noise -norm -lpc -eucl	2066	1653	55.55
1202	2nd	-journal -high -fft -diff	2126	1593	57.17
1203	2nd	-journal -bandstop -lpc -cos	2049	1670	55.10
1204	2nd	-journal -noise -high -fft -diff	1963	1756	52.78
1205	2nd	-journal -silence -noise -bandstop -fft -mink	2065	1654	55.53
1206	2nd	-journal -high -aggr -mink	2094	1625	56.31
1207	2nd	-journal -silence -noise -bandstop -aggr -mink	2065	1654	55.53
1208	2nd	-journal -noise -bandstop -fft -mink	2066	1653	55.55
1209	2nd	-journal -noise -bandstop -aggr -mink	2066	1653	55.55
1210	2nd	-journal -high -fft -mink	2094	1625	56.31
1211	2nd	-journal -noise -low -aggr -eucl	2059	1660	55.36
1212	2nd	-journal -silence -noise -low -aggr -eucl	2060	1659	55.39
1213	2nd	-journal -noise -low -fft -eucl	2059	1660	55.36
1214	2nd	-journal -silence -bandstop -lpc -cos	2062	1657	55.45
1215	2nd	-journal -silence -noise -high -aggr -eucl	2104	1615	56.57
1216	2nd	-journal -silence -noise -low -fft -eucl	2060	1659	55.39
1217	2nd	-journal -noise -high -fft -cheb	1965	1754	52.84
1218	2nd	-journal -noise -high -aggr -diff	1969	1750	52.94
1219	2nd	-journal -noise -high -aggr -cheb	1967	1752	52.89
1220	2nd	-journal -noise -high -lpc -cheb	1999	1720	53.75
1221	2nd	-journal -noise -band -lpc -mink	2095	1624	56.33
1222	2nd	-journal -silence -noise -high -fft -eucl	2096	1623	56.36
1223	2nd	-journal -silence -noise -high -aggr -diff	1966	1753	52.86
1224	2nd	-journal -noise -low -aggr -mink	2067	1652	55.58
1225	2nd	-journal -noise -low -fft -mink	2067	1652	55.58
1226	2nd	-journal -norm -aggr -mink	2066	1653	55.55
1227	2nd	-journal -silence -low -aggr -mink	2067	1652	55.58
1228	2nd	-journal -silence -noise -band -lpc -cheb	2020	1699	54.32
1229	2nd	-journal -silence -low -fft -mink	2067	1652	55.58
1230	2nd	-journal -silence -noise -norm -aggr -mink	2067	1652	55.58
1231	2nd	-journal -silence -norm -aggr -mink	2066	1653	55.55
1232	2nd	-journal -silence -noise -norm -fft -mink	2067	1652	55.58
1233	2nd	-journal -silence -norm -fft -mink	2066	1653	55.55
1234	2nd	-journal -norm -fft -mink	2066	1653	55.55
1235	2nd	-journal -norm -aggr -eucl	2071	1648	55.69
1236	2nd	-journal -low -fft -mink	2066	1653	55.55
1237	2nd	-journal -bandstop -fft -mink	2068	1651	55.61
1238	2nd	-journal -noise -norm -aggr -mink	2066	1653	55.55
1239	2nd	-journal -low -aggr -mink	2066	1653	55.55
1240	2nd	-journal -silence -norm -aggr -eucl	2071	1648	55.69
1241	2nd	-journal -bandstop -aggr -mink	2068	1651	55.61
1242	2nd	-journal -noise -norm -fft -mink	2066	1653	55.55
1243	2nd	-journal -silence -band -lpc -mink	2011	1708	54.07
1244	2nd	-journal -silence -norm -fft -eucl	2071	1648	55.69
1245	2nd	-journal -norm -fft -eucl	2071	1648	55.69
1246	2nd	-journal -silence -noise -low -aggr -mink	2065	1654	55.53
1247	2nd	-journal -silence -bandstop -fft -mink	2064	1655	55.50
1248	2nd	-journal -silence -bandstop -aggr -mink	2064	1655	55.50
1249	2nd	-journal -silence -noise -low -fft -mink	2065	1654	55.53

Table 254: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 26.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1250	2nd	-journal -silence -low -lpc -cheb	2031	1688	54.61
1251	2nd	-journal -noise -high -minmax -cheb	2099	1620	56.44
1252	2nd	-journal -silence -noise -high -minmax -cheb	2099	1620	56.44
1253	2nd	-journal -silence -noise -norm -lpc -cheb	2031	1688	54.61
1254	2nd	-journal -noise -band -lpc -eucl	2077	1642	55.85
1255	2nd	-journal -band -lpc -mink	2113	1606	56.82
1256	2nd	-journal -silence -noise -low -lpc -mink	2031	1688	54.61
1257	2nd	-journal -silence -low -aggr -cheb	2085	1634	56.06
1258	2nd	-journal -low -fft -eucl	2057	1662	55.31
1259	2nd	-journal -silence -low -fft -cheb	2086	1633	56.09
1260	2nd	-journal -silence -noise -norm -aggr -cheb	2085	1634	56.06
1261	2nd	-journal -noise -norm -aggr -eucl	2057	1662	55.31
1262	2nd	-journal -low -aggr -eucl	2057	1662	55.31
1263	2nd	-journal -silence -bandstop -fft -eucl	2064	1655	55.50
1264	2nd	-journal -silence -noise -norm -fft -cheb	2086	1633	56.09
1265	2nd	-journal -noise -norm -fft -eucl	2057	1662	55.31
1266	2nd	-journal -silence -bandstop -aggr -eucl	2064	1655	55.50
1267	2nd	-journal -silence -low -fft -diff	2089	1630	56.17
1268	2nd	-journal -silence -noise -norm -aggr -diff	2086	1633	56.09
1269	2nd	-journal -bandstop -fft -eucl	2065	1654	55.53
1270	2nd	-journal -silence -low -aggr -eucl	2057	1662	55.31
1271	2nd	-journal -silence -low -fft -eucl	2057	1662	55.31
1272	2nd	-journal -silence -noise -norm -fft -diff	2089	1630	56.17
1273	2nd	-journal -silence -noise -norm -aggr -eucl	2057	1662	55.31
1274	2nd	-journal -bandstop -aggr -eucl	2065	1654	55.53
1275	2nd	-journal -silence -noise -norm -fft -eucl	2057	1662	55.31
1276	2nd	-journal -silence -low -aggr -diff	2086	1633	56.09
1277	2nd	-journal -noise -bandstop -fft -eucl	2054	1665	55.23
1278	2nd	-journal -noise -bandstop -aggr -eucl	2054	1665	55.23
1279	2nd	-journal -silence -noise -bandstop -aggr -eucl	2054	1665	55.23
1280	2nd	-journal -noise -endp -fft -hamming	1963	1756	52.78
1281	2nd	-journal -silence -noise -bandstop -fft -eucl	2054	1665	55.23
1282	2nd	-journal -silence -noise -high -fft -diff	1963	1756	52.78
1283	2nd	-journal -noise -band -lpc -diff	2043	1676	54.93
1284	2nd	-journal -high -lpc -cheb	2056	1663	55.28
1285	2nd	-journal -band -lpc -eucl	2058	1661	55.34
1286	2nd	-journal -noise -high -aggr -cos	2021	1698	54.34
1287	2nd	-journal -noise -norm -fft -diff	2069	1650	55.63
1288	2nd	-journal -noise -low -lpc -cheb	2057	1662	55.31
1289	2nd	-journal -low -fft -diff	2069	1650	55.63
1290	2nd	-journal -silence -endp -lpc -cos	1999	1720	53.75
1291	2nd	-journal -noise -norm -fft -cheb	2068	1651	55.61
1292	2nd	-journal -endp -lpc -cos	1999	1720	53.75
1293	2nd	-journal -low -fft -cheb	2068	1651	55.61
1294	2nd	-journal -silence -noise -bandstop -minmax -hamming	1976	1743	53.13
1295	2nd	-journal -silence -noise -norm -lpc -diff	2023	1696	54.40
1296	2nd	-journal -noise -norm -aggr -diff	2071	1648	55.69
1297	2nd	-journal -silence -low -lpc -diff	2023	1696	54.40
1298	2nd	-journal -low -aggr -diff	2071	1648	55.69
1299	2nd	-journal -noise -norm -aggr -cheb	2069	1650	55.63

Table 255: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 27.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1300	2nd	-journal -low -aggr -cheb	2069	1650	55.63
1301	2nd	-journal -noise -high -lpc -eucl	2032	1687	54.64
1302	2nd	-journal -noise -high -lpc -mink	2000	1719	53.78
1303	2nd	-journal -silence -noise -low -lpc -eucl	2028	1691	54.53
1304	2nd	-journal -silence -noise -high -aggr -cheb	1963	1756	52.78
1305	2nd	-journal -silence -noise -low -aggr -cos	1797	1922	48.32
1306	2nd	-journal -noise -low -fft -cos	1796	1923	48.29
1307	2nd	-journal -noise -norm -aggr -cos	1793	1926	48.21
1308	2nd	-journal -noise -norm -fft -cos	1793	1926	48.21
1309	2nd	-journal -noise -bandstop -minmax -hamming	1977	1742	53.16
1310	2nd	-journal -silence -raw -fft -mink	2059	1660	55.36
1311	2nd	-journal -noise -norm -lpc -cheb	2055	1664	55.26
1312	2nd	-journal -low -aggr -cos	1793	1926	48.21
1313	2nd	-journal -noise -raw -aggr -mink	2059	1660	55.36
1314	2nd	-journal -noise -raw -fft -mink	2059	1660	55.36
1315	2nd	-journal -low -lpc -cheb	2055	1664	55.26
1316	2nd	-journal -silence -noise -raw -fft -mink	2059	1660	55.36
1317	2nd	-journal -silence -noise -raw -aggr -mink	2059	1660	55.36
1318	2nd	-journal -low -fft -cos	1793	1926	48.21
1319	2nd	-journal -silence -raw -aggr -mink	2059	1660	55.36
1320	2nd	-journal -raw -aggr -mink	2059	1660	55.36
1321	2nd	-journal -raw -fft -mink	2059	1660	55.36
1322	2nd	-journal -silence -bandstop -fft -diff	2056	1663	55.28
1323	2nd	-journal -silence -bandstop -fft -cos	1795	1924	48.27
1324	2nd	-journal -silence -bandstop -fft -cheb	2057	1662	55.31
1325	2nd	-journal -silence -noise -norm -aggr -cos	1795	1924	48.27
1326	2nd	-journal -noise -low -aggr -cos	1797	1922	48.32
1327	2nd	-journal -silence -bandstop -aggr -diff	2055	1664	55.26
1328	2nd	-journal -silence -bandstop -aggr -cheb	2055	1664	55.26
1329	2nd	-journal -silence -bandstop -aggr -cos	1795	1924	48.27
1330	2nd	-journal -silence -low -aggr -cos	1795	1924	48.27
1331	2nd	-journal -noise -bandstop -lpc -cos	2051	1668	55.15
1332	2nd	-journal -silence -noise -bandstop -lpc -cos	2062	1657	55.45
1333	2nd	-journal -silence -noise -high -fft -cheb	1962	1757	52.76
1334	2nd	-journal -bandstop -fft -cos	1788	1931	48.08
1335	2nd	-journal -silence -norm -fft -diff	2140	1579	57.54
1336	2nd	-journal -norm -fft -diff	2140	1579	57.54
1337	2nd	-journal -silence -noise -low -fft -cos	1796	1923	48.29
1338	2nd	-journal -silence -noise -norm -fft -cos	1795	1924	48.27
1339	2nd	-journal -noise -band -lpc -cheb	2038	1681	54.80
1340	2nd	-journal -bandstop -aggr -cos	1788	1931	48.08
1341	2nd	-journal -silence -low -fft -cos	1795	1924	48.27
1342	2nd	-journal -silence -noise -endp -lpc -cos	2024	1695	54.42
1343	2nd	-journal -bandstop -fft -diff	2046	1673	55.01
1344	2nd	-journal -bandstop -fft -cheb	2052	1667	55.18
1345	2nd	-journal -silence -noise -high -fft -cos	2017	1702	54.24
1346	2nd	-journal -bandstop -aggr -diff	2049	1670	55.10
1347	2nd	-journal -silence -noise -band -lpc -diff	2026	1693	54.48
1348	2nd	-journal -bandstop -aggr -cheb	2051	1668	55.15
1349	2nd	-journal -silence -band -lpc -eucl	1995	1724	53.64

Table 256: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 28.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1350	2nd	-journal -silence -norm -aggr -diff	2144	1575	57.65
1351	2nd	-journal -silence -norm -aggr -cheb	2141	1578	57.57
1352	2nd	-journal -noise -low -lpc -diff	2048	1671	55.07
1353	2nd	-journal -silence -norm -fft -cheb	2141	1578	57.57
1354	2nd	-journal -norm -fft -cheb	2141	1578	57.57
1355	2nd	-journal -norm -aggr -diff	2144	1575	57.65
1356	2nd	-journal -norm -aggr -cheb	2141	1578	57.57
1357	2nd	-journal -high -lpc -diff	2050	1669	55.12
1358	2nd	-journal -noise -endp -lpc -cos	2023	1696	54.40
1359	2nd	-journal -silence -noise -high -fft -mink	2015	1704	54.18
1360	2nd	-journal -silence -noise -endp -aggr -hamming	2023	1696	54.40
1361	2nd	-journal -silence -noise -high -aggr -mink	2016	1703	54.21
1362	2nd	-journal -silence -raw -fft -eucl	2047	1672	55.04
1363	2nd	-journal -noise -endp -aggr -hamming	1989	1730	53.48
1364	2nd	-journal -noise -raw -aggr -eucl	2047	1672	55.04
1365	2nd	-journal -noise -raw -fft -eucl	2047	1672	55.04
1366	2nd	-journal -silence -noise -raw -fft -eucl	2047	1672	55.04
1367	2nd	-journal -silence -noise -raw -aggr -eucl	2047	1672	55.04
1368	2nd	-journal -silence -raw -aggr -eucl	2047	1672	55.04
1369	2nd	-journal -raw -aggr -eucl	2047	1672	55.04
1370	2nd	-journal -raw -fft -eucl	2047	1672	55.04
1371	2nd	-journal -noise -high -minmax -diff	2062	1657	55.45
1372	2nd	-journal -silence -noise -high -minmax -diff	2062	1657	55.45
1373	2nd	-journal -silence -noise -low -lpc -cheb	2003	1716	53.86
1374	2nd	-journal -noise -high -minmax -hamming	2005	1714	53.91
1375	2nd	-journal -silence -noise -high -minmax -hamming	2005	1714	53.91
1376	2nd	-journal -band -lpc -cheb	1997	1722	53.70
1377	2nd	-journal -band -lpc -diff	2001	1718	53.80
1378	2nd	-journal -silence -band -lpc -cheb	1982	1737	53.29
1379	2nd	-journal -bandstop -lpc -hamming	1933	1786	51.98
1380	2nd	-journal -high -lpc -eucl	2014	1705	54.15
1381	2nd	-journal -noise -high -minmax -mink	1945	1774	52.30
1382	2nd	-journal -silence -noise -high -minmax -mink	1945	1774	52.30
1383	2nd	-journal -silence -noise -bandstop -aggr -cos	1785	1934	48.00
1384	2nd	-journal -noise -bandstop -aggr -cos	1785	1934	48.00
1385	2nd	-journal -noise -bandstop -fft -cos	1785	1934	48.00
1386	2nd	-journal -silence -noise -bandstop -fft -cos	1785	1934	48.00
1387	2nd	-journal -noise -high -aggr -mink	2012	1707	54.10
1388	2nd	-journal -noise -high -fft -mink	2012	1707	54.10
1389	2nd	-journal -noise -high -lpc -diff	1975	1744	53.11
1390	2nd	-journal -silence -band -lpc -diff	1992	1727	53.56
1391	2nd	-journal -silence -noise -band -lpc -cos	1995	1724	53.64
1392	2nd	-journal -silence -bandstop -lpc -hamming	1919	1800	51.60
1393	2nd	-journal -silence -noise -high -minmax -cos	1936	1783	52.06
1394	2nd	-journal -noise -raw -aggr -diff	2118	1601	56.95
1395	2nd	-journal -silence -noise -raw -aggr -diff	2118	1601	56.95
1396	2nd	-journal -noise -high -minmax -cos	1936	1783	52.06
1397	2nd	-journal -silence -raw -aggr -diff	2118	1601	56.95
1398	2nd	-journal -raw -aggr -diff	2118	1601	56.95
1399	2nd	-journal -silence -noise -band -lpc -hamming	1897	1822	51.01

Table 257: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 29.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1400	2nd	-journal -noise -raw -aggr -cheb	2117	1602	56.92
1401	2nd	-journal -noise -raw -fft -cheb	2117	1602	56.92
1402	2nd	-journal -silence -noise -raw -fft -cheb	2117	1602	56.92
1403	2nd	-journal -silence -noise -raw -aggr -cheb	2117	1602	56.92
1404	2nd	-journal -silence -raw -aggr -cheb	2117	1602	56.92
1405	2nd	-journal -raw -aggr -cheb	2117	1602	56.92
1406	2nd	-journal -raw -fft -cheb	2117	1602	56.92
1407	2nd	-journal -silence -raw -fft -cheb	2117	1602	56.92
1408	2nd	-journal -silence -noise -low -lpc -hamming	1865	1854	50.15
1409	2nd	-journal -noise -norm -lpc -diff	2035	1684	54.72
1410	2nd	-journal -low -lpc -diff	2035	1684	54.72
1411	2nd	-journal -silence -noise -high -lpc -mink	2035	1684	54.72
1412	2nd	-journal -noise -raw -fft -diff	2118	1601	56.95
1413	2nd	-journal -silence -noise -raw -fft -diff	2118	1601	56.95
1414	2nd	-journal -raw -fft -diff	2118	1601	56.95
1415	2nd	-journal -silence -raw -fft -diff	2118	1601	56.95
1416	2nd	-journal -silence -noise -low -lpc -diff	1994	1725	53.62
1417	2nd	-journal -endp -lpc -hamming	1913	1806	51.44
1418	2nd	-journal -silence -endp -lpc -hamming	1913	1806	51.44
1419	2nd	-journal -noise -high -fft -cos	2011	1708	54.07
1420	2nd	-journal -silence -high -lpc -cheb	2017	1702	54.24
1421	2nd	-journal -noise -highpassboost -minmax -cos	1915	1804	51.49
1422	2nd	-journal -silence -boost -lpc -eucl	1915	1804	51.49
1423	2nd	-journal -highpassboost -fft -cos	1915	1804	51.49
1424	2nd	-journal -noise -boost -aggr -cos	1915	1804	51.49
1425	2nd	-journal -silence -noise -highpassboost -fft -cos	1915	1804	51.49
1426	2nd	-journal -boost -lpc -diff	1915	1804	51.49
1427	2nd	-journal -silence -noise -highpassboost -aggr -cheb	1915	1804	51.49
1428	2nd	-journal -silence -boost -lpc -cos	1915	1804	51.49
1429	2nd	-journal -silence -boost -lpc -mink	1915	1804	51.49
1430	2nd	-journal -boost -minmax -eucl	1915	1804	51.49
1431	2nd	-journal -noise -highpassboost -aggr -diff	1915	1804	51.49
1432	2nd	-journal -boost -lpc -cos	1915	1804	51.49
1433	2nd	-journal -silence -highpassboost -fft -cheb	1915	1804	51.49
1434	2nd	-journal -silence -boost -lpc -hamming	1915	1804	51.49
1435	2nd	-journal -noise -boost -minmax -eucl	1915	1804	51.49
1436	2nd	-journal -silence -noise -highpassboost -lpc -eucl	1915	1804	51.49
1437	2nd	-journal -silence -boost -fft -eucl	1915	1804	51.49
1438	2nd	-journal -noise -highpassboost -lpc -hamming	1915	1804	51.49
1439	2nd	-journal -boost -minmax -mink	1915	1804	51.49
1440	2nd	-journal -highpassboost -minmax -eucl	1915	1804	51.49
1441	2nd	-journal -boost -fft -diff	1915	1804	51.49
1442	2nd	-journal -noise -boost -minmax -mink	1915	1804	51.49
1443	2nd	-journal -silence -noise -highpassboost -lpc -mink	1915	1804	51.49
1444	2nd	-journal -highpassboost -lpc -cos	1915	1804	51.49
1445	2nd	-journal -silence -boost -fft -mink	1915	1804	51.49
1446	2nd	-journal -boost -lpc -cheb	1915	1804	51.49
1447	2nd	-journal -silence -noise -boost -aggr -diff	1915	1804	51.49
1448	2nd	-journal -silence -noise -highpassboost -lpc -cos	1915	1804	51.49
1449	2nd	-journal -noise -highpassboost -aggr -cheb	1915	1804	51.49

Table 258: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 30.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1450	2nd	-journal -noise -highpassboost -lpc -eucl	1915	1804	51.49
1451	2nd	-journal -highpassboost -minmax -mink	1915	1804	51.49
1452	2nd	-journal -silence -noise -boost -aggr -cos	1915	1804	51.49
1453	2nd	-journal -silence -highpassboost -fft -cos	1915	1804	51.49
1454	2nd	-journal -silence -noise -highpassboost -lpc -hamming	1915	1804	51.49
1455	2nd	-journal -silence -noise -highpassboost -fft -eucl	1915	1804	51.49
1456	2nd	-journal -highpassboost -lpc -diff	1915	1804	51.49
1457	2nd	-journal -noise -highpassboost -lpc -mink	1915	1804	51.49
1458	2nd	-journal -boost -fft -cheb	1915	1804	51.49
1459	2nd	-journal -boost -aggr -diff	1915	1804	51.49
1460	2nd	-journal -silence -noise -highpassboost -fft -mink	1915	1804	51.49
1461	2nd	-journal -noise -highpassboost -minmax -eucl	1915	1804	51.49
1462	2nd	-journal -noise -highpassboost -aggr -hamming	1915	1804	51.49
1463	2nd	-journal -silence -noise -boost -aggr -cheb	1915	1804	51.49
1464	2nd	-journal -noise -highpassboost -fft -eucl	1915	1804	51.49
1465	2nd	-journal -highpassboost -aggr -hamming	1915	1804	51.49
1466	2nd	-journal -silence -highpassboost -lpc -eucl	1915	1804	51.49
1467	2nd	-journal -highpassboost -fft -diff	1915	1804	51.49
1468	2nd	-journal -highpassboost -lpc -cheb	1915	1804	51.49
1469	2nd	-journal -noise -boost -lpc -diff	1915	1804	51.49
1470	2nd	-journal -silence -noise -boost -aggr -hamming	1915	1804	51.49
1471	2nd	-journal -noise -highpassboost -minmax -mink	1915	1804	51.49
1472	2nd	-journal -noise -highpassboost -fft -mink	1915	1804	51.49
1473	2nd	-journal -silence -highpassboost -lpc -cos	1915	1804	51.49
1474	2nd	-journal -silence -highpassboost -lpc -mink	1915	1804	51.49
1475	2nd	-journal -noise -boost -minmax -cos	1915	1804	51.49
1476	2nd	-journal -boost -aggr -cheb	1915	1804	51.49
1477	2nd	-journal -silence -noise -highpassboost -aggr -eucl	1915	1804	51.49
1478	2nd	-journal -highpassboost -aggr -diff	1915	1804	51.49
1479	2nd	-journal -silence -highpassboost -fft -eucl	1915	1804	51.49
1480	2nd	-journal -highpassboost -fft -cheb	1915	1804	51.49
1481	2nd	-journal -noise -boost -fft -diff	1915	1804	51.49
1482	2nd	-journal -silence -boost -aggr -cos	1915	1804	51.49
1483	2nd	-journal -noise -boost -lpc -cheb	1915	1804	51.49
1484	2nd	-journal -silence -noise -highpassboost -aggr -mink	1915	1804	51.49
1485	2nd	-journal -noise -highpassboost -fft -cos	1915	1804	51.49
1486	2nd	-journal -silence -boost -aggr -diff	1915	1804	51.49
1487	2nd	-journal -silence -highpassboost -fft -mink	1915	1804	51.49
1488	2nd	-journal -silence -noise -boost -fft -hamming	1915	1804	51.49
1489	2nd	-journal -boost -lpc -eucl	1915	1804	51.49
1490	2nd	-journal -silence -noise -boost -lpc -diff	1915	1804	51.49
1491	2nd	-journal -noise -highpassboost -aggr -eucl	1915	1804	51.49
1492	2nd	-journal -noise -boost -aggr -diff	1915	1804	51.49
1493	2nd	-journal -highpassboost -aggr -cheb	1915	1804	51.49
1494	2nd	-journal -noise -boost -fft -cheb	1915	1804	51.49
1495	2nd	-journal -silence -noise -highpassboost -aggr -cos	1915	1804	51.49
1496	2nd	-journal -silence -highpassboost -aggr -diff	1915	1804	51.49
1497	2nd	-journal -boost -lpc -mink	1915	1804	51.49
1498	2nd	-journal -noise -highpassboost -aggr -mink	1915	1804	51.49
1499	2nd	-journal -noise -boost -aggr -hamming	1915	1804	51.49

Table 259: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 31.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1500	2nd	-journal -silence -boost -aggr -cheb	1915	1804	51.49
1501	2nd	-journal -boost -fft -eucl	1915	1804	51.49
1502	2nd	-journal -silence -noise -boost -fft -diff	1915	1804	51.49
1503	2nd	-journal -silence -noise -boost -aggr -eucl	1915	1804	51.49
1504	2nd	-journal -noise -highpassboost -lpc -cos	1915	1804	51.49
1505	2nd	-journal -noise -highpassboost -aggr -cos	1915	1804	51.49
1506	2nd	-journal -silence -noise -boost -lpc -cheb	1915	1804	51.49
1507	2nd	-journal -silence -highpassboost -fft -hamming	1915	1804	51.49
1508	2nd	-journal -noise -boost -aggr -cheb	1915	1804	51.49
1509	2nd	-journal -boost -fft -mink	1915	1804	51.49
1510	2nd	-journal -highpassboost -lpc -eucl	1915	1804	51.49
1511	2nd	-journal -silence -highpassboost -aggr -cheb	1915	1804	51.49
1512	2nd	-journal -silence -noise -boost -aggr -mink	1915	1804	51.49
1513	2nd	-journal -boost -aggr -eucl	1915	1804	51.49
1514	2nd	-journal -highpassboost -lpc -mink	1915	1804	51.49
1515	2nd	-journal -silence -noise -boost -fft -cheb	1915	1804	51.49
1516	2nd	-journal -silence -highpassboost -aggr -cos	1915	1804	51.49
1517	2nd	-journal -silence -boost -lpc -diff	1915	1804	51.49
1518	2nd	-journal -highpassboost -fft -eucl	1915	1804	51.49
1519	2nd	-journal -silence -noise -highpassboost -aggr -hamming	1915	1804	51.49
1520	2nd	-journal -silence -noise -boost -lpc -hamming	1915	1804	51.49
1521	2nd	-journal -noise -boost -lpc -eucl	1915	1804	51.49
1522	2nd	-journal -boost -aggr -mink	1915	1804	51.49
1523	2nd	-journal -highpassboost -minmax -cos	1915	1804	51.49
1524	2nd	-journal -boost -minmax -diff	1915	1804	51.49
1525	2nd	-journal -boost -minmax -hamming	1915	1804	51.49
1526	2nd	-journal -highpassboost -fft -mink	1915	1804	51.49
1527	2nd	-journal -boost -fft -hamming	1915	1804	51.49
1528	2nd	-journal -noise -boost -lpc -mink	1915	1804	51.49
1529	2nd	-journal -noise -boost -minmax -diff	1915	1804	51.49
1530	2nd	-journal -noise -boost -fft -hamming	1915	1804	51.49
1531	2nd	-journal -silence -noise -highpassboost -lpc -diff	1915	1804	51.49
1532	2nd	-journal -highpassboost -aggr -eucl	1915	1804	51.49
1533	2nd	-journal -silence -boost -fft -diff	1915	1804	51.49
1534	2nd	-journal -boost -aggr -hamming	1915	1804	51.49
1535	2nd	-journal -silence -boost -lpc -cheb	1915	1804	51.49
1536	2nd	-journal -noise -boost -fft -eucl	1915	1804	51.49
1537	2nd	-journal -highpassboost -fft -hamming	1915	1804	51.49
1538	2nd	-journal -highpassboost -minmax -diff	1915	1804	51.49
1539	2nd	-journal -highpassboost -minmax -hamming	1915	1804	51.49
1540	2nd	-journal -silence -highpassboost -lpc -hamming	1915	1804	51.49
1541	2nd	-journal -noise -boost -fft -cos	1915	1804	51.49
1542	2nd	-journal -highpassboost -aggr -mink	1915	1804	51.49
1543	2nd	-journal -silence -boost -aggr -eucl	1915	1804	51.49
1544	2nd	-journal -boost -aggr -cos	1915	1804	51.49
1545	2nd	-journal -boost -minmax -cheb	1915	1804	51.49
1546	2nd	-journal -noise -boost -fft -mink	1915	1804	51.49
1547	2nd	-journal -noise -highpassboost -lpc -diff	1915	1804	51.49
1548	2nd	-journal -noise -boost -minmax -cheb	1915	1804	51.49
1549	2nd	-journal -silence -noise -highpassboost -fft -diff	1915	1804	51.49

Table 260: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 32.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1550	2nd	-journal -silence -noise -boost -lpc -eucl	1915	1804	51.49
1551	2nd	-journal -silence -noise -highpassboost -lpc -cheb	1915	1804	51.49
1552	2nd	-journal -noise -boost -aggr -eucl	1915	1804	51.49
1553	2nd	-journal -silence -boost -aggr -hamming	1915	1804	51.49
1554	2nd	-journal -silence -boost -fft -cheb	1915	1804	51.49
1555	2nd	-journal -silence -boost -aggr -mink	1915	1804	51.49
1556	2nd	-journal -highpassboost -minmax -cheb	1915	1804	51.49
1557	2nd	-journal -noise -boost -minmax -hamming	1915	1804	51.49
1558	2nd	-journal -silence -highpassboost -aggr -eucl	1915	1804	51.49
1559	2nd	-journal -silence -highpassboost -aggr -hamming	1915	1804	51.49
1560	2nd	-journal -silence -boost -fft -hamming	1915	1804	51.49
1561	2nd	-journal -noise -boost -aggr -mink	1915	1804	51.49
1562	2nd	-journal -silence -noise -boost -lpc -mink	1915	1804	51.49
1563	2nd	-journal -silence -noise -boost -fft -cos	1915	1804	51.49
1564	2nd	-journal -noise -highpassboost -minmax -diff	1915	1804	51.49
1565	2nd	-journal -noise -highpassboost -fft -hamming	1915	1804	51.49
1566	2nd	-journal -noise -highpassboost -fft -diff	1915	1804	51.49
1567	2nd	-journal -noise -boost -lpc -cos	1915	1804	51.49
1568	2nd	-journal -noise -highpassboost -lpc -cheb	1915	1804	51.49
1569	2nd	-journal -silence -noise -boost -fft -eucl	1915	1804	51.49
1570	2nd	-journal -silence -highpassboost -lpc -diff	1915	1804	51.49
1571	2nd	-journal -silence -highpassboost -aggr -mink	1915	1804	51.49
1572	2nd	-journal -silence -noise -highpassboost -fft -cheb	1915	1804	51.49
1573	2nd	-journal -highpassboost -aggr -cos	1915	1804	51.49
1574	2nd	-journal -boost -lpc -hamming	1915	1804	51.49
1575	2nd	-journal -silence -boost -fft -cos	1915	1804	51.49
1576	2nd	-journal -silence -noise -boost -fft -mink	1915	1804	51.49
1577	2nd	-journal -silence -noise -highpassboost -fft -hamming	1915	1804	51.49
1578	2nd	-journal -noise -boost -lpc -hamming	1915	1804	51.49
1579	2nd	-journal -boost -fft -cos	1915	1804	51.49
1580	2nd	-journal -silence -noise -highpassboost -aggr -diff	1915	1804	51.49
1581	2nd	-journal -noise -highpassboost -minmax -cheb	1915	1804	51.49
1582	2nd	-journal -highpassboost -lpc -hamming	1915	1804	51.49
1583	2nd	-journal -noise -highpassboost -fft -cheb	1915	1804	51.49
1584	2nd	-journal -boost -minmax -cos	1915	1804	51.49
1585	2nd	-journal -noise -highpassboost -minmax -hamming	1915	1804	51.49
1586	2nd	-journal -silence -highpassboost -fft -diff	1915	1804	51.49
1587	2nd	-journal -silence -highpassboost -lpc -cheb	1915	1804	51.49
1588	2nd	-journal -silence -noise -boost -lpc -cos	1915	1804	51.49
1589	2nd	-journal -noise -high -lpc -cos	1908	1811	51.30
1590	2nd	-journal -silence -noise -high -lpc -eucl	2006	1713	53.94
1591	2nd	-journal -high -lpc -mink	1963	1756	52.78
1592	2nd	-journal -silence -noise -high -lpc -cheb	2026	1693	54.48
1593	2nd	-journal -silence -noise -high -lpc -diff	2011	1708	54.07
1594	2nd	-journal -noise -low -lpc -hamming	1927	1792	51.82
1595	2nd	-journal -silence -noise -bandstop -aggr -hamming	1865	1854	50.15
1596	2nd	-journal -silence -high -lpc -diff	2011	1708	54.07
1597	2nd	-journal -noise -endp -lpc -hamming	1945	1774	52.30
1598	2nd	-journal -noise -bandstop -aggr -hamming	1872	1847	50.34
1599	2nd	-journal -silence -high -lpc -eucl	2000	1719	53.78

Table 261: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 33.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1600	2nd	-journal -silence -noise -high -lpc -cos	1963	1756	52.78
1601	2nd	-journal -silence -band -lpc -hamming	1859	1860	49.99
1602	2nd	-journal -noise -high -fft -hamming	1942	1777	52.22
1603	2nd	-journal -silence -noise -endp -lpc -hamming	1951	1768	52.46
1604	2nd	-journal -noise -band -lpc -hamming	1894	1825	50.93
1605	2nd	-journal -bandstop -aggr -hamming	1905	1814	51.22
1606	2nd	-journal -silence -noise -low -fft -hamming	1898	1821	51.04
1607	2nd	-journal -noise -band -fft -hamming	1944	1775	52.27
1608	2nd	-journal -low -fft -hamming	1954	1765	52.54
1609	2nd	-journal -noise -norm -fft -hamming	1954	1765	52.54
1610	2nd	-journal -noise -norm -aggr -hamming	1920	1799	51.63
1611	2nd	-journal -low -aggr -hamming	1920	1799	51.63
1612	2nd	-journal -high -lpc -cos	1930	1789	51.90
1613	2nd	-journal -silence -noise -high -fft -hamming	1887	1832	50.74
1614	2nd	-journal -silence -high -lpc -hamming	1898	1821	51.04
1615	2nd	-journal -silence -high -lpc -mink	1973	1746	53.05
1616	2nd	-journal -noise -low -aggr -hamming	1913	1806	51.44
1617	2nd	-journal -silence -noise -high -aggr -hamming	1877	1842	50.47
1618	2nd	-journal -silence -low -fft -hamming	1964	1755	52.81
1619	2nd	-journal -silence -noise -norm -fft -hamming	1964	1755	52.81
1620	2nd	-journal -noise -high -lpc -hamming	1863	1856	50.09
1621	2nd	-journal -silence -bandstop -aggr -hamming	1950	1769	52.43
1622	2nd	-journal -noise -band -aggr -hamming	1905	1814	51.22
1623	2nd	-journal -noise -band -lpc -cos	1927	1792	51.82
1624	2nd	-journal -silence -endp -fft -hamming	1849	1870	49.72
1625	2nd	-journal -endp -fft -hamming	1849	1870	49.72
1626	2nd	-journal -silence -noise -norm -lpc -cos	1945	1774	52.30
1627	2nd	-journal -low -lpc -hamming	1836	1883	49.37
1628	2nd	-journal -silence -low -lpc -cos	1945	1774	52.30
1629	2nd	-journal -noise -norm -lpc -hamming	1836	1883	49.37
1630	2nd	-journal -silence -band -lpc -cos	1921	1798	51.65
1631	2nd	-journal -noise -high -aggr -hamming	1892	1827	50.87
1632	2nd	-journal -silence -noise -band -aggr -hamming	1900	1819	51.09
1633	2nd	-journal -silence -high -aggr -hamming	1958	1761	52.65
1634	2nd	-journal -band -lpc -cos	1937	1782	52.08
1635	2nd	-journal -high -fft -hamming	2000	1719	53.78
1636	2nd	-journal -silence -noise -high -lpc -hamming	1899	1820	51.06
1637	2nd	-journal -endp -aggr -hamming	1898	1821	51.04
1638	2nd	-journal -silence -endp -aggr -hamming	1898	1821	51.04
1639	2nd	-journal -silence -noise -low -aggr -hamming	1888	1831	50.77
1640	2nd	-journal -noise -norm -lpc -cos	1973	1746	53.05
1641	2nd	-journal -high -lpc -hamming	1904	1815	51.20
1642	2nd	-journal -low -lpc -cos	1973	1746	53.05
1643	2nd	-journal -high -aggr -hamming	1952	1767	52.49
1644	2nd	-journal -noise -low -lpc -cos	1957	1762	52.62
1645	2nd	-journal -bandstop -fft -hamming	1933	1786	51.98
1646	2nd	-journal -silence -low -lpc -hamming	1851	1868	49.77
1647	2nd	-journal -silence -noise -norm -lpc -hamming	1851	1868	49.77
1648	2nd	-journal -noise -low -fft -hamming	1914	1805	51.47
1649	2nd	-journal -silence -high -fft -hamming	1968	1751	52.92

Table 262: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 34.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1650	2nd	-journal -silence -bandstop -fft -hamming	1963	1756	52.78
1651	2nd	-journal -silence -noise -low -lpc -cos	1965	1754	52.84
1652	2nd	-journal -silence -noise -norm -aggr -hamming	1943	1776	52.25
1653	2nd	-journal -silence -low -aggr -hamming	1943	1776	52.25
1654	2nd	-journal -silence -high -lpc -cos	1898	1821	51.04
1655	2nd	-journal -band -fft -hamming	1916	1803	51.52
1656	2nd	-journal -silence -noise -raw -fft -hamming	1896	1823	50.98
1657	2nd	-journal -raw -fft -hamming	1896	1823	50.98
1658	2nd	-journal -silence -raw -fft -hamming	1896	1823	50.98
1659	2nd	-journal -noise -raw -fft -hamming	1896	1823	50.98
1660	2nd	-journal -norm -fft -hamming	1877	1842	50.47
1661	2nd	-journal -silence -noise -band -fft -hamming	1926	1793	51.79
1662	2nd	-journal -silence -norm -fft -hamming	1877	1842	50.47
1663	2nd	-journal -band -lpc -hamming	1819	1900	48.91
1664	2nd	-journal -noise -bandstop -fft -hamming	1844	1875	49.58
1665	2nd	-journal -band -aggr -hamming	1907	1812	51.28
1666	2nd	-journal -silence -noise -bandstop -fft -hamming	1830	1889	49.21
1667	2nd	-journal -silence -norm -lpc -hamming	1871	1848	50.31
1668	2nd	-journal -silence -noise -raw -lpc -hamming	1871	1848	50.31
1669	2nd	-journal -norm -lpc -hamming	1871	1848	50.31
1670	2nd	-journal -raw -lpc -hamming	1871	1848	50.31
1671	2nd	-journal -silence -raw -lpc -hamming	1871	1848	50.31
1672	2nd	-journal -noise -raw -lpc -hamming	1871	1848	50.31
1673	2nd	-journal -raw -aggr -hamming	1885	1834	50.69
1674	2nd	-journal -noise -raw -aggr -hamming	1885	1834	50.69
1675	2nd	-journal -silence -noise -raw -aggr -hamming	1885	1834	50.69
1676	2nd	-journal -silence -raw -aggr -hamming	1885	1834	50.69
1677	2nd	-journal -norm -aggr -hamming	1865	1854	50.15
1678	2nd	-journal -silence -norm -aggr -hamming	1865	1854	50.15
1679	2nd	-journal -silence -band -aggr -hamming	1852	1867	49.80
1680	2nd	-journal -silence -band -fft -hamming	1884	1835	50.66

Table 263: Consolidated results (piste2-result1-marf-text-only-journal-only-stats), Part 35.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	Le Monde	316540	439460	41.87
2	1st	L'Est Republicain	268391	427129	38.59
3	1st	La Presse	274510	578090	32.20
4	1st	Le Devoir	84703	735137	10.33
5	2nd	Le Monde	527278	228722	69.75
6	2nd	L'Est Republicain	340733	354787	48.99
7	2nd	La Presse	513559	339041	60.23
8	2nd	Le Devoir	374442	445398	45.67

Run #	Guess	Configuration	GOOD	BAD	Precision,%
38	1st	-text-only -journal -nopreprep -norm -randfe -cheb	1528	2191	41.09
39	1st	-text-only -journal -nopreprep -norm -randfe -diff	1527	2192	41.06
40	1st	-text-only -journal -nopreprep -bandstop -randfe -diff	1527	2192	41.06
41	1st	-text-only -journal -silence-noise -low -randfe -eucl	1526	2193	41.03
42	1st	-text-only -journal -noise -low -randfe -diff	1526	2193	41.03
43	1st	-text-only -journal -noise -norm -randfe -mink	1526	2193	41.03
44	1st	-text-only -journal -nopreprep -bandstop -randfe -cheb	1526	2193	41.03
45	1st	-text-only -journal -noise -low -randfe -cheb	1526	2193	41.03
46	1st	-text-only -journal -silence-noise -norm -randfe -cheb	1526	2193	41.03
47	1st	-text-only -journal -nopreprep -low -randfe -mink	1526	2193	41.03
48	1st	-text-only -journal -nopreprep -low -randfe -diff	1525	2194	41.01
49	1st	-text-only -journal -silence-noise -low -randfe -cheb	1525	2194	41.01
50	1st	-text-only -journal -noise -norm -randfe -diff	1525	2194	41.01
51	1st	-text-only -journal -silence-noise -norm -randfe -diff	1525	2194	41.01
52	1st	-text-only -journal -nopreprep -low -randfe -cheb	1525	2194	41.01
54	1st	-text-only -journal -silence-noise -norm -randfe -eucl	1525	2194	41.01
55	1st	-text-only -journal -noise -norm -randfe -cheb	1525	2194	41.01
56	1st	-text-only -journal -silence-noise -low -randfe -diff	1525	2194	41.01
58	1st	-text-only -journal -nopreprep -low -randfe -eucl	1524	2195	40.98
59	1st	-text-only -journal -nopreprep -norm -randfe -eucl	1524	2195	40.98

Table 264: Consolidated results (piste2-result1-marf-text-only-journal), Part 2.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
60	1st	-text-only -journal -nopreprep -bandstop -randfe -eucl	1523	2196	40.95
61	1st	-text-only -journal -silence-noise -norm -randfe -mink	1523	2196	40.95
62	1st	-text-only -journal -noise -low -randfe -eucl	1521	2198	40.90
63	1st	-text-only -journal -silence-noise -raw -randfe -cheb	1520	2199	40.87
64	1st	-text-only -journal -nopreprep -raw -randfe -eucl	1520	2199	40.87
65	1st	-text-only -journal -noise -raw -randfe -eucl	1520	2199	40.87
66	1st	-text-only -journal -nopreprep -raw -randfe -cheb	1520	2199	40.87
67	1st	-text-only -journal -noise -raw -randfe -cheb	1520	2199	40.87
68	1st	-text-only -journal -silence-noise -raw -randfe -eucl	1520	2199	40.87
69	1st	-text-only -journal -nopreprep -bandstop -randfe -mink	1518	2201	40.82
70	1st	-text-only -journal -noise -raw -randfe -diff	1517	2202	40.79
71	1st	-text-only -journal -noise -bandstop -randfe -eucl	1517	2202	40.79
72	1st	-text-only -journal -silence-noise -raw -randfe -diff	1517	2202	40.79
73	1st	-text-only -journal -silence-noise -bandstop -randfe -eucl	1517	2202	40.79
74	1st	-text-only -journal -nopreprep -raw -randfe -diff	1517	2202	40.79
75	1st	-text-only -journal -noise -bandstop -randfe -mink	1513	2206	40.68
76	1st	-text-only -journal -noise -bandstop -randfe -diff	1512	2207	40.66
77	1st	-text-only -journal -silence-noise -bandstop -randfe -mink	1512	2207	40.66
78	1st	-text-only -journal -silence-noise -bandstop -randfe -diff	1512	2207	40.66
79	1st	-text-only -journal -noise -bandstop -randfe -cheb	1511	2208	40.63
80	1st	-text-only -journal -silence-noise -bandstop -randfe -cheb	1510	2209	40.60
82	1st	-text-only -journal -silence-noise -endp -randfe -eucl	1504	2215	40.44
83	1st	-text-only -journal -silence-noise -low -randfe -mink	1504	2215	40.44
84	1st	-text-only -journal -noise -endp -randfe -eucl	1503	2216	40.41
85	1st	-text-only -journal -noise -low -randfe -mink	1502	2217	40.39
86	1st	-text-only -journal -nopreprep -endp -randfe -cheb	1499	2220	40.31
87	1st	-text-only -journal -nopreprep -endp -randfe -diff	1496	2223	40.23
88	1st	-text-only -journal -nopreprep -endp -randfe -eucl	1493	2226	40.15

Table 265: Consolidated results (piste2-result1-marf-text-only-journal), Part 3.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
90	1st	-text-only -journal -noise -raw -randfe -mink	1478	2241	39.74
91	1st	-text-only -journal -silence-noise -raw -randfe -mink	1478	2241	39.74
92	1st	-text-only -journal -nopreprep -raw -randfe -mink	1478	2241	39.74
93	1st	-text-only -journal -nopreprep -norm -randfe -mink	1473	2246	39.61
94	1st	-text-only -journal -nopreprep -norm -randfe -hamming	1472	2247	39.58
95	1st	-text-only -journal -noise -endp -randfe -diff	1464	2255	39.37
96	1st	-text-only -journal -silence-noise -endp -randfe -mink	1464	2255	39.37
97	1st	-text-only -journal -noise -endp -randfe -cheb	1463	2256	39.34
98	1st	-text-only -journal -noise -endp -randfe -mink	1463	2256	39.34
99	1st	-text-only -journal -silence-noise -endp -randfe -diff	1461	2258	39.28
100	1st	-text-only -journal -noise -low -randfe -hamming	1460	2259	39.26
101	1st	-text-only -journal -nopreprep -bandstop -randfe -hamming	1458	2261	39.20
102	1st	-text-only -journal -silence-noise -endp -randfe -cheb	1458	2261	39.20
103	1st	-text-only -journal -nopreprep -raw -randfe -hamming	1453	2266	39.07
104	1st	-text-only -journal -silence-noise -raw -randfe -hamming	1453	2266	39.07
105	1st	-text-only -journal -noise -raw -randfe -hamming	1453	2266	39.07
107	1st	-text-only -journal -silence-noise -low -randfe -hamming	1445	2274	38.85
108	1st	-text-only -journal -noise -bandstop -randfe -hamming	1444	2275	38.83
109	1st	-text-only -journal -silence-noise -norm -randfe -hamming	1436	2283	38.61
110	1st	-text-only -journal -silence-noise -bandstop -randfe -hamming	1434	2285	38.56
111	1st	-text-only -journal -nopreprep -low -randfe -hamming	1426	2293	38.34
112	1st	-text-only -journal -noise -norm -randfe -hamming	1426	2293	38.34
114	1st	-text-only -journal -noise -raw -randfe -cos	1405	2314	37.78
115	1st	-text-only -journal -nopreprep -raw -randfe -cos	1405	2314	37.78
116	1st	-text-only -journal -silence-noise -raw -randfe -cos	1405	2314	37.78
117	1st	-text-only -journal -nopreprep -norm -randfe -cos	1400	2319	37.64
118	1st	-text-only -journal -nopreprep -endp -randfe -mink	1400	2319	37.64
119	1st	-text-only -journal -nopreprep -low -randfe -cos	1367	2352	36.76

Table 266: Consolidated results (piste2-result1-marf-text-only-journal), Part 4.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
120	1st	-text-only -journal -noise -norm -randfe -cos	1367	2352	36.76
121	1st	-text-only -journal -noise -low -randfe -cos	1365	2354	36.70
125	1st	-text-only -journal -silence-noise -low -randfe -cos	1355	2364	36.43
126	1st	-text-only -journal -silence-noise -norm -randfe -cos	1345	2374	36.17
129	1st	-text-only -journal -nopreprep -bandstop -randfe -cos	1286	2433	34.58
131	1st	-text-only -journal -noise -band -randfe -eucl	1264	2455	33.99
132	1st	-text-only -journal -nopreprep -band -randfe -eucl	1256	2463	33.77
133	1st	-text-only -journal -noise -endp -randfe -hamming	1251	2468	33.64
134	1st	-text-only -journal -noise -band -randfe -cos	1248	2471	33.56
135	1st	-text-only -journal -nopreprep -endp -randfe -hamming	1247	2472	33.53
136	1st	-text-only -journal -silence-noise -endp -randfe -hamming	1244	2475	33.45
137	1st	-text-only -journal -silence-noise -band -randfe -cos	1243	2476	33.42
138	1st	-text-only -journal -nopreprep -band -randfe -cos	1241	2478	33.37

Table 267: Consolidated results (piste2-result1-marf-text-only-journal), Part 5.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
151	1st	-text-only -journal -noise -band -randfe -cheb	1231	2488	33.10
152	1st	-text-only -journal -silence-noise -band -randfe -eucl	1228	2491	33.02
154	1st	-text-only -journal -nopreprep -band -randfe -diff	1227	2492	32.99
155	1st	-text-only -journal -nopreprep -band -randfe -cheb	1224	2495	32.91
156	1st	-text-only -journal -nopreprep -high -randfe -eucl	1217	2502	32.72
157	1st	-text-only -journal -nopreprep -high -randfe -cos	1214	2505	32.64
158	1st	-text-only -journal -noise -band -randfe -diff	1213	2506	32.62
159	1st	-text-only -journal -nopreprep -high -randfe -cheb	1211	2508	32.56
160	1st	-text-only -journal -silence-noise -bandstop -randfe -cos	1211	2508	32.56
161	1st	-text-only -journal -nopreprep -high -randfe -diff	1209	2510	32.51
162	1st	-text-only -journal -noise -bandstop -randfe -cos	1205	2514	32.40
165	1st	-text-only -journal -silence-noise -band -randfe -cheb	1190	2529	32.00
166	1st	-text-only -journal -silence-noise -band -randfe -diff	1178	2541	31.68
167	1st	-text-only -journal -silence-noise -band -randfe -mink	1172	2547	31.51
176	1st	-text-only -journal -nopreprep -high -randfe -mink	1123	2596	30.20
177	1st	-text-only -journal -nopreprep -band -randfe -mink	1123	2596	30.20

Table 268: Consolidated results (piste2-result1-marf-text-only-journal), Part 6.

Run #	Guess	Configuration	GOOD	BAD	Precision,
184	1st	-text-only -journal -noise -band -randfe -mink	1098	2621	29.
188	1st	-text-only -journal -noise -endp -randfe -cos	1067	2652	28.
196	1st	-text-only -journal -silence-noise -endp -randfe -cos	1061	2658	28.
197	1st	-text-only -journal -silence-noise -high -randfe -eucl	1060	2659	28.
199	1st	-text-only -journal -silence-noise -high -randfe -mink	1045	2674	28.
200	1st	-text-only -journal -silence-noise -high -randfe -cos	1038	2681	27.
202	1st	-text-only -journal -silence-noise -high -randfe -cheb	1035	2684	27.
207	1st	-text-only -journal -nopreprep -highpassboost -randfe -mink	1015	2704	27.
208	1st	-text-only -journal -nopreprep -highpassboost -randfe -hamming	1015	2704	27.
209	1st	-text-only -journal -nopreprep -bandcfe -randfe -eucl	1015	2704	27.

Table 269: Consolidated results (piste2-result1-marf-text-only-journal), Part 7.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
210	1st	-text-only -journal -noise -highpassboost -randfe -diff	1015	2704	27.29
211	1st	-text-only -journal -silence-noise -boost -randfe -cheb	1015	2704	27.29
212	1st	-text-only -journal -nopreprep -highpassboost -randfe -diff	1015	2704	27.29
213	1st	-text-only -journal -nopreprep -highcfe -randfe -cos	1015	2704	27.29
214	1st	-text-only -journal -nopreprep -lowcfe -randfe -eucl	1015	2704	27.29
215	1st	-text-only -journal -nopreprep -highcfe -randfe -mink	1015	2704	27.29
216	1st	-text-only -journal -nopreprep -lowcfe -randfe -cos	1015	2704	27.29
217	1st	-text-only -journal -nopreprep -highcfe -randfe -diff	1015	2704	27.29
218	1st	-text-only -journal -silence-noise -highpassboost -randfe -eucl	1015	2704	27.29
219	1st	-text-only -journal -nopreprep -bandcfe -randfe -cheb	1015	2704	27.29
220	1st	-text-only -journal -noise -highpassboost -randfe -eucl	1015	2704	27.29
221	1st	-text-only -journal -nopreprep -lowcfe -randfe -cheb	1015	2704	27.29
222	1st	-text-only -journal -noise -highpassboost -randfe -cos	1015	2704	27.29
223	1st	-text-only -journal -nopreprep -highpassboost -randfe -eucl	1015	2704	27.29
224	1st	-text-only -journal -nopreprep -boost -randfe -cos	1015	2704	27.29
225	1st	-text-only -journal -nopreprep -highcfe -randfe -hamming	1015	2704	27.29
226	1st	-text-only -journal -nopreprep -highpassboost -randfe -cos	1015	2704	27.29
227	1st	-text-only -journal -nopreprep -boost -randfe -mink	1015	2704	27.29
228	1st	-text-only -journal -noise -boost -randfe -mink	1015	2704	27.29
229	1st	-text-only -journal -silence-noise -highpassboost -randfe -cheb	1015	2704	27.29
230	1st	-text-only -journal -nopreprep -highcfe -randfe -eucl	1015	2704	27.29
231	1st	-text-only -journal -noise -boost -randfe -cos	1015	2704	27.29
232	1st	-text-only -journal -nopreprep -boost -randfe -diff	1015	2704	27.29
233	1st	-text-only -journal -silence-noise -boost -randfe -hamming	1015	2704	27.29
234	1st	-text-only -journal -noise -boost -randfe -diff	1015	2704	27.29
235	1st	-text-only -journal -noise -highpassboost -randfe -cheb	1015	2704	27.29
236	1st	-text-only -journal -silence-noise -boost -randfe -mink	1015	2704	27.29
237	1st	-text-only -journal -nopreprep -highpassboost -randfe -cheb	1015	2704	27.29
238	1st	-text-only -journal -nopreprep -boost -randfe -hamming	1015	2704	27.29
239	1st	-text-only -journal -silence-noise -highpassboost -randfe -cos	1015	2704	27.29

Table 270: Consolidated results (piste2-result1-marf-text-only-journal), Part 8.

Run #	Guess	Configuration	GOOD	BAD	Precisio
240	1st	-text-only -journal -silence-noise -boost -randfe -diff	1015	2704	2
241	1st	-text-only -journal -silence-noise -boost -randfe -cos	1015	2704	2
242	1st	-text-only -journal -nopreprep -highcfe -randfe -cheb	1015	2704	2
243	1st	-text-only -journal -nopreprep -lowcfe -randfe -hamming	1015	2704	2
244	1st	-text-only -journal -nopreprep -bandcfe -randfe -mink	1015	2704	2
245	1st	-text-only -journal -nopreprep -boost -randfe -eucl	1015	2704	2
246	1st	-text-only -journal -noise -boost -randfe -eucl	1015	2704	2
247	1st	-text-only -journal -nopreprep -lowcfe -randfe -mink	1015	2704	2
248	1st	-text-only -journal -nopreprep -lowcfe -randfe -diff	1015	2704	2
249	1st	-text-only -journal -noise -boost -randfe -hamming	1015	2704	2
250	1st	-text-only -journal -silence-noise -boost -randfe -eucl	1015	2704	2
251	1st	-text-only -journal -silence-noise -highpassboost -randfe -hamming	1015	2704	2
252	1st	-text-only -journal -silence-noise -highpassboost -randfe -mink	1015	2704	2
253	1st	-text-only -journal -noise -highpassboost -randfe -hamming	1015	2704	2
254	1st	-text-only -journal -nopreprep -boost -randfe -cheb	1015	2704	2
255	1st	-text-only -journal -noise -boost -randfe -cheb	1015	2704	2
256	1st	-text-only -journal -silence-noise -highpassboost -randfe -diff	1015	2704	2
257	1st	-text-only -journal -noise -highpassboost -randfe -mink	1015	2704	2
265	1st	-text-only -journal -noise -high -randfe -mink	1000	2719	2
266	1st	-text-only -journal -nopreprep -endp -randfe -cos	1000	2719	2
268	1st	-text-only -journal -noise -high -randfe -hamming	986	2733	2

Table 271: Consolidated results (piste2-result1-marf-text-only-journal), Part 9.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
271	1st	-text-only -journal -noise -high -randfe -cos	978	2741	26.30
272	1st	-text-only -journal -noise -high -randfe -cheb	977	2742	26.27
273	1st	-text-only -journal -noise -high -randfe -eucl	973	2746	26.16
275	1st	-text-only -journal -noise -band -randfe -hamming	970	2749	26.08
278	1st	-text-only -journal -silence-noise -high -randfe -diff	966	2753	25.97
284	1st	-text-only -journal -nopreprep -band -randfe -hamming	952	2767	25.60
285	1st	-text-only -journal -silence-noise -band -randfe -hamming	952	2767	25.60
286	1st	-text-only -journal -noise -high -randfe -diff	952	2767	25.60
289	1st	-text-only -journal -nopreprep -high -randfe -hamming	939	2780	25.25
290	1st	-text-only -journal -silence-noise -high -randfe -hamming	937	2782	25.19

Table 272: Consolidated results (piste2-result1-marf-text-only-journal), Part 10.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
361	2nd	-text-only -journal -nopreprep -norm -randfe -cheb	2571	1148	69.13
362	2nd	-text-only -journal -nopreprep -norm -randfe -diff	2571	1148	69.13
363	2nd	-text-only -journal -nopreprep -bandstop -randfe -diff	2570	1149	69.10
364	2nd	-text-only -journal -silence-noise -low -randfe -eucl	2570	1149	69.10
365	2nd	-text-only -journal -noise -low -randfe -diff	2569	1150	69.08
366	2nd	-text-only -journal -noise -norm -randfe -mink	2542	1177	68.35
367	2nd	-text-only -journal -nopreprep -bandstop -randfe -cheb	2570	1149	69.10
368	2nd	-text-only -journal -noise -low -randfe -cheb	2569	1150	69.08
369	2nd	-text-only -journal -silence-noise -norm -randfe -cheb	2569	1150	69.08
370	2nd	-text-only -journal -nopreprep -low -randfe -mink	2542	1177	68.35
371	2nd	-text-only -journal -nopreprep -low -randfe -diff	2568	1151	69.05
372	2nd	-text-only -journal -silence-noise -low -randfe -cheb	2569	1150	69.08
373	2nd	-text-only -journal -noise -norm -randfe -diff	2568	1151	69.05
374	2nd	-text-only -journal -silence-noise -norm -randfe -diff	2569	1150	69.08
377	2nd	-text-only -journal -silence-noise -norm -randfe -eucl	2565	1154	68.97
379	2nd	-text-only -journal -silence-noise -low -randfe -diff	2569	1150	69.08
381	2nd	-text-only -journal -nopreprep -low -randfe -eucl	2566	1153	69.00
382	2nd	-text-only -journal -nopreprep -norm -randfe -eucl	2563	1156	68.92
383	2nd	-text-only -journal -nopreprep -bandstop -randfe -eucl	2567	1152	69.02
384	2nd	-text-only -journal -silence-noise -norm -randfe -mink	2547	1172	68.49
385	2nd	-text-only -journal -noise -low -randfe -eucl	2568	1151	69.05
386	2nd	-text-only -journal -silence-noise -raw -randfe -cheb	2573	1146	69.19
387	2nd	-text-only -journal -nopreprep -raw -randfe -eucl	2571	1148	69.13
388	2nd	-text-only -journal -noise -raw -randfe -eucl	2571	1148	69.13
389	2nd	-text-only -journal -nopreprep -raw -randfe -cheb	2573	1146	69.19

Table 273: Consolidated results (piste2-result1-marf-text-only-journal), Part 13.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
390	2nd	-text-only -journal -noise -raw -randfe -cheb	2573	1146	69.19
391	2nd	-text-only -journal -silence-noise -raw -randfe -eucl	2571	1148	69.13
392	2nd	-text-only -journal -nopreprep -bandstop -randfe -mink	2543	1176	68.38
393	2nd	-text-only -journal -noise -raw -randfe -diff	2573	1146	69.19
394	2nd	-text-only -journal -noise -bandstop -randfe -eucl	2568	1151	69.05
395	2nd	-text-only -journal -silence-noise -raw -randfe -diff	2573	1146	69.19
396	2nd	-text-only -journal -silence-noise -bandstop -randfe -eucl	2568	1151	69.05
397	2nd	-text-only -journal -nopreprep -raw -randfe -diff	2573	1146	69.19
398	2nd	-text-only -journal -noise -bandstop -randfe -mink	2558	1161	68.78
399	2nd	-text-only -journal -noise -bandstop -randfe -diff	2567	1152	69.02
400	2nd	-text-only -journal -silence-noise -bandstop -randfe -mink	2557	1162	68.76
401	2nd	-text-only -journal -silence-noise -bandstop -randfe -diff	2568	1151	69.05
402	2nd	-text-only -journal -noise -bandstop -randfe -cheb	2568	1151	69.05
403	2nd	-text-only -journal -silence-noise -bandstop -randfe -cheb	2569	1150	69.08
405	2nd	-text-only -journal -silence-noise -endp -randfe -eucl	2570	1149	69.10
406	2nd	-text-only -journal -silence-noise -low -randfe -mink	2533	1186	68.11
407	2nd	-text-only -journal -noise -endp -randfe -eucl	2570	1149	69.10
408	2nd	-text-only -journal -noise -low -randfe -mink	2538	1181	68.24
409	2nd	-text-only -journal -nopreprep -endp -randfe -cheb	2510	1209	67.49
410	2nd	-text-only -journal -nopreprep -endp -randfe -diff	2509	1210	67.46
411	2nd	-text-only -journal -nopreprep -endp -randfe -eucl	2531	1188	68.06
412	2nd	-text-only -journal -silence -norm -randfe -mink	959	446	68.26
413	2nd	-text-only -journal -noise -raw -randfe -mink	2480	1239	66.68
414	2nd	-text-only -journal -silence-noise -raw -randfe -mink	2480	1239	66.68
415	2nd	-text-only -journal -nopreprep -raw -randfe -mink	2480	1239	66.68
416	2nd	-text-only -journal -nopreprep -norm -randfe -mink	2488	1231	66.90
417	2nd	-text-only -journal -nopreprep -norm -randfe -hamming	2340	1379	62.92
418	2nd	-text-only -journal -noise -endp -randfe -diff	2553	1166	68.65
419	2nd	-text-only -journal -silence-noise -endp -randfe -mink	2531	1188	68.06

Table 274: Consolidated results (piste2-result1-marf-text-only-journal), Part 14.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
420	2nd	-text-only -journal -noise -endp -randfe -cheb	2552	1167	68.62
421	2nd	-text-only -journal -noise -endp -randfe -mink	2531	1188	68.06
422	2nd	-text-only -journal -silence-noise -endp -randfe -diff	2551	1168	68.59
423	2nd	-text-only -journal -noise -low -randfe -hamming	2421	1298	65.10
424	2nd	-text-only -journal -nopreprep -bandstop -randfe -hamming	2405	1314	64.67
425	2nd	-text-only -journal -silence-noise -endp -randfe -cheb	2548	1171	68.51
426	2nd	-text-only -journal -nopreprep -raw -randfe -hamming	2367	1352	63.65
427	2nd	-text-only -journal -silence-noise -raw -randfe -hamming	2367	1352	63.65
428	2nd	-text-only -journal -noise -raw -randfe -hamming	2367	1352	63.65
430	2nd	-text-only -journal -silence-noise -low -randfe -hamming	2393	1326	64.35
431	2nd	-text-only -journal -noise -bandstop -randfe -hamming	2377	1342	63.92
432	2nd	-text-only -journal -silence-noise -norm -randfe -hamming	2419	1300	65.04
433	2nd	-text-only -journal -silence-noise -bandstop -randfe -hamming	2374	1345	63.83
434	2nd	-text-only -journal -nopreprep -low -randfe -hamming	2371	1348	63.75
435	2nd	-text-only -journal -noise -norm -randfe -hamming	2371	1348	63.75
437	2nd	-text-only -journal -noise -raw -randfe -cos	2405	1314	64.67
438	2nd	-text-only -journal -nopreprep -raw -randfe -cos	2405	1314	64.67
439	2nd	-text-only -journal -silence-noise -raw -randfe -cos	2405	1314	64.67
440	2nd	-text-only -journal -nopreprep -norm -randfe -cos	2403	1316	64.61
441	2nd	-text-only -journal -nopreprep -endp -randfe -mink	2451	1268	65.90
442	2nd	-text-only -journal -nopreprep -low -randfe -cos	2400	1319	64.53
443	2nd	-text-only -journal -noise -norm -randfe -cos	2400	1319	64.53
444	2nd	-text-only -journal -noise -low -randfe -cos	2393	1326	64.35
448	2nd	-text-only -journal -silence-noise -low -randfe -cos	2411	1308	64.83
449	2nd	-text-only -journal -silence-noise -norm -randfe -cos	2380	1339	64.00

Table 275: Consolidated results (piste2-result1-marf-text-only-journal), Part 15.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
452	2nd	-text-only -journal -noprepreр -bandstop -randfe -cos	2353	1366	63.27
454	2nd	-text-only -journal -noise -band -randfe -eucl	2212	1507	59.48
455	2nd	-text-only -journal -noprepreр -band -randfe -eucl	2231	1488	59.99
456	2nd	-text-only -journal -noise -endp -randfe -hamming	2314	1405	62.22
457	2nd	-text-only -journal -noise -band -randfe -cos	2201	1518	59.18
458	2nd	-text-only -journal -noprepreр -endp -randfe -hamming	2251	1468	60.53
459	2nd	-text-only -journal -silence-noise -endp -randfe -hamming	2328	1391	62.60
460	2nd	-text-only -journal -silence-noise -band -randfe -cos	2197	1522	59.08
461	2nd	-text-only -journal -noprepreр -band -randfe -cos	2222	1497	59.75
474	2nd	-text-only -journal -noise -band -randfe -cheb	2223	1496	59.77
475	2nd	-text-only -journal -silence-noise -band -randfe -eucl	2200	1519	59.16
477	2nd	-text-only -journal -noprepreр -band -randfe -diff	2205	1514	59.29
478	2nd	-text-only -journal -noprepreр -band -randfe -cheb	2208	1511	59.37
479	2nd	-text-only -journal -noprepreр -high -randfe -eucl	2227	1492	59.88

Table 276: Consolidated results (piste2-result1-marf-text-only-journal), Part 16.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
480	2nd	-text-only -journal -noprepreр -high -randfe -cos	2214	1505	59.53
481	2nd	-text-only -journal -noise -band -randfe -diff	2212	1507	59.48
482	2nd	-text-only -journal -noprepreр -high -randfe -cheb	2186	1533	58.78
483	2nd	-text-only -journal -silence-noise -bandstop -randfe -cos	2277	1442	61.23
484	2nd	-text-only -journal -noprepreр -high -randfe -diff	2191	1528	58.91
485	2nd	-text-only -journal -noise -bandstop -randfe -cos	2271	1448	61.06
488	2nd	-text-only -journal -silence-noise -band -randfe -cheb	2177	1542	58.54
489	2nd	-text-only -journal -silence-noise -band -randfe -diff	2181	1538	58.64
490	2nd	-text-only -journal -silence-noise -band -randfe -mink	2107	1612	56.66
499	2nd	-text-only -journal -noprepreр -high -randfe -mink	2082	1637	55.98
500	2nd	-text-only -journal -noprepreр -band -randfe -mink	2086	1633	56.09
507	2nd	-text-only -journal -noise -band -randfe -mink	2092	1627	56.25

Table 277: Consolidated results (piste2-result1-marf-text-only-journal), Part 17.

Run #	Guess	Configuration	GOOD	BAD	Precision,
511	2nd	-text-only -journal -noise -endp -randfe -cos	2014	1705	54.
519	2nd	-text-only -journal -silence-noise -endp -randfe -cos	2010	1709	54.
520	2nd	-text-only -journal -silence-noise -high -randfe -eucl	1981	1738	53.
522	2nd	-text-only -journal -silence-noise -high -randfe -mink	1965	1754	52.
523	2nd	-text-only -journal -silence-noise -high -randfe -cos	1997	1722	53.
525	2nd	-text-only -journal -silence-noise -high -randfe -cheb	1982	1737	53.
530	2nd	-text-only -journal -nopreprep -highpassboost -randfe -mink	1915	1804	51.
531	2nd	-text-only -journal -nopreprep -highpassboost -randfe -hamming	1915	1804	51.
532	2nd	-text-only -journal -nopreprep -bandcfe -randfe -eucl	1915	1804	51.
533	2nd	-text-only -journal -noise -highpassboost -randfe -diff	1915	1804	51.
534	2nd	-text-only -journal -silence-noise -boost -randfe -cheb	1915	1804	51.
535	2nd	-text-only -journal -nopreprep -highpassboost -randfe -diff	1915	1804	51.
536	2nd	-text-only -journal -nopreprep -highcfe -randfe -cos	1915	1804	51.
537	2nd	-text-only -journal -nopreprep -lowcfe -randfe -eucl	1915	1804	51.
538	2nd	-text-only -journal -nopreprep -highcfe -randfe -mink	1915	1804	51.
539	2nd	-text-only -journal -nopreprep -lowcfe -randfe -cos	1915	1804	51.

Table 278: Consolidated results (piste2-result1-marf-text-only-journal), Part 18.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
540	2nd	-text-only -journal -noprepreр -highcfe -randfe -diff	1915	1804	51.49
541	2nd	-text-only -journal -silence-noise -highpassboost -randfe -eucl	1915	1804	51.49
542	2nd	-text-only -journal -noprepreр -bandcfe -randfe -cheb	1915	1804	51.49
543	2nd	-text-only -journal -noise -highpassboost -randfe -eucl	1915	1804	51.49
544	2nd	-text-only -journal -noprepreр -lowcfe -randfe -cheb	1915	1804	51.49
545	2nd	-text-only -journal -noise -highpassboost -randfe -cos	1915	1804	51.49
546	2nd	-text-only -journal -noprepreр -highpassboost -randfe -eucl	1915	1804	51.49
547	2nd	-text-only -journal -noprepreр -boost -randfe -cos	1915	1804	51.49
548	2nd	-text-only -journal -noprepreр -highcfe -randfe -hamming	1915	1804	51.49
549	2nd	-text-only -journal -noprepreр -highpassboost -randfe -cos	1915	1804	51.49
550	2nd	-text-only -journal -noprepreр -boost -randfe -mink	1915	1804	51.49
551	2nd	-text-only -journal -noise -boost -randfe -mink	1915	1804	51.49
552	2nd	-text-only -journal -silence-noise -highpassboost -randfe -cheb	1915	1804	51.49
553	2nd	-text-only -journal -noprepreр -highcfe -randfe -eucl	1915	1804	51.49
554	2nd	-text-only -journal -noise -boost -randfe -cos	1915	1804	51.49
555	2nd	-text-only -journal -noprepreр -boost -randfe -diff	1915	1804	51.49
556	2nd	-text-only -journal -silence-noise -boost -randfe -hamming	1915	1804	51.49
557	2nd	-text-only -journal -noise -boost -randfe -diff	1915	1804	51.49
558	2nd	-text-only -journal -noise -highpassboost -randfe -cheb	1915	1804	51.49
559	2nd	-text-only -journal -silence-noise -boost -randfe -mink	1915	1804	51.49
560	2nd	-text-only -journal -noprepreр -highpassboost -randfe -cheb	1915	1804	51.49
561	2nd	-text-only -journal -noprepreр -boost -randfe -hamming	1915	1804	51.49
562	2nd	-text-only -journal -silence-noise -highpassboost -randfe -cos	1915	1804	51.49
563	2nd	-text-only -journal -silence-noise -boost -randfe -diff	1915	1804	51.49
564	2nd	-text-only -journal -silence-noise -boost -randfe -cos	1915	1804	51.49
565	2nd	-text-only -journal -noprepreр -highcfe -randfe -cheb	1915	1804	51.49
566	2nd	-text-only -journal -noprepreр -lowcfe -randfe -hamming	1915	1804	51.49
567	2nd	-text-only -journal -noprepreр -bandcfe -randfe -mink	1915	1804	51.49
568	2nd	-text-only -journal -noprepreр -boost -randfe -eucl	1915	1804	51.49
569	2nd	-text-only -journal -noise -boost -randfe -eucl	1915	1804	51.49

Table 279: Consolidated results (piste2-result1-marf-text-only-journal), Part 19.

Run #	Guess	Configuration	GOOD	BAD	Precisio
570	2nd	-text-only -journal -nopreprep -lowcfe -randfe -mink	1915	1804	5
571	2nd	-text-only -journal -nopreprep -lowcfe -randfe -diff	1915	1804	5
572	2nd	-text-only -journal -noise -boost -randfe -hamming	1915	1804	5
573	2nd	-text-only -journal -silence-noise -boost -randfe -eucl	1915	1804	5
574	2nd	-text-only -journal -silence-noise -highpassboost -randfe -hamming	1915	1804	5
575	2nd	-text-only -journal -silence-noise -highpassboost -randfe -mink	1915	1804	5
576	2nd	-text-only -journal -noise -highpassboost -randfe -hamming	1915	1804	5
577	2nd	-text-only -journal -nopreprep -boost -randfe -cheb	1915	1804	5
578	2nd	-text-only -journal -noise -boost -randfe -cheb	1915	1804	5
579	2nd	-text-only -journal -silence-noise -highpassboost -randfe -diff	1915	1804	5
580	2nd	-text-only -journal -noise -highpassboost -randfe -mink	1915	1804	5
588	2nd	-text-only -journal -noise -high -randfe -mink	1914	1805	5
589	2nd	-text-only -journal -nopreprep -endp -randfe -cos	1958	1761	5
591	2nd	-text-only -journal -noise -high -randfe -hamming	1916	1803	5
594	2nd	-text-only -journal -noise -high -randfe -cos	1919	1800	5
595	2nd	-text-only -journal -noise -high -randfe -cheb	1927	1792	5
596	2nd	-text-only -journal -noise -high -randfe -eucl	1929	1790	5
598	2nd	-text-only -journal -noise -band -randfe -hamming	1855	1864	4

Table 280: Consolidated results (piste2-result1-marf-text-only-journal), Part 20.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
601	2nd	-text-only -journal -silence-noise -high -randfe -diff	1970	1749	52.97
607	2nd	-text-only -journal -nopreprep -band -randfe -hamming	1866	1853	50.17
608	2nd	-text-only -journal -silence-noise -band -randfe -hamming	1874	1845	50.39
609	2nd	-text-only -journal -noise -high -randfe -diff	1886	1833	50.71
612	2nd	-text-only -journal -nopreprep -high -randfe -hamming	1855	1864	49.88
613	2nd	-text-only -journal -silence-noise -high -randfe -hamming	1874	1845	50.39

Table 281: Consolidated results (piste2-result1-marf-text-only-journal), Part 21.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	La Presse	86027	97697	46.82
2	1st	L'Est Républicain	64763	85346	43.14
3	1st	Le Monde	55532	107826	33.99
4	1st	Le Devoir	21354	154848	12.12
5	2nd	La Presse	143679	40045	78.20
6	2nd	L'Est Républicain	75399	74710	50.23
7	2nd	Le Monde	119830	43528	73.35
8	2nd	Le Devoir	65724	110478	37.30

Table 282: Consolidated results (piste2-result1-marf-text-only-journal), Part 23.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
38	1st	-text-only -journal -nopreprep -norm -randfe -cheb	1528	2191	41.09
39	1st	-text-only -journal -nopreprep -norm -randfe -diff	1527	2192	41.06
40	1st	-text-only -journal -nopreprep -bandstop -randfe -diff	1527	2192	41.06
41	1st	-text-only -journal -silence-noise -low -randfe -eucl	1526	2193	41.03
42	1st	-text-only -journal -noise -low -randfe -diff	1526	2193	41.03
43	1st	-text-only -journal -noise -norm -randfe -mink	1526	2193	41.03
44	1st	-text-only -journal -nopreprep -bandstop -randfe -cheb	1526	2193	41.03
45	1st	-text-only -journal -noise -low -randfe -cheb	1526	2193	41.03
46	1st	-text-only -journal -silence-noise -norm -randfe -cheb	1526	2193	41.03
47	1st	-text-only -journal -nopreprep -low -randfe -mink	1526	2193	41.03
48	1st	-text-only -journal -nopreprep -low -randfe -diff	1525	2194	41.01
49	1st	-text-only -journal -silence-noise -low -randfe -cheb	1525	2194	41.01
50	1st	-text-only -journal -noise -norm -randfe -diff	1525	2194	41.01
51	1st	-text-only -journal -silence-noise -norm -randfe -diff	1525	2194	41.01
52	1st	-text-only -journal -nopreprep -low -randfe -cheb	1525	2194	41.01
53	1st	-text-only -journal -silence -raw -randfe -cheb	114	164	41.01
54	1st	-text-only -journal -silence-noise -norm -randfe -eucl	1525	2194	41.01
55	1st	-text-only -journal -noise -norm -randfe -cheb	1525	2194	41.01
56	1st	-text-only -journal -silence-noise -low -randfe -diff	1525	2194	41.01
57	1st	-text-only -journal -silence -low -randfe -hamming	82	118	41.00
58	1st	-text-only -journal -nopreprep -low -randfe -eucl	1524	2195	40.98
59	1st	-text-only -journal -nopreprep -norm -randfe -eucl	1524	2195	40.98

Table 283: Consolidated results (piste2-result1-marf-text-only-journal), Part 2.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
60	1st	-text-only -journal -nopreprep -bandstop -randfe -eucl	1523	2196	40.95
61	1st	-text-only -journal -silence-noise -norm -randfe -mink	1523	2196	40.95
62	1st	-text-only -journal -noise -low -randfe -eucl	1521	2198	40.90
63	1st	-text-only -journal -silence-noise -raw -randfe -cheb	1520	2199	40.87
64	1st	-text-only -journal -nopreprep -raw -randfe -eucl	1520	2199	40.87
65	1st	-text-only -journal -noise -raw -randfe -eucl	1520	2199	40.87
66	1st	-text-only -journal -nopreprep -raw -randfe -cheb	1520	2199	40.87
67	1st	-text-only -journal -noise -raw -randfe -cheb	1520	2199	40.87
68	1st	-text-only -journal -silence-noise -raw -randfe -eucl	1520	2199	40.87
69	1st	-text-only -journal -nopreprep -bandstop -randfe -mink	1518	2201	40.82
70	1st	-text-only -journal -noise -raw -randfe -diff	1517	2202	40.79
71	1st	-text-only -journal -noise -bandstop -randfe -eucl	1517	2202	40.79
72	1st	-text-only -journal -silence-noise -raw -randfe -diff	1517	2202	40.79
73	1st	-text-only -journal -silence-noise -bandstop -randfe -eucl	1517	2202	40.79
74	1st	-text-only -journal -nopreprep -raw -randfe -diff	1517	2202	40.79
75	1st	-text-only -journal -noise -bandstop -randfe -mink	1513	2206	40.68
76	1st	-text-only -journal -noise -bandstop -randfe -diff	1512	2207	40.66
77	1st	-text-only -journal -silence-noise -bandstop -randfe -mink	1512	2207	40.66
78	1st	-text-only -journal -silence-noise -bandstop -randfe -diff	1512	2207	40.66
79	1st	-text-only -journal -noise -bandstop -randfe -cheb	1511	2208	40.63
80	1st	-text-only -journal -silence-noise -bandstop -randfe -cheb	1510	2209	40.60
81	1st	-text-only -journal -silence -norm -randfe -eucl	99	145	40.57
82	1st	-text-only -journal -silence-noise -endp -randfe -eucl	1504	2215	40.44
83	1st	-text-only -journal -silence-noise -low -randfe -mink	1504	2215	40.44
84	1st	-text-only -journal -noise -endp -randfe -eucl	1503	2216	40.41
85	1st	-text-only -journal -noise -low -randfe -mink	1502	2217	40.39
86	1st	-text-only -journal -nopreprep -endp -randfe -cheb	1499	2220	40.31
87	1st	-text-only -journal -nopreprep -endp -randfe -diff	1496	2223	40.23
88	1st	-text-only -journal -nopreprep -endp -randfe -eucl	1493	2226	40.15
89	1st	-text-only -journal -silence -norm -randfe -mink	564	841	40.14

Table 284: Consolidated results (piste2-result1-marf-text-only-journal), Part 3.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
90	1st	-text-only -journal -noise -raw -randfe -mink	1478	2241	39.74
91	1st	-text-only -journal -silence-noise -raw -randfe -mink	1478	2241	39.74
92	1st	-text-only -journal -nopreprep -raw -randfe -mink	1478	2241	39.74
93	1st	-text-only -journal -nopreprep -norm -randfe -mink	1473	2246	39.61
94	1st	-text-only -journal -nopreprep -norm -randfe -hamming	1472	2247	39.58
95	1st	-text-only -journal -noise -endp -randfe -diff	1464	2255	39.37
96	1st	-text-only -journal -silence-noise -endp -randfe -mink	1464	2255	39.37
97	1st	-text-only -journal -noise -endp -randfe -cheb	1463	2256	39.34
98	1st	-text-only -journal -noise -endp -randfe -mink	1463	2256	39.34
99	1st	-text-only -journal -silence-noise -endp -randfe -diff	1461	2258	39.28
100	1st	-text-only -journal -noise -low -randfe -hamming	1460	2259	39.26
101	1st	-text-only -journal -nopreprep -bandstop -randfe -hamming	1458	2261	39.20
102	1st	-text-only -journal -silence-noise -endp -randfe -cheb	1458	2261	39.20
103	1st	-text-only -journal -nopreprep -raw -randfe -hamming	1453	2266	39.07
104	1st	-text-only -journal -silence-noise -raw -randfe -hamming	1453	2266	39.07
105	1st	-text-only -journal -noise -raw -randfe -hamming	1453	2266	39.07
106	1st	-text-only -journal -silence -raw -randfe -hamming	133	208	39.00
107	1st	-text-only -journal -silence-noise -low -randfe -hamming	1445	2274	38.85
108	1st	-text-only -journal -noise -bandstop -randfe -hamming	1444	2275	38.83
109	1st	-text-only -journal -silence-noise -norm -randfe -hamming	1436	2283	38.61
110	1st	-text-only -journal -silence-noise -bandstop -randfe -hamming	1434	2285	38.56
111	1st	-text-only -journal -nopreprep -low -randfe -hamming	1426	2293	38.34
112	1st	-text-only -journal -noise -norm -randfe -hamming	1426	2293	38.34
113	1st	-text-only -journal -silence -norm -randfe -hamming	252	406	38.30
114	1st	-text-only -journal -noise -raw -randfe -cos	1405	2314	37.78
115	1st	-text-only -journal -nopreprep -raw -randfe -cos	1405	2314	37.78
116	1st	-text-only -journal -silence-noise -raw -randfe -cos	1405	2314	37.78
117	1st	-text-only -journal -nopreprep -norm -randfe -cos	1400	2319	37.64
118	1st	-text-only -journal -nopreprep -endp -randfe -mink	1400	2319	37.64
119	1st	-text-only -journal -nopreprep -low -randfe -cos	1367	2352	36.76

Table 285: Consolidated results (piste2-result1-marf-text-only-journal), Part 4.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
120	1st	-text-only -journal -noise -norm -randfe -cos	1367	2352	36.76
121	1st	-text-only -journal -noise -low -randfe -cos	1365	2354	36.70
122	1st	-text-only -journal -silence -endp -randfe -mink	119	207	36.50
123	1st	-text-only -journal -silence -band -randfe -cos	104	181	36.49
124	1st	-text-only -journal -silence -high -randfe -mink	31	54	36.47
125	1st	-text-only -journal -silence-noise -low -randfe -cos	1355	2364	36.43
126	1st	-text-only -journal -silence-noise -norm -randfe -cos	1345	2374	36.17
127	1st	-text-only -journal -silence -band -randfe -eucl	102	183	35.79
128	1st	-text-only -journal -silence -high -randfe -cheb	145	268	35.11
129	1st	-text-only -journal -nopreprep -bandstop -randfe -cos	1286	2433	34.58
130	1st	-text-only -journal -silence -bandstop -randfe -cos	211	401	34.48
131	1st	-text-only -journal -noise -band -randfe -eucl	1264	2455	33.99
132	1st	-text-only -journal -nopreprep -band -randfe -eucl	1256	2463	33.77
133	1st	-text-only -journal -noise -endp -randfe -hamming	1251	2468	33.64
134	1st	-text-only -journal -noise -band -randfe -cos	1248	2471	33.56
135	1st	-text-only -journal -nopreprep -endp -randfe -hamming	1247	2472	33.53
136	1st	-text-only -journal -silence-noise -endp -randfe -hamming	1244	2475	33.45
137	1st	-text-only -journal -silence-noise -band -randfe -cos	1243	2476	33.42
138	1st	-text-only -journal -nopreprep -band -randfe -cos	1241	2478	33.37
139	1st	-text-only -journal -nopreprep -bandcfe -lpc -cheb	5	10	33.33
140	1st	-text-only -journal -silence -lowcfe -fft -cheb	5	10	33.33
141	1st	-text-only -journal -nopreprep -lowcfe -fft -hamming	2	4	33.33
142	1st	-text-only -journal -silence -bandcfe -fft -hamming	5	10	33.33
143	1st	-text-only -journal -silence -bandstopcfe -aggr -cos	2	4	33.33
144	1st	-text-only -journal -silence -bandstopcfe -randfe -hamming	2	4	33.33
145	1st	-text-only -journal -nopreprep -bandstopcfe -aggr -diff	5	10	33.33
146	1st	-text-only -journal -silence -bandcfe -lpc -mink	5	10	33.33
147	1st	-text-only -journal -nopreprep -bandcfe -randfe -diff	3	6	33.33
148	1st	-text-only -journal -silence -highcfe -fft -mink	5	10	33.33
149	1st	-text-only -journal -silence -bandcfe -aggr -eucl	2	4	33.33

Table 286: Consolidated results (piste2-result1-marf-text-only-journal), Part 5.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
150	1st	-text-only -journal -silence -band -randfe -diff	66	132	33.33
151	1st	-text-only -journal -noise -band -randfe -cheb	1231	2488	33.10
152	1st	-text-only -journal -silence-noise -band -randfe -eucl	1228	2491	33.02
153	1st	-text-only -journal -silence -band -randfe -mink	34	69	33.01
154	1st	-text-only -journal -nopreprep -band -randfe -diff	1227	2492	32.99
155	1st	-text-only -journal -nopreprep -band -randfe -cheb	1224	2495	32.91
156	1st	-text-only -journal -nopreprep -high -randfe -eucl	1217	2502	32.72
157	1st	-text-only -journal -nopreprep -high -randfe -cos	1214	2505	32.64
158	1st	-text-only -journal -noise -band -randfe -diff	1213	2506	32.62
159	1st	-text-only -journal -nopreprep -high -randfe -cheb	1211	2508	32.56
160	1st	-text-only -journal -silence-noise -bandstop -randfe -cos	1211	2508	32.56
161	1st	-text-only -journal -nopreprep -high -randfe -diff	1209	2510	32.51
162	1st	-text-only -journal -noise -bandstop -randfe -cos	1205	2514	32.40
163	1st	-text-only -journal -silence -band -randfe -cheb	183	382	32.39
164	1st	-text-only -journal -silence -high -randfe -cos	34	71	32.38
165	1st	-text-only -journal -silence-noise -band -randfe -cheb	1190	2529	32.00
166	1st	-text-only -journal -silence-noise -band -randfe -diff	1178	2541	31.68
167	1st	-text-only -journal -silence-noise -band -randfe -mink	1172	2547	31.51
168	1st	-text-only -journal -silence -bandstopcfe -lpc -eucl	5	11	31.25
169	1st	-text-only -journal -nopreprep -bandcfe -minmax -mink	5	11	31.25
170	1st	-text-only -journal -nopreprep -bandstopcfe -fft -cheb	5	11	31.25
171	1st	-text-only -journal -nopreprep -highcfe -lpc -hamming	5	11	31.25
172	1st	-text-only -journal -silence -endp -randfe -hamming	37	82	31.09
173	1st	-text-only -journal -silence -boost -randfe -diff	4	9	30.77
174	1st	-text-only -journal -silence -bandcfe -aggr -diff	4	9	30.77
175	1st	-text-only -journal -nopreprep -bandstopcfe -randfe -cos	14	32	30.43
176	1st	-text-only -journal -nopreprep -high -randfe -mink	1123	2596	30.20
177	1st	-text-only -journal -nopreprep -band -randfe -mink	1123	2596	30.20
178	1st	-text-only -journal -silence -highcfe -randfe -diff	3	7	30.00
179	1st	-text-only -journal -nopreprep -lowcfe -lpc -mink	3	7	30.00

Table 287: Consolidated results (piste2-result1-marf-text-only-journal), Part 6.

Run #	Guess	Configuration	GOOD	BAD	Precision,
180	1st	-text-only -journal -silence -endp -randfe -cos	62	145	29.
181	1st	-text-only -journal -nopreprep -bandstopcfe -minmax -eucl	14	33	29.
182	1st	-text-only -journal -silence -high -randfe -diff	22	52	29.
183	1st	-text-only -journal -silence -highcfe -randfe -hamming	13	31	29.
184	1st	-text-only -journal -noise -band -randfe -mink	1098	2621	29.
185	1st	-text-only -journal -silence -highcfe -lpc -mink	5	12	29.
186	1st	-text-only -journal -silence -boost -randfe -hamming	14	34	29.
187	1st	-text-only -journal -nopreprep -lowcfe -fft -mink	15	37	28.
188	1st	-text-only -journal -noise -endp -randfe -cos	1067	2652	28.
189	1st	-text-only -journal -nopreprep -lowcfe -minmax -eucl	10	25	28.
190	1st	-text-only -journal -silence -bandcfe -randfe -eucl	2	5	28.
191	1st	-text-only -journal -nopreprep -bandcfe -minmax -cos	4	10	28.
192	1st	-text-only -journal -nopreprep -bandcfe -minmax -diff	4	10	28.
193	1st	-text-only -journal -nopreprep -bandstopcfe -lpc -eucl	12	30	28.
194	1st	-text-only -journal -silence -bandcfe -randfe -mink	6	15	28.
195	1st	-text-only -journal -silence -bandstopcfe -fft -mink	4	10	28.
196	1st	-text-only -journal -silence-noise -endp -randfe -cos	1061	2658	28.
197	1st	-text-only -journal -silence-noise -high -randfe -eucl	1060	2659	28.
198	1st	-text-only -journal -silence -lowcfe -randfe -mink	52	132	28.
199	1st	-text-only -journal -silence-noise -high -randfe -mink	1045	2674	28.
200	1st	-text-only -journal -silence-noise -high -randfe -cos	1038	2681	27.
201	1st	-text-only -journal -silence -highpassboost -randfe -cheb	88	228	27.
202	1st	-text-only -journal -silence-noise -high -randfe -cheb	1035	2684	27.
203	1st	-text-only -journal -silence -bandstopcfe -lpc -hamming	15	39	27.
204	1st	-text-only -journal -nopreprep -bandstopcfe -fft -diff	10	26	27.
205	1st	-text-only -journal -nopreprep -lowcfe -lpc -cheb	5	13	27.
206	1st	-text-only -journal -nopreprep -bandstopcfe -fft -eucl	5	13	27.
207	1st	-text-only -journal -nopreprep -highpassboost -randfe -mink	1015	2704	27.
208	1st	-text-only -journal -nopreprep -highpassboost -randfe -hamming	1015	2704	27.
209	1st	-text-only -journal -nopreprep -bandcfe -randfe -eucl	1015	2704	27.

Table 288: Consolidated results (piste2-result1-marf-text-only-journal), Part 7.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
210	1st	-text-only -journal -noise -highpassboost -randfe -diff	1015	2704	27.29
211	1st	-text-only -journal -silence-noise -boost -randfe -cheb	1015	2704	27.29
212	1st	-text-only -journal -nopreprep -highpassboost -randfe -diff	1015	2704	27.29
213	1st	-text-only -journal -nopreprep -highcfe -randfe -cos	1015	2704	27.29
214	1st	-text-only -journal -nopreprep -lowcfe -randfe -eucl	1015	2704	27.29
215	1st	-text-only -journal -nopreprep -highcfe -randfe -mink	1015	2704	27.29
216	1st	-text-only -journal -nopreprep -lowcfe -randfe -cos	1015	2704	27.29
217	1st	-text-only -journal -nopreprep -highcfe -randfe -diff	1015	2704	27.29
218	1st	-text-only -journal -silence-noise -highpassboost -randfe -eucl	1015	2704	27.29
219	1st	-text-only -journal -nopreprep -bandcfe -randfe -cheb	1015	2704	27.29
220	1st	-text-only -journal -noise -highpassboost -randfe -eucl	1015	2704	27.29
221	1st	-text-only -journal -nopreprep -lowcfe -randfe -cheb	1015	2704	27.29
222	1st	-text-only -journal -noise -highpassboost -randfe -cos	1015	2704	27.29
223	1st	-text-only -journal -nopreprep -highpassboost -randfe -eucl	1015	2704	27.29
224	1st	-text-only -journal -nopreprep -boost -randfe -cos	1015	2704	27.29
225	1st	-text-only -journal -nopreprep -highcfe -randfe -hamming	1015	2704	27.29
226	1st	-text-only -journal -nopreprep -highpassboost -randfe -cos	1015	2704	27.29
227	1st	-text-only -journal -nopreprep -boost -randfe -mink	1015	2704	27.29
228	1st	-text-only -journal -noise -boost -randfe -mink	1015	2704	27.29
229	1st	-text-only -journal -silence-noise -highpassboost -randfe -cheb	1015	2704	27.29
230	1st	-text-only -journal -nopreprep -highcfe -randfe -eucl	1015	2704	27.29
231	1st	-text-only -journal -noise -boost -randfe -cos	1015	2704	27.29
232	1st	-text-only -journal -nopreprep -boost -randfe -diff	1015	2704	27.29
233	1st	-text-only -journal -silence-noise -boost -randfe -hamming	1015	2704	27.29
234	1st	-text-only -journal -noise -boost -randfe -diff	1015	2704	27.29
235	1st	-text-only -journal -noise -highpassboost -randfe -cheb	1015	2704	27.29
236	1st	-text-only -journal -silence-noise -boost -randfe -mink	1015	2704	27.29
237	1st	-text-only -journal -nopreprep -highpassboost -randfe -cheb	1015	2704	27.29
238	1st	-text-only -journal -nopreprep -boost -randfe -hamming	1015	2704	27.29
239	1st	-text-only -journal -silence-noise -highpassboost -randfe -cos	1015	2704	27.29

Table 289: Consolidated results (piste2-result1-marf-text-only-journal), Part 8.

Run #	Guess	Configuration	GOOD	BAD	Precisio
240	1st	-text-only -journal -silence-noise -boost -randfe -diff	1015	2704	2
241	1st	-text-only -journal -silence-noise -boost -randfe -cos	1015	2704	2
242	1st	-text-only -journal -nopreprep -highcfe -randfe -cheb	1015	2704	2
243	1st	-text-only -journal -nopreprep -lowcfe -randfe -hamming	1015	2704	2
244	1st	-text-only -journal -nopreprep -bandcfe -randfe -mink	1015	2704	2
245	1st	-text-only -journal -nopreprep -boost -randfe -eucl	1015	2704	2
246	1st	-text-only -journal -noise -boost -randfe -eucl	1015	2704	2
247	1st	-text-only -journal -nopreprep -lowcfe -randfe -mink	1015	2704	2
248	1st	-text-only -journal -nopreprep -lowcfe -randfe -diff	1015	2704	2
249	1st	-text-only -journal -noise -boost -randfe -hamming	1015	2704	2
250	1st	-text-only -journal -silence-noise -boost -randfe -eucl	1015	2704	2
251	1st	-text-only -journal -silence-noise -highpassboost -randfe -hamming	1015	2704	2
252	1st	-text-only -journal -silence-noise -highpassboost -randfe -mink	1015	2704	2
253	1st	-text-only -journal -noise -highpassboost -randfe -hamming	1015	2704	2
254	1st	-text-only -journal -nopreprep -boost -randfe -cheb	1015	2704	2
255	1st	-text-only -journal -noise -boost -randfe -cheb	1015	2704	2
256	1st	-text-only -journal -silence-noise -highpassboost -randfe -diff	1015	2704	2
257	1st	-text-only -journal -noise -highpassboost -randfe -mink	1015	2704	2
258	1st	-text-only -journal -nopreprep -bandcfe -aggr -cheb	3	8	2
259	1st	-text-only -journal -nopreprep -lowcfe -minmax -mink	6	16	2
260	1st	-text-only -journal -silence -lowcfe -randfe -diff	15	40	2
261	1st	-text-only -journal -silence -bandstopcfe -randfe -eucl	6	16	2
262	1st	-text-only -journal -nopreprep -bandcfe -lpc -cos	15	40	2
263	1st	-text-only -journal -silence -highpassboost -randfe -diff	94	253	2
264	1st	-text-only -journal -nopreprep -lowcfe -fft -eucl	10	27	2
265	1st	-text-only -journal -noise -high -randfe -mink	1000	2719	2
266	1st	-text-only -journal -nopreprep -endp -randfe -cos	1000	2719	2
267	1st	-text-only -journal -nopreprep -bandstopcfe -randfe -cheb	11	30	2
268	1st	-text-only -journal -noise -high -randfe -hamming	986	2733	2
269	1st	-text-only -journal -nopreprep -lowcfe -lpc -diff	38	106	2

Table 290: Consolidated results (piste2-result1-marf-text-only-journal), Part 9.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
270	1st	-text-only -journal -silence -highcfe -randfe -mink	10	28	26.32
271	1st	-text-only -journal -noise -high -randfe -cos	978	2741	26.30
272	1st	-text-only -journal -noise -high -randfe -cheb	977	2742	26.27
273	1st	-text-only -journal -noise -high -randfe -eucl	973	2746	26.16
274	1st	-text-only -journal -silence -highpassboost -randfe -hamming	137	388	26.10
275	1st	-text-only -journal -noise -band -randfe -hamming	970	2749	26.08
276	1st	-text-only -journal -silence -bandcfe -lpc -hamming	6	17	26.09
277	1st	-text-only -journal -nopreprep -bandcfe -randfe -cos	32	91	26.02
278	1st	-text-only -journal -silence-noise -high -randfe -diff	966	2753	25.97
279	1st	-text-only -journal -silence -lowcfe -randfe -hamming	9	26	25.71
280	1st	-text-only -journal -nopreprep -bandstopcfe -randfe -diff	9	26	25.71
281	1st	-text-only -journal -silence -lowcfe -lpc -eucl	9	26	25.71
282	1st	-text-only -journal -nopreprep -highcfe -fft -diff	9	26	25.71
283	1st	-text-only -journal -silence -bandstopcfe -randfe -cheb	36	104	25.71
284	1st	-text-only -journal -nopreprep -band -randfe -hamming	952	2767	25.60
285	1st	-text-only -journal -silence-noise -band -randfe -hamming	952	2767	25.60
286	1st	-text-only -journal -noise -high -randfe -diff	952	2767	25.60
287	1st	-text-only -journal -nopreprep -bandstopcfe -randfe -hamming	16	47	25.40
288	1st	-text-only -journal -silence -boost -randfe -cos	253	744	25.38
289	1st	-text-only -journal -nopreprep -high -randfe -hamming	939	2780	25.25
290	1st	-text-only -journal -silence-noise -high -randfe -hamming	937	2782	25.19
291	1st	-text-only -journal -silence -highcfe -aggr -hamming	2	6	25.00
292	1st	-text-only -journal -nopreprep -highcfe -lpc -diff	16	48	25.00
293	1st	-text-only -journal -silence -lowcfe -randfe -cheb	8	24	25.00
294	1st	-text-only -journal -silence -bandcfe -fft -cos	5	15	25.00
295	1st	-text-only -journal -nopreprep -bandcfe -minmax -hamming	6	18	25.00
296	1st	-text-only -journal -silence -bandstopcfe -fft -diff	6	18	25.00
297	1st	-text-only -journal -silence -bandcfe -aggr -cos	9	28	24.32
298	1st	-text-only -journal -silence -bandstopcfe -aggr -eucl	16	50	24.24
299	1st	-text-only -journal -silence -bandstopcfe -fft -cos	27	85	24.11

Table 291: Consolidated results (piste2-result1-marf-text-only-journal), Part 10.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
300	1st	-text-only -journal -nopreprep -highcfe -aggr -eucl	6	19	24.00
301	1st	-text-only -journal -silence -highcfe -fft -cos	15	48	23.81
302	1st	-text-only -journal -nopreprep -lowcfe -minmax -hamming	8	26	23.53
303	1st	-text-only -journal -nopreprep -bandstopcfe -randfe -eucl	15	49	23.44
304	1st	-text-only -journal -silence -bandcfe -fft -mink	3	10	23.08
305	1st	-text-only -journal -silence -highcfe -randfe -eucl	6	20	23.08
306	1st	-text-only -journal -nopreprep -lowcfe -lpc -hamming	6	20	23.08
307	1st	-text-only -journal -silence -bandcfe -randfe -diff	20	67	22.99
308	1st	-text-only -journal -silence -boost -randfe -eucl	16	55	22.54
309	1st	-text-only -journal -silence -bandcfe -lpc -cheb	6	21	22.22
310	1st	-text-only -journal -silence -highcfe -lpc -cos	6	21	22.22
311	1st	-text-only -journal -nopreprep -bandcfe -randfe -hamming	16	57	21.92
312	1st	-text-only -journal -silence -bandstopcfe -fft -eucl	7	25	21.88
313	1st	-text-only -journal -silence -lowcfe -randfe -eucl	7	25	21.88
314	1st	-text-only -journal -nopreprep -bandstopcfe -minmax -cos	6	22	21.43
315	1st	-text-only -journal -nopreprep -highcfe -lpc -mink	6	23	20.69
316	1st	-text-only -journal -silence -bandstopcfe -lpc -cos	6	23	20.69
317	1st	-text-only -journal -nopreprep -bandcfe -lpc -diff	6	23	20.69
318	1st	-text-only -journal -silence -band -randfe -hamming	1	4	20.00
319	1st	-text-only -journal -silence -raw -randfe -diff	0	1	0.00
320	1st	-text-only -journal -silence -low -randfe -eucl	0	1	0.00
321	1st	-text-only -journal -silence -low -randfe -cos	0	2	0.00
322	1st	-text-only -journal -silence -bandstop -randfe -eucl	0	1	0.00
323	1st	-text-only -journal -silence -high -randfe -eucl	0	1	0.00
324	2nd	-text-only -journal -silence -boost -randfe -mink	1	0	100.00
325	2nd	-text-only -journal -silence -bandcfe -aggr -hamming	1	0	100.00
326	2nd	-text-only -journal -silence -bandstopcfe -lpc -mink	1	0	100.00
327	2nd	-text-only -journal -nopreprep -highcfe -minmax -eucl	1	0	100.00
328	2nd	-text-only -journal -nopreprep -lowcfe -lpc -cos	1	0	100.00
329	2nd	-text-only -journal -silence -bandstopcfe -aggr -hamming	1	0	100.00

Table 292: Consolidated results (piste2-result1-marf-text-only-journal), Part 11.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
361	2nd	-text-only -journal -nopreprep -norm -randfe -cheb	2571	1148	69.13
362	2nd	-text-only -journal -nopreprep -norm -randfe -diff	2571	1148	69.13
363	2nd	-text-only -journal -nopreprep -bandstop -randfe -diff	2570	1149	69.10
364	2nd	-text-only -journal -silence-noise -low -randfe -eucl	2570	1149	69.10
365	2nd	-text-only -journal -noise -low -randfe -diff	2569	1150	69.08
366	2nd	-text-only -journal -noise -norm -randfe -mink	2542	1177	68.35
367	2nd	-text-only -journal -nopreprep -bandstop -randfe -cheb	2570	1149	69.10
368	2nd	-text-only -journal -noise -low -randfe -cheb	2569	1150	69.08
369	2nd	-text-only -journal -silence-noise -norm -randfe -cheb	2569	1150	69.08
370	2nd	-text-only -journal -nopreprep -low -randfe -mink	2542	1177	68.35
371	2nd	-text-only -journal -nopreprep -low -randfe -diff	2568	1151	69.05
372	2nd	-text-only -journal -silence-noise -low -randfe -cheb	2569	1150	69.08
373	2nd	-text-only -journal -noise -norm -randfe -diff	2568	1151	69.05
374	2nd	-text-only -journal -silence-noise -norm -randfe -diff	2569	1150	69.08
375	2nd	-text-only -journal -nopreprep -low -randfe -cheb	2568	1151	69.05
376	2nd	-text-only -journal -silence -raw -randfe -cheb	188	90	67.63
377	2nd	-text-only -journal -silence-noise -norm -randfe -eucl	2565	1154	68.97
378	2nd	-text-only -journal -noise -norm -randfe -cheb	2568	1151	69.05
379	2nd	-text-only -journal -silence-noise -low -randfe -diff	2569	1150	69.08
380	2nd	-text-only -journal -silence -low -randfe -hamming	129	71	64.50
381	2nd	-text-only -journal -nopreprep -low -randfe -eucl	2566	1153	69.00
382	2nd	-text-only -journal -nopreprep -norm -randfe -eucl	2563	1156	68.92
383	2nd	-text-only -journal -nopreprep -bandstop -randfe -eucl	2567	1152	69.02
384	2nd	-text-only -journal -silence-noise -norm -randfe -mink	2547	1172	68.49
385	2nd	-text-only -journal -noise -low -randfe -eucl	2568	1151	69.05
386	2nd	-text-only -journal -silence-noise -raw -randfe -cheb	2573	1146	69.19
387	2nd	-text-only -journal -nopreprep -raw -randfe -eucl	2571	1148	69.13
388	2nd	-text-only -journal -noise -raw -randfe -eucl	2571	1148	69.13
389	2nd	-text-only -journal -nopreprep -raw -randfe -cheb	2573	1146	69.19

Table 293: Consolidated results (piste2-result1-marf-text-only-journal), Part 13.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
390	2nd	-text-only -journal -noise -raw -randfe -cheb	2573	1146	69.19
391	2nd	-text-only -journal -silence-noise -raw -randfe -eucl	2571	1148	69.13
392	2nd	-text-only -journal -nopreprep -bandstop -randfe -mink	2543	1176	68.38
393	2nd	-text-only -journal -noise -raw -randfe -diff	2573	1146	69.19
394	2nd	-text-only -journal -noise -bandstop -randfe -eucl	2568	1151	69.05
395	2nd	-text-only -journal -silence-noise -raw -randfe -diff	2573	1146	69.19
396	2nd	-text-only -journal -silence-noise -bandstop -randfe -eucl	2568	1151	69.05
397	2nd	-text-only -journal -nopreprep -raw -randfe -diff	2573	1146	69.19
398	2nd	-text-only -journal -noise -bandstop -randfe -mink	2558	1161	68.78
399	2nd	-text-only -journal -noise -bandstop -randfe -diff	2567	1152	69.02
400	2nd	-text-only -journal -silence-noise -bandstop -randfe -mink	2557	1162	68.76
401	2nd	-text-only -journal -silence-noise -bandstop -randfe -diff	2568	1151	69.05
402	2nd	-text-only -journal -noise -bandstop -randfe -cheb	2568	1151	69.05
403	2nd	-text-only -journal -silence-noise -bandstop -randfe -cheb	2569	1150	69.08
404	2nd	-text-only -journal -silence -norm -randfe -eucl	162	82	66.39
405	2nd	-text-only -journal -silence-noise -endp -randfe -eucl	2570	1149	69.10
406	2nd	-text-only -journal -silence-noise -low -randfe -mink	2533	1186	68.11
407	2nd	-text-only -journal -noise -endp -randfe -eucl	2570	1149	69.10
408	2nd	-text-only -journal -noise -low -randfe -mink	2538	1181	68.24
409	2nd	-text-only -journal -nopreprep -endp -randfe -cheb	2510	1209	67.49
410	2nd	-text-only -journal -nopreprep -endp -randfe -diff	2509	1210	67.46
411	2nd	-text-only -journal -nopreprep -endp -randfe -eucl	2531	1188	68.06
412	2nd	-text-only -journal -silence -norm -randfe -mink	959	446	68.26
413	2nd	-text-only -journal -noise -raw -randfe -mink	2480	1239	66.68
414	2nd	-text-only -journal -silence-noise -raw -randfe -mink	2480	1239	66.68
415	2nd	-text-only -journal -nopreprep -raw -randfe -mink	2480	1239	66.68
416	2nd	-text-only -journal -nopreprep -norm -randfe -mink	2488	1231	66.90
417	2nd	-text-only -journal -nopreprep -norm -randfe -hamming	2340	1379	62.92
418	2nd	-text-only -journal -noise -endp -randfe -diff	2553	1166	68.65
419	2nd	-text-only -journal -silence-noise -endp -randfe -mink	2531	1188	68.06

Table 294: Consolidated results (piste2-result1-marf-text-only-journal), Part 14.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
420	2nd	-text-only -journal -noise -endp -randfe -cheb	2552	1167	68.62
421	2nd	-text-only -journal -noise -endp -randfe -mink	2531	1188	68.06
422	2nd	-text-only -journal -silence-noise -endp -randfe -diff	2551	1168	68.59
423	2nd	-text-only -journal -noise -low -randfe -hamming	2421	1298	65.10
424	2nd	-text-only -journal -nopreprep -bandstop -randfe -hamming	2405	1314	64.67
425	2nd	-text-only -journal -silence-noise -endp -randfe -cheb	2548	1171	68.51
426	2nd	-text-only -journal -nopreprep -raw -randfe -hamming	2367	1352	63.65
427	2nd	-text-only -journal -silence-noise -raw -randfe -hamming	2367	1352	63.65
428	2nd	-text-only -journal -noise -raw -randfe -hamming	2367	1352	63.65
429	2nd	-text-only -journal -silence -raw -randfe -hamming	218	123	63.93
430	2nd	-text-only -journal -silence-noise -low -randfe -hamming	2393	1326	64.35
431	2nd	-text-only -journal -noise -bandstop -randfe -hamming	2377	1342	63.92
432	2nd	-text-only -journal -silence-noise -norm -randfe -hamming	2419	1300	65.04
433	2nd	-text-only -journal -silence-noise -bandstop -randfe -hamming	2374	1345	63.83
434	2nd	-text-only -journal -nopreprep -low -randfe -hamming	2371	1348	63.75
435	2nd	-text-only -journal -noise -norm -randfe -hamming	2371	1348	63.75
436	2nd	-text-only -journal -silence -norm -randfe -hamming	416	242	63.22
437	2nd	-text-only -journal -noise -raw -randfe -cos	2405	1314	64.67
438	2nd	-text-only -journal -nopreprep -raw -randfe -cos	2405	1314	64.67
439	2nd	-text-only -journal -silence-noise -raw -randfe -cos	2405	1314	64.67
440	2nd	-text-only -journal -nopreprep -norm -randfe -cos	2403	1316	64.61
441	2nd	-text-only -journal -nopreprep -endp -randfe -mink	2451	1268	65.90
442	2nd	-text-only -journal -nopreprep -low -randfe -cos	2400	1319	64.53
443	2nd	-text-only -journal -noise -norm -randfe -cos	2400	1319	64.53
444	2nd	-text-only -journal -noise -low -randfe -cos	2393	1326	64.35
445	2nd	-text-only -journal -silence -endp -randfe -mink	215	111	65.95
446	2nd	-text-only -journal -silence -band -randfe -cos	171	114	60.00
447	2nd	-text-only -journal -silence -high -randfe -mink	52	33	61.18
448	2nd	-text-only -journal -silence-noise -low -randfe -cos	2411	1308	64.83
449	2nd	-text-only -journal -silence-noise -norm -randfe -cos	2380	1339	64.00

Table 295: Consolidated results (piste2-result1-marf-text-only-journal), Part 15.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
450	2nd	-text-only -journal -silence -band -randfe -eucl	175	110	61.40
451	2nd	-text-only -journal -silence -high -randfe -cheb	254	159	61.50
452	2nd	-text-only -journal -nopreprep -bandstop -randfe -cos	2353	1366	63.27
453	2nd	-text-only -journal -silence -bandstop -randfe -cos	396	216	64.71
454	2nd	-text-only -journal -noise -band -randfe -eucl	2212	1507	59.48
455	2nd	-text-only -journal -nopreprep -band -randfe -eucl	2231	1488	59.99
456	2nd	-text-only -journal -noise -endp -randfe -hamming	2314	1405	62.22
457	2nd	-text-only -journal -noise -band -randfe -cos	2201	1518	59.18
458	2nd	-text-only -journal -nopreprep -endp -randfe -hamming	2251	1468	60.53
459	2nd	-text-only -journal -silence-noise -endp -randfe -hamming	2328	1391	62.60
460	2nd	-text-only -journal -silence-noise -band -randfe -cos	2197	1522	59.08
461	2nd	-text-only -journal -nopreprep -band -randfe -cos	2222	1497	59.75
462	2nd	-text-only -journal -nopreprep -bandcfe -lpc -cheb	11	4	73.33
463	2nd	-text-only -journal -silence -lowcfe -fft -cheb	11	4	73.33
464	2nd	-text-only -journal -nopreprep -lowcfe -fft -hamming	4	2	66.67
465	2nd	-text-only -journal -silence -bandcfe -fft -hamming	11	4	73.33
466	2nd	-text-only -journal -silence -bandstopcfe -aggr -cos	4	2	66.67
467	2nd	-text-only -journal -silence -bandstopcfe -randfe -hamming	4	2	66.67
468	2nd	-text-only -journal -nopreprep -bandstopcfe -aggr -diff	11	4	73.33
469	2nd	-text-only -journal -silence -bandcfe -lpc -mink	11	4	73.33
470	2nd	-text-only -journal -nopreprep -bandcfe -randfe -diff	7	2	77.78
471	2nd	-text-only -journal -silence -highcfe -fft -mink	11	4	73.33
472	2nd	-text-only -journal -silence -bandcfe -aggr -eucl	4	2	66.67
473	2nd	-text-only -journal -silence -band -randfe -diff	114	84	57.58
474	2nd	-text-only -journal -noise -band -randfe -cheb	2223	1496	59.77
475	2nd	-text-only -journal -silence-noise -band -randfe -eucl	2200	1519	59.16
476	2nd	-text-only -journal -silence -band -randfe -mink	63	40	61.17
477	2nd	-text-only -journal -nopreprep -band -randfe -diff	2205	1514	59.29
478	2nd	-text-only -journal -nopreprep -band -randfe -cheb	2208	1511	59.37
479	2nd	-text-only -journal -nopreprep -high -randfe -eucl	2227	1492	59.88

Table 296: Consolidated results (piste2-result1-marf-text-only-journal), Part 16.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
480	2nd	-text-only -journal -noprepreр -high -randfe -cos	2214	1505	59.53
481	2nd	-text-only -journal -noise -band -randfe -diff	2212	1507	59.48
482	2nd	-text-only -journal -noprepreр -high -randfe -cheb	2186	1533	58.78
483	2nd	-text-only -journal -silence-noise -bandstop -randfe -cos	2277	1442	61.23
484	2nd	-text-only -journal -noprepreр -high -randfe -diff	2191	1528	58.91
485	2nd	-text-only -journal -noise -bandstop -randfe -cos	2271	1448	61.06
486	2nd	-text-only -journal -silence -band -randfe -cheb	342	223	60.53
487	2nd	-text-only -journal -silence -high -randfe -cos	61	44	58.10
488	2nd	-text-only -journal -silence-noise -band -randfe -cheb	2177	1542	58.54
489	2nd	-text-only -journal -silence-noise -band -randfe -diff	2181	1538	58.64
490	2nd	-text-only -journal -silence-noise -band -randfe -mink	2107	1612	56.66
491	2nd	-text-only -journal -silence -bandstopcfe -lpc -eucl	11	5	68.75
492	2nd	-text-only -journal -noprepreр -bandcfe -minmax -mink	11	5	68.75
493	2nd	-text-only -journal -noprepreр -bandstopcfe -fft -cheb	11	5	68.75
494	2nd	-text-only -journal -noprepreр -highcfe -lpc -hamming	11	5	68.75
495	2nd	-text-only -journal -silence -endp -randfe -hamming	69	50	57.98
496	2nd	-text-only -journal -silence -boost -randfe -diff	9	4	69.23
497	2nd	-text-only -journal -silence -bandcfe -aggr -diff	9	4	69.23
498	2nd	-text-only -journal -noprepreр -bandstopcfe -randfe -cos	30	16	65.22
499	2nd	-text-only -journal -noprepreр -high -randfe -mink	2082	1637	55.98
500	2nd	-text-only -journal -noprepreр -band -randfe -mink	2086	1633	56.09
501	2nd	-text-only -journal -silence -highcfe -randfe -diff	7	3	70.00
502	2nd	-text-only -journal -noprepreр -lowcfe -lpc -mink	7	3	70.00
503	2nd	-text-only -journal -silence -endp -randfe -cos	100	107	48.31
504	2nd	-text-only -journal -noprepreр -bandstopcfe -minmax -eucl	30	17	63.83
505	2nd	-text-only -journal -silence -high -randfe -diff	49	25	66.22
506	2nd	-text-only -journal -silence -highcfe -randfe -hamming	28	16	63.64
507	2nd	-text-only -journal -noise -band -randfe -mink	2092	1627	56.25
508	2nd	-text-only -journal -silence -highcfe -lpc -mink	11	6	64.71
509	2nd	-text-only -journal -silence -boost -randfe -hamming	30	18	62.50

Table 297: Consolidated results (piste2-result1-marf-text-only-journal), Part 17.

Run #	Guess	Configuration	GOOD	BAD	Precision,
510	2nd	-text-only -journal -noprep rep -lowcfe -fft -mink	30	22	57.
511	2nd	-text-only -journal -noise -endp -randfe -cos	2014	1705	54.
512	2nd	-text-only -journal -nopreprep -lowcfe -minmax -eucl	24	11	68.
513	2nd	-text-only -journal -silence -bandcfe -randfe -eucl	4	3	57.
514	2nd	-text-only -journal -nopreprep -bandcfe -minmax -cos	10	4	71.
515	2nd	-text-only -journal -nopreprep -bandcfe -minmax -diff	10	4	71.
516	2nd	-text-only -journal -nopreprep -bandstopcfe -lpc -eucl	27	15	64.
517	2nd	-text-only -journal -silence -bandcfe -randfe -mink	13	8	61.
518	2nd	-text-only -journal -silence -bandstopcfe -fft -mink	10	4	71.
519	2nd	-text-only -journal -silence-noise -endp -randfe -cos	2010	1709	54.
520	2nd	-text-only -journal -silence-noise -high -randfe -eucl	1981	1738	53.
521	2nd	-text-only -journal -silence -lowcfe -randfe -mink	101	83	54.
522	2nd	-text-only -journal -silence-noise -high -randfe -mink	1965	1754	52.
523	2nd	-text-only -journal -silence-noise -high -randfe -cos	1997	1722	53.
524	2nd	-text-only -journal -silence -highpassboost -randfe -cheb	167	149	52.
525	2nd	-text-only -journal -silence-noise -high -randfe -cheb	1982	1737	53.
526	2nd	-text-only -journal -silence -bandstopcfe -lpc -hamming	32	22	59.
527	2nd	-text-only -journal -nopreprep -bandstopcfe -fft -diff	24	12	66.
528	2nd	-text-only -journal -nopreprep -lowcfe -lpc -cheb	11	7	61.
529	2nd	-text-only -journal -nopreprep -bandstopcfe -fft -eucl	11	7	61.
530	2nd	-text-only -journal -nopreprep -highpassboost -randfe -mink	1915	1804	51.
531	2nd	-text-only -journal -nopreprep -highpassboost -randfe -hamming	1915	1804	51.
532	2nd	-text-only -journal -nopreprep -bandcfe -randfe -eucl	1915	1804	51.
533	2nd	-text-only -journal -noise -highpassboost -randfe -diff	1915	1804	51.
534	2nd	-text-only -journal -silence-noise -boost -randfe -cheb	1915	1804	51.
535	2nd	-text-only -journal -nopreprep -highpassboost -randfe -diff	1915	1804	51.
536	2nd	-text-only -journal -nopreprep -highcfe -randfe -cos	1915	1804	51.
537	2nd	-text-only -journal -nopreprep -lowcfe -randfe -eucl	1915	1804	51.
538	2nd	-text-only -journal -nopreprep -highcfe -randfe -mink	1915	1804	51.
539	2nd	-text-only -journal -nopreprep -lowcfe -randfe -cos	1915	1804	51.

Table 298: Consolidated results (piste2-result1-marf-text-only-journal), Part 18.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
540	2nd	-text-only -journal -noprepreр -highcfe -randfe -diff	1915	1804	51.49
541	2nd	-text-only -journal -silence-noise -highpassboost -randfe -eucl	1915	1804	51.49
542	2nd	-text-only -journal -noprepreр -bandcfe -randfe -cheb	1915	1804	51.49
543	2nd	-text-only -journal -noise -highpassboost -randfe -eucl	1915	1804	51.49
544	2nd	-text-only -journal -noprepreр -lowcfe -randfe -cheb	1915	1804	51.49
545	2nd	-text-only -journal -noise -highpassboost -randfe -cos	1915	1804	51.49
546	2nd	-text-only -journal -noprepreр -highpassboost -randfe -eucl	1915	1804	51.49
547	2nd	-text-only -journal -noprepreр -boost -randfe -cos	1915	1804	51.49
548	2nd	-text-only -journal -noprepreр -highcfe -randfe -hamming	1915	1804	51.49
549	2nd	-text-only -journal -noprepreр -highpassboost -randfe -cos	1915	1804	51.49
550	2nd	-text-only -journal -noprepreр -boost -randfe -mink	1915	1804	51.49
551	2nd	-text-only -journal -noise -boost -randfe -mink	1915	1804	51.49
552	2nd	-text-only -journal -silence-noise -highpassboost -randfe -cheb	1915	1804	51.49
553	2nd	-text-only -journal -noprepreр -highcfe -randfe -eucl	1915	1804	51.49
554	2nd	-text-only -journal -noise -boost -randfe -cos	1915	1804	51.49
555	2nd	-text-only -journal -noprepreр -boost -randfe -diff	1915	1804	51.49
556	2nd	-text-only -journal -silence-noise -boost -randfe -hamming	1915	1804	51.49
557	2nd	-text-only -journal -noise -boost -randfe -diff	1915	1804	51.49
558	2nd	-text-only -journal -noise -highpassboost -randfe -cheb	1915	1804	51.49
559	2nd	-text-only -journal -silence-noise -boost -randfe -mink	1915	1804	51.49
560	2nd	-text-only -journal -noprepreр -highpassboost -randfe -cheb	1915	1804	51.49
561	2nd	-text-only -journal -noprepreр -boost -randfe -hamming	1915	1804	51.49
562	2nd	-text-only -journal -silence-noise -highpassboost -randfe -cos	1915	1804	51.49
563	2nd	-text-only -journal -silence-noise -boost -randfe -diff	1915	1804	51.49
564	2nd	-text-only -journal -silence-noise -boost -randfe -cos	1915	1804	51.49
565	2nd	-text-only -journal -noprepreр -highcfe -randfe -cheb	1915	1804	51.49
566	2nd	-text-only -journal -noprepreр -lowcfe -randfe -hamming	1915	1804	51.49
567	2nd	-text-only -journal -noprepreр -bandcfe -randfe -mink	1915	1804	51.49
568	2nd	-text-only -journal -noprepreр -boost -randfe -eucl	1915	1804	51.49
569	2nd	-text-only -journal -noise -boost -randfe -eucl	1915	1804	51.49

Table 299: Consolidated results (piste2-result1-marf-text-only-journal), Part 19.

Run #	Guess	Configuration	GOOD	BAD	Precisio
570	2nd	-text-only -journal -nopreprep -lowcfe -randfe -mink	1915	1804	5
571	2nd	-text-only -journal -nopreprep -lowcfe -randfe -diff	1915	1804	5
572	2nd	-text-only -journal -noise -boost -randfe -hamming	1915	1804	5
573	2nd	-text-only -journal -silence-noise -boost -randfe -eucl	1915	1804	5
574	2nd	-text-only -journal -silence-noise -highpassboost -randfe -hamming	1915	1804	5
575	2nd	-text-only -journal -silence-noise -highpassboost -randfe -mink	1915	1804	5
576	2nd	-text-only -journal -noise -highpassboost -randfe -hamming	1915	1804	5
577	2nd	-text-only -journal -nopreprep -boost -randfe -cheb	1915	1804	5
578	2nd	-text-only -journal -noise -boost -randfe -cheb	1915	1804	5
579	2nd	-text-only -journal -silence-noise -highpassboost -randfe -diff	1915	1804	5
580	2nd	-text-only -journal -noise -highpassboost -randfe -mink	1915	1804	5
581	2nd	-text-only -journal -nopreprep -bandcfe -aggr -cheb	8	3	7
582	2nd	-text-only -journal -nopreprep -lowcfe -minmax -mink	14	8	6
583	2nd	-text-only -journal -silence -lowcfe -randfe -diff	33	22	6
584	2nd	-text-only -journal -silence -bandstopcfe -randfe -eucl	14	8	6
585	2nd	-text-only -journal -nopreprep -bandcfe -lpc -cos	34	21	6
586	2nd	-text-only -journal -silence -highpassboost -randfe -diff	182	165	5
587	2nd	-text-only -journal -nopreprep -lowcfe -fft -eucl	25	12	6
588	2nd	-text-only -journal -noise -high -randfe -mink	1914	1805	5
589	2nd	-text-only -journal -nopreprep -endp -randfe -cos	1958	1761	5
590	2nd	-text-only -journal -nopreprep -bandstopcfe -randfe -cheb	26	15	6
591	2nd	-text-only -journal -noise -high -randfe -hamming	1916	1803	5
592	2nd	-text-only -journal -nopreprep -lowcfe -lpc -diff	78	66	5
593	2nd	-text-only -journal -silence -highcfe -randfe -mink	25	13	6
594	2nd	-text-only -journal -noise -high -randfe -cos	1919	1800	5
595	2nd	-text-only -journal -noise -high -randfe -cheb	1927	1792	5
596	2nd	-text-only -journal -noise -high -randfe -eucl	1929	1790	5
597	2nd	-text-only -journal -silence -highpassboost -randfe -hamming	264	261	5
598	2nd	-text-only -journal -noise -band -randfe -hamming	1855	1864	4
599	2nd	-text-only -journal -silence -bandcfe -lpc -hamming	14	9	6

Table 300: Consolidated results (piste2-result1-marf-text-only-journal), Part 20.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
600	2nd	-text-only -journal -nopreprep -bandcfe -randfe -cos	69	54	56.10
601	2nd	-text-only -journal -silence-noise -high -randfe -diff	1970	1749	52.97
602	2nd	-text-only -journal -silence -lowcfe -randfe -hamming	23	12	65.71
603	2nd	-text-only -journal -nopreprep -bandstopcfe -randfe -diff	23	12	65.71
604	2nd	-text-only -journal -silence -lowcfe -lpc -eucl	23	12	65.71
605	2nd	-text-only -journal -nopreprep -highcfe -fft -diff	23	12	65.71
606	2nd	-text-only -journal -silence -bandstopcfe -randfe -cheb	74	66	52.86
607	2nd	-text-only -journal -nopreprep -band -randfe -hamming	1866	1853	50.17
608	2nd	-text-only -journal -silence-noise -band -randfe -hamming	1874	1845	50.39
609	2nd	-text-only -journal -noise -high -randfe -diff	1886	1833	50.71
610	2nd	-text-only -journal -nopreprep -bandstopcfe -randfe -hamming	38	25	60.32
611	2nd	-text-only -journal -silence -boost -randfe -cos	492	505	49.35
612	2nd	-text-only -journal -nopreprep -high -randfe -hamming	1855	1864	49.88
613	2nd	-text-only -journal -silence-noise -high -randfe -hamming	1874	1845	50.39
614	2nd	-text-only -journal -silence -highcfe -aggr -hamming	5	3	62.50
615	2nd	-text-only -journal -nopreprep -highcfe -lpc -diff	38	26	59.38
616	2nd	-text-only -journal -silence -lowcfe -randfe -cheb	21	11	65.62
617	2nd	-text-only -journal -silence -bandcfe -fft -cos	12	8	60.00
618	2nd	-text-only -journal -nopreprep -bandcfe -minmax -hamming	15	9	62.50
619	2nd	-text-only -journal -silence -bandstopcfe -fft -diff	15	9	62.50
620	2nd	-text-only -journal -silence -bandcfe -aggr -cos	24	13	64.86
621	2nd	-text-only -journal -silence -bandstopcfe -aggr -eucl	39	27	59.09
622	2nd	-text-only -journal -silence -bandstopcfe -fft -cos	63	49	56.25
623	2nd	-text-only -journal -nopreprep -highcfe -aggr -eucl	16	9	64.00
624	2nd	-text-only -journal -silence -highcfe -fft -cos	38	25	60.32
625	2nd	-text-only -journal -nopreprep -lowcfe -minmax -hamming	22	12	64.71
626	2nd	-text-only -journal -nopreprep -bandstopcfe -randfe -eucl	37	27	57.81
627	2nd	-text-only -journal -silence -bandcfe -fft -mink	9	4	69.23
628	2nd	-text-only -journal -silence -highcfe -randfe -eucl	16	10	61.54
629	2nd	-text-only -journal -nopreprep -lowcfe -lpc -hamming	16	10	61.54

Table 301: Consolidated results (piste2-result1-marf-text-only-journal), Part 21.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
630	2nd	-text-only -journal -silence -bandcfe -randfe -diff	49	38	56.32
631	2nd	-text-only -journal -silence -boost -randfe -eucl	40	31	56.34
632	2nd	-text-only -journal -silence -bandcfe -lpc -cheb	17	10	62.96
633	2nd	-text-only -journal -silence -highcfe -lpc -cos	16	11	59.26
634	2nd	-text-only -journal -nopreprep -bandcfe -randfe -hamming	41	32	56.16
635	2nd	-text-only -journal -silence -bandstopcfe -fft -eucl	20	12	62.50
636	2nd	-text-only -journal -silence -lowcfe -randfe -eucl	20	12	62.50
637	2nd	-text-only -journal -nopreprep -bandstopcfe -minmax -cos	17	11	60.71
638	2nd	-text-only -journal -nopreprep -highcfe -lpc -mink	18	11	62.07
639	2nd	-text-only -journal -silence -bandstopcfe -lpc -cos	18	11	62.07
640	2nd	-text-only -journal -nopreprep -bandcfe -lpc -diff	18	11	62.07
641	2nd	-text-only -journal -silence -band -randfe -hamming	3	2	60.00
642	2nd	-text-only -journal -silence -raw -randfe -diff	1	0	100.00
643	2nd	-text-only -journal -silence -low -randfe -eucl	1	0	100.00
644	2nd	-text-only -journal -silence -low -randfe -cos	1	1	50.00
645	2nd	-text-only -journal -silence -bandstop -randfe -eucl	1	0	100.00
646	2nd	-text-only -journal -silence -high -randfe -eucl	0	1	0.00

Table 302: Consolidated results (piste2-result1-marf-text-only-journal), Part 22.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	La Presse	86027	97697	46.82
2	1st	L'Est Républicain	64763	85346	43.14
3	1st	Le Monde	55532	107826	33.99
4	1st	Le Devoir	21354	154848	12.12
5	2nd	La Presse	143679	40045	78.20
6	2nd	L'Est Républicain	75399	74710	50.23
7	2nd	Le Monde	119830	43528	73.35
8	2nd	Le Devoir	65724	110478	37.30

Table 303: Consolidated results (piste2-result1-marf-text-only-journal), Part 23.

4.2.3 Results for testing data for title+text processing

Table 304: Consolidated results (piste2-result1-marf-text-title-eval), Part 1.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	-title-text -ref -band -fft -cheb	1364	1118	54.96
2	1st	-title-text -ref -band -aggr -cheb	1363	1119	54.92
3	1st	-title-text -ref -band -aggr -diff	1362	1120	54.88
4	1st	-title-text -ref -band -fft -diff	1361	1121	54.83
5	1st	-title-text -ref -endp -lpc -cheb	1347	1135	54.27
6	1st	-title-text -ref -silence -endp -lpc -cheb	1347	1135	54.27
7	1st	-title-text -ref -high -fft -cheb	1335	1147	53.79
8	1st	-title-text -ref -high -aggr -cheb	1334	1148	53.75
9	1st	-title-text -ref -high -aggr -diff	1331	1151	53.63
10	1st	-title-text -ref -high -fft -diff	1330	1152	53.59
11	1st	-title-text -ref -high -fft -cos	75	66	53.19
12	1st	-title-text -ref -silence -endp -lpc -eucl	1313	1169	52.90
13	1st	-title-text -ref -endp -lpc -eucl	1313	1169	52.90
14	1st	-title-text -ref -silence -noise -band -fft -mink	1305	1177	52.58
15	1st	-title-text -ref -silence -noise -band -aggr -mink	1305	1177	52.58
16	1st	-title-text -ref -silence -high -aggr -mink	1296	1186	52.22
17	1st	-title-text -ref -silence -high -fft -mink	1296	1186	52.22
18	1st	-title-text -ref -high -aggr -mink	1291	1191	52.01
19	1st	-title-text -ref -high -fft -mink	1291	1191	52.01
20	1st	-title-text -ref -band -aggr -cos	1288	1194	51.89
21	1st	-title-text -ref -band -fft -cos	1287	1195	51.85
22	1st	-title-text -ref -silence -noise -endp -lpc -eucl	1281	1201	51.61
23	1st	-title-text -ref -silence -high -aggr -eucl	1280	1202	51.57
24	1st	-title-text -ref -silence -high -fft -eucl	1279	1203	51.53
25	1st	-title-text -ref -high -fft -eucl	1273	1209	51.29
26	1st	-title-text -ref -silence -band -fft -mink	1272	1210	51.25
27	1st	-title-text -ref -noise -band -aggr -cos	1272	1210	51.25
28	1st	-title-text -ref -silence -band -aggr -mink	1272	1210	51.25
29	1st	-title-text -ref -high -aggr -eucl	1271	1211	51.21
30	1st	-title-text -ref -noise -band -fft -cos	1270	1212	51.17
31	1st	-title-text -ref -silence -high -aggr -cos	1269	1213	51.13
32	1st	-title-text -ref -noise -band -aggr -mink	1269	1213	51.13
33	1st	-title-text -ref -noise -band -fft -mink	1269	1213	51.13
34	1st	-title-text -ref -silence -high -fft -cheb	1269	1213	51.13
35	1st	-title-text -ref -silence -high -fft -cos	1267	1215	51.05
36	1st	-title-text -ref -high -aggr -cos	1267	1215	51.05
37	1st	-title-text -ref -silence -high -aggr -diff	1264	1218	50.93
38	1st	-title-text -ref -silence -high -aggr -cheb	1263	1219	50.89
39	1st	-title-text -ref -silence -high -fft -diff	1263	1219	50.89
40	1st	-title-text -ref -band -fft -mink	1255	1227	50.56
41	1st	-title-text -ref -band -aggr -mink	1255	1227	50.56
42	1st	-title-text -ref -silence -noise -band -aggr -cos	1241	1241	50.00
43	1st	-title-text -ref -silence -noise -band -fft -cos	1238	1244	49.88
44	1st	-title-text -ref -band -aggr -eucl	1230	1252	49.56
45	1st	-title-text -ref -band -fft -eucl	1229	1253	49.52
46	1st	-title-text -ref -silence -band -aggr -cos	1221	1261	49.19
47	1st	-title-text -ref -silence -band -fft -cos	1221	1261	49.19
48	1st	-title-text -ref -silence -band -aggr -eucl	1188	1294	47.86
49	1st	-title-text -ref -silence -band -fft -eucl	1188	1294	47.86

Table 305: Consolidated results (piste2-result1-marf-text-title-eval), Part 2.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
50	2nd	-title-text -ref -band -fft -cheb	2482	0	100.00
51	2nd	-title-text -ref -band -aggr -cheb	2482	0	100.00
52	2nd	-title-text -ref -band -aggr -diff	2482	0	100.00
53	2nd	-title-text -ref -band -fft -diff	2482	0	100.00
54	2nd	-title-text -ref -endp -lpc -cheb	2482	0	100.00
55	2nd	-title-text -ref -silence -endp -lpc -cheb	2482	0	100.00
56	2nd	-title-text -ref -high -fft -cheb	2482	0	100.00
57	2nd	-title-text -ref -high -aggr -cheb	2482	0	100.00
58	2nd	-title-text -ref -high -aggr -diff	2482	0	100.00
59	2nd	-title-text -ref -high -fft -diff	2482	0	100.00
60	2nd	-title-text -ref -high -fft -cos	141	0	100.00
61	2nd	-title-text -ref -silence -endp -lpc -eucl	2482	0	100.00
62	2nd	-title-text -ref -endp -lpc -eucl	2482	0	100.00
63	2nd	-title-text -ref -silence -noise -band -fft -mink	2482	0	100.00
64	2nd	-title-text -ref -silence -noise -band -aggr -mink	2482	0	100.00
65	2nd	-title-text -ref -silence -high -aggr -mink	2482	0	100.00
66	2nd	-title-text -ref -silence -high -fft -mink	2482	0	100.00
67	2nd	-title-text -ref -high -aggr -mink	2482	0	100.00
68	2nd	-title-text -ref -high -fft -mink	2482	0	100.00
69	2nd	-title-text -ref -band -aggr -cos	2482	0	100.00
70	2nd	-title-text -ref -band -fft -cos	2482	0	100.00
71	2nd	-title-text -ref -silence -noise -endp -lpc -eucl	2482	0	100.00
72	2nd	-title-text -ref -silence -high -aggr -eucl	2482	0	100.00
73	2nd	-title-text -ref -silence -high -fft -eucl	2482	0	100.00
74	2nd	-title-text -ref -high -fft -eucl	2482	0	100.00
75	2nd	-title-text -ref -silence -band -fft -mink	2482	0	100.00
76	2nd	-title-text -ref -noise -band -aggr -cos	2482	0	100.00
77	2nd	-title-text -ref -silence -band -aggr -mink	2482	0	100.00
78	2nd	-title-text -ref -high -aggr -eucl	2482	0	100.00
79	2nd	-title-text -ref -noise -band -fft -cos	2482	0	100.00
80	2nd	-title-text -ref -silence -high -aggr -cos	2482	0	100.00
81	2nd	-title-text -ref -noise -band -aggr -mink	2482	0	100.00
82	2nd	-title-text -ref -noise -band -fft -mink	2482	0	100.00
83	2nd	-title-text -ref -silence -high -fft -cheb	2482	0	100.00
84	2nd	-title-text -ref -silence -high -fft -cos	2482	0	100.00
85	2nd	-title-text -ref -high -aggr -cos	2482	0	100.00
86	2nd	-title-text -ref -silence -high -aggr -diff	2482	0	100.00
87	2nd	-title-text -ref -silence -high -aggr -cheb	2482	0	100.00
88	2nd	-title-text -ref -silence -high -fft -diff	2482	0	100.00
89	2nd	-title-text -ref -band -fft -mink	2482	0	100.00
90	2nd	-title-text -ref -band -aggr -mink	2482	0	100.00
91	2nd	-title-text -ref -silence -noise -band -aggr -cos	2482	0	100.00
92	2nd	-title-text -ref -silence -noise -band -fft -cos	2482	0	100.00
93	2nd	-title-text -ref -band -aggr -eucl	2482	0	100.00
94	2nd	-title-text -ref -band -fft -eucl	2482	0	100.00
95	2nd	-title-text -ref -silence -band -aggr -cos	2482	0	100.00
96	2nd	-title-text -ref -silence -band -fft -cos	2482	0	100.00
97	2nd	-title-text -ref -silence -band -aggr -eucl	2482	0	100.00
98	2nd	-title-text -ref -silence -band -fft -eucl	2482	0	100.00

Table 306: Consolidated results (piste2-result1-marf-text-title-eval), Part 3.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	Quebec	34013	29861	53.25
2	1st	France	27657	27746	49.92
3	2nd	Quebec	63874	0	100.00
4	2nd	France	55403	0	100.00

Table 307: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-band-aggr-cheb.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1524.00, corrects = 779.00)` `rappel = 0.676 precision = 0.511 f-mesure = 0.582`
`- classe Q (attendus = 1329, ramenes = 958.00, corrects = 584.00)` `rappel = 0.439 precision = 0.610 f-mesure = 0.511`
`- sur l'ensemble des 2 classes` `macro rappel = 0.558 macro precision = 0.560 macro F-mesure = 0.559`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1524.00, corrects = 373.00)` `rappel = 0.622 precision = 0.245 f-mesure = 0.351`
`- classe P (attendus = 677, ramenes = 958.00, corrects = 311.00)` `rappel = 0.459 precision = 0.325 f-mesure = 0.380`
`- sur l'ensemble des 4 classes` `macro rappel = 0.270 macro precision = 0.142 macro F-mesure = 0.186`

Table 308: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-band-aggr-cos.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1219.00, corrects = 589.00)` `rappel = 0.511 precision = 0.483 f-mesure = 0.497`
`- classe Q (attendus = 1329, ramenes = 1263.00, corrects = 699.00)` `rappel = 0.526 precision = 0.553 f-mesure = 0.539`
`- sur l'ensemble des 2 classes` `macro rappel = 0.518 macro precision = 0.518 macro F-mesure = 0.518`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1219.00, corrects = 301.00)` `rappel = 0.502 precision = 0.247 f-mesure = 0.331`
`- classe P (attendus = 677, ramenes = 1263.00, corrects = 358.00)` `rappel = 0.529 precision = 0.283 f-mesure = 0.369`
`- sur l'ensemble des 4 classes` `macro rappel = 0.258 macro precision = 0.133 macro F-mesure = 0.175`

Table 309: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-band-aggr-diff.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1529.00, corrects = 781.00)` `rappel = 0.677 precision = 0.511 f-mesure = 0.582`
`- classe Q (attendus = 1329, ramenes = 953.00, corrects = 581.00)` `rappel = 0.437 precision = 0.610 f-mesure = 0.509`
`- sur l'ensemble des 2 classes` `macro rappel = 0.557 macro precision = 0.560 macro F-mesure = 0.559`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1529.00, corrects = 377.00)` `rappel = 0.628 precision = 0.247 f-mesure = 0.354`
`- classe P (attendus = 677, ramenes = 953.00, corrects = 309.00)` `rappel = 0.456 precision = 0.324 f-mesure = 0.379`
`- sur l'ensemble des 4 classes` `macro rappel = 0.271 macro precision = 0.143 macro F-mesure = 0.187`

Table 310: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-band-aggr-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1189.00, corrects = 545.00)` `rappel = 0.473 precision = 0.458 f-mesure = 0.465`
`- classe Q (attendus = 1329, ramenes = 1293.00, corrects = 685.00)` `rappel = 0.515 precision = 0.530 f-mesure = 0.523`
`- sur l'ensemble des 2 classes` `macro rappel = 0.494 macro precision = 0.494 macro F-mesure = 0.494`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1189.00, corrects = 316.00)` `rappel = 0.527 precision = 0.266 f-mesure = 0.353`
`- classe P (attendus = 677, ramenes = 1293.00, corrects = 347.00)` `rappel = 0.513 precision = 0.268 f-mesure = 0.352`
`- sur l'ensemble des 4 classes` `macro rappel = 0.260 macro precision = 0.134 macro F-mesure = 0.176`

Table 311: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-band-aggr-mink.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 992.00, corrects = 459.00) rappel = 0.398 precision = 0.463 f-mesure = 0.428
- classe Q (attendus = 1329, ramenes = 1490.00, corrects = 796.00) rappel = 0.599 precision = 0.534 f-mesure = 0.565
- sur l'ensemble des 2 classes macro rappel = 0.499 macro precision = 0.498 macro F-mesure = 0.498
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 992.00, corrects = 286.00) rappel = 0.477 precision = 0.288 f-mesure = 0.359
- classe P (attendus = 677, ramenes = 1490.00, corrects = 407.00) rappel = 0.601 precision = 0.273 f-mesure = 0.376
- sur l'ensemble des 4 classes macro rappel = 0.269 macro precision = 0.140 macro F-mesure = 0.185

Table 312: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-band-fft-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1521.00, corrects = 778.00) rappel = 0.675 precision = 0.512 f-mesure = 0.582
- classe Q (attendus = 1329, ramenes = 961.00, corrects = 586.00) rappel = 0.441 precision = 0.610 f-mesure = 0.512
- sur l'ensemble des 2 classes macro rappel = 0.558 macro precision = 0.561 macro F-mesure = 0.559
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1521.00, corrects = 372.00) rappel = 0.620 precision = 0.245 f-mesure = 0.351
- classe P (attendus = 677, ramenes = 961.00, corrects = 311.00) rappel = 0.459 precision = 0.324 f-mesure = 0.380
- sur l'ensemble des 4 classes macro rappel = 0.270 macro precision = 0.142 macro F-mesure = 0.186

Table 313: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-band-fft-cos.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1216.00, corrects = 587.00)` `rappel = 0.509 precision = 0.483 f-mesure = 0.496`
`- classe Q (attendus = 1329, ramenes = 1266.00, corrects = 700.00)` `rappel = 0.527 precision = 0.553 f-mesure = 0.539`
`- sur l'ensemble des 2 classes` `macro rappel = 0.518 macro precision = 0.518 macro F-mesure = 0.518`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1216.00, corrects = 299.00)` `rappel = 0.498 precision = 0.246 f-mesure = 0.329`
`- classe P (attendus = 677, ramenes = 1266.00, corrects = 358.00)` `rappel = 0.529 precision = 0.283 f-mesure = 0.369`
`- sur l'ensemble des 4 classes` `macro rappel = 0.257 macro precision = 0.132 macro F-mesure = 0.175`

Table 314: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-band-fft-diff.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1526.00, corrects = 779.00)` `rappel = 0.676 precision = 0.510 f-mesure = 0.582`
`- classe Q (attendus = 1329, ramenes = 956.00, corrects = 582.00)` `rappel = 0.438 precision = 0.609 f-mesure = 0.509`
`- sur l'ensemble des 2 classes` `macro rappel = 0.557 macro precision = 0.560 macro F-mesure = 0.558`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1526.00, corrects = 375.00)` `rappel = 0.625 precision = 0.246 f-mesure = 0.353`
`- classe P (attendus = 677, ramenes = 956.00, corrects = 308.00)` `rappel = 0.455 precision = 0.322 f-mesure = 0.377`
`- sur l'ensemble des 4 classes` `macro rappel = 0.270 macro precision = 0.142 macro F-mesure = 0.186`

Table 315: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-band-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1190.00, corrects = 545.00) rappel = 0.473 precision = 0.458 f-mesure = 0.465
- classe Q (attendus = 1329, ramenes = 1292.00, corrects = 684.00) rappel = 0.515 precision = 0.529 f-mesure = 0.522
- sur l'ensemble des 2 classes macro rappel = 0.494 macro precision = 0.494 macro F-mesure = 0.494
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1190.00, corrects = 316.00) rappel = 0.527 precision = 0.266 f-mesure = 0.353
- classe P (attendus = 677, ramenes = 1292.00, corrects = 347.00) rappel = 0.513 precision = 0.269 f-mesure = 0.352
- sur l'ensemble des 4 classes macro rappel = 0.260 macro precision = 0.134 macro F-mesure = 0.176

Table 316: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-band-fft-mink.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 992.00, corrects = 459.00) rappel = 0.398 precision = 0.463 f-mesure = 0.428
- classe Q (attendus = 1329, ramenes = 1490.00, corrects = 796.00) rappel = 0.599 precision = 0.534 f-mesure = 0.565
- sur l'ensemble des 2 classes macro rappel = 0.499 macro precision = 0.498 macro F-mesure = 0.498
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 992.00, corrects = 286.00) rappel = 0.477 precision = 0.288 f-mesure = 0.359
- classe P (attendus = 677, ramenes = 1490.00, corrects = 407.00) rappel = 0.601 precision = 0.273 f-mesure = 0.376
- sur l'ensemble des 4 classes macro rappel = 0.269 macro precision = 0.140 macro F-mesure = 0.185

Table 317: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-endp-lpc-cheb.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1300.00, corrects = 659.00)` `rappel = 0.572 precision = 0.507 f-mesure = 0.537`
`- classe Q (attendus = 1329, ramenes = 1182.00, corrects = 688.00)` `rappel = 0.518 precision = 0.582 f-mesure = 0.548`
`- sur l'ensemble des 2 classes` `macro rappel = 0.545 macro precision = 0.544 macro F-mesure = 0.545`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1300.00, corrects = 409.00)` `rappel = 0.682 precision = 0.315 f-mesure = 0.431`
`- classe P (attendus = 677, ramenes = 1182.00, corrects = 340.00)` `rappel = 0.502 precision = 0.288 f-mesure = 0.366`
`- sur l'ensemble des 4 classes` `macro rappel = 0.296 macro precision = 0.151 macro F-mesure = 0.200`

Table 318: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-endp-lpc-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1264.00, corrects = 624.00)` `rappel = 0.541 precision = 0.494 f-mesure = 0.516`
`- classe Q (attendus = 1329, ramenes = 1218.00, corrects = 689.00)` `rappel = 0.518 precision = 0.566 f-mesure = 0.541`
`- sur l'ensemble des 2 classes` `macro rappel = 0.530 macro precision = 0.530 macro F-mesure = 0.530`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1264.00, corrects = 390.00)` `rappel = 0.650 precision = 0.309 f-mesure = 0.418`
`- classe P (attendus = 677, ramenes = 1218.00, corrects = 342.00)` `rappel = 0.505 precision = 0.281 f-mesure = 0.361`
`- sur l'ensemble des 4 classes` `macro rappel = 0.289 macro precision = 0.147 macro F-mesure = 0.195`

Table 319: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-high-aggr-cheb.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1685.00, corrects = 845.00)` `rappel = 0.733 precision = 0.501 f-mesure = 0.595`
`- classe Q (attendus = 1329, ramenes = 797.00, corrects = 489.00)` `rappel = 0.368 precision = 0.614 f-mesure = 0.460`
`- sur l'ensemble des 2 classes` `macro rappel = 0.550 macro precision = 0.558 macro F-mesure = 0.554`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1685.00, corrects = 437.00)` `rappel = 0.728 precision = 0.259 f-mesure = 0.382`
`- classe P (attendus = 677, ramenes = 797.00, corrects = 235.00)` `rappel = 0.347 precision = 0.295 f-mesure = 0.319`
`- sur l'ensemble des 4 classes` `macro rappel = 0.269 macro precision = 0.139 macro F-mesure = 0.183`

Table 320: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-high-aggr-cos.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1190.00, corrects = 564.00)` `rappel = 0.489 precision = 0.474 f-mesure = 0.481`
`- classe Q (attendus = 1329, ramenes = 1292.00, corrects = 703.00)` `rappel = 0.529 precision = 0.544 f-mesure = 0.536`
`- sur l'ensemble des 2 classes` `macro rappel = 0.509 macro precision = 0.509 macro F-mesure = 0.509`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1190.00, corrects = 286.00)` `rappel = 0.477 precision = 0.240 f-mesure = 0.320`
`- classe P (attendus = 677, ramenes = 1292.00, corrects = 342.00)` `rappel = 0.505 precision = 0.265 f-mesure = 0.347`
`- sur l'ensemble des 4 classes` `macro rappel = 0.245 macro precision = 0.126 macro F-mesure = 0.167`

Table 321: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-high-aggr-diff.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1694.00, corrects = 848.00) rappel = 0.735 precision = 0.501 f-mesure = 0.596
- classe Q (attendus = 1329, ramenes = 788.00, corrects = 483.00) rappel = 0.363 precision = 0.613 f-mesure = 0.456
- sur l'ensemble des 2 classes macro rappel = 0.549 macro precision = 0.557 macro F-mesure = 0.553
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1694.00, corrects = 435.00) rappel = 0.725 precision = 0.257 f-mesure = 0.379
- classe P (attendus = 677, ramenes = 788.00, corrects = 236.00) rappel = 0.349 precision = 0.299 f-mesure = 0.322
- sur l'ensemble des 4 classes macro rappel = 0.268 macro precision = 0.139 macro F-mesure = 0.183

Table 322: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-high-aggr-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 980.00, corrects = 461.00) rappel = 0.400 precision = 0.470 f-mesure = 0.432
- classe Q (attendus = 1329, ramenes = 1502.00, corrects = 810.00) rappel = 0.609 precision = 0.539 f-mesure = 0.572
- sur l'ensemble des 2 classes macro rappel = 0.505 macro precision = 0.505 macro F-mesure = 0.505
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 980.00, corrects = 294.00) rappel = 0.490 precision = 0.300 f-mesure = 0.372
- classe P (attendus = 677, ramenes = 1502.00, corrects = 404.00) rappel = 0.597 precision = 0.269 f-mesure = 0.371
- sur l'ensemble des 4 classes macro rappel = 0.272 macro precision = 0.142 macro F-mesure = 0.187

Table 323: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-high-aggr-mink.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 734.00, corrects = 348.00) rappel = 0.302 precision = 0.474 f-mesure = 0.369
- classe Q (attendus = 1329, ramenes = 1748.00, corrects = 943.00) rappel = 0.710 precision = 0.539 f-mesure = 0.613
- sur l'ensemble des 2 classes macro rappel = 0.506 macro precision = 0.507 macro F-mesure = 0.506
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 734.00, corrects = 239.00) rappel = 0.398 precision = 0.326 f-mesure = 0.358
- classe P (attendus = 677, ramenes = 1748.00, corrects = 475.00) rappel = 0.702 precision = 0.272 f-mesure = 0.392
- sur l'ensemble des 4 classes macro rappel = 0.275 macro precision = 0.149 macro F-mesure = 0.194

Table 324: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-high-fft-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1682.00, corrects = 844.00) rappel = 0.732 precision = 0.502 f-mesure = 0.595
- classe Q (attendus = 1329, ramenes = 800.00, corrects = 491.00) rappel = 0.369 precision = 0.614 f-mesure = 0.461
- sur l'ensemble des 2 classes macro rappel = 0.551 macro precision = 0.558 macro F-mesure = 0.554
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1682.00, corrects = 436.00) rappel = 0.727 precision = 0.259 f-mesure = 0.382
- classe P (attendus = 677, ramenes = 800.00, corrects = 236.00) rappel = 0.349 precision = 0.295 f-mesure = 0.320
- sur l'ensemble des 4 classes macro rappel = 0.269 macro precision = 0.139 macro F-mesure = 0.183

Table 325: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-high-fft-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 69.00, corrects = 31.00) rappel = 0.027 precision = 0.449 f-mesure = 0.051
- classe Q (attendus = 1329, ramenes = 72.00, corrects = 44.00) rappel = 0.033 precision = 0.611 f-mesure = 0.063
- sur l'ensemble des 2 classes macro rappel = 0.030 macro precision = 0.530 macro F-mesure = 0.057
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 69.00, corrects = 17.00) rappel = 0.028 precision = 0.246 f-mesure = 0.051
- classe P (attendus = 677, ramenes = 72.00, corrects = 23.00) rappel = 0.034 precision = 0.319 f-mesure = 0.061
- sur l'ensemble des 4 classes macro rappel = 0.016 macro precision = 0.141 macro F-mesure = 0.028

Table 326: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-high-fft-diff.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1691.00, corrects = 846.00) rappel = 0.734 precision = 0.500 f-mesure = 0.595
- classe Q (attendus = 1329, ramenes = 791.00, corrects = 484.00) rappel = 0.364 precision = 0.612 f-mesure = 0.457
- sur l'ensemble des 2 classes macro rappel = 0.549 macro precision = 0.556 macro F-mesure = 0.553
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1691.00, corrects = 433.00) rappel = 0.722 precision = 0.256 f-mesure = 0.378
- classe P (attendus = 677, ramenes = 791.00, corrects = 237.00) rappel = 0.350 precision = 0.300 f-mesure = 0.323
- sur l'ensemble des 4 classes macro rappel = 0.268 macro precision = 0.139 macro F-mesure = 0.183

Table 327: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-high-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 978.00, corrects = 461.00) rappel = 0.400 precision = 0.471 f-mesure = 0.433
- classe Q (attendus = 1329, ramenes = 1504.00, corrects = 812.00) rappel = 0.611 precision = 0.540 f-mesure = 0.573
- sur l'ensemble des 2 classes macro rappel = 0.505 macro precision = 0.506 macro F-mesure = 0.506
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 978.00, corrects = 294.00) rappel = 0.490 precision = 0.301 f-mesure = 0.373
- classe P (attendus = 677, ramenes = 1504.00, corrects = 404.00) rappel = 0.597 precision = 0.269 f-mesure = 0.370
- sur l'ensemble des 4 classes macro rappel = 0.272 macro precision = 0.142 macro F-mesure = 0.187

Table 328: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-high-fft-mink.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 734.00, corrects = 348.00) rappel = 0.302 precision = 0.474 f-mesure = 0.369
- classe Q (attendus = 1329, ramenes = 1748.00, corrects = 943.00) rappel = 0.710 precision = 0.539 f-mesure = 0.613
- sur l'ensemble des 2 classes macro rappel = 0.506 macro precision = 0.507 macro F-mesure = 0.506
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 734.00, corrects = 239.00) rappel = 0.398 precision = 0.326 f-mesure = 0.358
- classe P (attendus = 677, ramenes = 1748.00, corrects = 475.00) rappel = 0.702 precision = 0.272 f-mesure = 0.392
- sur l'ensemble des 4 classes macro rappel = 0.275 macro precision = 0.149 macro F-mesure = 0.194

Table 329: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-noise-band-aggr-cos.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1205.00, corrects = 574.00)` `rappel = 0.498 precision = 0.476 f-mesure = 0.487`
`- classe Q (attendus = 1329, ramenes = 1277.00, corrects = 698.00)` `rappel = 0.525 precision = 0.547 f-mesure = 0.536`
`- sur l'ensemble des 2 classes` `macro rappel = 0.512 macro precision = 0.511 macro F-mesure = 0.511`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1205.00, corrects = 300.00)` `rappel = 0.500 precision = 0.249 f-mesure = 0.332`
`- classe P (attendus = 677, ramenes = 1277.00, corrects = 356.00)` `rappel = 0.526 precision = 0.279 f-mesure = 0.364`
`- sur l'ensemble des 4 classes` `macro rappel = 0.256 macro precision = 0.132 macro F-mesure = 0.174`

Table 330: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-noise-band-aggr-mink.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 748.00, corrects = 344.00)` `rappel = 0.298 precision = 0.460 f-mesure = 0.362`
`- classe Q (attendus = 1329, ramenes = 1734.00, corrects = 925.00)` `rappel = 0.696 precision = 0.533 f-mesure = 0.604`
`- sur l'ensemble des 2 classes` `macro rappel = 0.497 macro precision = 0.497 macro F-mesure = 0.497`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 748.00, corrects = 255.00)` `rappel = 0.425 precision = 0.341 f-mesure = 0.378`
`- classe P (attendus = 677, ramenes = 1734.00, corrects = 471.00)` `rappel = 0.696 precision = 0.272 f-mesure = 0.391`
`- sur l'ensemble des 4 classes` `macro rappel = 0.280 macro precision = 0.153 macro F-mesure = 0.198`

Table 331: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-noise-band-fft-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1203.00, corrects = 572.00) rappel = 0.496 precision = 0.475 f-mesure = 0.486
- classe Q (attendus = 1329, ramenes = 1279.00, corrects = 698.00) rappel = 0.525 precision = 0.546 f-mesure = 0.535
- sur l'ensemble des 2 classes macro rappel = 0.511 macro precision = 0.511 macro F-mesure = 0.511
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1203.00, corrects = 298.00) rappel = 0.497 precision = 0.248 f-mesure = 0.331
- classe P (attendus = 677, ramenes = 1279.00, corrects = 357.00) rappel = 0.527 precision = 0.279 f-mesure = 0.365
- sur l'ensemble des 4 classes macro rappel = 0.256 macro precision = 0.132 macro F-mesure = 0.174

Table 332: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-noise-band-fft-mink.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 748.00, corrects = 344.00) rappel = 0.298 precision = 0.460 f-mesure = 0.362
- classe Q (attendus = 1329, ramenes = 1734.00, corrects = 925.00) rappel = 0.696 precision = 0.533 f-mesure = 0.604
- sur l'ensemble des 2 classes macro rappel = 0.497 macro precision = 0.497 macro F-mesure = 0.497
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 748.00, corrects = 255.00) rappel = 0.425 precision = 0.341 f-mesure = 0.378
- classe P (attendus = 677, ramenes = 1734.00, corrects = 471.00) rappel = 0.696 precision = 0.272 f-mesure = 0.391
- sur l'ensemble des 4 classes macro rappel = 0.280 macro precision = 0.153 macro F-mesure = 0.198

Table 333: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-band-aggr-cos.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1196.00, corrects = 544.00)` `rappel = 0.472 precision = 0.455 f-mesure = 0.463`
`- classe Q (attendus = 1329, ramenes = 1286.00, corrects = 677.00)` `rappel = 0.509 precision = 0.526 f-mesure = 0.518`
`- sur l'ensemble des 2 classes` `macro rappel = 0.491 macro precision = 0.491 macro F-mesure = 0.491`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1196.00, corrects = 280.00)` `rappel = 0.467 precision = 0.234 f-mesure = 0.312`
`- classe P (attendus = 677, ramenes = 1286.00, corrects = 353.00)` `rappel = 0.521 precision = 0.274 f-mesure = 0.360`
`- sur l'ensemble des 4 classes` `macro rappel = 0.247 macro precision = 0.127 macro F-mesure = 0.168`

Table 334: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-band-aggr-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1159.00, corrects = 509.00)` `rappel = 0.441 precision = 0.439 f-mesure = 0.440`
`- classe Q (attendus = 1329, ramenes = 1323.00, corrects = 679.00)` `rappel = 0.511 precision = 0.513 f-mesure = 0.512`
`- sur l'ensemble des 2 classes` `macro rappel = 0.476 macro precision = 0.476 macro F-mesure = 0.476`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1159.00, corrects = 297.00)` `rappel = 0.495 precision = 0.256 f-mesure = 0.338`
`- classe P (attendus = 677, ramenes = 1323.00, corrects = 356.00)` `rappel = 0.526 precision = 0.269 f-mesure = 0.356`
`- sur l'ensemble des 4 classes` `macro rappel = 0.255 macro precision = 0.131 macro F-mesure = 0.173`

Table 335: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-band-aggr-mink.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 991.00, corrects = 467.00) rappel = 0.405 precision = 0.471 f-mesure = 0.436
- classe Q (attendus = 1329, ramenes = 1491.00, corrects = 805.00) rappel = 0.606 precision = 0.540 f-mesure = 0.571
- sur l'ensemble des 2 classes macro rappel = 0.505 macro precision = 0.506 macro F-mesure = 0.505
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 991.00, corrects = 274.00) rappel = 0.457 precision = 0.276 f-mesure = 0.344
- classe P (attendus = 677, ramenes = 1491.00, corrects = 414.00) rappel = 0.612 precision = 0.278 f-mesure = 0.382
- sur l'ensemble des 4 classes macro rappel = 0.267 macro precision = 0.139 macro F-mesure = 0.182

Table 336: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-band-fft-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1196.00, corrects = 544.00) rappel = 0.472 precision = 0.455 f-mesure = 0.463
- classe Q (attendus = 1329, ramenes = 1286.00, corrects = 677.00) rappel = 0.509 precision = 0.526 f-mesure = 0.518
- sur l'ensemble des 2 classes macro rappel = 0.491 macro precision = 0.491 macro F-mesure = 0.491
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1196.00, corrects = 280.00) rappel = 0.467 precision = 0.234 f-mesure = 0.312
- classe P (attendus = 677, ramenes = 1286.00, corrects = 353.00) rappel = 0.521 precision = 0.274 f-mesure = 0.360
- sur l'ensemble des 4 classes macro rappel = 0.247 macro precision = 0.127 macro F-mesure = 0.168

Table 337: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-band-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1159.00, corrects = 509.00) rappel = 0.441 precision = 0.439 f-mesure = 0.440
- classe Q (attendus = 1329, ramenes = 1323.00, corrects = 679.00) rappel = 0.511 precision = 0.513 f-mesure = 0.512
- sur l'ensemble des 2 classes macro rappel = 0.476 macro precision = 0.476 macro F-mesure = 0.476
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1159.00, corrects = 297.00) rappel = 0.495 precision = 0.256 f-mesure = 0.338
- classe P (attendus = 677, ramenes = 1323.00, corrects = 356.00) rappel = 0.526 precision = 0.269 f-mesure = 0.356
- sur l'ensemble des 4 classes macro rappel = 0.255 macro precision = 0.131 macro F-mesure = 0.173

Table 338: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-band-fft-mink.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 991.00, corrects = 467.00) rappel = 0.405 precision = 0.471 f-mesure = 0.436
- classe Q (attendus = 1329, ramenes = 1491.00, corrects = 805.00) rappel = 0.606 precision = 0.540 f-mesure = 0.571
- sur l'ensemble des 2 classes macro rappel = 0.505 macro precision = 0.506 macro F-mesure = 0.505
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 991.00, corrects = 274.00) rappel = 0.457 precision = 0.276 f-mesure = 0.344
- classe P (attendus = 677, ramenes = 1491.00, corrects = 414.00) rappel = 0.612 precision = 0.278 f-mesure = 0.382
- sur l'ensemble des 4 classes macro rappel = 0.267 macro precision = 0.139 macro F-mesure = 0.182

Table 339: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-endp-lpc-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1300.00, corrects = 659.00) rappel = 0.572 precision = 0.507 f-mesure = 0.537
- classe Q (attendus = 1329, ramenes = 1182.00, corrects = 688.00) rappel = 0.518 precision = 0.582 f-mesure = 0.548
- sur l'ensemble des 2 classes macro rappel = 0.545 macro precision = 0.544 macro F-mesure = 0.545
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1300.00, corrects = 409.00) rappel = 0.682 precision = 0.315 f-mesure = 0.431
- classe P (attendus = 677, ramenes = 1182.00, corrects = 340.00) rappel = 0.502 precision = 0.288 f-mesure = 0.366
- sur l'ensemble des 4 classes macro rappel = 0.296 macro precision = 0.151 macro F-mesure = 0.200

Table 340: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-endp-lpc-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1264.00, corrects = 624.00) rappel = 0.541 precision = 0.494 f-mesure = 0.516
- classe Q (attendus = 1329, ramenes = 1218.00, corrects = 689.00) rappel = 0.518 precision = 0.566 f-mesure = 0.541
- sur l'ensemble des 2 classes macro rappel = 0.530 macro precision = 0.530 macro F-mesure = 0.530
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1264.00, corrects = 390.00) rappel = 0.650 precision = 0.309 f-mesure = 0.418
- classe P (attendus = 677, ramenes = 1218.00, corrects = 342.00) rappel = 0.505 precision = 0.281 f-mesure = 0.361
- sur l'ensemble des 4 classes macro rappel = 0.289 macro precision = 0.147 macro F-mesure = 0.195

Table 341: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-high-aggr-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1562.00, corrects = 748.00) rappel = 0.649 precision = 0.479 f-mesure = 0.551
- classe Q (attendus = 1329, ramenes = 920.00, corrects = 515.00) rappel = 0.388 precision = 0.560 f-mesure = 0.458
- sur l'ensemble des 2 classes macro rappel = 0.518 macro precision = 0.519 macro F-mesure = 0.519
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1562.00, corrects = 398.00) rappel = 0.663 precision = 0.255 f-mesure = 0.368
- classe P (attendus = 677, ramenes = 920.00, corrects = 261.00) rappel = 0.386 precision = 0.284 f-mesure = 0.327
- sur l'ensemble des 4 classes macro rappel = 0.262 macro precision = 0.135 macro F-mesure = 0.178

Table 342: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-high-aggr-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1196.00, corrects = 568.00) rappel = 0.493 precision = 0.475 f-mesure = 0.484
- classe Q (attendus = 1329, ramenes = 1286.00, corrects = 701.00) rappel = 0.527 precision = 0.545 f-mesure = 0.536
- sur l'ensemble des 2 classes macro rappel = 0.510 macro precision = 0.510 macro F-mesure = 0.510
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1196.00, corrects = 307.00) rappel = 0.512 precision = 0.257 f-mesure = 0.342
- classe P (attendus = 677, ramenes = 1286.00, corrects = 353.00) rappel = 0.521 precision = 0.274 f-mesure = 0.360
- sur l'ensemble des 4 classes macro rappel = 0.258 macro precision = 0.133 macro F-mesure = 0.175

Table 343: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-high-aggr-diff.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1565.00, corrects = 750.00) rappel = 0.650 precision = 0.479 f-mesure = 0.552
- classe Q (attendus = 1329, ramenes = 917.00, corrects = 514.00) rappel = 0.387 precision = 0.561 f-mesure = 0.458
- sur l'ensemble des 2 classes macro rappel = 0.519 macro precision = 0.520 macro F-mesure = 0.519
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1565.00, corrects = 399.00) rappel = 0.665 precision = 0.255 f-mesure = 0.369
- classe P (attendus = 677, ramenes = 917.00, corrects = 260.00) rappel = 0.384 precision = 0.284 f-mesure = 0.326
- sur l'ensemble des 4 classes macro rappel = 0.262 macro precision = 0.135 macro F-mesure = 0.178

Table 344: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-high-aggr-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1005.00, corrects = 478.00) rappel = 0.415 precision = 0.476 f-mesure = 0.443
- classe Q (attendus = 1329, ramenes = 1477.00, corrects = 802.00) rappel = 0.603 precision = 0.543 f-mesure = 0.572
- sur l'ensemble des 2 classes macro rappel = 0.509 macro precision = 0.509 macro F-mesure = 0.509
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1005.00, corrects = 296.00) rappel = 0.493 precision = 0.295 f-mesure = 0.369
- classe P (attendus = 677, ramenes = 1477.00, corrects = 397.00) rappel = 0.586 precision = 0.269 f-mesure = 0.369
- sur l'ensemble des 4 classes macro rappel = 0.270 macro precision = 0.141 macro F-mesure = 0.185

Table 345: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-high-aggr-mink.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 755.00, corrects = 361.00)` `rappel = 0.313 precision = 0.478 f-mesure = 0.378`
`- classe Q (attendus = 1329, ramenes = 1727.00, corrects = 935.00)` `rappel = 0.704 precision = 0.541 f-mesure = 0.612`
`- sur l'ensemble des 2 classes` `macro rappel = 0.508 macro precision = 0.510 macro F-mesure = 0.509`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 755.00, corrects = 244.00)` `rappel = 0.407 precision = 0.323 f-mesure = 0.360`
`- classe P (attendus = 677, ramenes = 1727.00, corrects = 464.00)` `rappel = 0.685 precision = 0.269 f-mesure = 0.386`
`- sur l'ensemble des 4 classes` `macro rappel = 0.273 macro precision = 0.148 macro F-mesure = 0.192`

Table 346: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-high-fft-cheb.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1562.00, corrects = 751.00)` `rappel = 0.651 precision = 0.481 f-mesure = 0.553`
`- classe Q (attendus = 1329, ramenes = 920.00, corrects = 518.00)` `rappel = 0.390 precision = 0.563 f-mesure = 0.461`
`- sur l'ensemble des 2 classes` `macro rappel = 0.521 macro precision = 0.522 macro F-mesure = 0.521`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1562.00, corrects = 399.00)` `rappel = 0.665 precision = 0.255 f-mesure = 0.369`
`- classe P (attendus = 677, ramenes = 920.00, corrects = 263.00)` `rappel = 0.388 precision = 0.286 f-mesure = 0.329`
`- sur l'ensemble des 4 classes` `macro rappel = 0.263 macro precision = 0.135 macro F-mesure = 0.179`

Table 347: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-high-fft-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1194.00, corrects = 566.00) rappel = 0.491 precision = 0.474 f-mesure = 0.482
- classe Q (attendus = 1329, ramenes = 1288.00, corrects = 701.00) rappel = 0.527 precision = 0.544 f-mesure = 0.536
- sur l'ensemble des 2 classes macro rappel = 0.509 macro precision = 0.509 macro F-mesure = 0.509
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1194.00, corrects = 305.00) rappel = 0.508 precision = 0.255 f-mesure = 0.340
- classe P (attendus = 677, ramenes = 1288.00, corrects = 352.00) rappel = 0.520 precision = 0.273 f-mesure = 0.358
- sur l'ensemble des 4 classes macro rappel = 0.257 macro precision = 0.132 macro F-mesure = 0.175

Table 348: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-high-fft-diff.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1560.00, corrects = 747.00) rappel = 0.648 precision = 0.479 f-mesure = 0.551
- classe Q (attendus = 1329, ramenes = 922.00, corrects = 516.00) rappel = 0.388 precision = 0.560 f-mesure = 0.458
- sur l'ensemble des 2 classes macro rappel = 0.518 macro precision = 0.519 macro F-mesure = 0.519
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1560.00, corrects = 398.00) rappel = 0.663 precision = 0.255 f-mesure = 0.369
- classe P (attendus = 677, ramenes = 922.00, corrects = 259.00) rappel = 0.383 precision = 0.281 f-mesure = 0.324
- sur l'ensemble des 4 classes macro rappel = 0.261 macro precision = 0.134 macro F-mesure = 0.177

Table 349: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-high-fft-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1004.00, corrects = 477.00)` `rappel = 0.414 precision = 0.475 f-mesure = 0.442`
`- classe Q (attendus = 1329, ramenes = 1478.00, corrects = 802.00)` `rappel = 0.603 precision = 0.543 f-mesure = 0.571`
`- sur l'ensemble des 2 classes` `macro rappel = 0.509 macro precision = 0.509 macro F-mesure = 0.509`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1004.00, corrects = 295.00)` `rappel = 0.492 precision = 0.294 f-mesure = 0.368`
`- classe P (attendus = 677, ramenes = 1478.00, corrects = 397.00)` `rappel = 0.586 precision = 0.269 f-mesure = 0.368`
`- sur l'ensemble des 4 classes` `macro rappel = 0.270 macro precision = 0.141 macro F-mesure = 0.185`

Table 350: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-high-fft-mink.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 755.00, corrects = 361.00)` `rappel = 0.313 precision = 0.478 f-mesure = 0.378`
`- classe Q (attendus = 1329, ramenes = 1727.00, corrects = 935.00)` `rappel = 0.704 precision = 0.541 f-mesure = 0.612`
`- sur l'ensemble des 2 classes` `macro rappel = 0.508 macro precision = 0.510 macro F-mesure = 0.509`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 755.00, corrects = 244.00)` `rappel = 0.407 precision = 0.323 f-mesure = 0.360`
`- classe P (attendus = 677, ramenes = 1727.00, corrects = 464.00)` `rappel = 0.685 precision = 0.269 f-mesure = 0.386`
`- sur l'ensemble des 4 classes` `macro rappel = 0.273 macro precision = 0.148 macro F-mesure = 0.192`

Table 351: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-noise-band-aggr-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1224.00, corrects = 568.00) rappel = 0.493 precision = 0.464 f-mesure = 0.478
- classe Q (attendus = 1329, ramenes = 1258.00, corrects = 673.00) rappel = 0.506 precision = 0.535 f-mesure = 0.520
- sur l'ensemble des 2 classes macro rappel = 0.500 macro precision = 0.500 macro F-mesure = 0.500
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1224.00, corrects = 291.00) rappel = 0.485 precision = 0.238 f-mesure = 0.319
- classe P (attendus = 677, ramenes = 1258.00, corrects = 348.00) rappel = 0.514 precision = 0.277 f-mesure = 0.360
- sur l'ensemble des 4 classes macro rappel = 0.250 macro precision = 0.129 macro F-mesure = 0.170

Table 352: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-noise-band-aggr-mink.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 752.00, corrects = 364.00) rappel = 0.316 precision = 0.484 f-mesure = 0.382
- classe Q (attendus = 1329, ramenes = 1730.00, corrects = 941.00) rappel = 0.708 precision = 0.544 f-mesure = 0.615
- sur l'ensemble des 2 classes macro rappel = 0.512 macro precision = 0.514 macro F-mesure = 0.513
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 752.00, corrects = 269.00) rappel = 0.448 precision = 0.358 f-mesure = 0.398
- classe P (attendus = 677, ramenes = 1730.00, corrects = 476.00) rappel = 0.703 precision = 0.275 f-mesure = 0.396
- sur l'ensemble des 4 classes macro rappel = 0.288 macro precision = 0.158 macro F-mesure = 0.204

Table 353: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-noise-band-fft-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1223.00, corrects = 566.00) rappel = 0.491 precision = 0.463 f-mesure = 0.476
- classe Q (attendus = 1329, ramenes = 1259.00, corrects = 672.00) rappel = 0.506 precision = 0.534 f-mesure = 0.519
- sur l'ensemble des 2 classes macro rappel = 0.498 macro precision = 0.498 macro F-mesure = 0.498
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1223.00, corrects = 289.00) rappel = 0.482 precision = 0.236 f-mesure = 0.317
- classe P (attendus = 677, ramenes = 1259.00, corrects = 347.00) rappel = 0.513 precision = 0.276 f-mesure = 0.358
- sur l'ensemble des 4 classes macro rappel = 0.249 macro precision = 0.128 macro F-mesure = 0.169

Table 354: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-noise-band-fft-mink.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 752.00, corrects = 364.00) rappel = 0.316 precision = 0.484 f-mesure = 0.382
- classe Q (attendus = 1329, ramenes = 1730.00, corrects = 941.00) rappel = 0.708 precision = 0.544 f-mesure = 0.615
- sur l'ensemble des 2 classes macro rappel = 0.512 macro precision = 0.514 macro F-mesure = 0.513
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 752.00, corrects = 269.00) rappel = 0.448 precision = 0.358 f-mesure = 0.398
- classe P (attendus = 677, ramenes = 1730.00, corrects = 476.00) rappel = 0.703 precision = 0.275 f-mesure = 0.396
- sur l'ensemble des 4 classes macro rappel = 0.288 macro precision = 0.158 macro F-mesure = 0.204

Table 355: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-ref-silence-noise-endp-lpc-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1350.00, corrects = 651.00) rappel = 0.565 precision = 0.482 f-mesure = 0.520
- classe Q (attendus = 1329, ramenes = 1132.00, corrects = 630.00) rappel = 0.474 precision = 0.557 f-mesure = 0.512
- sur l'ensemble des 2 classes macro rappel = 0.519 macro precision = 0.519 macro F-mesure = 0.519
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1350.00, corrects = 443.00) rappel = 0.738 precision = 0.328 f-mesure = 0.454
- classe P (attendus = 677, ramenes = 1132.00, corrects = 321.00) rappel = 0.474 precision = 0.284 f-mesure = 0.355
- sur l'ensemble des 4 classes macro rappel = 0.303 macro precision = 0.153 macro F-mesure = 0.203

Table 356: Consolidated results (piste2-result1-marf-text-title-journal-eval), Part 1.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	-title-text -journal -ref -silence -noise -endp -aggr -eucl	1030	1452	41.50
2	1st	-title-text -journal -ref -silence -noise -endp -fft -eucl	1030	1452	41.50
3	1st	-title-text -journal -ref -silence -endp -aggr -diff	1029	1453	41.46
4	1st	-title-text -journal -ref -noise -endp -aggr -eucl	1029	1453	41.46
5	1st	-title-text -journal -ref -endp -aggr -diff	1029	1453	41.46
6	1st	-title-text -journal -ref -noise -endp -fft -eucl	1029	1453	41.46
7	1st	-title-text -journal -ref -silence -noise -endp -fft -diff	1028	1454	41.42
8	1st	-title-text -journal -ref -silence -endp -aggr -cheb	1027	1455	41.38
9	1st	-title-text -journal -ref -endp -aggr -cheb	1027	1455	41.38
10	1st	-title-text -journal -ref -silence -endp -fft -cheb	1027	1455	41.38
11	1st	-title-text -journal -ref -endp -fft -cheb	1027	1455	41.38
12	1st	-title-text -journal -ref -silence -noise -endp -fft -cheb	1026	1456	41.34
13	1st	-title-text -journal -ref -noise -endp -fft -cheb	1026	1456	41.34
14	1st	-title-text -journal -ref -noise -endp -aggr -cheb	1026	1456	41.34
15	1st	-title-text -journal -ref -noise -endp -aggr -diff	1026	1456	41.34
16	1st	-title-text -journal -ref -silence -noise -endp -aggr -cheb	1026	1456	41.34
17	1st	-title-text -journal -ref -silence -noise -endp -aggr -diff	1026	1456	41.34
18	1st	-title-text -journal -ref -noise -endp -fft -diff	1025	1457	41.30
19	1st	-title-text -journal -ref -silence -noise -endp -aggr -mink	1024	1458	41.26
20	1st	-title-text -journal -ref -silence -noise -endp -fft -mink	1024	1458	41.26
21	1st	-title-text -journal -ref -noise -endp -aggr -mink	1023	1459	41.22
22	1st	-title-text -journal -ref -noise -endp -fft -mink	1023	1459	41.22
23	1st	-title-text -journal -ref -silence -endp -fft -diff	1013	1469	40.81
24	1st	-title-text -journal -ref -endp -fft -diff	1013	1469	40.81
25	1st	-title-text -journal -ref -noise -endp -fft -cos	1005	1477	40.49
26	1st	-title-text -journal -ref -silence -noise -endp -fft -cos	1005	1477	40.49
27	1st	-title-text -journal -ref -silence -noise -endp -aggr -cos	1005	1477	40.49
28	1st	-title-text -journal -ref -noise -endp -aggr -cos	1005	1477	40.49
29	1st	-title-text -journal -ref -silence -endp -aggr -cos	958	1524	38.60
30	1st	-title-text -journal -ref -endp -fft -cos	958	1524	38.60
31	1st	-title-text -journal -ref -endp -aggr -cos	958	1524	38.60
32	1st	-title-text -journal -ref -silence -endp -fft -cos	958	1524	38.60
33	1st	-title-text -journal -ref -band -minmax -cheb	932	1550	37.55
34	1st	-title-text -journal -ref -silence -band -minmax -cheb	932	1550	37.55
35	1st	-title-text -journal -ref -high -minmax -diff	931	1551	37.51
36	1st	-title-text -journal -ref -silence -high -minmax -diff	931	1551	37.51
37	1st	-title-text -journal -ref -high -minmax -eucl	929	1553	37.43
38	1st	-title-text -journal -ref -silence -high -minmax -eucl	929	1553	37.43
39	1st	-title-text -journal -ref -high -minmax -cheb	929	1553	37.43
40	1st	-title-text -journal -ref -silence -high -minmax -cheb	929	1553	37.43
41	1st	-title-text -journal -ref -band -minmax -diff	928	1554	37.39
42	1st	-title-text -journal -ref -silence -band -minmax -diff	928	1554	37.39
43	1st	-title-text -journal -ref -silence -noise -endp -minmax -eucl	926	1556	37.31
44	1st	-title-text -journal -ref -noise -endp -minmax -eucl	925	1557	37.27
45	1st	-title-text -journal -ref -silence -high -minmax -cos	918	1564	36.99
46	1st	-title-text -journal -ref -high -minmax -cos	918	1564	36.99
47	1st	-title-text -journal -ref -bandstop -minmax -eucl	913	1569	36.78
48	1st	-title-text -journal -ref -noise -endp -lpc -eucl	845	1637	34.05
49	1st	-title-text -journal -ref -silence -noise -endp -lpc -eucl	843	1639	33.96

Table 357: Consolidated results (piste2-result1-marf-text-title-journal-eval), Part 2.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
50	2nd	-title-text -journal -ref -silence -noise -endp -aggr -eucl	1719	763	69.26
51	2nd	-title-text -journal -ref -silence -noise -endp -fft -eucl	1719	763	69.26
52	2nd	-title-text -journal -ref -silence -endp -aggr -diff	1705	777	68.69
53	2nd	-title-text -journal -ref -noise -endp -aggr -eucl	1719	763	69.26
54	2nd	-title-text -journal -ref -endp -aggr -diff	1705	777	68.69
55	2nd	-title-text -journal -ref -noise -endp -fft -eucl	1719	763	69.26
56	2nd	-title-text -journal -ref -silence -noise -endp -fft -diff	1732	750	69.78
57	2nd	-title-text -journal -ref -silence -endp -aggr -cheb	1706	776	68.73
58	2nd	-title-text -journal -ref -endp -aggr -cheb	1706	776	68.73
59	2nd	-title-text -journal -ref -silence -endp -fft -cheb	1706	776	68.73
60	2nd	-title-text -journal -ref -endp -fft -cheb	1706	776	68.73
61	2nd	-title-text -journal -ref -silence -noise -endp -fft -cheb	1731	751	69.74
62	2nd	-title-text -journal -ref -noise -endp -fft -cheb	1731	751	69.74
63	2nd	-title-text -journal -ref -noise -endp -aggr -cheb	1731	751	69.74
64	2nd	-title-text -journal -ref -noise -endp -aggr -diff	1731	751	69.74
65	2nd	-title-text -journal -ref -silence -noise -endp -aggr -cheb	1731	751	69.74
66	2nd	-title-text -journal -ref -silence -noise -endp -aggr -diff	1731	751	69.74
67	2nd	-title-text -journal -ref -noise -endp -fft -diff	1732	750	69.78
68	2nd	-title-text -journal -ref -silence -noise -endp -aggr -mink	1721	761	69.34
69	2nd	-title-text -journal -ref -silence -noise -endp -fft -mink	1721	761	69.34
70	2nd	-title-text -journal -ref -noise -endp -aggr -mink	1721	761	69.34
71	2nd	-title-text -journal -ref -noise -endp -fft -mink	1721	761	69.34
72	2nd	-title-text -journal -ref -silence -endp -fft -diff	1701	781	68.53
73	2nd	-title-text -journal -ref -endp -fft -diff	1701	781	68.53
74	2nd	-title-text -journal -ref -noise -endp -fft -cos	1700	782	68.49
75	2nd	-title-text -journal -ref -silence -noise -endp -fft -cos	1700	782	68.49
76	2nd	-title-text -journal -ref -silence -noise -endp -aggr -cos	1700	782	68.49
77	2nd	-title-text -journal -ref -noise -endp -aggr -cos	1700	782	68.49
78	2nd	-title-text -journal -ref -silence -endp -aggr -cos	1647	835	66.36
79	2nd	-title-text -journal -ref -endp -fft -cos	1647	835	66.36
80	2nd	-title-text -journal -ref -endp -aggr -cos	1647	835	66.36
81	2nd	-title-text -journal -ref -silence -endp -fft -cos	1647	835	66.36
82	2nd	-title-text -journal -ref -band -minmax -cheb	1617	865	65.15
83	2nd	-title-text -journal -ref -silence -band -minmax -cheb	1617	865	65.15
84	2nd	-title-text -journal -ref -high -minmax -diff	1645	837	66.28
85	2nd	-title-text -journal -ref -silence -high -minmax -diff	1645	837	66.28
86	2nd	-title-text -journal -ref -high -minmax -eucl	1646	836	66.32
87	2nd	-title-text -journal -ref -silence -high -minmax -eucl	1646	836	66.32
88	2nd	-title-text -journal -ref -high -minmax -cheb	1645	837	66.28
89	2nd	-title-text -journal -ref -silence -high -minmax -cheb	1645	837	66.28
90	2nd	-title-text -journal -ref -band -minmax -diff	1620	862	65.27
91	2nd	-title-text -journal -ref -silence -band -minmax -diff	1620	862	65.27
92	2nd	-title-text -journal -ref -silence -noise -endp -minmax -eucl	1631	851	65.71
93	2nd	-title-text -journal -ref -noise -endp -minmax -eucl	1626	856	65.51
94	2nd	-title-text -journal -ref -silence -high -minmax -cos	1629	853	65.63
95	2nd	-title-text -journal -ref -high -minmax -cos	1629	853	65.63
96	2nd	-title-text -journal -ref -bandstop -minmax -eucl	1639	843	66.04
97	2nd	-title-text -journal -ref -noise -endp -lpc -eucl	1537	945	61.93
98	2nd	-title-text -journal -ref -silence -noise -endp -lpc -eucl	1535	947	61.85

Table 358: Consolidated results (piste2-result1-marf-text-title-journal-eval), Part 3.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	Le Monde	22786	6614	77.50
2	1st	L'Est Republicain	18411	8686	67.94
3	1st	Le Devoir	3880	28068	12.14
4	1st	La Presse	2974	30199	8.97
5	2nd	Le Monde	23318	6082	79.31
6	2nd	L'Est Republicain	19166	7931	70.73
7	2nd	Le Devoir	20680	11268	64.73
8	2nd	La Presse	19042	14131	57.40

Table 359: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-band-minmax-cheb.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1940.00, corrects = 908.00)` `rappel = 0.788 precision = 0.468 f-mesure = 0.587`
`- classe Q (attendus = 1329, ramenes = 542.00, corrects = 297.00)` `rappel = 0.223 precision = 0.548 f-mesure = 0.317`
`- sur l'ensemble des 2 classes` `macro rappel = 0.505 macro precision = 0.508 macro F-mesure = 0.507`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 372.00, corrects = 118.00)` `rappel = 0.181 precision = 0.317 f-mesure = 0.230`
`- classe E (attendus = 553, ramenes = 918.00, corrects = 343.00)` `rappel = 0.620 precision = 0.374 f-mesure = 0.466`
`- classe M (attendus = 600, ramenes = 1022.00, corrects = 425.00)` `rappel = 0.708 precision = 0.416 f-mesure = 0.524`
`- classe P (attendus = 677, ramenes = 170.00, corrects = 46.00)` `rappel = 0.068 precision = 0.271 f-mesure = 0.109`
`- sur l'ensemble des 4 classes` `macro rappel = 0.394 macro precision = 0.344 macro F-mesure = 0.368`

Table 360: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-band-minmax-diff.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1936.00, corrects = 908.00) rappel = 0.788 precision = 0.469 f-mesure = 0.588
- classe Q (attendus = 1329, ramenes = 546.00, corrects = 301.00) rappel = 0.226 precision = 0.551 f-mesure = 0.321
- sur l'ensemble des 2 classes macro rappel = 0.507 macro precision = 0.510 macro F-mesure = 0.509
Evaluation du journal
- classe D (attendus = 652, ramenes = 364.00, corrects = 116.00) rappel = 0.178 precision = 0.319 f-mesure = 0.228
- classe E (attendus = 553, ramenes = 911.00, corrects = 340.00) rappel = 0.615 precision = 0.373 f-mesure = 0.464
- classe M (attendus = 600, ramenes = 1025.00, corrects = 426.00) rappel = 0.710 precision = 0.416 f-mesure = 0.524
- classe P (attendus = 677, ramenes = 182.00, corrects = 46.00) rappel = 0.068 precision = 0.253 f-mesure = 0.107
- sur l'ensemble des 4 classes macro rappel = 0.393 macro precision = 0.340 macro F-mesure = 0.364

Table 361: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-bandstop-minmax-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1968.00, corrects = 924.00) rappel = 0.801 precision = 0.470 f-mesure = 0.592
- classe Q (attendus = 1329, ramenes = 514.00, corrects = 285.00) rappel = 0.214 precision = 0.554 f-mesure = 0.309
- sur l'ensemble des 2 classes macro rappel = 0.508 macro precision = 0.512 macro F-mesure = 0.510
Evaluation du journal
- classe D (attendus = 652, ramenes = 350.00, corrects = 99.00) rappel = 0.152 precision = 0.283 f-mesure = 0.198
- classe E (attendus = 553, ramenes = 888.00, corrects = 345.00) rappel = 0.624 precision = 0.389 f-mesure = 0.479
- classe M (attendus = 600, ramenes = 1080.00, corrects = 425.00) rappel = 0.708 precision = 0.394 f-mesure = 0.506
- classe P (attendus = 677, ramenes = 164.00, corrects = 44.00) rappel = 0.065 precision = 0.268 f-mesure = 0.105
- sur l'ensemble des 4 classes macro rappel = 0.387 macro precision = 0.333 macro F-mesure = 0.358

Table 362: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-endp-aggr-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2114.00, corrects = 1074.00) rappel = 0.931 precision = 0.508 f-mesure = 0.657
- classe Q (attendus = 1329, ramenes = 368.00, corrects = 289.00) rappel = 0.217 precision = 0.785 f-mesure = 0.341
- sur l'ensemble des 2 classes macro rappel = 0.574 macro precision = 0.647 macro F-mesure = 0.608
Evaluation du journal
- classe D (attendus = 652, ramenes = 68.00, corrects = 24.00) rappel = 0.037 precision = 0.353 f-mesure = 0.067
- classe E (attendus = 553, ramenes = 675.00, corrects = 358.00) rappel = 0.647 precision = 0.530 f-mesure = 0.583
- classe M (attendus = 600, ramenes = 1439.00, corrects = 520.00) rappel = 0.867 precision = 0.361 f-mesure = 0.510
- classe P (attendus = 677, ramenes = 300.00, corrects = 125.00) rappel = 0.185 precision = 0.417 f-mesure = 0.256
- sur l'ensemble des 4 classes macro rappel = 0.434 macro precision = 0.415 macro F-mesure = 0.424

Table 363: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-endp-aggr-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2185.00, corrects = 1028.00) rappel = 0.892 precision = 0.470 f-mesure = 0.616
- classe Q (attendus = 1329, ramenes = 297.00, corrects = 172.00) rappel = 0.129 precision = 0.579 f-mesure = 0.212
- sur l'ensemble des 2 classes macro rappel = 0.511 macro precision = 0.525 macro F-mesure = 0.518
Evaluation du journal
- classe D (attendus = 652, ramenes = 172.00, corrects = 53.00) rappel = 0.081 precision = 0.308 f-mesure = 0.129
- classe E (attendus = 553, ramenes = 879.00, corrects = 368.00) rappel = 0.665 precision = 0.419 f-mesure = 0.514
- classe M (attendus = 600, ramenes = 1306.00, corrects = 507.00) rappel = 0.845 precision = 0.388 f-mesure = 0.532
- classe P (attendus = 677, ramenes = 125.00, corrects = 30.00) rappel = 0.044 precision = 0.240 f-mesure = 0.075
- sur l'ensemble des 4 classes macro rappel = 0.409 macro precision = 0.339 macro F-mesure = 0.371

Table 364: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-endp-aggr-diff.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2113.00, corrects = 1073.00) rappel = 0.931 precision = 0.508 f-mesure = 0.657
- classe Q (attendus = 1329, ramenes = 369.00, corrects = 289.00) rappel = 0.217 precision = 0.783 f-mesure = 0.340
- sur l'ensemble des 2 classes macro rappel = 0.574 macro precision = 0.646 macro F-mesure = 0.608
Evaluation du journal
- classe D (attendus = 652, ramenes = 69.00, corrects = 26.00) rappel = 0.040 precision = 0.377 f-mesure = 0.072
- classe E (attendus = 553, ramenes = 674.00, corrects = 357.00) rappel = 0.646 precision = 0.530 f-mesure = 0.582
- classe M (attendus = 600, ramenes = 1439.00, corrects = 520.00) rappel = 0.867 precision = 0.361 f-mesure = 0.510
- classe P (attendus = 677, ramenes = 300.00, corrects = 126.00) rappel = 0.186 precision = 0.420 f-mesure = 0.258
- sur l'ensemble des 4 classes macro rappel = 0.435 macro precision = 0.422 macro F-mesure = 0.428

Table 365: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-endp-fft-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2114.00, corrects = 1074.00) rappel = 0.931 precision = 0.508 f-mesure = 0.657
- classe Q (attendus = 1329, ramenes = 368.00, corrects = 289.00) rappel = 0.217 precision = 0.785 f-mesure = 0.341
- sur l'ensemble des 2 classes macro rappel = 0.574 macro precision = 0.647 macro F-mesure = 0.608
Evaluation du journal
- classe D (attendus = 652, ramenes = 68.00, corrects = 24.00) rappel = 0.037 precision = 0.353 f-mesure = 0.067
- classe E (attendus = 553, ramenes = 675.00, corrects = 358.00) rappel = 0.647 precision = 0.530 f-mesure = 0.583
- classe M (attendus = 600, ramenes = 1439.00, corrects = 520.00) rappel = 0.867 precision = 0.361 f-mesure = 0.510
- classe P (attendus = 677, ramenes = 300.00, corrects = 125.00) rappel = 0.185 precision = 0.417 f-mesure = 0.256
- sur l'ensemble des 4 classes macro rappel = 0.434 macro precision = 0.415 macro F-mesure = 0.424

Table 366: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-endp-fft-cos.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 2185.00, corrects = 1028.00)` `rappel = 0.892 precision = 0.470 f-mesure = 0.616`
`- classe Q (attendus = 1329, ramenes = 297.00, corrects = 172.00)` `rappel = 0.129 precision = 0.579 f-mesure = 0.212`
`- sur l'ensemble des 2 classes` `macro rappel = 0.511 macro precision = 0.525 macro F-mesure = 0.518`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 172.00, corrects = 53.00)` `rappel = 0.081 precision = 0.308 f-mesure = 0.129`
`- classe E (attendus = 553, ramenes = 879.00, corrects = 368.00)` `rappel = 0.665 precision = 0.419 f-mesure = 0.514`
`- classe M (attendus = 600, ramenes = 1306.00, corrects = 507.00)` `rappel = 0.845 precision = 0.388 f-mesure = 0.532`
`- classe P (attendus = 677, ramenes = 125.00, corrects = 30.00)` `rappel = 0.044 precision = 0.240 f-mesure = 0.075`
`- sur l'ensemble des 4 classes` `macro rappel = 0.409 macro precision = 0.339 macro F-mesure = 0.371`

Table 367: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-endp-fft-diff.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 2126.00, corrects = 1075.00)` `rappel = 0.932 precision = 0.506 f-mesure = 0.656`
`- classe Q (attendus = 1329, ramenes = 356.00, corrects = 278.00)` `rappel = 0.209 precision = 0.781 f-mesure = 0.330`
`- sur l'ensemble des 2 classes` `macro rappel = 0.571 macro precision = 0.643 macro F-mesure = 0.605`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 65.00, corrects = 22.00)` `rappel = 0.034 precision = 0.338 f-mesure = 0.061`
`- classe E (attendus = 553, ramenes = 683.00, corrects = 354.00)` `rappel = 0.640 precision = 0.518 f-mesure = 0.573`
`- classe M (attendus = 600, ramenes = 1443.00, corrects = 521.00)` `rappel = 0.868 precision = 0.361 f-mesure = 0.510`
`- classe P (attendus = 677, ramenes = 291.00, corrects = 116.00)` `rappel = 0.171 precision = 0.399 f-mesure = 0.240`
`- sur l'ensemble des 4 classes` `macro rappel = 0.428 macro precision = 0.404 macro F-mesure = 0.416`

Table 368: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-high-minmax-cheb.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1974.00, corrects = 935.00)` `rappel = 0.811 precision = 0.474 f-mesure = 0.598`
`- classe Q (attendus = 1329, ramenes = 508.00, corrects = 290.00)` `rappel = 0.218 precision = 0.571 f-mesure = 0.316`
`- sur l'ensemble des 2 classes` `macro rappel = 0.515 macro precision = 0.522 macro F-mesure = 0.518`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 337.00, corrects = 98.00)` `rappel = 0.150 precision = 0.291 f-mesure = 0.198`
`- classe E (attendus = 553, ramenes = 892.00, corrects = 351.00)` `rappel = 0.635 precision = 0.393 f-mesure = 0.486`
`- classe M (attendus = 600, ramenes = 1082.00, corrects = 430.00)` `rappel = 0.717 precision = 0.397 f-mesure = 0.511`
`- classe P (attendus = 677, ramenes = 171.00, corrects = 50.00)` `rappel = 0.074 precision = 0.292 f-mesure = 0.118`
`- sur l'ensemble des 4 classes` `macro rappel = 0.394 macro precision = 0.344 macro F-mesure = 0.367`

Table 369: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-high-minmax-cos.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 2008.00, corrects = 923.00)` `rappel = 0.801 precision = 0.460 f-mesure = 0.584`
`- classe Q (attendus = 1329, ramenes = 474.00, corrects = 244.00)` `rappel = 0.184 precision = 0.515 f-mesure = 0.271`
`- sur l'ensemble des 2 classes` `macro rappel = 0.492 macro precision = 0.487 macro F-mesure = 0.490`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 252.00, corrects = 70.00)` `rappel = 0.107 precision = 0.278 f-mesure = 0.155`
`- classe E (attendus = 553, ramenes = 884.00, corrects = 344.00)` `rappel = 0.622 precision = 0.389 f-mesure = 0.479`
`- classe M (attendus = 600, ramenes = 1124.00, corrects = 442.00)` `rappel = 0.737 precision = 0.393 f-mesure = 0.513`
`- classe P (attendus = 677, ramenes = 222.00, corrects = 62.00)` `rappel = 0.092 precision = 0.279 f-mesure = 0.138`
`- sur l'ensemble des 4 classes` `macro rappel = 0.389 macro precision = 0.335 macro F-mesure = 0.360`

Table 370: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-high-minmax-diff.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1973.00, corrects = 934.00) rappel = 0.810 precision = 0.473 f-mesure = 0.598
- classe Q (attendus = 1329, ramenes = 509.00, corrects = 290.00) rappel = 0.218 precision = 0.570 f-mesure = 0.316
- sur l'ensemble des 2 classes macro rappel = 0.514 macro precision = 0.522 macro F-mesure = 0.518
Evaluation du journal
- classe D (attendus = 652, ramenes = 337.00, corrects = 99.00) rappel = 0.152 precision = 0.294 f-mesure = 0.200
- classe E (attendus = 553, ramenes = 892.00, corrects = 349.00) rappel = 0.631 precision = 0.391 f-mesure = 0.483
- classe M (attendus = 600, ramenes = 1081.00, corrects = 431.00) rappel = 0.718 precision = 0.399 f-mesure = 0.513
- classe P (attendus = 677, ramenes = 172.00, corrects = 52.00) rappel = 0.077 precision = 0.302 f-mesure = 0.122
- sur l'ensemble des 4 classes macro rappel = 0.395 macro precision = 0.347 macro F-mesure = 0.369

Table 371: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-high-minmax-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1985.00, corrects = 939.00) rappel = 0.814 precision = 0.473 f-mesure = 0.598
- classe Q (attendus = 1329, ramenes = 497.00, corrects = 283.00) rappel = 0.213 precision = 0.569 f-mesure = 0.310
- sur l'ensemble des 2 classes macro rappel = 0.514 macro precision = 0.521 macro F-mesure = 0.517
Evaluation du journal
- classe D (attendus = 652, ramenes = 336.00, corrects = 97.00) rappel = 0.149 precision = 0.289 f-mesure = 0.196
- classe E (attendus = 553, ramenes = 893.00, corrects = 350.00) rappel = 0.633 precision = 0.392 f-mesure = 0.484
- classe M (attendus = 600, ramenes = 1092.00, corrects = 434.00) rappel = 0.723 precision = 0.397 f-mesure = 0.513
- classe P (attendus = 677, ramenes = 161.00, corrects = 48.00) rappel = 0.071 precision = 0.298 f-mesure = 0.115
- sur l'ensemble des 4 classes macro rappel = 0.394 macro precision = 0.344 macro F-mesure = 0.367

Table 372: Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-noise-endp-aggr-cheb.prexml.xml

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2095.00, corrects = 1016.00) rappel = 0.881 precision = 0.485 f-mesure = 0.626
- classe Q (attendus = 1329, ramenes = 387.00, corrects = 250.00) rappel = 0.188 precision = 0.646 f-mesure = 0.291
- sur l'ensemble des 2 classes macro rappel = 0.535 macro precision = 0.565 macro F-mesure = 0.550
Evaluation du journal
- classe D (attendus = 652, ramenes = 282.00, corrects = 95.00) rappel = 0.146 precision = 0.337 f-mesure = 0.203
- classe E (attendus = 553, ramenes = 1020.00, corrects = 423.00) rappel = 0.765 precision = 0.415 f-mesure = 0.538
- classe M (attendus = 600, ramenes = 1075.00, corrects = 473.00) rappel = 0.788 precision = 0.440 f-mesure = 0.565
- classe P (attendus = 677, ramenes = 105.00, corrects = 35.00) rappel = 0.052 precision = 0.333 f-mesure = 0.090
- sur l'ensemble des 4 classes macro rappel = 0.438 macro precision = 0.381 macro F-mesure = 0.408

Table 373: Fichier évalué : equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-noise-endp-aggr-cos.prexml.xml

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2106.00, corrects = 1015.00) rappel = 0.880 precision = 0.482 f-mesure = 0.623
- classe Q (attendus = 1329, ramenes = 376.00, corrects = 238.00) rappel = 0.179 precision = 0.633 f-mesure = 0.279
- sur l'ensemble des 2 classes macro rappel = 0.530 macro precision = 0.557 macro F-mesure = 0.543
Evaluation du journal
- classe D (attendus = 652, ramenes = 151.00, corrects = 41.00) rappel = 0.063 precision = 0.272 f-mesure = 0.102
- classe E (attendus = 553, ramenes = 1228.00, corrects = 470.00) rappel = 0.850 precision = 0.383 f-mesure = 0.528
- classe M (attendus = 600, ramenes = 878.00, corrects = 412.00) rappel = 0.687 precision = 0.469 f-mesure = 0.558
- classe P (attendus = 677, ramenes = 225.00, corrects = 82.00) rappel = 0.121 precision = 0.364 f-mesure = 0.182
- sur l'ensemble des 4 classes macro rappel = 0.430 macro precision = 0.372 macro F-mesure = 0.399

Table 374: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-noise-endp-aggr-diff.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2095.00, corrects = 1016.00) rappel = 0.881 precision = 0.485 f-mesure = 0.626
- classe Q (attendus = 1329, ramenes = 387.00, corrects = 250.00) rappel = 0.188 precision = 0.646 f-mesure = 0.291
- sur l'ensemble des 2 classes macro rappel = 0.535 macro precision = 0.565 macro F-mesure = 0.550
Evaluation du journal
- classe D (attendus = 652, ramenes = 282.00, corrects = 95.00) rappel = 0.146 precision = 0.337 f-mesure = 0.203
- classe E (attendus = 553, ramenes = 1020.00, corrects = 423.00) rappel = 0.765 precision = 0.415 f-mesure = 0.538
- classe M (attendus = 600, ramenes = 1075.00, corrects = 473.00) rappel = 0.788 precision = 0.440 f-mesure = 0.565
- classe P (attendus = 677, ramenes = 105.00, corrects = 35.00) rappel = 0.052 precision = 0.333 f-mesure = 0.090
- sur l'ensemble des 4 classes macro rappel = 0.438 macro precision = 0.381 macro F-mesure = 0.408

Table 375: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-noise-endp-aggr-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2090.00, corrects = 1010.00) rappel = 0.876 precision = 0.483 f-mesure = 0.623
- classe Q (attendus = 1329, ramenes = 392.00, corrects = 249.00) rappel = 0.187 precision = 0.635 f-mesure = 0.289
- sur l'ensemble des 2 classes macro rappel = 0.532 macro precision = 0.559 macro F-mesure = 0.545
Evaluation du journal
- classe D (attendus = 652, ramenes = 278.00, corrects = 95.00) rappel = 0.146 precision = 0.342 f-mesure = 0.204
- classe E (attendus = 553, ramenes = 996.00, corrects = 414.00) rappel = 0.749 precision = 0.416 f-mesure = 0.535
- classe M (attendus = 600, ramenes = 1094.00, corrects = 480.00) rappel = 0.800 precision = 0.439 f-mesure = 0.567
- classe P (attendus = 677, ramenes = 114.00, corrects = 40.00) rappel = 0.059 precision = 0.351 f-mesure = 0.101
- sur l'ensemble des 4 classes macro rappel = 0.438 macro precision = 0.387 macro F-mesure = 0.411

Table 376: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-noise-endp-aggr-mink.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2076.00, corrects = 1002.00) rappel = 0.869 precision = 0.483 f-mesure = 0.621
- classe Q (attendus = 1329, ramenes = 406.00, corrects = 255.00) rappel = 0.192 precision = 0.628 f-mesure = 0.294
- sur l'ensemble des 2 classes macro rappel = 0.530 macro precision = 0.555 macro F-mesure = 0.543
Evaluation du journal
- classe D (attendus = 652, ramenes = 309.00, corrects = 105.00) rappel = 0.161 precision = 0.340 f-mesure = 0.219
- classe E (attendus = 553, ramenes = 988.00, corrects = 409.00) rappel = 0.740 precision = 0.414 f-mesure = 0.531
- classe M (attendus = 600, ramenes = 1088.00, corrects = 479.00) rappel = 0.798 precision = 0.440 f-mesure = 0.568
- classe P (attendus = 677, ramenes = 97.00, corrects = 30.00) rappel = 0.044 precision = 0.309 f-mesure = 0.078
- sur l'ensemble des 4 classes macro rappel = 0.436 macro precision = 0.376 macro F-mesure = 0.404

Table 377: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-noise-endp-fft-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2095.00, corrects = 1016.00) rappel = 0.881 precision = 0.485 f-mesure = 0.626
- classe Q (attendus = 1329, ramenes = 387.00, corrects = 250.00) rappel = 0.188 precision = 0.646 f-mesure = 0.291
- sur l'ensemble des 2 classes macro rappel = 0.535 macro precision = 0.565 macro F-mesure = 0.550
Evaluation du journal
- classe D (attendus = 652, ramenes = 282.00, corrects = 95.00) rappel = 0.146 precision = 0.337 f-mesure = 0.203
- classe E (attendus = 553, ramenes = 1020.00, corrects = 423.00) rappel = 0.765 precision = 0.415 f-mesure = 0.538
- classe M (attendus = 600, ramenes = 1075.00, corrects = 473.00) rappel = 0.788 precision = 0.440 f-mesure = 0.565
- classe P (attendus = 677, ramenes = 105.00, corrects = 35.00) rappel = 0.052 precision = 0.333 f-mesure = 0.090
- sur l'ensemble des 4 classes macro rappel = 0.438 macro precision = 0.381 macro F-mesure = 0.408

Table 378: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-noise-endp-fft-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2106.00, corrects = 1015.00) rappel = 0.880 precision = 0.482 f-mesure = 0.623
- classe Q (attendus = 1329, ramenes = 376.00, corrects = 238.00) rappel = 0.179 precision = 0.633 f-mesure = 0.279
- sur l'ensemble des 2 classes macro rappel = 0.530 macro precision = 0.557 macro F-mesure = 0.543
Evaluation du journal
- classe D (attendus = 652, ramenes = 151.00, corrects = 41.00) rappel = 0.063 precision = 0.272 f-mesure = 0.102
- classe E (attendus = 553, ramenes = 1228.00, corrects = 470.00) rappel = 0.850 precision = 0.383 f-mesure = 0.528
- classe M (attendus = 600, ramenes = 878.00, corrects = 412.00) rappel = 0.687 precision = 0.469 f-mesure = 0.558
- classe P (attendus = 677, ramenes = 225.00, corrects = 82.00) rappel = 0.121 precision = 0.364 f-mesure = 0.182
- sur l'ensemble des 4 classes macro rappel = 0.430 macro precision = 0.372 macro F-mesure = 0.399

Table 379: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-noise-endp-fft-diff.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2089.00, corrects = 1017.00) rappel = 0.882 precision = 0.487 f-mesure = 0.627
- classe Q (attendus = 1329, ramenes = 393.00, corrects = 257.00) rappel = 0.193 precision = 0.654 f-mesure = 0.298
- sur l'ensemble des 2 classes macro rappel = 0.538 macro precision = 0.570 macro F-mesure = 0.554
Evaluation du journal
- classe D (attendus = 652, ramenes = 288.00, corrects = 95.00) rappel = 0.146 precision = 0.330 f-mesure = 0.202
- classe E (attendus = 553, ramenes = 1030.00, corrects = 428.00) rappel = 0.774 precision = 0.416 f-mesure = 0.541
- classe M (attendus = 600, ramenes = 1059.00, corrects = 468.00) rappel = 0.780 precision = 0.442 f-mesure = 0.564
- classe P (attendus = 677, ramenes = 105.00, corrects = 34.00) rappel = 0.050 precision = 0.324 f-mesure = 0.087
- sur l'ensemble des 4 classes macro rappel = 0.437 macro precision = 0.378 macro F-mesure = 0.405

Table 380: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-noise-endp-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2090.00, corrects = 1010.00) rappel = 0.876 precision = 0.483 f-mesure = 0.623
- classe Q (attendus = 1329, ramenes = 392.00, corrects = 249.00) rappel = 0.187 precision = 0.635 f-mesure = 0.289
- sur l'ensemble des 2 classes macro rappel = 0.532 macro precision = 0.559 macro F-mesure = 0.545
Evaluation du journal
- classe D (attendus = 652, ramenes = 278.00, corrects = 95.00) rappel = 0.146 precision = 0.342 f-mesure = 0.204
- classe E (attendus = 553, ramenes = 996.00, corrects = 414.00) rappel = 0.749 precision = 0.416 f-mesure = 0.535
- classe M (attendus = 600, ramenes = 1094.00, corrects = 480.00) rappel = 0.800 precision = 0.439 f-mesure = 0.567
- classe P (attendus = 677, ramenes = 114.00, corrects = 40.00) rappel = 0.059 precision = 0.351 f-mesure = 0.101
- sur l'ensemble des 4 classes macro rappel = 0.438 macro precision = 0.387 macro F-mesure = 0.411

Table 381: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-noise-endp-fft-mink.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2076.00, corrects = 1002.00) rappel = 0.869 precision = 0.483 f-mesure = 0.621
- classe Q (attendus = 1329, ramenes = 406.00, corrects = 255.00) rappel = 0.192 precision = 0.628 f-mesure = 0.294
- sur l'ensemble des 2 classes macro rappel = 0.530 macro precision = 0.555 macro F-mesure = 0.543
Evaluation du journal
- classe D (attendus = 652, ramenes = 309.00, corrects = 105.00) rappel = 0.161 precision = 0.340 f-mesure = 0.219
- classe E (attendus = 553, ramenes = 988.00, corrects = 409.00) rappel = 0.740 precision = 0.414 f-mesure = 0.531
- classe M (attendus = 600, ramenes = 1088.00, corrects = 479.00) rappel = 0.798 precision = 0.440 f-mesure = 0.568
- classe P (attendus = 677, ramenes = 97.00, corrects = 30.00) rappel = 0.044 precision = 0.309 f-mesure = 0.078
- sur l'ensemble des 4 classes macro rappel = 0.436 macro precision = 0.376 macro F-mesure = 0.404

Table 382: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-noise-endp-lpc-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1527.00, corrects = 703.00) rappel = 0.610 precision = 0.460 f-mesure = 0.525
- classe Q (attendus = 1329, ramenes = 955.00, corrects = 505.00) rappel = 0.380 precision = 0.529 f-mesure = 0.442
- sur l'ensemble des 2 classes macro rappel = 0.495 macro precision = 0.495 macro F-mesure = 0.495
Evaluation du journal
- classe D (attendus = 652, ramenes = 498.00, corrects = 118.00) rappel = 0.181 precision = 0.237 f-mesure = 0.205
- classe E (attendus = 553, ramenes = 595.00, corrects = 186.00) rappel = 0.336 precision = 0.313 f-mesure = 0.324
- classe M (attendus = 600, ramenes = 932.00, corrects = 412.00) rappel = 0.687 precision = 0.442 f-mesure = 0.538
- classe P (attendus = 677, ramenes = 457.00, corrects = 129.00) rappel = 0.191 precision = 0.282 f-mesure = 0.228
- sur l'ensemble des 4 classes macro rappel = 0.349 macro precision = 0.318 macro F-mesure = 0.333

Table 383: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-noise-endp-minmax-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1968.00, corrects = 918.00) rappel = 0.796 precision = 0.466 f-mesure = 0.588
- classe Q (attendus = 1329, ramenes = 514.00, corrects = 279.00) rappel = 0.210 precision = 0.543 f-mesure = 0.303
- sur l'ensemble des 2 classes macro rappel = 0.503 macro precision = 0.505 macro F-mesure = 0.504
Evaluation du journal
- classe D (attendus = 652, ramenes = 357.00, corrects = 108.00) rappel = 0.166 precision = 0.303 f-mesure = 0.214
- classe E (attendus = 553, ramenes = 830.00, corrects = 323.00) rappel = 0.584 precision = 0.389 f-mesure = 0.467
- classe M (attendus = 600, ramenes = 1138.00, corrects = 457.00) rappel = 0.762 precision = 0.402 f-mesure = 0.526
- classe P (attendus = 677, ramenes = 157.00, corrects = 37.00) rappel = 0.055 precision = 0.236 f-mesure = 0.089
- sur l'ensemble des 4 classes macro rappel = 0.392 macro precision = 0.332 macro F-mesure = 0.359

Table 384: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-band-minmax-cheb.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1940.00, corrects = 908.00)` `rappel = 0.788 precision = 0.468 f-mesure = 0.587`
`- classe Q (attendus = 1329, ramenes = 542.00, corrects = 297.00)` `rappel = 0.223 precision = 0.548 f-mesure = 0.317`
`- sur l'ensemble des 2 classes` `macro rappel = 0.505 macro precision = 0.508 macro F-mesure = 0.507`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 372.00, corrects = 118.00)` `rappel = 0.181 precision = 0.317 f-mesure = 0.230`
`- classe E (attendus = 553, ramenes = 918.00, corrects = 343.00)` `rappel = 0.620 precision = 0.374 f-mesure = 0.466`
`- classe M (attendus = 600, ramenes = 1022.00, corrects = 425.00)` `rappel = 0.708 precision = 0.416 f-mesure = 0.524`
`- classe P (attendus = 677, ramenes = 170.00, corrects = 46.00)` `rappel = 0.068 precision = 0.271 f-mesure = 0.109`
`- sur l'ensemble des 4 classes` `macro rappel = 0.394 macro precision = 0.344 macro F-mesure = 0.368`

Table 385: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-band-minmax-diff.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1936.00, corrects = 908.00)` `rappel = 0.788 precision = 0.469 f-mesure = 0.588`
`- classe Q (attendus = 1329, ramenes = 546.00, corrects = 301.00)` `rappel = 0.226 precision = 0.551 f-mesure = 0.321`
`- sur l'ensemble des 2 classes` `macro rappel = 0.507 macro precision = 0.510 macro F-mesure = 0.509`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 364.00, corrects = 116.00)` `rappel = 0.178 precision = 0.319 f-mesure = 0.228`
`- classe E (attendus = 553, ramenes = 911.00, corrects = 340.00)` `rappel = 0.615 precision = 0.373 f-mesure = 0.464`
`- classe M (attendus = 600, ramenes = 1025.00, corrects = 426.00)` `rappel = 0.710 precision = 0.416 f-mesure = 0.524`
`- classe P (attendus = 677, ramenes = 182.00, corrects = 46.00)` `rappel = 0.068 precision = 0.253 f-mesure = 0.107`
`- sur l'ensemble des 4 classes` `macro rappel = 0.393 macro precision = 0.340 macro F-mesure = 0.364`

Table 386: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-endp-aggr-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2114.00, corrects = 1074.00) rappel = 0.931 precision = 0.508 f-mesure = 0.657
- classe Q (attendus = 1329, ramenes = 368.00, corrects = 289.00) rappel = 0.217 precision = 0.785 f-mesure = 0.341
- sur l'ensemble des 2 classes macro rappel = 0.574 macro precision = 0.647 macro F-mesure = 0.608
Evaluation du journal
- classe D (attendus = 652, ramenes = 68.00, corrects = 24.00) rappel = 0.037 precision = 0.353 f-mesure = 0.067
- classe E (attendus = 553, ramenes = 675.00, corrects = 358.00) rappel = 0.647 precision = 0.530 f-mesure = 0.583
- classe M (attendus = 600, ramenes = 1439.00, corrects = 520.00) rappel = 0.867 precision = 0.361 f-mesure = 0.510
- classe P (attendus = 677, ramenes = 300.00, corrects = 125.00) rappel = 0.185 precision = 0.417 f-mesure = 0.256
- sur l'ensemble des 4 classes macro rappel = 0.434 macro precision = 0.415 macro F-mesure = 0.424

Table 387: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-endp-aggr-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2185.00, corrects = 1028.00) rappel = 0.892 precision = 0.470 f-mesure = 0.616
- classe Q (attendus = 1329, ramenes = 297.00, corrects = 172.00) rappel = 0.129 precision = 0.579 f-mesure = 0.212
- sur l'ensemble des 2 classes macro rappel = 0.511 macro precision = 0.525 macro F-mesure = 0.518
Evaluation du journal
- classe D (attendus = 652, ramenes = 172.00, corrects = 53.00) rappel = 0.081 precision = 0.308 f-mesure = 0.129
- classe E (attendus = 553, ramenes = 879.00, corrects = 368.00) rappel = 0.665 precision = 0.419 f-mesure = 0.514
- classe M (attendus = 600, ramenes = 1306.00, corrects = 507.00) rappel = 0.845 precision = 0.388 f-mesure = 0.532
- classe P (attendus = 677, ramenes = 125.00, corrects = 30.00) rappel = 0.044 precision = 0.240 f-mesure = 0.075
- sur l'ensemble des 4 classes macro rappel = 0.409 macro precision = 0.339 macro F-mesure = 0.371

Table 388: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-endp-aggr-diff.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2113.00, corrects = 1073.00) rappel = 0.931 precision = 0.508 f-mesure = 0.657
- classe Q (attendus = 1329, ramenes = 369.00, corrects = 289.00) rappel = 0.217 precision = 0.783 f-mesure = 0.340
- sur l'ensemble des 2 classes macro rappel = 0.574 macro precision = 0.646 macro F-mesure = 0.608
Evaluation du journal
- classe D (attendus = 652, ramenes = 69.00, corrects = 26.00) rappel = 0.040 precision = 0.377 f-mesure = 0.072
- classe E (attendus = 553, ramenes = 674.00, corrects = 357.00) rappel = 0.646 precision = 0.530 f-mesure = 0.582
- classe M (attendus = 600, ramenes = 1439.00, corrects = 520.00) rappel = 0.867 precision = 0.361 f-mesure = 0.510
- classe P (attendus = 677, ramenes = 300.00, corrects = 126.00) rappel = 0.186 precision = 0.420 f-mesure = 0.258
- sur l'ensemble des 4 classes macro rappel = 0.435 macro precision = 0.422 macro F-mesure = 0.428

Table 389: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-endp-fft-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2114.00, corrects = 1074.00) rappel = 0.931 precision = 0.508 f-mesure = 0.657
- classe Q (attendus = 1329, ramenes = 368.00, corrects = 289.00) rappel = 0.217 precision = 0.785 f-mesure = 0.341
- sur l'ensemble des 2 classes macro rappel = 0.574 macro precision = 0.647 macro F-mesure = 0.608
Evaluation du journal
- classe D (attendus = 652, ramenes = 68.00, corrects = 24.00) rappel = 0.037 precision = 0.353 f-mesure = 0.067
- classe E (attendus = 553, ramenes = 675.00, corrects = 358.00) rappel = 0.647 precision = 0.530 f-mesure = 0.583
- classe M (attendus = 600, ramenes = 1439.00, corrects = 520.00) rappel = 0.867 precision = 0.361 f-mesure = 0.510
- classe P (attendus = 677, ramenes = 300.00, corrects = 125.00) rappel = 0.185 precision = 0.417 f-mesure = 0.256
- sur l'ensemble des 4 classes macro rappel = 0.434 macro precision = 0.415 macro F-mesure = 0.424

Table 390: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-endp-fft-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2185.00, corrects = 1028.00) rappel = 0.892 precision = 0.470 f-mesure = 0.616
- classe Q (attendus = 1329, ramenes = 297.00, corrects = 172.00) rappel = 0.129 precision = 0.579 f-mesure = 0.212
- sur l'ensemble des 2 classes macro rappel = 0.511 macro precision = 0.525 macro F-mesure = 0.518
Evaluation du journal
- classe D (attendus = 652, ramenes = 172.00, corrects = 53.00) rappel = 0.081 precision = 0.308 f-mesure = 0.129
- classe E (attendus = 553, ramenes = 879.00, corrects = 368.00) rappel = 0.665 precision = 0.419 f-mesure = 0.514
- classe M (attendus = 600, ramenes = 1306.00, corrects = 507.00) rappel = 0.845 precision = 0.388 f-mesure = 0.532
- classe P (attendus = 677, ramenes = 125.00, corrects = 30.00) rappel = 0.044 precision = 0.240 f-mesure = 0.075
- sur l'ensemble des 4 classes macro rappel = 0.409 macro precision = 0.339 macro F-mesure = 0.371

Table 391: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-endp-fft-diff.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2126.00, corrects = 1075.00) rappel = 0.932 precision = 0.506 f-mesure = 0.656
- classe Q (attendus = 1329, ramenes = 356.00, corrects = 278.00) rappel = 0.209 precision = 0.781 f-mesure = 0.330
- sur l'ensemble des 2 classes macro rappel = 0.571 macro precision = 0.643 macro F-mesure = 0.605
Evaluation du journal
- classe D (attendus = 652, ramenes = 65.00, corrects = 22.00) rappel = 0.034 precision = 0.338 f-mesure = 0.061
- classe E (attendus = 553, ramenes = 683.00, corrects = 354.00) rappel = 0.640 precision = 0.518 f-mesure = 0.573
- classe M (attendus = 600, ramenes = 1443.00, corrects = 521.00) rappel = 0.868 precision = 0.361 f-mesure = 0.510
- classe P (attendus = 677, ramenes = 291.00, corrects = 116.00) rappel = 0.171 precision = 0.399 f-mesure = 0.240
- sur l'ensemble des 4 classes macro rappel = 0.428 macro precision = 0.404 macro F-mesure = 0.416

Table 392: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-high-minmax-cheb.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1974.00, corrects = 935.00)` `rappel = 0.811 precision = 0.474 f-mesure = 0.598`
`- classe Q (attendus = 1329, ramenes = 508.00, corrects = 290.00)` `rappel = 0.218 precision = 0.571 f-mesure = 0.316`
`- sur l'ensemble des 2 classes` `macro rappel = 0.515 macro precision = 0.522 macro F-mesure = 0.518`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 337.00, corrects = 98.00)` `rappel = 0.150 precision = 0.291 f-mesure = 0.198`
`- classe E (attendus = 553, ramenes = 892.00, corrects = 351.00)` `rappel = 0.635 precision = 0.393 f-mesure = 0.486`
`- classe M (attendus = 600, ramenes = 1082.00, corrects = 430.00)` `rappel = 0.717 precision = 0.397 f-mesure = 0.511`
`- classe P (attendus = 677, ramenes = 171.00, corrects = 50.00)` `rappel = 0.074 precision = 0.292 f-mesure = 0.118`
`- sur l'ensemble des 4 classes` `macro rappel = 0.394 macro precision = 0.344 macro F-mesure = 0.367`

Table 393: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-high-minmax-cos.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 2008.00, corrects = 923.00)` `rappel = 0.801 precision = 0.460 f-mesure = 0.584`
`- classe Q (attendus = 1329, ramenes = 474.00, corrects = 244.00)` `rappel = 0.184 precision = 0.515 f-mesure = 0.271`
`- sur l'ensemble des 2 classes` `macro rappel = 0.492 macro precision = 0.487 macro F-mesure = 0.490`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 252.00, corrects = 70.00)` `rappel = 0.107 precision = 0.278 f-mesure = 0.155`
`- classe E (attendus = 553, ramenes = 884.00, corrects = 344.00)` `rappel = 0.622 precision = 0.389 f-mesure = 0.479`
`- classe M (attendus = 600, ramenes = 1124.00, corrects = 442.00)` `rappel = 0.737 precision = 0.393 f-mesure = 0.513`
`- classe P (attendus = 677, ramenes = 222.00, corrects = 62.00)` `rappel = 0.092 precision = 0.279 f-mesure = 0.138`
`- sur l'ensemble des 4 classes` `macro rappel = 0.389 macro precision = 0.335 macro F-mesure = 0.360`

Table 394: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-high-minmax-diff.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1973.00, corrects = 934.00) rappel = 0.810 precision = 0.473 f-mesure = 0.598
- classe Q (attendus = 1329, ramenes = 509.00, corrects = 290.00) rappel = 0.218 precision = 0.570 f-mesure = 0.316
- sur l'ensemble des 2 classes macro rappel = 0.514 macro precision = 0.522 macro F-mesure = 0.518
Evaluation du journal
- classe D (attendus = 652, ramenes = 337.00, corrects = 99.00) rappel = 0.152 precision = 0.294 f-mesure = 0.200
- classe E (attendus = 553, ramenes = 892.00, corrects = 349.00) rappel = 0.631 precision = 0.391 f-mesure = 0.483
- classe M (attendus = 600, ramenes = 1081.00, corrects = 431.00) rappel = 0.718 precision = 0.399 f-mesure = 0.513
- classe P (attendus = 677, ramenes = 172.00, corrects = 52.00) rappel = 0.077 precision = 0.302 f-mesure = 0.122
- sur l'ensemble des 4 classes macro rappel = 0.395 macro precision = 0.347 macro F-mesure = 0.369

Table 395: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-high-minmax-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1985.00, corrects = 939.00) rappel = 0.814 precision = 0.473 f-mesure = 0.598
- classe Q (attendus = 1329, ramenes = 497.00, corrects = 283.00) rappel = 0.213 precision = 0.569 f-mesure = 0.310
- sur l'ensemble des 2 classes macro rappel = 0.514 macro precision = 0.521 macro F-mesure = 0.517
Evaluation du journal
- classe D (attendus = 652, ramenes = 336.00, corrects = 97.00) rappel = 0.149 precision = 0.289 f-mesure = 0.196
- classe E (attendus = 553, ramenes = 893.00, corrects = 350.00) rappel = 0.633 precision = 0.392 f-mesure = 0.484
- classe M (attendus = 600, ramenes = 1092.00, corrects = 434.00) rappel = 0.723 precision = 0.397 f-mesure = 0.513
- classe P (attendus = 677, ramenes = 161.00, corrects = 48.00) rappel = 0.071 precision = 0.298 f-mesure = 0.115
- sur l'ensemble des 4 classes macro rappel = 0.394 macro precision = 0.344 macro F-mesure = 0.367

Table 396: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-noise-endp-aggr-cheb.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 2095.00, corrects = 1016.00)` `rappel = 0.881 precision = 0.485 f-mesure = 0.626`
`- classe Q (attendus = 1329, ramenes = 387.00, corrects = 250.00)` `rappel = 0.188 precision = 0.646 f-mesure = 0.291`
`- sur l'ensemble des 2 classes` `macro rappel = 0.535 macro precision = 0.565 macro F-mesure = 0.550`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 283.00, corrects = 95.00)` `rappel = 0.146 precision = 0.336 f-mesure = 0.203`
`- classe E (attendus = 553, ramenes = 1020.00, corrects = 423.00)` `rappel = 0.765 precision = 0.415 f-mesure = 0.538`
`- classe M (attendus = 600, ramenes = 1075.00, corrects = 473.00)` `rappel = 0.788 precision = 0.440 f-mesure = 0.565`
`- classe P (attendus = 677, ramenes = 104.00, corrects = 35.00)` `rappel = 0.052 precision = 0.337 f-mesure = 0.090`
`- sur l'ensemble des 4 classes` `macro rappel = 0.438 macro precision = 0.382 macro F-mesure = 0.408`

Table 397: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-noise-endp-aggr-cos.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 2106.00, corrects = 1015.00)` `rappel = 0.880 precision = 0.482 f-mesure = 0.623`
`- classe Q (attendus = 1329, ramenes = 376.00, corrects = 238.00)` `rappel = 0.179 precision = 0.633 f-mesure = 0.279`
`- sur l'ensemble des 2 classes` `macro rappel = 0.530 macro precision = 0.557 macro F-mesure = 0.543`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 151.00, corrects = 41.00)` `rappel = 0.063 precision = 0.272 f-mesure = 0.102`
`- classe E (attendus = 553, ramenes = 1228.00, corrects = 470.00)` `rappel = 0.850 precision = 0.383 f-mesure = 0.528`
`- classe M (attendus = 600, ramenes = 878.00, corrects = 412.00)` `rappel = 0.687 precision = 0.469 f-mesure = 0.558`
`- classe P (attendus = 677, ramenes = 225.00, corrects = 82.00)` `rappel = 0.121 precision = 0.364 f-mesure = 0.182`
`- sur l'ensemble des 4 classes` `macro rappel = 0.430 macro precision = 0.372 macro F-mesure = 0.399`

Table 398: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-noise-endp-aggr-diff.prexml.xml`

Evaluation du pays

```
- classe F (attendus = 1153, ramenes = 2095.00, corrects = 1016.00)
  rappel = 0.881 precision = 0.485 f-mesure = 0.626
- classe Q (attendus = 1329, ramenes = 387.00, corrects = 250.00)
  rappel = 0.188 precision = 0.646 f-mesure = 0.291
- sur l'ensemble des 2 classes
  macro rappel = 0.535 macro precision = 0.565 macro F-mesure = 0.550
```

Evaluation du journal

```
- classe D (attendus = 652, ramenes = 283.00, corrects = 95.00)
  rappel = 0.146 precision = 0.336 f-mesure = 0.203
- classe E (attendus = 553, ramenes = 1020.00, corrects = 423.00)
  rappel = 0.765 precision = 0.415 f-mesure = 0.538
- classe M (attendus = 600, ramenes = 1075.00, corrects = 473.00)
  rappel = 0.788 precision = 0.440 f-mesure = 0.565
- classe P (attendus = 677, ramenes = 104.00, corrects = 35.00)
  rappel = 0.052 precision = 0.337 f-mesure = 0.090
- sur l'ensemble des 4 classes
  macro rappel = 0.438 macro precision = 0.382 macro F-mesure = 0.408
```

Table 399: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-noise-endp-aggr-eucl.prexml.xml`

Evaluation du pays

```
- classe F (attendus = 1153, ramenes = 2089.00, corrects = 1010.00)
  rappel = 0.876 precision = 0.483 f-mesure = 0.623
- classe Q (attendus = 1329, ramenes = 393.00, corrects = 250.00)
  rappel = 0.188 precision = 0.636 f-mesure = 0.290
- sur l'ensemble des 2 classes
  macro rappel = 0.532 macro precision = 0.560 macro F-mesure = 0.546
```

Evaluation du journal

```
- classe D (attendus = 652, ramenes = 279.00, corrects = 96.00)
  rappel = 0.147 precision = 0.344 f-mesure = 0.206
- classe E (attendus = 553, ramenes = 996.00, corrects = 414.00)
  rappel = 0.749 precision = 0.416 f-mesure = 0.535
- classe M (attendus = 600, ramenes = 1093.00, corrects = 480.00)
  rappel = 0.800 precision = 0.439 f-mesure = 0.567
- classe P (attendus = 677, ramenes = 114.00, corrects = 40.00)
  rappel = 0.059 precision = 0.351 f-mesure = 0.101
- sur l'ensemble des 4 classes
  macro rappel = 0.439 macro precision = 0.387 macro F-mesure = 0.412
```

Table 400: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-noise-endp-aggr-mink.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2075.00, corrects = 1002.00) rappel = 0.869 precision = 0.483 f-mesure = 0.621
- classe Q (attendus = 1329, ramenes = 407.00, corrects = 256.00) rappel = 0.193 precision = 0.629 f-mesure = 0.295
- sur l'ensemble des 2 classes macro rappel = 0.531 macro precision = 0.556 macro F-mesure = 0.543
Evaluation du journal
- classe D (attendus = 652, ramenes = 310.00, corrects = 106.00) rappel = 0.163 precision = 0.342 f-mesure = 0.220
- classe E (attendus = 553, ramenes = 988.00, corrects = 409.00) rappel = 0.740 precision = 0.414 f-mesure = 0.531
- classe M (attendus = 600, ramenes = 1087.00, corrects = 479.00) rappel = 0.798 precision = 0.441 f-mesure = 0.568
- classe P (attendus = 677, ramenes = 97.00, corrects = 30.00) rappel = 0.044 precision = 0.309 f-mesure = 0.078
- sur l'ensemble des 4 classes macro rappel = 0.436 macro precision = 0.376 macro F-mesure = 0.404

Table 401: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-noise-endp-fft-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2095.00, corrects = 1016.00) rappel = 0.881 precision = 0.485 f-mesure = 0.626
- classe Q (attendus = 1329, ramenes = 387.00, corrects = 250.00) rappel = 0.188 precision = 0.646 f-mesure = 0.291
- sur l'ensemble des 2 classes macro rappel = 0.535 macro precision = 0.565 macro F-mesure = 0.550
Evaluation du journal
- classe D (attendus = 652, ramenes = 283.00, corrects = 95.00) rappel = 0.146 precision = 0.336 f-mesure = 0.203
- classe E (attendus = 553, ramenes = 1020.00, corrects = 423.00) rappel = 0.765 precision = 0.415 f-mesure = 0.538
- classe M (attendus = 600, ramenes = 1075.00, corrects = 473.00) rappel = 0.788 precision = 0.440 f-mesure = 0.565
- classe P (attendus = 677, ramenes = 104.00, corrects = 35.00) rappel = 0.052 precision = 0.337 f-mesure = 0.090
- sur l'ensemble des 4 classes macro rappel = 0.438 macro precision = 0.382 macro F-mesure = 0.408

Table 402: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-noise-endp-fft-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2106.00, corrects = 1015.00) rappel = 0.880 precision = 0.482 f-mesure = 0.623
- classe Q (attendus = 1329, ramenes = 376.00, corrects = 238.00) rappel = 0.179 precision = 0.633 f-mesure = 0.279
- sur l'ensemble des 2 classes macro rappel = 0.530 macro precision = 0.557 macro F-mesure = 0.543
Evaluation du journal
- classe D (attendus = 652, ramenes = 151.00, corrects = 41.00) rappel = 0.063 precision = 0.272 f-mesure = 0.102
- classe E (attendus = 553, ramenes = 1228.00, corrects = 470.00) rappel = 0.850 precision = 0.383 f-mesure = 0.528
- classe M (attendus = 600, ramenes = 878.00, corrects = 412.00) rappel = 0.687 precision = 0.469 f-mesure = 0.558
- classe P (attendus = 677, ramenes = 225.00, corrects = 82.00) rappel = 0.121 precision = 0.364 f-mesure = 0.182
- sur l'ensemble des 4 classes macro rappel = 0.430 macro precision = 0.372 macro F-mesure = 0.399

Table 403: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-noise-endp-fft-diff.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2088.00, corrects = 1018.00) rappel = 0.883 precision = 0.488 f-mesure = 0.628
- classe Q (attendus = 1329, ramenes = 394.00, corrects = 259.00) rappel = 0.195 precision = 0.657 f-mesure = 0.301
- sur l'ensemble des 2 classes macro rappel = 0.539 macro precision = 0.572 macro F-mesure = 0.555
Evaluation du journal
- classe D (attendus = 652, ramenes = 289.00, corrects = 97.00) rappel = 0.149 precision = 0.336 f-mesure = 0.206
- classe E (attendus = 553, ramenes = 1030.00, corrects = 428.00) rappel = 0.774 precision = 0.416 f-mesure = 0.541
- classe M (attendus = 600, ramenes = 1058.00, corrects = 469.00) rappel = 0.782 precision = 0.443 f-mesure = 0.566
- classe P (attendus = 677, ramenes = 105.00, corrects = 34.00) rappel = 0.050 precision = 0.324 f-mesure = 0.087
- sur l'ensemble des 4 classes macro rappel = 0.439 macro precision = 0.380 macro F-mesure = 0.407

Table 404: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-noise-endp-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2089.00, corrects = 1010.00) rappel = 0.876 precision = 0.483 f-mesure = 0.623
- classe Q (attendus = 1329, ramenes = 393.00, corrects = 250.00) rappel = 0.188 precision = 0.636 f-mesure = 0.290
- sur l'ensemble des 2 classes macro rappel = 0.532 macro precision = 0.560 macro F-mesure = 0.546
Evaluation du journal
- classe D (attendus = 652, ramenes = 279.00, corrects = 96.00) rappel = 0.147 precision = 0.344 f-mesure = 0.206
- classe E (attendus = 553, ramenes = 996.00, corrects = 414.00) rappel = 0.749 precision = 0.416 f-mesure = 0.535
- classe M (attendus = 600, ramenes = 1093.00, corrects = 480.00) rappel = 0.800 precision = 0.439 f-mesure = 0.567
- classe P (attendus = 677, ramenes = 114.00, corrects = 40.00) rappel = 0.059 precision = 0.351 f-mesure = 0.101
- sur l'ensemble des 4 classes macro rappel = 0.439 macro precision = 0.387 macro F-mesure = 0.412

Table 405: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-noise-endp-fft-mink.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 2075.00, corrects = 1002.00) rappel = 0.869 precision = 0.483 f-mesure = 0.621
- classe Q (attendus = 1329, ramenes = 407.00, corrects = 256.00) rappel = 0.193 precision = 0.629 f-mesure = 0.295
- sur l'ensemble des 2 classes macro rappel = 0.531 macro precision = 0.556 macro F-mesure = 0.543
Evaluation du journal
- classe D (attendus = 652, ramenes = 310.00, corrects = 106.00) rappel = 0.163 precision = 0.342 f-mesure = 0.220
- classe E (attendus = 553, ramenes = 988.00, corrects = 409.00) rappel = 0.740 precision = 0.414 f-mesure = 0.531
- classe M (attendus = 600, ramenes = 1087.00, corrects = 479.00) rappel = 0.798 precision = 0.441 f-mesure = 0.568
- classe P (attendus = 677, ramenes = 97.00, corrects = 30.00) rappel = 0.044 precision = 0.309 f-mesure = 0.078
- sur l'ensemble des 4 classes macro rappel = 0.436 macro precision = 0.376 macro F-mesure = 0.404

Table 406: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-noise-endp-lpc-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1526.00, corrects = 703.00)` `rappel = 0.610 precision = 0.461 f-mesure = 0.525`
`- classe Q (attendus = 1329, ramenes = 956.00, corrects = 506.00)` `rappel = 0.381 precision = 0.529 f-mesure = 0.443`
`- sur l’ensemble des 2 classes` `macro rappel = 0.495 macro precision = 0.495 macro F-mesure = 0.495`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 496.00, corrects = 116.00)` `rappel = 0.178 precision = 0.234 f-mesure = 0.202`
`- classe E (attendus = 553, ramenes = 593.00, corrects = 187.00)` `rappel = 0.338 precision = 0.315 f-mesure = 0.326`
`- classe M (attendus = 600, ramenes = 933.00, corrects = 411.00)` `rappel = 0.685 precision = 0.441 f-mesure = 0.536`
`- classe P (attendus = 677, ramenes = 460.00, corrects = 129.00)` `rappel = 0.191 precision = 0.280 f-mesure = 0.227`
`- sur l’ensemble des 4 classes` `macro rappel = 0.348 macro precision = 0.318 macro F-mesure = 0.332`

Table 407: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-text-journal-ref-silence-noise-endp-minmax-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1969.00, corrects = 918.00)` `rappel = 0.796 precision = 0.466 f-mesure = 0.588`
`- classe Q (attendus = 1329, ramenes = 513.00, corrects = 278.00)` `rappel = 0.209 precision = 0.542 f-mesure = 0.302`
`- sur l’ensemble des 2 classes` `macro rappel = 0.503 macro precision = 0.504 macro F-mesure = 0.503`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 359.00, corrects = 109.00)` `rappel = 0.167 precision = 0.304 f-mesure = 0.216`
`- classe E (attendus = 553, ramenes = 832.00, corrects = 324.00)` `rappel = 0.586 precision = 0.389 f-mesure = 0.468`
`- classe M (attendus = 600, ramenes = 1137.00, corrects = 456.00)` `rappel = 0.760 precision = 0.401 f-mesure = 0.525`
`- classe P (attendus = 677, ramenes = 154.00, corrects = 37.00)` `rappel = 0.055 precision = 0.240 f-mesure = 0.089`
`- sur l’ensemble des 4 classes` `macro rappel = 0.392 macro precision = 0.334 macro F-mesure = 0.360`

4.2.4 Results for training data for title+text processing

Table 408: Consolidated results (piste2-result1-marf-text-title-stats), Part 1.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	-title-text -high -aggr -cos	2219	1500	59.67
2	1st	-title-text -high -fft -cos	2217	1502	59.61
3	1st	-title-text -silence -high -fft -cos	2165	1554	58.21
4	1st	-title-text -silence -high -aggr -cos	2161	1558	58.11
5	1st	-title-text -silence -band -aggr -cos	2132	1587	57.33
6	1st	-title-text -silence -band -fft -cos	2131	1588	57.30
7	1st	-title-text -noise -band -aggr -cos	2127	1592	57.19
8	1st	-title-text -noise -band -fft -cos	2126	1593	57.17
9	1st	-title-text -band -aggr -eucl	2123	1596	57.09
10	1st	-title-text -band -aggr -cos	2123	1596	57.09
11	1st	-title-text -band -fft -eucl	2123	1596	57.09
12	1st	-title-text -band -fft -cos	2122	1597	57.06
13	1st	-title-text -silence -noise -band -aggr -cos	2109	1610	56.71
14	1st	-title-text -band -fft -cheb	2107	1612	56.66
15	1st	-title-text -high -aggr -cheb	2106	1613	56.63
16	1st	-title-text -silence -noise -band -fft -cos	2106	1613	56.63
17	1st	-title-text -high -fft -cheb	2104	1615	56.57
18	1st	-title-text -band -aggr -cheb	2104	1615	56.57
19	1st	-title-text -high -aggr -diff	2100	1619	56.47
20	1st	-title-text -high -fft -diff	2099	1620	56.44
21	1st	-title-text -silence -band -aggr -eucl	2095	1624	56.33
22	1st	-title-text -silence -band -fft -eucl	2094	1625	56.31
23	1st	-title-text -band -fft -diff	2094	1625	56.31
24	1st	-title-text -band -aggr -diff	2090	1629	56.20
25	1st	-title-text -band -aggr -mink	2083	1636	56.01
26	1st	-title-text -band -fft -mink	2083	1636	56.01
27	1st	-title-text -silence -high -aggr -eucl	2083	1636	56.01
28	1st	-title-text -silence -high -fft -eucl	2080	1639	55.93
29	1st	-title-text -silence -high -aggr -mink	2079	1640	55.90
30	1st	-title-text -silence -high -fft -mink	2079	1640	55.90
31	1st	-title-text -high -aggr -eucl	2079	1640	55.90
32	1st	-title-text -high -fft -eucl	2079	1640	55.90
33	1st	-title-text -endp -lpc -eucl	2073	1646	55.74
34	1st	-title-text -silence -endp -lpc -eucl	2073	1646	55.74
35	1st	-title-text -silence -high -fft -cheb	2072	1647	55.71
36	1st	-title-text -silence -high -aggr -cheb	2064	1655	55.50
37	1st	-title-text -silence -high -fft -diff	2058	1661	55.34
38	1st	-title-text -silence -high -aggr -diff	2054	1665	55.23
39	1st	-title-text -endp -lpc -cheb	2050	1669	55.12
40	1st	-title-text -silence -endp -lpc -cheb	2050	1669	55.12
41	1st	-title-text -silence -noise -band -fft -mink	2047	1672	55.04
42	1st	-title-text -silence -noise -band -aggr -mink	2047	1672	55.04
43	1st	-title-text -silence -noise -endp -lpc -eucl	2047	1672	55.04
44	1st	-title-text -noise -band -fft -mink	2046	1673	55.01
45	1st	-title-text -high -aggr -mink	2046	1673	55.01
46	1st	-title-text -noise -band -aggr -mink	2046	1673	55.01
47	1st	-title-text -high -fft -mink	2046	1673	55.01
48	1st	-title-text -silence -band -fft -mink	2045	1674	54.99
49	1st	-title-text -silence -band -aggr -mink	2045	1674	54.99

Table 409: Consolidated results (piste2-result1-marf-text-title-stats), Part 2.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
50	1st	-title-text -noise -endp -lpc -eucl	2042	1677	54.91
51	1st	-title-text -silence -band -aggr -cheb	2039	1680	54.83
52	1st	-title-text -noise -band -aggr -diff	2037	1682	54.77
53	1st	-title-text -noise -band -fft -cheb	2037	1682	54.77
54	1st	-title-text -silence -band -fft -cheb	2036	1683	54.75
55	1st	-title-text -silence -band -aggr -diff	2036	1683	54.75
56	1st	-title-text -noise -endp -aggr -cos	2036	1683	54.75
57	1st	-title-text -silence -noise -endp -aggr -cos	2036	1683	54.75
58	1st	-title-text -silence -noise -endp -fft -cos	2036	1683	54.75
59	1st	-title-text -noise -endp -fft -cos	2036	1683	54.75
60	1st	-title-text -silence -band -fft -diff	2036	1683	54.75
61	1st	-title-text -noise -band -aggr -cheb	2034	1685	54.69
62	1st	-title-text -noise -band -fft -diff	2033	1686	54.67
63	1st	-title-text -endp -lpc -diff	2029	1690	54.56
64	1st	-title-text -silence -endp -lpc -diff	2029	1690	54.56
65	1st	-title-text -noise -high -aggr -eucl	2019	1700	54.29
66	1st	-title-text -silence -raw -lpc -eucl	2018	1701	54.26
67	1st	-title-text -silence -norm -lpc -eucl	2018	1701	54.26
68	1st	-title-text -raw -lpc -eucl	2018	1701	54.26
69	1st	-title-text -silence -noise -raw -lpc -eucl	2018	1701	54.26
70	1st	-title-text -norm -lpc -eucl	2018	1701	54.26
71	1st	-title-text -noise -raw -lpc -eucl	2018	1701	54.26
72	1st	-title-text -noise -high -fft -eucl	2018	1701	54.26
73	1st	-title-text -silence -noise -high -aggr -eucl	2010	1709	54.05
74	1st	-title-text -silence -noise -high -fft -eucl	2007	1712	53.97
75	1st	-title-text -noise -high -aggr -cos	2006	1713	53.94
76	1st	-title-text -noise -high -fft -cos	2004	1715	53.89
77	1st	-title-text -silence -noise -endp -lpc -cos	2001	1718	53.80
78	1st	-title-text -silence -noise -endp -lpc -mink	2000	1719	53.78
79	1st	-title-text -noise -band -lpc -hamming	2000	1719	53.78
80	1st	-title-text -noise -endp -lpc -mink	2000	1719	53.78
81	1st	-title-text -silence -noise -high -aggr -mink	1999	1720	53.75
82	1st	-title-text -silence -noise -high -fft -mink	1999	1720	53.75
83	1st	-title-text -noise -endp -lpc -cos	1997	1722	53.70
84	1st	-title-text -silence -noise -endp -lpc -cheb	1994	1725	53.62
85	1st	-title-text -silence -endp -lpc -mink	1993	1726	53.59
86	1st	-title-text -endp -lpc -mink	1993	1726	53.59
87	1st	-title-text -noise -boost -aggr -cheb	1991	1728	53.54
88	1st	-title-text -silence -noise -highpassboost -fft -hamming	1991	1728	53.54
89	1st	-title-text -highpassboost -fft -cos	1991	1728	53.54
90	1st	-title-text -boost -fft -cos	1991	1728	53.54
91	1st	-title-text -noise -boost -aggr -cos	1991	1728	53.54
92	1st	-title-text -silence -boost -aggr -mink	1991	1728	53.54
93	1st	-title-text -silence -boost -fft -diff	1991	1728	53.54
94	1st	-title-text -highpassboost -lpc -eucl	1991	1728	53.54
95	1st	-title-text -silence -noise -highpassboost -aggr -mink	1991	1728	53.54
96	1st	-title-text -highpassboost -aggr -eucl	1991	1728	53.54
97	1st	-title-text -silence -highpassboost -fft -mink	1991	1728	53.54
98	1st	-title-text -silence -boost -lpc -cheb	1991	1728	53.54
99	1st	-title-text -noise -highpassboost -aggr -cos	1991	1728	53.54

Table 410: Consolidated results (piste2-result1-marf-text-title-stats), Part 3.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
100	1st	-title-text -boost -aggr -eucl	1991	1728	53.54
101	1st	-title-text -boost -lpc -mink	1991	1728	53.54
102	1st	-title-text -silence -highpassboost -lpc -hamming	1991	1728	53.54
103	1st	-title-text -silence -noise -highpassboost -aggr -cos	1991	1728	53.54
104	1st	-title-text -silence -noise -boost -lpc -diff	1991	1728	53.54
105	1st	-title-text -highpassboost -lpc -mink	1991	1728	53.54
106	1st	-title-text -boost -fft -eucl	1991	1728	53.54
107	1st	-title-text -highpassboost -aggr -mink	1991	1728	53.54
108	1st	-title-text -noise -highpassboost -aggr -eucl	1991	1728	53.54
109	1st	-title-text -boost -minmax -hamming	1991	1728	53.54
110	1st	-title-text -boost -aggr -mink	1991	1728	53.54
111	1st	-title-text -highpassboost -fft -eucl	1991	1728	53.54
112	1st	-title-text -silence -boost -fft -cheb	1991	1728	53.54
113	1st	-title-text -silence -boost -lpc -hamming	1991	1728	53.54
114	1st	-title-text -boost -lpc -cos	1991	1728	53.54
115	1st	-title-text -noise -boost -lpc -hamming	1991	1728	53.54
116	1st	-title-text -boost -fft -mink	1991	1728	53.54
117	1st	-title-text -highpassboost -lpc -cos	1991	1728	53.54
118	1st	-title-text -noise -highpassboost -aggr -mink	1991	1728	53.54
119	1st	-title-text -boost -minmax -cos	1991	1728	53.54
120	1st	-title-text -noise -boost -fft -cos	1991	1728	53.54
121	1st	-title-text -silence -noise -boost -aggr -eucl	1991	1728	53.54
122	1st	-title-text -highpassboost -fft -mink	1991	1728	53.54
123	1st	-title-text -silence -noise -boost -fft -diff	1991	1728	53.54
124	1st	-title-text -silence -noise -boost -lpc -cheb	1991	1728	53.54
125	1st	-title-text -highpassboost -minmax -diff	1991	1728	53.54
126	1st	-title-text -highpassboost -fft -hamming	1991	1728	53.54
127	1st	-title-text -silence -noise -boost -aggr -mink	1991	1728	53.54
128	1st	-title-text -silence -highpassboost -aggr -eucl	1991	1728	53.54
129	1st	-title-text -silence -noise -highpassboost -lpc -hamming	1991	1728	53.54
130	1st	-title-text -silence -noise -boost -fft -cheb	1991	1728	53.54
131	1st	-title-text -boost -fft -hamming	1991	1728	53.54
132	1st	-title-text -noise -highpassboost -minmax -diff	1991	1728	53.54
133	1st	-title-text -noise -highpassboost -fft -hamming	1991	1728	53.54
134	1st	-title-text -noise -boost -minmax -eucl	1991	1728	53.54
135	1st	-title-text -boost -minmax -diff	1991	1728	53.54
136	1st	-title-text -noise -boost -lpc -diff	1991	1728	53.54
137	1st	-title-text -silence -highpassboost -aggr -cos	1991	1728	53.54
138	1st	-title-text -noise -boost -aggr -eucl	1991	1728	53.54
139	1st	-title-text -noise -boost -lpc -cos	1991	1728	53.54
140	1st	-title-text -noise -highpassboost -aggr -hamming	1991	1728	53.54
141	1st	-title-text -boost -aggr -hamming	1991	1728	53.54
142	1st	-title-text -silence -highpassboost -aggr -mink	1991	1728	53.54
143	1st	-title-text -highpassboost -minmax -cheb	1991	1728	53.54
144	1st	-title-text -highpassboost -aggr -hamming	1991	1728	53.54
145	1st	-title-text -noise -highpassboost -lpc -diff	1991	1728	53.54
146	1st	-title-text -silence -boost -lpc -eucl	1991	1728	53.54
147	1st	-title-text -noise -boost -minmax -mink	1991	1728	53.54
148	1st	-title-text -silence -noise -highpassboost -lpc -diff	1991	1728	53.54
149	1st	-title-text -noise -boost -aggr -mink	1991	1728	53.54

Table 411: Consolidated results (piste2-result1-marf-text-title-stats), Part 4.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
150	1st	-title-text -noise -boost -fft -diff	1991	1728	53.54
151	1st	-title-text -noise -highpassboost -minmax -cheb	1991	1728	53.54
152	1st	-title-text -boost -aggr -cos	1991	1728	53.54
153	1st	-title-text -boost -minmax -cheb	1991	1728	53.54
154	1st	-title-text -silence -boost -lpc -mink	1991	1728	53.54
155	1st	-title-text -noise -boost -lpc -cheb	1991	1728	53.54
156	1st	-title-text -silence -noise -boost -fft -cos	1991	1728	53.54
157	1st	-title-text -silence -noise -highpassboost -fft -cos	1991	1728	53.54
158	1st	-title-text -noise -highpassboost -fft -diff	1991	1728	53.54
159	1st	-title-text -highpassboost -aggr -cos	1991	1728	53.54
160	1st	-title-text -silence -boost -fft -eucl	1991	1728	53.54
161	1st	-title-text -noise -highpassboost -lpc -cheb	1991	1728	53.54
162	1st	-title-text -silence -boost -fft -cos	1991	1728	53.54
163	1st	-title-text -silence -noise -highpassboost -fft -diff	1991	1728	53.54
164	1st	-title-text -silence -noise -highpassboost -lpc -cheb	1991	1728	53.54
165	1st	-title-text -highpassboost -lpc -hamming	1991	1728	53.54
166	1st	-title-text -silence -noise -boost -lpc -eucl	1991	1728	53.54
167	1st	-title-text -silence -boost -fft -mink	1991	1728	53.54
168	1st	-title-text -noise -boost -fft -cheb	1991	1728	53.54
169	1st	-title-text -silence -noise -boost -fft -hamming	1991	1728	53.54
170	1st	-title-text -noise -highpassboost -fft -cheb	1991	1728	53.54
171	1st	-title-text -boost -lpc -hamming	1991	1728	53.54
172	1st	-title-text -noise -highpassboost -lpc -hamming	1991	1728	53.54
173	1st	-title-text -silence -noise -boost -lpc -mink	1991	1728	53.54
174	1st	-title-text -silence -noise -boost -lpc -cos	1991	1728	53.54
175	1st	-title-text -silence -noise -highpassboost -aggr -hamming	1991	1728	53.54
176	1st	-title-text -silence -noise -highpassboost -fft -cheb	1991	1728	53.54
177	1st	-title-text -silence -noise -highpassboost -lpc -cos	1991	1728	53.54
178	1st	-title-text -noise -highpassboost -fft -cos	1991	1728	53.54
179	1st	-title-text -silence -highpassboost -lpc -diff	1991	1728	53.54
180	1st	-title-text -silence -boost -lpc -cos	1991	1728	53.54
181	1st	-title-text -silence -noise -boost -fft -eucl	1991	1728	53.54
182	1st	-title-text -highpassboost -minmax -eucl	1991	1728	53.54
183	1st	-title-text -silence -noise -boost -aggr -hamming	1991	1728	53.54
184	1st	-title-text -silence -highpassboost -aggr -hamming	1991	1728	53.54
185	1st	-title-text -silence -noise -boost -fft -mink	1991	1728	53.54
186	1st	-title-text -silence -boost -aggr -diff	1991	1728	53.54
187	1st	-title-text -silence -noise -highpassboost -aggr -diff	1991	1728	53.54
188	1st	-title-text -silence -highpassboost -fft -diff	1991	1728	53.54
189	1st	-title-text -silence -highpassboost -lpc -cheb	1991	1728	53.54
190	1st	-title-text -noise -boost -minmax -cos	1991	1728	53.54
191	1st	-title-text -highpassboost -minmax -mink	1991	1728	53.54
192	1st	-title-text -boost -lpc -diff	1991	1728	53.54
193	1st	-title-text -noise -highpassboost -minmax -eucl	1991	1728	53.54
194	1st	-title-text -noise -highpassboost -minmax -cos	1991	1728	53.54
195	1st	-title-text -noise -highpassboost -lpc -cos	1991	1728	53.54
196	1st	-title-text -boost -minmax -eucl	1991	1728	53.54
197	1st	-title-text -noise -boost -lpc -eucl	1991	1728	53.54
198	1st	-title-text -highpassboost -lpc -diff	1991	1728	53.54
199	1st	-title-text -highpassboost -aggr -diff	1991	1728	53.54

Table 412: Consolidated results (piste2-result1-marf-text-title-stats), Part 5.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
200	1st	-title-text -silence -boost -aggr -hamming	1991	1728	53.54
201	1st	-title-text -boost -aggr -diff	1991	1728	53.54
202	1st	-title-text -noise -highpassboost -lpc -eucl	1991	1728	53.54
203	1st	-title-text -silence -boost -aggr -cos	1991	1728	53.54
204	1st	-title-text -noise -highpassboost -minmax -mink	1991	1728	53.54
205	1st	-title-text -silence -boost -aggr -cheb	1991	1728	53.54
206	1st	-title-text -noise -boost -minmax -hamming	1991	1728	53.54
207	1st	-title-text -boost -minmax -mink	1991	1728	53.54
208	1st	-title-text -silence -noise -highpassboost -aggr -cheb	1991	1728	53.54
209	1st	-title-text -silence -noise -boost -lpc -hamming	1991	1728	53.54
210	1st	-title-text -noise -boost -lpc -mink	1991	1728	53.54
211	1st	-title-text -silence -noise -highpassboost -lpc -eucl	1991	1728	53.54
212	1st	-title-text -silence -highpassboost -fft -cheb	1991	1728	53.54
213	1st	-title-text -boost -fft -diff	1991	1728	53.54
214	1st	-title-text -noise -highpassboost -aggr -diff	1991	1728	53.54
215	1st	-title-text -boost -lpc -cheb	1991	1728	53.54
216	1st	-title-text -noise -highpassboost -minmax -hamming	1991	1728	53.54
217	1st	-title-text -noise -boost -fft -eucl	1991	1728	53.54
218	1st	-title-text -noise -highpassboost -lpc -mink	1991	1728	53.54
219	1st	-title-text -highpassboost -fft -diff	1991	1728	53.54
220	1st	-title-text -highpassboost -lpc -cheb	1991	1728	53.54
221	1st	-title-text -silence -noise -highpassboost -lpc -mink	1991	1728	53.54
222	1st	-title-text -highpassboost -aggr -cheb	1991	1728	53.54
223	1st	-title-text -noise -highpassboost -fft -eucl	1991	1728	53.54
224	1st	-title-text -boost -aggr -cheb	1991	1728	53.54
225	1st	-title-text -noise -boost -fft -mink	1991	1728	53.54
226	1st	-title-text -silence -noise -boost -aggr -diff	1991	1728	53.54
227	1st	-title-text -silence -noise -highpassboost -fft -eucl	1991	1728	53.54
228	1st	-title-text -boost -fft -cheb	1991	1728	53.54
229	1st	-title-text -silence -highpassboost -fft -cos	1991	1728	53.54
230	1st	-title-text -noise -highpassboost -fft -mink	1991	1728	53.54
231	1st	-title-text -noise -highpassboost -aggr -cheb	1991	1728	53.54
232	1st	-title-text -silence -noise -boost -aggr -cos	1991	1728	53.54
233	1st	-title-text -silence -highpassboost -fft -hamming	1991	1728	53.54
234	1st	-title-text -highpassboost -fft -cheb	1991	1728	53.54
235	1st	-title-text -silence -noise -highpassboost -fft -mink	1991	1728	53.54
236	1st	-title-text -highpassboost -minmax -cos	1991	1728	53.54
237	1st	-title-text -silence -highpassboost -aggr -diff	1991	1728	53.54
238	1st	-title-text -highpassboost -minmax -hamming	1991	1728	53.54
239	1st	-title-text -silence -noise -boost -aggr -cheb	1991	1728	53.54
240	1st	-title-text -silence -boost -fft -hamming	1991	1728	53.54
241	1st	-title-text -noise -boost -minmax -diff	1991	1728	53.54
242	1st	-title-text -noise -boost -fft -hamming	1991	1728	53.54
243	1st	-title-text -silence -highpassboost -lpc -eucl	1991	1728	53.54
244	1st	-title-text -noise -boost -aggr -diff	1991	1728	53.54
245	1st	-title-text -silence -highpassboost -lpc -cos	1991	1728	53.54
246	1st	-title-text -silence -boost -lpc -diff	1991	1728	53.54
247	1st	-title-text -silence -highpassboost -lpc -mink	1991	1728	53.54
248	1st	-title-text -noise -boost -aggr -hamming	1991	1728	53.54
249	1st	-title-text -silence -highpassboost -aggr -cheb	1991	1728	53.54

Table 413: Consolidated results (piste2-result1-marf-text-title-stats), Part 6.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
250	1st	-title-text -silence -boost -aggr -eucl	1991	1728	53.54
251	1st	-title-text -silence -noise -highpassboost -aggr -eucl	1991	1728	53.54
252	1st	-title-text -silence -highpassboost -fft -eucl	1991	1728	53.54
253	1st	-title-text -noise -boost -minmax -cheb	1991	1728	53.54
254	1st	-title-text -boost -lpc -eucl	1991	1728	53.54
255	1st	-title-text -noise -endp -lpc -cheb	1989	1730	53.48
256	1st	-title-text -high -fft -hamming	1989	1730	53.48
257	1st	-title-text -silence -noise -band -fft -cheb	1988	1731	53.46
258	1st	-title-text -silence -noise -band -aggr -cheb	1988	1731	53.46
259	1st	-title-text -silence -noise -band -fft -diff	1988	1731	53.46
260	1st	-title-text -silence -noise -band -aggr -diff	1987	1732	53.43
261	1st	-title-text -noise -band -fft -eucl	1985	1734	53.37
262	1st	-title-text -silence -low -minmax -eucl	1985	1734	53.37
263	1st	-title-text -noise -norm -minmax -eucl	1985	1734	53.37
264	1st	-title-text -low -minmax -eucl	1985	1734	53.37
265	1st	-title-text -silence -noise -norm -minmax -eucl	1985	1734	53.37
266	1st	-title-text -noise -band -aggr -eucl	1985	1734	53.37
267	1st	-title-text -silence -endp -lpc -cos	1984	1735	53.35
268	1st	-title-text -endp -lpc -cos	1984	1735	53.35
269	1st	-title-text -silence -noise -endp -lpc -diff	1984	1735	53.35
270	1st	-title-text -noise -bandstop -minmax -mink	1983	1736	53.32
271	1st	-title-text -silence -noise -bandstop -minmax -mink	1982	1737	53.29
272	1st	-title-text -noise -high -fft -cheb	1982	1737	53.29
273	1st	-title-text -noise -high -aggr -cheb	1981	1738	53.27
274	1st	-title-text -raw -lpc -diff	1981	1738	53.27
275	1st	-title-text -silence -band -minmax -mink	1981	1738	53.27
276	1st	-title-text -band -minmax -mink	1981	1738	53.27
277	1st	-title-text -silence -noise -raw -lpc -diff	1981	1738	53.27
278	1st	-title-text -norm -lpc -diff	1981	1738	53.27
279	1st	-title-text -noise -raw -lpc -diff	1981	1738	53.27
280	1st	-title-text -silence -raw -lpc -diff	1981	1738	53.27
281	1st	-title-text -silence -norm -lpc -diff	1981	1738	53.27
282	1st	-title-text -bandstop -aggr -hamming	1980	1739	53.24
283	1st	-title-text -silence -noise -band -fft -eucl	1979	1740	53.21
284	1st	-title-text -silence -noise -band -aggr -eucl	1979	1740	53.21
285	1st	-title-text -silence -noise -bandstop -lpc -eucl	1979	1740	53.21
286	1st	-title-text -silence -noise -norm -minmax -diff	1978	1741	53.19
287	1st	-title-text -noise -endp -lpc -diff	1978	1741	53.19
288	1st	-title-text -silence -low -minmax -diff	1978	1741	53.19
289	1st	-title-text -silence -endp -lpc -hamming	1977	1742	53.16
290	1st	-title-text -endp -lpc -hamming	1977	1742	53.16
291	1st	-title-text -raw -lpc -cheb	1975	1744	53.11
292	1st	-title-text -noise -bandstop -lpc -mink	1975	1744	53.11
293	1st	-title-text -silence -noise -raw -lpc -cheb	1975	1744	53.11
294	1st	-title-text -norm -lpc -cheb	1975	1744	53.11
295	1st	-title-text -noise -raw -lpc -cheb	1975	1744	53.11
296	1st	-title-text -noise -endp -fft -hamming	1975	1744	53.11
297	1st	-title-text -silence -raw -lpc -cheb	1975	1744	53.11
298	1st	-title-text -noise -norm -minmax -cheb	1975	1744	53.11
299	1st	-title-text -low -minmax -cheb	1975	1744	53.11

Table 414: Consolidated results (piste2-result1-marf-text-title-stats), Part 7.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
300	1st	-title-text -silence -norm -lpc -cheb	1975	1744	53.11
301	1st	-title-text -silence -noise -norm -minmax -cheb	1974	1745	53.08
302	1st	-title-text -silence -low -minmax -cheb	1974	1745	53.08
303	1st	-title-text -silence -low -minmax -mink	1973	1746	53.05
304	1st	-title-text -noise -high -aggr -mink	1973	1746	53.05
305	1st	-title-text -silence -noise -norm -minmax -mink	1973	1746	53.05
306	1st	-title-text -noise -high -fft -mink	1973	1746	53.05
307	1st	-title-text -noise -norm -minmax -mink	1972	1747	53.03
308	1st	-title-text -low -minmax -mink	1972	1747	53.03
309	1st	-title-text -bandstop -lpc -diff	1971	1748	53.00
310	1st	-title-text -high -aggr -hamming	1971	1748	53.00
311	1st	-title-text -noise -high -fft -diff	1971	1748	53.00
312	1st	-title-text -noise -norm -minmax -diff	1971	1748	53.00
313	1st	-title-text -low -minmax -diff	1971	1748	53.00
314	1st	-title-text -noise -high -aggr -diff	1971	1748	53.00
315	1st	-title-text -silence -noise -high -aggr -diff	1969	1750	52.94
316	1st	-title-text -silence -noise -high -lpc -hamming	1969	1750	52.94
317	1st	-title-text -high -lpc -hamming	1968	1751	52.92
318	1st	-title-text -noise -bandstop -lpc -eucl	1968	1751	52.92
319	1st	-title-text -silence -noise -high -fft -cos	1967	1752	52.89
320	1st	-title-text -bandstop -lpc -mink	1967	1752	52.89
321	1st	-title-text -silence -noise -high -fft -diff	1967	1752	52.89
322	1st	-title-text -bandstop -fft -hamming	1967	1752	52.89
323	1st	-title-text -norm -lpc -cos	1965	1754	52.84
324	1st	-title-text -silence -raw -lpc -cos	1965	1754	52.84
325	1st	-title-text -noise -raw -lpc -cos	1965	1754	52.84
326	1st	-title-text -bandstop -lpc -cheb	1965	1754	52.84
327	1st	-title-text -silence -norm -lpc -cos	1965	1754	52.84
328	1st	-title-text -silence -noise -raw -lpc -cos	1965	1754	52.84
329	1st	-title-text -raw -lpc -cos	1965	1754	52.84
330	1st	-title-text -silence -noise -high -aggr -cheb	1965	1754	52.84
331	1st	-title-text -silence -noise -high -fft -cheb	1965	1754	52.84
332	1st	-title-text -silence -noise -bandstop -lpc -mink	1965	1754	52.84
333	1st	-title-text -bandstop -lpc -hamming	1963	1756	52.78
334	1st	-title-text -silence -noise -high -minmax -mink	1963	1756	52.78
335	1st	-title-text -noise -high -minmax -mink	1963	1756	52.78
336	1st	-title-text -silence -high -lpc -hamming	1962	1757	52.76
337	1st	-title-text -silence -noise -high -aggr -cos	1962	1757	52.76
338	1st	-title-text -silence -noise -high -minmax -cos	1962	1757	52.76
339	1st	-title-text -noise -high -minmax -cos	1962	1757	52.76
340	1st	-title-text -silence -noise -bandstop -lpc -cheb	1958	1761	52.65
341	1st	-title-text -silence -high -minmax -mink	1957	1762	52.62
342	1st	-title-text -high -minmax -mink	1957	1762	52.62
343	1st	-title-text -noise -band -minmax -diff	1957	1762	52.62
344	1st	-title-text -silence -noise -band -minmax -diff	1957	1762	52.62
345	1st	-title-text -silence -bandstop -lpc -diff	1956	1763	52.59
346	1st	-title-text -noise -bandstop -lpc -cheb	1954	1765	52.54
347	1st	-title-text -silence -band -minmax -eucl	1954	1765	52.54
348	1st	-title-text -band -minmax -eucl	1954	1765	52.54
349	1st	-title-text -bandstop -lpc -eucl	1954	1765	52.54

Table 415: Consolidated results (piste2-result1-marf-text-title-stats), Part 8.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
350	1st	-title-text -silence -noise -endp -lpc -hamming	1953	1766	52.51
351	1st	-title-text -silence -noise -band -minmax -mink	1953	1766	52.51
352	1st	-title-text -bandstop -minmax -mink	1953	1766	52.51
353	1st	-title-text -silence -bandstop -minmax -mink	1953	1766	52.51
354	1st	-title-text -noise -band -minmax -mink	1953	1766	52.51
355	1st	-title-text -bandstop -minmax -hamming	1952	1767	52.49
356	1st	-title-text -noise -high -minmax -eucl	1952	1767	52.49
357	1st	-title-text -noise -norm -fft -hamming	1952	1767	52.49
358	1st	-title-text -silence -noise -endp -fft -hamming	1952	1767	52.49
359	1st	-title-text -low -fft -hamming	1952	1767	52.49
360	1st	-title-text -silence -noise -high -minmax -eucl	1952	1767	52.49
361	1st	-title-text -endp -fft -cos	1950	1769	52.43
362	1st	-title-text -silence -endp -aggr -cos	1950	1769	52.43
363	1st	-title-text -silence -endp -fft -cos	1950	1769	52.43
364	1st	-title-text -endp -aggr -cos	1950	1769	52.43
365	1st	-title-text -silence -bandstop -minmax -hamming	1950	1769	52.43
366	1st	-title-text -silence -band -minmax -diff	1949	1770	52.41
367	1st	-title-text -band -minmax -diff	1949	1770	52.41
368	1st	-title-text -silence -noise -bandstop -minmax -eucl	1948	1771	52.38
369	1st	-title-text -band -lpc -hamming	1948	1771	52.38
370	1st	-title-text -silence -noise -endp -aggr -hamming	1948	1771	52.38
371	1st	-title-text -noise -bandstop -minmax -eucl	1948	1771	52.38
372	1st	-title-text -noise -endp -aggr -hamming	1948	1771	52.38
373	1st	-title-text -silence -high -fft -hamming	1948	1771	52.38
374	1st	-title-text -noise -bandstop -minmax -cos	1948	1771	52.38
375	1st	-title-text -silence -band -minmax -cheb	1947	1772	52.35
376	1st	-title-text -band -minmax -cheb	1947	1772	52.35
377	1st	-title-text -silence -noise -bandstop -minmax -cos	1947	1772	52.35
378	1st	-title-text -bandstop -lpc -cos	1947	1772	52.35
379	1st	-title-text -noise -high -lpc -mink	1947	1772	52.35
380	1st	-title-text -silence -noise -band -minmax -eucl	1946	1773	52.33
381	1st	-title-text -noise -band -minmax -eucl	1946	1773	52.33
382	1st	-title-text -silence -bandstop -lpc -cheb	1945	1774	52.30
383	1st	-title-text -bandstop -minmax -diff	1945	1774	52.30
384	1st	-title-text -silence -bandstop -aggr -hamming	1945	1774	52.30
385	1st	-title-text -silence -raw -lpc -mink	1944	1775	52.27
386	1st	-title-text -silence -norm -lpc -mink	1944	1775	52.27
387	1st	-title-text -raw -lpc -mink	1944	1775	52.27
388	1st	-title-text -noise -band -minmax -cheb	1944	1775	52.27
389	1st	-title-text -silence -noise -band -minmax -cheb	1944	1775	52.27
390	1st	-title-text -silence -noise -raw -lpc -mink	1944	1775	52.27
391	1st	-title-text -norm -lpc -mink	1944	1775	52.27
392	1st	-title-text -noise -raw -lpc -mink	1944	1775	52.27
393	1st	-title-text -noise -low -lpc -hamming	1943	1776	52.25
394	1st	-title-text -noise -bandstop -minmax -diff	1943	1776	52.25
395	1st	-title-text -silence -bandstop -minmax -diff	1942	1777	52.22
396	1st	-title-text -raw -minmax -mink	1942	1777	52.22
397	1st	-title-text -silence -noise -low -minmax -cheb	1942	1777	52.22
398	1st	-title-text -noise -low -lpc -mink	1942	1777	52.22
399	1st	-title-text -endp -aggr -hamming	1942	1777	52.22

Table 416: Consolidated results (piste2-result1-marf-text-title-stats), Part 9.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
400	1st	-title-text -silence -noise -raw -minmax -mink	1942	1777	52.22
401	1st	-title-text -noise -low -minmax -cheb	1942	1777	52.22
402	1st	-title-text -noise -raw -minmax -mink	1942	1777	52.22
403	1st	-title-text -high -lpc -diff	1942	1777	52.22
404	1st	-title-text -silence -endp -minmax -mink	1942	1777	52.22
405	1st	-title-text -endp -minmax -mink	1942	1777	52.22
406	1st	-title-text -silence -endp -aggr -hamming	1942	1777	52.22
407	1st	-title-text -silence -noise -low -minmax -diff	1942	1777	52.22
408	1st	-title-text -silence -raw -minmax -mink	1942	1777	52.22
409	1st	-title-text -noise -norm -lpc -hamming	1941	1778	52.19
410	1st	-title-text -low -lpc -hamming	1941	1778	52.19
411	1st	-title-text -silence -noise -low -minmax -cos	1940	1779	52.16
412	1st	-title-text -low -lpc -cheb	1939	1780	52.14
413	1st	-title-text -high -lpc -cheb	1939	1780	52.14
414	1st	-title-text -noise -bandstop -minmax -cheb	1939	1780	52.14
415	1st	-title-text -noise -norm -lpc -cheb	1939	1780	52.14
416	1st	-title-text -noise -norm -minmax -cos	1938	1781	52.11
417	1st	-title-text -noise -low -minmax -cos	1938	1781	52.11
418	1st	-title-text -low -minmax -cos	1938	1781	52.11
419	1st	-title-text -silence -low -minmax -cos	1937	1782	52.08
420	1st	-title-text -silence -high -aggr -hamming	1937	1782	52.08
421	1st	-title-text -noise -raw -lpc -hamming	1937	1782	52.08
422	1st	-title-text -silence -noise -norm -minmax -cos	1937	1782	52.08
423	1st	-title-text -silence -norm -lpc -hamming	1937	1782	52.08
424	1st	-title-text -norm -lpc -hamming	1937	1782	52.08
425	1st	-title-text -silence -raw -lpc -hamming	1937	1782	52.08
426	1st	-title-text -raw -lpc -hamming	1937	1782	52.08
427	1st	-title-text -silence -noise -raw -lpc -hamming	1937	1782	52.08
428	1st	-title-text -silence -bandstop -minmax -cheb	1936	1783	52.06
429	1st	-title-text -bandstop -minmax -eucl	1936	1783	52.06
430	1st	-title-text -noise -low -lpc -cos	1936	1783	52.06
431	1st	-title-text -silence -bandstop -lpc -eucl	1936	1783	52.06
432	1st	-title-text -silence -noise -low -minmax -eucl	1936	1783	52.06
433	1st	-title-text -silence -bandstop -minmax -eucl	1936	1783	52.06
434	1st	-title-text -noise -low -minmax -eucl	1936	1783	52.06
435	1st	-title-text -silence -noise -bandstop -minmax -cheb	1936	1783	52.06
436	1st	-title-text -bandstop -minmax -cheb	1936	1783	52.06
437	1st	-title-text -noise -low -lpc -eucl	1935	1784	52.03
438	1st	-title-text -silence -bandstop -lpc -cos	1935	1784	52.03
439	1st	-title-text -silence -noise -band -lpc -hamming	1935	1784	52.03
440	1st	-title-text -noise -norm -aggr -hamming	1934	1785	52.00
441	1st	-title-text -low -aggr -hamming	1934	1785	52.00
442	1st	-title-text -high -minmax -cheb	1933	1786	51.98
443	1st	-title-text -silence -bandstop -lpc -hamming	1933	1786	51.98
444	1st	-title-text -silence -noise -bandstop -lpc -hamming	1933	1786	51.98
445	1st	-title-text -silence -high -minmax -cheb	1933	1786	51.98
446	1st	-title-text -noise -endp -minmax -mink	1932	1787	51.95
447	1st	-title-text -silence -high -minmax -eucl	1932	1787	51.95
448	1st	-title-text -high -minmax -eucl	1932	1787	51.95
449	1st	-title-text -silence -bandstop -lpc -mink	1932	1787	51.95

Table 417: Consolidated results (piste2-result1-marf-text-title-stats), Part 10.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
450	1st	-title-text -silence -noise -bandstop -minmax -diff	1932	1787	51.95
451	1st	-title-text -noise -endp -lpc -hamming	1932	1787	51.95
452	1st	-title-text -silence -bandstop -fft -hamming	1932	1787	51.95
453	1st	-title-text -silence -noise -endp -minmax -mink	1931	1788	51.92
454	1st	-title-text -noise -low -lpc -cheb	1931	1788	51.92
455	1st	-title-text -noise -band -aggr -hamming	1931	1788	51.92
456	1st	-title-text -noise -norm -lpc -mink	1929	1790	51.87
457	1st	-title-text -noise -band -minmax -hamming	1929	1790	51.87
458	1st	-title-text -silence -noise -band -minmax -hamming	1929	1790	51.87
459	1st	-title-text -low -lpc -mink	1929	1790	51.87
460	1st	-title-text -noise -high -minmax -hamming	1928	1791	51.84
461	1st	-title-text -silence -band -lpc -hamming	1928	1791	51.84
462	1st	-title-text -silence -noise -low -minmax -mink	1928	1791	51.84
463	1st	-title-text -silence -noise -high -minmax -hamming	1928	1791	51.84
464	1st	-title-text -silence -noise -bandstop -lpc -diff	1928	1791	51.84
465	1st	-title-text -silence -norm -minmax -mink	1928	1791	51.84
466	1st	-title-text -norm -minmax -mink	1928	1791	51.84
467	1st	-title-text -silence -high -minmax -diff	1928	1791	51.84
468	1st	-title-text -high -minmax -diff	1928	1791	51.84
469	1st	-title-text -silence -noise -bandstop -lpc -cos	1927	1792	51.82
470	1st	-title-text -noise -norm -lpc -cos	1927	1792	51.82
471	1st	-title-text -silence -noise -high -aggr -hamming	1927	1792	51.82
472	1st	-title-text -noise -band -lpc -cheb	1927	1792	51.82
473	1st	-title-text -low -lpc -cos	1927	1792	51.82
474	1st	-title-text -silence -bandstop -minmax -cos	1927	1792	51.82
475	1st	-title-text -bandstop -minmax -cos	1926	1793	51.79
476	1st	-title-text -noise -low -minmax -mink	1926	1793	51.79
477	1st	-title-text -noise -low -lpc -diff	1926	1793	51.79
478	1st	-title-text -noise -low -minmax -diff	1925	1794	51.76
479	1st	-title-text -noise -bandstop -lpc -cos	1925	1794	51.76
480	1st	-title-text -silence -noise -low -lpc -hamming	1925	1794	51.76
481	1st	-title-text -noise -bandstop -lpc -hamming	1925	1794	51.76
482	1st	-title-text -noise -band -lpc -diff	1925	1794	51.76
483	1st	-title-text -noise -high -lpc -hamming	1924	1795	51.73
484	1st	-title-text -silence -noise -norm -fft -hamming	1923	1796	51.71
485	1st	-title-text -silence -noise -low -aggr -hamming	1923	1796	51.71
486	1st	-title-text -silence -endp -minmax -cheb	1923	1796	51.71
487	1st	-title-text -endp -minmax -cheb	1923	1796	51.71
488	1st	-title-text -silence -noise -low -aggr -cheb	1923	1796	51.71
489	1st	-title-text -silence -noise -low -fft -cheb	1923	1796	51.71
490	1st	-title-text -silence -low -fft -hamming	1923	1796	51.71
491	1st	-title-text -silence -noise -low -fft -diff	1922	1797	51.68
492	1st	-title-text -silence -noise -high -lpc -cheb	1922	1797	51.68
493	1st	-title-text -silence -low -lpc -cheb	1921	1798	51.65
494	1st	-title-text -silence -noise -low -aggr -diff	1921	1798	51.65
495	1st	-title-text -silence -noise -norm -lpc -cheb	1921	1798	51.65
496	1st	-title-text -silence -low -lpc -hamming	1919	1800	51.60
497	1st	-title-text -silence -noise -high -lpc -mink	1919	1800	51.60
498	1st	-title-text -silence -noise -norm -lpc -hamming	1919	1800	51.60
499	1st	-title-text -noise -norm -lpc -eucl	1918	1801	51.57

Table 418: Consolidated results (piste2-result1-marf-text-title-stats), Part 11.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
500	1st	-title-text -silence -noise -high -lpc -eucl	1918	1801	51.57
501	1st	-title-text -noise -raw -minmax -hamming	1918	1801	51.57
502	1st	-title-text -low -lpc -diff	1918	1801	51.57
503	1st	-title-text -band -lpc -cheb	1918	1801	51.57
504	1st	-title-text -raw -minmax -hamming	1918	1801	51.57
505	1st	-title-text -low -lpc -eucl	1918	1801	51.57
506	1st	-title-text -noise -norm -lpc -diff	1918	1801	51.57
507	1st	-title-text -silence -noise -raw -minmax -hamming	1918	1801	51.57
508	1st	-title-text -silence -raw -minmax -hamming	1918	1801	51.57
509	1st	-title-text -silence -raw -minmax -cos	1917	1802	51.55
510	1st	-title-text -silence -noise -raw -minmax -cos	1917	1802	51.55
511	1st	-title-text -noise -raw -minmax -cos	1917	1802	51.55
512	1st	-title-text -raw -minmax -cos	1917	1802	51.55
513	1st	-title-text -high -lpc -mink	1917	1802	51.55
514	1st	-title-text -silence -noise -norm -lpc -diff	1917	1802	51.55
515	1st	-title-text -silence -low -lpc -diff	1917	1802	51.55
516	1st	-title-text -low -minmax -hamming	1916	1803	51.52
517	1st	-title-text -noise -norm -minmax -hamming	1916	1803	51.52
518	1st	-title-text -noise -band -lpc -eucl	1916	1803	51.52
519	1st	-title-text -silence -noise -norm -lpc -mink	1915	1804	51.49
520	1st	-title-text -silence -low -lpc -mink	1915	1804	51.49
521	1st	-title-text -band -lpc -diff	1915	1804	51.49
522	1st	-title-text -noise -high -minmax -cheb	1915	1804	51.49
523	1st	-title-text -noise -high -lpc -cheb	1915	1804	51.49
524	1st	-title-text -silence -noise -low -lpc -diff	1915	1804	51.49
525	1st	-title-text -silence -noise -high -minmax -cheb	1915	1804	51.49
526	1st	-title-text -silence -noise -band -lpc -diff	1915	1804	51.49
527	1st	-title-text -silence -noise -norm -minmax -hamming	1914	1805	51.47
528	1st	-title-text -silence -norm -minmax -cos	1914	1805	51.47
529	1st	-title-text -norm -minmax -cos	1914	1805	51.47
530	1st	-title-text -silence -noise -high -fft -hamming	1914	1805	51.47
531	1st	-title-text -silence -low -minmax -hamming	1914	1805	51.47
532	1st	-title-text -noise -bandstop -lpc -diff	1914	1805	51.47
533	1st	-title-text -silence -high -lpc -mink	1913	1806	51.44
534	1st	-title-text -silence -low -aggr -hamming	1913	1806	51.44
535	1st	-title-text -noise -high -fft -hamming	1913	1806	51.44
536	1st	-title-text -silence -noise -norm -aggr -hamming	1913	1806	51.44
537	1st	-title-text -noise -high -lpc -eucl	1913	1806	51.44
538	1st	-title-text -noise -band -lpc -mink	1912	1807	51.41
539	1st	-title-text -silence -noise -raw -aggr -hamming	1912	1807	51.41
540	1st	-title-text -silence -noise -norm -lpc -eucl	1912	1807	51.41
541	1st	-title-text -endp -fft -diff	1912	1807	51.41
542	1st	-title-text -silence -low -lpc -eucl	1912	1807	51.41
543	1st	-title-text -silence -raw -aggr -hamming	1912	1807	51.41
544	1st	-title-text -raw -aggr -hamming	1912	1807	51.41
545	1st	-title-text -silence -norm -minmax -eucl	1912	1807	51.41
546	1st	-title-text -silence -endp -fft -diff	1912	1807	51.41
547	1st	-title-text -norm -minmax -eucl	1912	1807	51.41
548	1st	-title-text -silence -noise -band -minmax -cos	1912	1807	51.41
549	1st	-title-text -noise -band -minmax -cos	1912	1807	51.41

Table 419: Consolidated results (piste2-result1-marf-text-title-stats), Part 12.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
550	1st	-title-text -band -lpc -mink	1912	1807	51.41
551	1st	-title-text -noise -raw -aggr -hamming	1912	1807	51.41
552	1st	-title-text -noise -high -lpc -diff	1911	1808	51.38
553	1st	-title-text -silence -endp -minmax -eucl	1911	1808	51.38
554	1st	-title-text -endp -minmax -eucl	1911	1808	51.38
555	1st	-title-text -high -lpc -eucl	1911	1808	51.38
556	1st	-title-text -noise -low -aggr -cheb	1910	1809	51.36
557	1st	-title-text -silence -high -lpc -cheb	1910	1809	51.36
558	1st	-title-text -noise -low -aggr -diff	1908	1811	51.30
559	1st	-title-text -silence -band -minmax -cos	1908	1811	51.30
560	1st	-title-text -band -minmax -cos	1908	1811	51.30
561	1st	-title-text -noise -low -fft -diff	1908	1811	51.30
562	1st	-title-text -band -lpc -eucl	1908	1811	51.30
563	1st	-title-text -silence -high -lpc -eucl	1907	1812	51.28
564	1st	-title-text -endp -aggr -cheb	1907	1812	51.28
565	1st	-title-text -endp -fft -cheb	1907	1812	51.28
566	1st	-title-text -silence -endp -aggr -cheb	1907	1812	51.28
567	1st	-title-text -silence -endp -fft -cheb	1907	1812	51.28
568	1st	-title-text -silence -noise -band -lpc -eucl	1906	1813	51.25
569	1st	-title-text -silence -noise -band -lpc -mink	1906	1813	51.25
570	1st	-title-text -silence -raw -minmax -diff	1906	1813	51.25
571	1st	-title-text -raw -minmax -diff	1906	1813	51.25
572	1st	-title-text -silence -high -lpc -diff	1906	1813	51.25
573	1st	-title-text -silence -noise -raw -minmax -diff	1906	1813	51.25
574	1st	-title-text -noise -raw -minmax -diff	1906	1813	51.25
575	1st	-title-text -noise -low -fft -cheb	1906	1813	51.25
576	1st	-title-text -endp -aggr -diff	1905	1814	51.22
577	1st	-title-text -silence -endp -aggr -diff	1905	1814	51.22
578	1st	-title-text -silence -noise -high -lpc -cos	1905	1814	51.22
579	1st	-title-text -silence -raw -fft -hamming	1905	1814	51.22
580	1st	-title-text -raw -fft -hamming	1905	1814	51.22
581	1st	-title-text -silence -noise -high -lpc -diff	1905	1814	51.22
582	1st	-title-text -silence -noise -raw -fft -hamming	1905	1814	51.22
583	1st	-title-text -noise -raw -fft -hamming	1905	1814	51.22
584	1st	-title-text -silence -low -lpc -cos	1904	1815	51.20
585	1st	-title-text -silence -high -minmax -hamming	1904	1815	51.20
586	1st	-title-text -high -minmax -hamming	1904	1815	51.20
587	1st	-title-text -silence -noise -norm -lpc -cos	1904	1815	51.20
588	1st	-title-text -silence -endp -fft -mink	1903	1816	51.17
589	1st	-title-text -endp -aggr -mink	1903	1816	51.17
590	1st	-title-text -endp -fft -mink	1903	1816	51.17
591	1st	-title-text -silence -endp -aggr -mink	1903	1816	51.17
592	1st	-title-text -silence -noise -low -lpc -mink	1902	1817	51.14
593	1st	-title-text -noise -high -lpc -cos	1902	1817	51.14
594	1st	-title-text -silence -bandstop -aggr -cheb	1901	1818	51.12
595	1st	-title-text -noise -low -minmax -hamming	1901	1818	51.12
596	1st	-title-text -silence -noise -low -lpc -eucl	1901	1818	51.12
597	1st	-title-text -silence -norm -minmax -cheb	1900	1819	51.09
598	1st	-title-text -norm -minmax -cheb	1900	1819	51.09
599	1st	-title-text -silence -endp -minmax -cos	1900	1819	51.09

Table 420: Consolidated results (piste2-result1-marf-text-title-stats), Part 13.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
600	1st	-title-text -silence -noise -low -minmax -hamming	1900	1819	51.09
601	1st	-title-text -endp -minmax -cos	1900	1819	51.09
602	1st	-title-text -band -fft -hamming	1900	1819	51.09
603	1st	-title-text -silence -bandstop -aggr -diff	1899	1820	51.06
604	1st	-title-text -silence -noise -low -lpc -cheb	1899	1820	51.06
605	1st	-title-text -silence -noise -low -lpc -cos	1899	1820	51.06
606	1st	-title-text -silence -norm -minmax -diff	1898	1821	51.04
607	1st	-title-text -norm -minmax -diff	1898	1821	51.04
608	1st	-title-text -silence -raw -minmax -cheb	1898	1821	51.04
609	1st	-title-text -raw -minmax -cheb	1898	1821	51.04
610	1st	-title-text -silence -noise -raw -minmax -cheb	1898	1821	51.04
611	1st	-title-text -silence -band -lpc -diff	1898	1821	51.04
612	1st	-title-text -silence -noise -band -lpc -cheb	1898	1821	51.04
613	1st	-title-text -noise -raw -minmax -cheb	1898	1821	51.04
614	1st	-title-text -silence -noise -low -fft -hamming	1897	1822	51.01
615	1st	-title-text -silence -bandstop -fft -cheb	1896	1823	50.98
616	1st	-title-text -silence -noise -endp -minmax -diff	1896	1823	50.98
617	1st	-title-text -silence -bandstop -fft -diff	1895	1824	50.95
618	1st	-title-text -noise -high -aggr -hamming	1895	1824	50.95
619	1st	-title-text -noise -band -fft -hamming	1895	1824	50.95
620	1st	-title-text -silence -high -minmax -cos	1895	1824	50.95
621	1st	-title-text -high -minmax -cos	1895	1824	50.95
622	1st	-title-text -noise -endp -fft -diff	1894	1825	50.93
623	1st	-title-text -silence -noise -endp -fft -diff	1894	1825	50.93
624	1st	-title-text -raw -minmax -eucl	1893	1826	50.90
625	1st	-title-text -silence -noise -raw -minmax -eucl	1893	1826	50.90
626	1st	-title-text -noise -raw -minmax -eucl	1893	1826	50.90
627	1st	-title-text -noise -endp -minmax -hamming	1893	1826	50.90
628	1st	-title-text -noise -endp -minmax -cheb	1893	1826	50.90
629	1st	-title-text -silence -raw -minmax -eucl	1893	1826	50.90
630	1st	-title-text -noise -high -minmax -diff	1892	1827	50.87
631	1st	-title-text -silence -noise -high -minmax -diff	1892	1827	50.87
632	1st	-title-text -noise -endp -minmax -eucl	1891	1828	50.85
633	1st	-title-text -band -aggr -hamming	1891	1828	50.85
634	1st	-title-text -noise -endp -fft -cheb	1891	1828	50.85
635	1st	-title-text -silence -noise -endp -minmax -hamming	1891	1828	50.85
636	1st	-title-text -noise -endp -aggr -diff	1891	1828	50.85
637	1st	-title-text -noise -endp -aggr -cheb	1891	1828	50.85
638	1st	-title-text -silence -noise -endp -minmax -cheb	1891	1828	50.85
639	1st	-title-text -silence -noise -endp -aggr -diff	1890	1829	50.82
640	1st	-title-text -noise -endp -minmax -diff	1890	1829	50.82
641	1st	-title-text -silence -noise -endp -aggr -cheb	1890	1829	50.82
642	1st	-title-text -silence -noise -endp -fft -cheb	1890	1829	50.82
643	1st	-title-text -silence -endp -fft -eucl	1889	1830	50.79
644	1st	-title-text -endp -aggr -eucl	1889	1830	50.79
645	1st	-title-text -endp -fft -eucl	1889	1830	50.79
646	1st	-title-text -silence -endp -aggr -eucl	1889	1830	50.79
647	1st	-title-text -silence -noise -endp -minmax -eucl	1887	1832	50.74
648	1st	-title-text -silence -noise -bandstop -fft -hamming	1887	1832	50.74
649	1st	-title-text -silence -band -lpc -eucl	1885	1834	50.69

Table 421: Consolidated results (piste2-result1-marf-text-title-stats), Part 14.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
650	1st	-title-text -silence -noise -band -aggr -hamming	1885	1834	50.69
651	1st	-title-text -silence -band -lpc -cheb	1883	1836	50.63
652	1st	-title-text -silence -noise -endp -fft -eucl	1882	1837	50.61
653	1st	-title-text -noise -endp -aggr -eucl	1882	1837	50.61
654	1st	-title-text -silence -noise -endp -minmax -cos	1882	1837	50.61
655	1st	-title-text -noise -endp -fft -eucl	1882	1837	50.61
656	1st	-title-text -silence -noise -endp -aggr -eucl	1882	1837	50.61
657	1st	-title-text -silence -band -lpc -mink	1879	1840	50.52
658	1st	-title-text -silence -noise -band -fft -hamming	1879	1840	50.52
659	1st	-title-text -noise -endp -minmax -cos	1879	1840	50.52
660	1st	-title-text -silence -band -aggr -hamming	1879	1840	50.52
661	1st	-title-text -silence -endp -minmax -diff	1877	1842	50.47
662	1st	-title-text -endp -minmax -diff	1877	1842	50.47
663	1st	-title-text -silence -high -lpc -cos	1875	1844	50.42
664	1st	-title-text -silence -endp -fft -hamming	1874	1845	50.39
665	1st	-title-text -endp -fft -hamming	1874	1845	50.39
666	1st	-title-text -norm -aggr -diff	1874	1845	50.39
667	1st	-title-text -silence -norm -aggr -diff	1874	1845	50.39
668	1st	-title-text -norm -fft -diff	1874	1845	50.39
669	1st	-title-text -silence -band -fft -hamming	1874	1845	50.39
670	1st	-title-text -silence -norm -fft -diff	1874	1845	50.39
671	1st	-title-text -silence -noise -endp -aggr -mink	1873	1846	50.36
672	1st	-title-text -silence -noise -endp -fft -mink	1873	1846	50.36
673	1st	-title-text -noise -endp -aggr -mink	1873	1846	50.36
674	1st	-title-text -silence -norm -fft -hamming	1873	1846	50.36
675	1st	-title-text -norm -fft -hamming	1873	1846	50.36
676	1st	-title-text -bandstop -fft -diff	1873	1846	50.36
677	1st	-title-text -noise -endp -fft -mink	1873	1846	50.36
678	1st	-title-text -silence -band -minmax -hamming	1872	1847	50.34
679	1st	-title-text -band -minmax -hamming	1872	1847	50.34
680	1st	-title-text -bandstop -fft -cheb	1872	1847	50.34
681	1st	-title-text -bandstop -aggr -diff	1872	1847	50.34
682	1st	-title-text -silence -norm -fft -cheb	1871	1848	50.31
683	1st	-title-text -norm -aggr -cheb	1871	1848	50.31
684	1st	-title-text -silence -norm -aggr -cheb	1871	1848	50.31
685	1st	-title-text -norm -fft -cheb	1871	1848	50.31
686	1st	-title-text -bandstop -aggr -cheb	1871	1848	50.31
687	1st	-title-text -silence -noise -norm -fft -cheb	1870	1849	50.28
688	1st	-title-text -silence -low -fft -cheb	1870	1849	50.28
689	1st	-title-text -silence -band -lpc -cos	1870	1849	50.28
690	1st	-title-text -low -aggr -diff	1869	1850	50.26
691	1st	-title-text -low -fft -diff	1869	1850	50.26
692	1st	-title-text -silence -low -aggr -cheb	1869	1850	50.26
693	1st	-title-text -noise -norm -fft -diff	1869	1850	50.26
694	1st	-title-text -silence -noise -norm -aggr -cheb	1869	1850	50.26
695	1st	-title-text -noise -norm -aggr -diff	1869	1850	50.26
696	1st	-title-text -noise -norm -aggr -cheb	1868	1851	50.23
697	1st	-title-text -low -aggr -cheb	1868	1851	50.23
698	1st	-title-text -silence -norm -aggr -hamming	1868	1851	50.23
699	1st	-title-text -silence -low -aggr -diff	1868	1851	50.23

Table 422: Consolidated results (piste2-result1-marf-text-title-stats), Part 15.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
700	1st	-title-text -norm -aggr -hamming	1868	1851	50.23
701	1st	-title-text -silence -noise -norm -aggr -diff	1868	1851	50.23
702	1st	-title-text -noise -low -aggr -hamming	1868	1851	50.23
703	1st	-title-text -silence -low -fft -diff	1867	1852	50.20
704	1st	-title-text -low -fft -cheb	1867	1852	50.20
705	1st	-title-text -silence -noise -bandstop -minmax -hamming	1867	1852	50.20
706	1st	-title-text -noise -norm -fft -cheb	1867	1852	50.20
707	1st	-title-text -silence -noise -norm -fft -diff	1867	1852	50.20
708	1st	-title-text -silence -noise -bandstop -fft -diff	1866	1853	50.17
709	1st	-title-text -noise -bandstop -minmax -hamming	1866	1853	50.17
710	1st	-title-text -silence -norm -minmax -hamming	1866	1853	50.17
711	1st	-title-text -norm -minmax -hamming	1866	1853	50.17
712	1st	-title-text -noise -bandstop -fft -diff	1865	1854	50.15
713	1st	-title-text -silence -noise -bandstop -aggr -diff	1865	1854	50.15
714	1st	-title-text -silence -noise -bandstop -aggr -cheb	1865	1854	50.15
715	1st	-title-text -band -lpc -cos	1865	1854	50.15
716	1st	-title-text -noise -bandstop -aggr -diff	1865	1854	50.15
717	1st	-title-text -silence -noise -bandstop -fft -cheb	1865	1854	50.15
718	1st	-title-text -noise -bandstop -fft -cheb	1863	1856	50.09
719	1st	-title-text -silence -noise -band -lpc -cos	1863	1856	50.09
720	1st	-title-text -noise -bandstop -aggr -cheb	1863	1856	50.09
721	1st	-title-text -noise -bandstop -fft -hamming	1861	1858	50.04
722	1st	-title-text -noise -band -lpc -cos	1860	1859	50.01
723	1st	-title-text -silence -noise -bandstop -aggr -hamming	1859	1860	49.99
724	1st	-title-text -silence -endp -minmax -hamming	1856	1863	49.91
725	1st	-title-text -endp -minmax -hamming	1856	1863	49.91
726	1st	-title-text -noise -low -fft -hamming	1851	1868	49.77
727	1st	-title-text -high -lpc -cos	1843	1876	49.56
728	1st	-title-text -silence -raw -aggr -cheb	1842	1877	49.53
729	1st	-title-text -raw -aggr -cheb	1842	1877	49.53
730	1st	-title-text -noise -raw -aggr -cheb	1842	1877	49.53
731	1st	-title-text -silence -noise -raw -aggr -cheb	1842	1877	49.53
732	1st	-title-text -raw -fft -cheb	1841	1878	49.50
733	1st	-title-text -silence -noise -raw -fft -cheb	1841	1878	49.50
734	1st	-title-text -noise -raw -fft -cheb	1841	1878	49.50
735	1st	-title-text -silence -raw -fft -cheb	1841	1878	49.50
736	1st	-title-text -raw -fft -diff	1840	1879	49.48
737	1st	-title-text -silence -noise -raw -fft -diff	1840	1879	49.48
738	1st	-title-text -noise -raw -fft -diff	1840	1879	49.48
739	1st	-title-text -silence -raw -fft -diff	1840	1879	49.48
740	1st	-title-text -noise -bandstop -aggr -hamming	1839	1880	49.45
741	1st	-title-text -raw -aggr -diff	1836	1883	49.37
742	1st	-title-text -noise -raw -aggr -diff	1836	1883	49.37
743	1st	-title-text -silence -noise -raw -aggr -diff	1836	1883	49.37
744	1st	-title-text -silence -raw -aggr -diff	1836	1883	49.37
745	1st	-title-text -norm -aggr -cos	1761	1958	47.35
746	1st	-title-text -silence -norm -fft -cos	1761	1958	47.35
747	1st	-title-text -silence -norm -aggr -cos	1761	1958	47.35
748	1st	-title-text -norm -fft -cos	1761	1958	47.35
749	1st	-title-text -bandstop -aggr -eucl	1760	1959	47.32

Table 423: Consolidated results (piste2-result1-marf-text-title-stats), Part 16.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
750	1st	-title-text -silence -norm -fft -eucl	1760	1959	47.32
751	1st	-title-text -silence -bandstop -fft -cos	1760	1959	47.32
752	1st	-title-text -norm -aggr -eucl	1760	1959	47.32
753	1st	-title-text -silence -bandstop -aggr -cos	1760	1959	47.32
754	1st	-title-text -bandstop -fft -eucl	1760	1959	47.32
755	1st	-title-text -silence -norm -aggr -eucl	1760	1959	47.32
756	1st	-title-text -norm -fft -eucl	1760	1959	47.32
757	1st	-title-text -bandstop -aggr -cos	1759	1960	47.30
758	1st	-title-text -silence -bandstop -fft -eucl	1759	1960	47.30
759	1st	-title-text -bandstop -fft -cos	1759	1960	47.30
760	1st	-title-text -silence -bandstop -aggr -eucl	1759	1960	47.30
761	1st	-title-text -silence -raw -fft -cos	1758	1961	47.27
762	1st	-title-text -silence -noise -raw -aggr -cos	1758	1961	47.27
763	1st	-title-text -noise -raw -fft -cos	1758	1961	47.27
764	1st	-title-text -noise -raw -aggr -cos	1758	1961	47.27
765	1st	-title-text -silence -raw -aggr -cos	1758	1961	47.27
766	1st	-title-text -silence -noise -raw -fft -cos	1758	1961	47.27
767	1st	-title-text -raw -fft -cos	1758	1961	47.27
768	1st	-title-text -raw -aggr -cos	1758	1961	47.27
769	1st	-title-text -silence -noise -norm -aggr -eucl	1755	1964	47.19
770	1st	-title-text -silence -noise -norm -fft -eucl	1755	1964	47.19
771	1st	-title-text -silence -low -fft -eucl	1755	1964	47.19
772	1st	-title-text -silence -low -aggr -eucl	1755	1964	47.19
773	1st	-title-text -noise -norm -fft -eucl	1754	1965	47.16
774	1st	-title-text -noise -norm -aggr -eucl	1754	1965	47.16
775	1st	-title-text -low -aggr -eucl	1754	1965	47.16
776	1st	-title-text -low -fft -eucl	1754	1965	47.16
777	1st	-title-text -low -aggr -cos	1750	1969	47.06
778	1st	-title-text -noise -norm -fft -cos	1750	1969	47.06
779	1st	-title-text -noise -norm -aggr -cos	1750	1969	47.06
780	1st	-title-text -low -fft -cos	1750	1969	47.06
781	1st	-title-text -silence -noise -norm -fft -cos	1749	1970	47.03
782	1st	-title-text -silence -noise -low -aggr -cos	1749	1970	47.03
783	1st	-title-text -silence -noise -low -fft -cos	1749	1970	47.03
784	1st	-title-text -silence -noise -norm -aggr -cos	1749	1970	47.03
785	1st	-title-text -silence -low -aggr -cos	1749	1970	47.03
786	1st	-title-text -silence -low -fft -cos	1749	1970	47.03
787	1st	-title-text -noise -bandstop -fft -cos	1748	1971	47.00
788	1st	-title-text -noise -bandstop -aggr -cos	1748	1971	47.00
789	1st	-title-text -silence -noise -bandstop -fft -mink	1747	1972	46.97
790	1st	-title-text -noise -low -fft -cos	1747	1972	46.97
791	1st	-title-text -silence -noise -bandstop -fft -cos	1747	1972	46.97
792	1st	-title-text -silence -noise -bandstop -aggr -cos	1747	1972	46.97
793	1st	-title-text -noise -low -aggr -cos	1747	1972	46.97
794	1st	-title-text -noise -bandstop -fft -mink	1747	1972	46.97
795	1st	-title-text -silence -noise -bandstop -aggr -mink	1747	1972	46.97
796	1st	-title-text -noise -bandstop -aggr -mink	1747	1972	46.97
797	1st	-title-text -silence -noise -bandstop -fft -eucl	1744	1975	46.89
798	1st	-title-text -noise -bandstop -fft -eucl	1744	1975	46.89
799	1st	-title-text -silence -noise -bandstop -aggr -eucl	1744	1975	46.89

Table 424: Consolidated results (piste2-result1-marf-text-title-stats), Part 17.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
800	1st	-title-text -noise -bandstop -aggr -eucl	1744	1975	46.89
801	1st	-title-text -noise -raw -aggr -eucl	1739	1980	46.76
802	1st	-title-text -silence -raw -fft -eucl	1739	1980	46.76
803	1st	-title-text -silence -noise -raw -aggr -eucl	1739	1980	46.76
804	1st	-title-text -silence -raw -aggr -eucl	1739	1980	46.76
805	1st	-title-text -raw -fft -eucl	1739	1980	46.76
806	1st	-title-text -silence -noise -raw -fft -eucl	1739	1980	46.76
807	1st	-title-text -raw -aggr -eucl	1739	1980	46.76
808	1st	-title-text -noise -raw -fft -eucl	1739	1980	46.76
809	1st	-title-text -silence -bandstop -fft -mink	1736	1983	46.68
810	1st	-title-text -silence -bandstop -aggr -mink	1736	1983	46.68
811	1st	-title-text -silence -noise -norm -aggr -mink	1735	1984	46.65
812	1st	-title-text -noise -norm -fft -mink	1735	1984	46.65
813	1st	-title-text -noise -norm -aggr -mink	1735	1984	46.65
814	1st	-title-text -silence -noise -norm -fft -mink	1735	1984	46.65
815	1st	-title-text -silence -low -fft -mink	1735	1984	46.65
816	1st	-title-text -low -aggr -mink	1735	1984	46.65
817	1st	-title-text -low -fft -mink	1735	1984	46.65
818	1st	-title-text -silence -low -aggr -mink	1735	1984	46.65
819	1st	-title-text -bandstop -aggr -mink	1734	1985	46.63
820	1st	-title-text -bandstop -fft -mink	1734	1985	46.63
821	1st	-title-text -silence -noise -low -fft -eucl	1733	1986	46.60
822	1st	-title-text -noise -low -fft -eucl	1733	1986	46.60
823	1st	-title-text -noise -low -aggr -eucl	1733	1986	46.60
824	1st	-title-text -silence -noise -low -aggr -eucl	1733	1986	46.60
825	1st	-title-text -silence -norm -aggr -mink	1732	1987	46.57
826	1st	-title-text -norm -fft -mink	1732	1987	46.57
827	1st	-title-text -silence -norm -fft -mink	1732	1987	46.57
828	1st	-title-text -norm -aggr -mink	1732	1987	46.57
829	1st	-title-text -noise -raw -fft -mink	1725	1994	46.38
830	1st	-title-text -noise -raw -aggr -mink	1725	1994	46.38
831	1st	-title-text -noise -low -fft -mink	1725	1994	46.38
832	1st	-title-text -silence -raw -fft -mink	1725	1994	46.38
833	1st	-title-text -silence -noise -raw -aggr -mink	1725	1994	46.38
834	1st	-title-text -silence -raw -aggr -mink	1725	1994	46.38
835	1st	-title-text -raw -fft -mink	1725	1994	46.38
836	1st	-title-text -noise -low -aggr -mink	1725	1994	46.38
837	1st	-title-text -silence -noise -raw -fft -mink	1725	1994	46.38
838	1st	-title-text -raw -aggr -mink	1725	1994	46.38
839	1st	-title-text -silence -noise -low -fft -mink	1724	1995	46.36
840	1st	-title-text -silence -noise -low -aggr -mink	1724	1995	46.36
841	2nd	-title-text -high -aggr -cos	3719	0	100.00
842	2nd	-title-text -high -fft -cos	3719	0	100.00
843	2nd	-title-text -silence -high -fft -cos	3719	0	100.00
844	2nd	-title-text -silence -high -aggr -cos	3719	0	100.00
845	2nd	-title-text -silence -band -aggr -cos	3719	0	100.00
846	2nd	-title-text -silence -band -fft -cos	3719	0	100.00
847	2nd	-title-text -noise -band -aggr -cos	3719	0	100.00
848	2nd	-title-text -noise -band -fft -cos	3719	0	100.00
849	2nd	-title-text -band -aggr -eucl	3719	0	100.00

Table 425: Consolidated results (piste2-result1-marf-text-title-stats), Part 18.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
850	2nd	-title-text -band -aggr -cos	3719	0	100.00
851	2nd	-title-text -band -fft -eucl	3719	0	100.00
852	2nd	-title-text -band -fft -cos	3719	0	100.00
853	2nd	-title-text -silence -noise -band -aggr -cos	3719	0	100.00
854	2nd	-title-text -band -fft -cheb	3719	0	100.00
855	2nd	-title-text -high -aggr -cheb	3719	0	100.00
856	2nd	-title-text -silence -noise -band -fft -cos	3719	0	100.00
857	2nd	-title-text -high -fft -cheb	3719	0	100.00
858	2nd	-title-text -band -aggr -cheb	3719	0	100.00
859	2nd	-title-text -high -aggr -diff	3719	0	100.00
860	2nd	-title-text -high -fft -diff	3719	0	100.00
861	2nd	-title-text -silence -band -aggr -eucl	3719	0	100.00
862	2nd	-title-text -silence -band -fft -eucl	3719	0	100.00
863	2nd	-title-text -band -fft -diff	3719	0	100.00
864	2nd	-title-text -band -aggr -diff	3719	0	100.00
865	2nd	-title-text -band -aggr -mink	3719	0	100.00
866	2nd	-title-text -band -fft -mink	3719	0	100.00
867	2nd	-title-text -silence -high -aggr -eucl	3719	0	100.00
868	2nd	-title-text -silence -high -fft -eucl	3719	0	100.00
869	2nd	-title-text -silence -high -aggr -mink	3719	0	100.00
870	2nd	-title-text -silence -high -fft -mink	3719	0	100.00
871	2nd	-title-text -high -aggr -eucl	3719	0	100.00
872	2nd	-title-text -high -fft -eucl	3719	0	100.00
873	2nd	-title-text -endp -lpc -eucl	3719	0	100.00
874	2nd	-title-text -silence -endp -lpc -eucl	3719	0	100.00
875	2nd	-title-text -silence -high -fft -cheb	3719	0	100.00
876	2nd	-title-text -silence -high -aggr -cheb	3719	0	100.00
877	2nd	-title-text -silence -high -fft -diff	3719	0	100.00
878	2nd	-title-text -silence -high -aggr -diff	3719	0	100.00
879	2nd	-title-text -endp -lpc -cheb	3719	0	100.00
880	2nd	-title-text -silence -endp -lpc -cheb	3719	0	100.00
881	2nd	-title-text -silence -noise -band -fft -mink	3719	0	100.00
882	2nd	-title-text -silence -noise -band -aggr -mink	3719	0	100.00
883	2nd	-title-text -silence -noise -endp -lpc -eucl	3719	0	100.00
884	2nd	-title-text -noise -band -fft -mink	3719	0	100.00
885	2nd	-title-text -high -aggr -mink	3719	0	100.00
886	2nd	-title-text -noise -band -aggr -mink	3719	0	100.00
887	2nd	-title-text -high -fft -mink	3719	0	100.00
888	2nd	-title-text -silence -band -fft -mink	3719	0	100.00
889	2nd	-title-text -silence -band -aggr -mink	3719	0	100.00
890	2nd	-title-text -noise -endp -lpc -eucl	3719	0	100.00
891	2nd	-title-text -silence -band -aggr -cheb	3719	0	100.00
892	2nd	-title-text -noise -band -aggr -diff	3719	0	100.00
893	2nd	-title-text -noise -band -fft -cheb	3719	0	100.00
894	2nd	-title-text -silence -band -fft -cheb	3719	0	100.00
895	2nd	-title-text -silence -band -aggr -diff	3719	0	100.00
896	2nd	-title-text -noise -endp -aggr -cos	3719	0	100.00
897	2nd	-title-text -silence -noise -endp -aggr -cos	3719	0	100.00
898	2nd	-title-text -silence -noise -endp -fft -cos	3719	0	100.00
899	2nd	-title-text -noise -endp -fft -cos	3719	0	100.00

Table 426: Consolidated results (piste2-result1-marf-text-title-stats), Part 19.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
900	2nd	-title-text -silence -band -fft -diff	3719	0	100.00
901	2nd	-title-text -noise -band -aggr -cheb	3719	0	100.00
902	2nd	-title-text -noise -band -fft -diff	3719	0	100.00
903	2nd	-title-text -endp -lpc -diff	3719	0	100.00
904	2nd	-title-text -silence -endp -lpc -diff	3719	0	100.00
905	2nd	-title-text -noise -high -aggr -eucl	3719	0	100.00
906	2nd	-title-text -silence -raw -lpc -eucl	3719	0	100.00
907	2nd	-title-text -silence -norm -lpc -eucl	3719	0	100.00
908	2nd	-title-text -raw -lpc -eucl	3719	0	100.00
909	2nd	-title-text -silence -noise -raw -lpc -eucl	3719	0	100.00
910	2nd	-title-text -norm -lpc -eucl	3719	0	100.00
911	2nd	-title-text -noise -raw -lpc -eucl	3719	0	100.00
912	2nd	-title-text -noise -high -fft -eucl	3719	0	100.00
913	2nd	-title-text -silence -noise -high -aggr -eucl	3719	0	100.00
914	2nd	-title-text -silence -noise -high -fft -eucl	3719	0	100.00
915	2nd	-title-text -noise -high -aggr -cos	3719	0	100.00
916	2nd	-title-text -noise -high -fft -cos	3719	0	100.00
917	2nd	-title-text -silence -noise -endp -lpc -cos	3719	0	100.00
918	2nd	-title-text -silence -noise -endp -lpc -mink	3719	0	100.00
919	2nd	-title-text -noise -band -lpc -hamming	3719	0	100.00
920	2nd	-title-text -noise -endp -lpc -mink	3719	0	100.00
921	2nd	-title-text -silence -noise -high -aggr -mink	3719	0	100.00
922	2nd	-title-text -silence -noise -high -fft -mink	3719	0	100.00
923	2nd	-title-text -noise -endp -lpc -cos	3719	0	100.00
924	2nd	-title-text -silence -noise -endp -lpc -cheb	3719	0	100.00
925	2nd	-title-text -silence -endp -lpc -mink	3719	0	100.00
926	2nd	-title-text -endp -lpc -mink	3719	0	100.00
927	2nd	-title-text -noise -boost -aggr -cheb	3719	0	100.00
928	2nd	-title-text -silence -noise -highpassboost -fft -hamming	3719	0	100.00
929	2nd	-title-text -highpassboost -fft -cos	3719	0	100.00
930	2nd	-title-text -boost -fft -cos	3719	0	100.00
931	2nd	-title-text -noise -boost -aggr -cos	3719	0	100.00
932	2nd	-title-text -silence -boost -aggr -mink	3719	0	100.00
933	2nd	-title-text -silence -boost -fft -diff	3719	0	100.00
934	2nd	-title-text -highpassboost -lpc -eucl	3719	0	100.00
935	2nd	-title-text -silence -noise -highpassboost -aggr -mink	3719	0	100.00
936	2nd	-title-text -highpassboost -aggr -eucl	3719	0	100.00
937	2nd	-title-text -silence -highpassboost -fft -mink	3719	0	100.00
938	2nd	-title-text -silence -boost -lpc -cheb	3719	0	100.00
939	2nd	-title-text -noise -highpassboost -aggr -cos	3719	0	100.00
940	2nd	-title-text -boost -aggr -eucl	3719	0	100.00
941	2nd	-title-text -boost -lpc -mink	3719	0	100.00
942	2nd	-title-text -silence -highpassboost -lpc -hamming	3719	0	100.00
943	2nd	-title-text -silence -noise -highpassboost -aggr -cos	3719	0	100.00
944	2nd	-title-text -silence -noise -boost -lpc -diff	3719	0	100.00
945	2nd	-title-text -highpassboost -lpc -mink	3719	0	100.00
946	2nd	-title-text -boost -fft -eucl	3719	0	100.00
947	2nd	-title-text -highpassboost -aggr -mink	3719	0	100.00
948	2nd	-title-text -noise -highpassboost -aggr -eucl	3719	0	100.00
949	2nd	-title-text -boost -minmax -hamming	3719	0	100.00

Table 427: Consolidated results (piste2-result1-marf-text-title-stats), Part 20.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
950	2nd	-title-text -boost -aggr -mink	3719	0	100.00
951	2nd	-title-text -highpassboost -fft -eucl	3719	0	100.00
952	2nd	-title-text -silence -boost -fft -cheb	3719	0	100.00
953	2nd	-title-text -silence -boost -lpc -hamming	3719	0	100.00
954	2nd	-title-text -boost -lpc -cos	3719	0	100.00
955	2nd	-title-text -noise -boost -lpc -hamming	3719	0	100.00
956	2nd	-title-text -boost -fft -mink	3719	0	100.00
957	2nd	-title-text -highpassboost -lpc -cos	3719	0	100.00
958	2nd	-title-text -noise -highpassboost -aggr -mink	3719	0	100.00
959	2nd	-title-text -boost -minmax -cos	3719	0	100.00
960	2nd	-title-text -noise -boost -fft -cos	3719	0	100.00
961	2nd	-title-text -silence -noise -boost -aggr -eucl	3719	0	100.00
962	2nd	-title-text -highpassboost -fft -mink	3719	0	100.00
963	2nd	-title-text -silence -noise -boost -fft -diff	3719	0	100.00
964	2nd	-title-text -silence -noise -boost -lpc -cheb	3719	0	100.00
965	2nd	-title-text -highpassboost -minmax -diff	3719	0	100.00
966	2nd	-title-text -highpassboost -fft -hamming	3719	0	100.00
967	2nd	-title-text -silence -noise -boost -aggr -mink	3719	0	100.00
968	2nd	-title-text -silence -highpassboost -aggr -eucl	3719	0	100.00
969	2nd	-title-text -silence -noise -highpassboost -lpc -hamming	3719	0	100.00
970	2nd	-title-text -silence -noise -boost -fft -cheb	3719	0	100.00
971	2nd	-title-text -boost -fft -hamming	3719	0	100.00
972	2nd	-title-text -noise -highpassboost -minmax -diff	3719	0	100.00
973	2nd	-title-text -noise -highpassboost -fft -hamming	3719	0	100.00
974	2nd	-title-text -noise -boost -minmax -eucl	3719	0	100.00
975	2nd	-title-text -boost -minmax -diff	3719	0	100.00
976	2nd	-title-text -noise -boost -lpc -diff	3719	0	100.00
977	2nd	-title-text -silence -highpassboost -aggr -cos	3719	0	100.00
978	2nd	-title-text -noise -boost -aggr -eucl	3719	0	100.00
979	2nd	-title-text -noise -boost -lpc -cos	3719	0	100.00
980	2nd	-title-text -noise -highpassboost -aggr -hamming	3719	0	100.00
981	2nd	-title-text -boost -aggr -hamming	3719	0	100.00
982	2nd	-title-text -silence -highpassboost -aggr -mink	3719	0	100.00
983	2nd	-title-text -highpassboost -minmax -cheb	3719	0	100.00
984	2nd	-title-text -highpassboost -aggr -hamming	3719	0	100.00
985	2nd	-title-text -noise -highpassboost -lpc -diff	3719	0	100.00
986	2nd	-title-text -silence -boost -lpc -eucl	3719	0	100.00
987	2nd	-title-text -noise -boost -minmax -mink	3719	0	100.00
988	2nd	-title-text -silence -noise -highpassboost -lpc -diff	3719	0	100.00
989	2nd	-title-text -noise -boost -aggr -mink	3719	0	100.00
990	2nd	-title-text -noise -boost -fft -diff	3719	0	100.00
991	2nd	-title-text -noise -highpassboost -minmax -cheb	3719	0	100.00
992	2nd	-title-text -boost -aggr -cos	3719	0	100.00
993	2nd	-title-text -boost -minmax -cheb	3719	0	100.00
994	2nd	-title-text -silence -boost -lpc -mink	3719	0	100.00
995	2nd	-title-text -noise -boost -lpc -cheb	3719	0	100.00
996	2nd	-title-text -silence -noise -boost -fft -cos	3719	0	100.00
997	2nd	-title-text -silence -noise -highpassboost -fft -cos	3719	0	100.00
998	2nd	-title-text -noise -highpassboost -fft -diff	3719	0	100.00
999	2nd	-title-text -highpassboost -aggr -cos	3719	0	100.00

Table 428: Consolidated results (piste2-result1-marf-text-title-stats), Part 21.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1000	2nd	-title-text -silence -boost -fft -eucl	3719	0	100.00
1001	2nd	-title-text -noise -highpassboost -lpc -cheb	3719	0	100.00
1002	2nd	-title-text -silence -boost -fft -cos	3719	0	100.00
1003	2nd	-title-text -silence -noise -highpassboost -fft -diff	3719	0	100.00
1004	2nd	-title-text -silence -noise -highpassboost -lpc -cheb	3719	0	100.00
1005	2nd	-title-text -highpassboost -lpc -hamming	3719	0	100.00
1006	2nd	-title-text -silence -noise -boost -lpc -eucl	3719	0	100.00
1007	2nd	-title-text -silence -boost -fft -mink	3719	0	100.00
1008	2nd	-title-text -noise -boost -fft -cheb	3719	0	100.00
1009	2nd	-title-text -silence -noise -boost -fft -hamming	3719	0	100.00
1010	2nd	-title-text -noise -highpassboost -fft -cheb	3719	0	100.00
1011	2nd	-title-text -boost -lpc -hamming	3719	0	100.00
1012	2nd	-title-text -noise -highpassboost -lpc -hamming	3719	0	100.00
1013	2nd	-title-text -silence -noise -boost -lpc -mink	3719	0	100.00
1014	2nd	-title-text -silence -noise -boost -lpc -cos	3719	0	100.00
1015	2nd	-title-text -silence -noise -highpassboost -aggr -hamming	3719	0	100.00
1016	2nd	-title-text -silence -noise -highpassboost -fft -cheb	3719	0	100.00
1017	2nd	-title-text -silence -noise -highpassboost -lpc -cos	3719	0	100.00
1018	2nd	-title-text -noise -highpassboost -fft -cos	3719	0	100.00
1019	2nd	-title-text -silence -highpassboost -lpc -diff	3719	0	100.00
1020	2nd	-title-text -silence -boost -lpc -cos	3719	0	100.00
1021	2nd	-title-text -silence -noise -boost -fft -eucl	3719	0	100.00
1022	2nd	-title-text -highpassboost -minmax -eucl	3719	0	100.00
1023	2nd	-title-text -silence -noise -boost -aggr -hamming	3719	0	100.00
1024	2nd	-title-text -silence -highpassboost -aggr -hamming	3719	0	100.00
1025	2nd	-title-text -silence -noise -boost -fft -mink	3719	0	100.00
1026	2nd	-title-text -silence -boost -aggr -diff	3719	0	100.00
1027	2nd	-title-text -silence -noise -highpassboost -aggr -diff	3719	0	100.00
1028	2nd	-title-text -silence -highpassboost -fft -diff	3719	0	100.00
1029	2nd	-title-text -silence -highpassboost -lpc -cheb	3719	0	100.00
1030	2nd	-title-text -noise -boost -minmax -cos	3719	0	100.00
1031	2nd	-title-text -highpassboost -minmax -mink	3719	0	100.00
1032	2nd	-title-text -boost -lpc -diff	3719	0	100.00
1033	2nd	-title-text -noise -highpassboost -minmax -eucl	3719	0	100.00
1034	2nd	-title-text -noise -highpassboost -minmax -cos	3719	0	100.00
1035	2nd	-title-text -noise -highpassboost -lpc -cos	3719	0	100.00
1036	2nd	-title-text -boost -minmax -eucl	3719	0	100.00
1037	2nd	-title-text -noise -boost -lpc -eucl	3719	0	100.00
1038	2nd	-title-text -highpassboost -lpc -diff	3719	0	100.00
1039	2nd	-title-text -highpassboost -aggr -diff	3719	0	100.00
1040	2nd	-title-text -silence -boost -aggr -hamming	3719	0	100.00
1041	2nd	-title-text -boost -aggr -diff	3719	0	100.00
1042	2nd	-title-text -noise -highpassboost -lpc -eucl	3719	0	100.00
1043	2nd	-title-text -silence -boost -aggr -cos	3719	0	100.00
1044	2nd	-title-text -noise -highpassboost -minmax -mink	3719	0	100.00
1045	2nd	-title-text -silence -boost -aggr -cheb	3719	0	100.00
1046	2nd	-title-text -noise -boost -minmax -hamming	3719	0	100.00
1047	2nd	-title-text -boost -minmax -mink	3719	0	100.00
1048	2nd	-title-text -silence -noise -highpassboost -aggr -cheb	3719	0	100.00
1049	2nd	-title-text -silence -noise -boost -lpc -hamming	3719	0	100.00

Table 429: Consolidated results (piste2-result1-marf-text-title-stats), Part 22.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1050	2nd	-title-text -noise -boost -lpc -mink	3719	0	100.00
1051	2nd	-title-text -silence -noise -highpassboost -lpc -eucl	3719	0	100.00
1052	2nd	-title-text -silence -highpassboost -fft -cheb	3719	0	100.00
1053	2nd	-title-text -boost -fft -diff	3719	0	100.00
1054	2nd	-title-text -noise -highpassboost -aggr -diff	3719	0	100.00
1055	2nd	-title-text -boost -lpc -cheb	3719	0	100.00
1056	2nd	-title-text -noise -highpassboost -minmax -hamming	3719	0	100.00
1057	2nd	-title-text -noise -boost -fft -eucl	3719	0	100.00
1058	2nd	-title-text -noise -highpassboost -lpc -mink	3719	0	100.00
1059	2nd	-title-text -highpassboost -fft -diff	3719	0	100.00
1060	2nd	-title-text -highpassboost -lpc -cheb	3719	0	100.00
1061	2nd	-title-text -silence -noise -highpassboost -lpc -mink	3719	0	100.00
1062	2nd	-title-text -highpassboost -aggr -cheb	3719	0	100.00
1063	2nd	-title-text -noise -highpassboost -fft -eucl	3719	0	100.00
1064	2nd	-title-text -boost -aggr -cheb	3719	0	100.00
1065	2nd	-title-text -noise -boost -fft -mink	3719	0	100.00
1066	2nd	-title-text -silence -noise -boost -aggr -diff	3719	0	100.00
1067	2nd	-title-text -silence -noise -highpassboost -fft -eucl	3719	0	100.00
1068	2nd	-title-text -boost -fft -cheb	3719	0	100.00
1069	2nd	-title-text -silence -highpassboost -fft -cos	3719	0	100.00
1070	2nd	-title-text -noise -highpassboost -fft -mink	3719	0	100.00
1071	2nd	-title-text -noise -highpassboost -aggr -cheb	3719	0	100.00
1072	2nd	-title-text -silence -noise -boost -aggr -cos	3719	0	100.00
1073	2nd	-title-text -silence -highpassboost -fft -hamming	3719	0	100.00
1074	2nd	-title-text -highpassboost -fft -cheb	3719	0	100.00
1075	2nd	-title-text -silence -noise -highpassboost -fft -mink	3719	0	100.00
1076	2nd	-title-text -highpassboost -minmax -cos	3719	0	100.00
1077	2nd	-title-text -silence -highpassboost -aggr -diff	3719	0	100.00
1078	2nd	-title-text -highpassboost -minmax -hamming	3719	0	100.00
1079	2nd	-title-text -silence -noise -boost -aggr -cheb	3719	0	100.00
1080	2nd	-title-text -silence -boost -fft -hamming	3719	0	100.00
1081	2nd	-title-text -noise -boost -minmax -diff	3719	0	100.00
1082	2nd	-title-text -noise -boost -fft -hamming	3719	0	100.00
1083	2nd	-title-text -silence -highpassboost -lpc -eucl	3719	0	100.00
1084	2nd	-title-text -noise -boost -aggr -diff	3719	0	100.00
1085	2nd	-title-text -silence -highpassboost -lpc -cos	3719	0	100.00
1086	2nd	-title-text -silence -boost -lpc -diff	3719	0	100.00
1087	2nd	-title-text -silence -highpassboost -lpc -mink	3719	0	100.00
1088	2nd	-title-text -noise -boost -aggr -hamming	3719	0	100.00
1089	2nd	-title-text -silence -highpassboost -aggr -cheb	3719	0	100.00
1090	2nd	-title-text -silence -boost -aggr -eucl	3719	0	100.00
1091	2nd	-title-text -silence -noise -highpassboost -aggr -eucl	3719	0	100.00
1092	2nd	-title-text -silence -highpassboost -fft -eucl	3719	0	100.00
1093	2nd	-title-text -noise -boost -minmax -cheb	3719	0	100.00
1094	2nd	-title-text -boost -lpc -eucl	3719	0	100.00
1095	2nd	-title-text -noise -endp -lpc -cheb	3719	0	100.00
1096	2nd	-title-text -high -fft -hamming	3719	0	100.00
1097	2nd	-title-text -silence -noise -band -fft -cheb	3719	0	100.00
1098	2nd	-title-text -silence -noise -band -aggr -cheb	3719	0	100.00
1099	2nd	-title-text -silence -noise -band -fft -diff	3719	0	100.00

Table 430: Consolidated results (piste2-result1-marf-text-title-stats), Part 23.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1100	2nd	-title-text -silence -noise -band -aggr -diff	3719	0	100.00
1101	2nd	-title-text -noise -band -fft -eucl	3719	0	100.00
1102	2nd	-title-text -silence -low -minmax -eucl	3719	0	100.00
1103	2nd	-title-text -noise -norm -minmax -eucl	3719	0	100.00
1104	2nd	-title-text -low -minmax -eucl	3719	0	100.00
1105	2nd	-title-text -silence -noise -norm -minmax -eucl	3719	0	100.00
1106	2nd	-title-text -noise -band -aggr -eucl	3719	0	100.00
1107	2nd	-title-text -silence -endp -lpc -cos	3719	0	100.00
1108	2nd	-title-text -endp -lpc -cos	3719	0	100.00
1109	2nd	-title-text -silence -noise -endp -lpc -diff	3719	0	100.00
1110	2nd	-title-text -noise -bandstop -minmax -mink	3719	0	100.00
1111	2nd	-title-text -silence -noise -bandstop -minmax -mink	3719	0	100.00
1112	2nd	-title-text -noise -high -fft -cheb	3719	0	100.00
1113	2nd	-title-text -noise -high -aggr -cheb	3719	0	100.00
1114	2nd	-title-text -raw -lpc -diff	3719	0	100.00
1115	2nd	-title-text -silence -band -minmax -mink	3719	0	100.00
1116	2nd	-title-text -band -minmax -mink	3719	0	100.00
1117	2nd	-title-text -silence -noise -raw -lpc -diff	3719	0	100.00
1118	2nd	-title-text -norm -lpc -diff	3719	0	100.00
1119	2nd	-title-text -noise -raw -lpc -diff	3719	0	100.00
1120	2nd	-title-text -silence -raw -lpc -diff	3719	0	100.00
1121	2nd	-title-text -silence -norm -lpc -diff	3719	0	100.00
1122	2nd	-title-text -bandstop -aggr -hamming	3719	0	100.00
1123	2nd	-title-text -silence -noise -band -fft -eucl	3719	0	100.00
1124	2nd	-title-text -silence -noise -band -aggr -eucl	3719	0	100.00
1125	2nd	-title-text -silence -noise -bandstop -lpc -eucl	3719	0	100.00
1126	2nd	-title-text -silence -noise -norm -minmax -diff	3719	0	100.00
1127	2nd	-title-text -noise -endp -lpc -diff	3719	0	100.00
1128	2nd	-title-text -silence -low -minmax -diff	3719	0	100.00
1129	2nd	-title-text -silence -endp -lpc -hamming	3719	0	100.00
1130	2nd	-title-text -endp -lpc -hamming	3719	0	100.00
1131	2nd	-title-text -raw -lpc -cheb	3719	0	100.00
1132	2nd	-title-text -noise -bandstop -lpc -mink	3719	0	100.00
1133	2nd	-title-text -silence -noise -raw -lpc -cheb	3719	0	100.00
1134	2nd	-title-text -norm -lpc -cheb	3719	0	100.00
1135	2nd	-title-text -noise -raw -lpc -cheb	3719	0	100.00
1136	2nd	-title-text -noise -endp -fft -hamming	3719	0	100.00
1137	2nd	-title-text -silence -raw -lpc -cheb	3719	0	100.00
1138	2nd	-title-text -noise -norm -minmax -cheb	3719	0	100.00
1139	2nd	-title-text -low -minmax -cheb	3719	0	100.00
1140	2nd	-title-text -silence -norm -lpc -cheb	3719	0	100.00
1141	2nd	-title-text -silence -noise -norm -minmax -cheb	3719	0	100.00
1142	2nd	-title-text -silence -low -minmax -cheb	3719	0	100.00
1143	2nd	-title-text -silence -low -minmax -mink	3719	0	100.00
1144	2nd	-title-text -noise -high -aggr -mink	3719	0	100.00
1145	2nd	-title-text -silence -noise -norm -minmax -mink	3719	0	100.00
1146	2nd	-title-text -noise -high -fft -mink	3719	0	100.00
1147	2nd	-title-text -noise -norm -minmax -mink	3719	0	100.00
1148	2nd	-title-text -low -minmax -mink	3719	0	100.00
1149	2nd	-title-text -bandstop -lpc -diff	3719	0	100.00

Table 431: Consolidated results (piste2-result1-marf-text-title-stats), Part 24.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1150	2nd	-title-text -high -aggr -hamming	3719	0	100.00
1151	2nd	-title-text -noise -high -fft -diff	3719	0	100.00
1152	2nd	-title-text -noise -norm -minmax -diff	3719	0	100.00
1153	2nd	-title-text -low -minmax -diff	3719	0	100.00
1154	2nd	-title-text -noise -high -aggr -diff	3719	0	100.00
1155	2nd	-title-text -silence -noise -high -aggr -diff	3719	0	100.00
1156	2nd	-title-text -silence -noise -high -lpc -hamming	3719	0	100.00
1157	2nd	-title-text -high -lpc -hamming	3719	0	100.00
1158	2nd	-title-text -noise -bandstop -lpc -eucl	3719	0	100.00
1159	2nd	-title-text -silence -noise -high -fft -cos	3719	0	100.00
1160	2nd	-title-text -bandstop -lpc -mink	3719	0	100.00
1161	2nd	-title-text -silence -noise -high -fft -diff	3719	0	100.00
1162	2nd	-title-text -bandstop -fft -hamming	3719	0	100.00
1163	2nd	-title-text -norm -lpc -cos	3719	0	100.00
1164	2nd	-title-text -silence -raw -lpc -cos	3719	0	100.00
1165	2nd	-title-text -noise -raw -lpc -cos	3719	0	100.00
1166	2nd	-title-text -bandstop -lpc -cheb	3719	0	100.00
1167	2nd	-title-text -silence -norm -lpc -cos	3719	0	100.00
1168	2nd	-title-text -silence -noise -raw -lpc -cos	3719	0	100.00
1169	2nd	-title-text -raw -lpc -cos	3719	0	100.00
1170	2nd	-title-text -silence -noise -high -aggr -cheb	3719	0	100.00
1171	2nd	-title-text -silence -noise -high -fft -cheb	3719	0	100.00
1172	2nd	-title-text -silence -noise -bandstop -lpc -mink	3719	0	100.00
1173	2nd	-title-text -bandstop -lpc -hamming	3719	0	100.00
1174	2nd	-title-text -silence -noise -high -minmax -mink	3719	0	100.00
1175	2nd	-title-text -noise -high -minmax -mink	3719	0	100.00
1176	2nd	-title-text -silence -high -lpc -hamming	3719	0	100.00
1177	2nd	-title-text -silence -noise -high -aggr -cos	3719	0	100.00
1178	2nd	-title-text -silence -noise -high -minmax -cos	3719	0	100.00
1179	2nd	-title-text -noise -high -minmax -cos	3719	0	100.00
1180	2nd	-title-text -silence -noise -bandstop -lpc -cheb	3719	0	100.00
1181	2nd	-title-text -silence -high -minmax -mink	3719	0	100.00
1182	2nd	-title-text -high -minmax -mink	3719	0	100.00
1183	2nd	-title-text -noise -band -minmax -diff	3719	0	100.00
1184	2nd	-title-text -silence -noise -band -minmax -diff	3719	0	100.00
1185	2nd	-title-text -silence -bandstop -lpc -diff	3719	0	100.00
1186	2nd	-title-text -noise -bandstop -lpc -cheb	3719	0	100.00
1187	2nd	-title-text -silence -band -minmax -eucl	3719	0	100.00
1188	2nd	-title-text -band -minmax -eucl	3719	0	100.00
1189	2nd	-title-text -bandstop -lpc -eucl	3719	0	100.00
1190	2nd	-title-text -silence -noise -endp -lpc -hamming	3719	0	100.00
1191	2nd	-title-text -silence -noise -band -minmax -mink	3719	0	100.00
1192	2nd	-title-text -bandstop -minmax -mink	3719	0	100.00
1193	2nd	-title-text -silence -bandstop -minmax -mink	3719	0	100.00
1194	2nd	-title-text -noise -band -minmax -mink	3719	0	100.00
1195	2nd	-title-text -bandstop -minmax -hamming	3719	0	100.00
1196	2nd	-title-text -noise -high -minmax -eucl	3719	0	100.00
1197	2nd	-title-text -noise -norm -fft -hamming	3719	0	100.00
1198	2nd	-title-text -silence -noise -endp -fft -hamming	3719	0	100.00
1199	2nd	-title-text -low -fft -hamming	3719	0	100.00

Table 432: Consolidated results (piste2-result1-marf-text-title-stats), Part 25.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1200	2nd	-title-text -silence -noise -high -minmax -eucl	3719	0	100.00
1201	2nd	-title-text -endp -fft -cos	3719	0	100.00
1202	2nd	-title-text -silence -endp -aggr -cos	3719	0	100.00
1203	2nd	-title-text -silence -endp -fft -cos	3719	0	100.00
1204	2nd	-title-text -endp -aggr -cos	3719	0	100.00
1205	2nd	-title-text -silence -bandstop -minmax -hamming	3719	0	100.00
1206	2nd	-title-text -silence -band -minmax -diff	3719	0	100.00
1207	2nd	-title-text -band -minmax -diff	3719	0	100.00
1208	2nd	-title-text -silence -noise -bandstop -minmax -eucl	3719	0	100.00
1209	2nd	-title-text -band -lpc -hamming	3719	0	100.00
1210	2nd	-title-text -silence -noise -endp -aggr -hamming	3719	0	100.00
1211	2nd	-title-text -noise -bandstop -minmax -eucl	3719	0	100.00
1212	2nd	-title-text -noise -endp -aggr -hamming	3719	0	100.00
1213	2nd	-title-text -silence -high -fft -hamming	3719	0	100.00
1214	2nd	-title-text -noise -bandstop -minmax -cos	3719	0	100.00
1215	2nd	-title-text -silence -band -minmax -cheb	3719	0	100.00
1216	2nd	-title-text -band -minmax -cheb	3719	0	100.00
1217	2nd	-title-text -silence -noise -bandstop -minmax -cos	3719	0	100.00
1218	2nd	-title-text -bandstop -lpc -cos	3719	0	100.00
1219	2nd	-title-text -noise -high -lpc -mink	3719	0	100.00
1220	2nd	-title-text -silence -noise -band -minmax -eucl	3719	0	100.00
1221	2nd	-title-text -noise -band -minmax -eucl	3719	0	100.00
1222	2nd	-title-text -silence -bandstop -lpc -cheb	3719	0	100.00
1223	2nd	-title-text -bandstop -minmax -diff	3719	0	100.00
1224	2nd	-title-text -silence -bandstop -aggr -hamming	3719	0	100.00
1225	2nd	-title-text -silence -raw -lpc -mink	3719	0	100.00
1226	2nd	-title-text -silence -norm -lpc -mink	3719	0	100.00
1227	2nd	-title-text -raw -lpc -mink	3719	0	100.00
1228	2nd	-title-text -noise -band -minmax -cheb	3719	0	100.00
1229	2nd	-title-text -silence -noise -band -minmax -cheb	3719	0	100.00
1230	2nd	-title-text -silence -noise -raw -lpc -mink	3719	0	100.00
1231	2nd	-title-text -norm -lpc -mink	3719	0	100.00
1232	2nd	-title-text -noise -raw -lpc -mink	3719	0	100.00
1233	2nd	-title-text -noise -low -lpc -hamming	3719	0	100.00
1234	2nd	-title-text -noise -bandstop -minmax -diff	3719	0	100.00
1235	2nd	-title-text -silence -bandstop -minmax -diff	3719	0	100.00
1236	2nd	-title-text -raw -minmax -mink	3719	0	100.00
1237	2nd	-title-text -silence -noise -low -minmax -cheb	3719	0	100.00
1238	2nd	-title-text -noise -low -lpc -mink	3719	0	100.00
1239	2nd	-title-text -endp -aggr -hamming	3719	0	100.00
1240	2nd	-title-text -silence -noise -raw -minmax -mink	3719	0	100.00
1241	2nd	-title-text -noise -low -minmax -cheb	3719	0	100.00
1242	2nd	-title-text -noise -raw -minmax -mink	3719	0	100.00
1243	2nd	-title-text -high -lpc -diff	3719	0	100.00
1244	2nd	-title-text -silence -endp -minmax -mink	3719	0	100.00
1245	2nd	-title-text -endp -minmax -mink	3719	0	100.00
1246	2nd	-title-text -silence -endp -aggr -hamming	3719	0	100.00
1247	2nd	-title-text -silence -noise -low -minmax -diff	3719	0	100.00
1248	2nd	-title-text -silence -raw -minmax -mink	3719	0	100.00
1249	2nd	-title-text -noise -norm -lpc -hamming	3719	0	100.00

Table 433: Consolidated results (piste2-result1-marf-text-title-stats), Part 26.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1250	2nd	-title-text -low -lpc -hamming	3719	0	100.00
1251	2nd	-title-text -silence -noise -low -minmax -cos	3719	0	100.00
1252	2nd	-title-text -low -lpc -cheb	3719	0	100.00
1253	2nd	-title-text -high -lpc -cheb	3719	0	100.00
1254	2nd	-title-text -noise -bandstop -minmax -cheb	3719	0	100.00
1255	2nd	-title-text -noise -norm -lpc -cheb	3719	0	100.00
1256	2nd	-title-text -noise -norm -minmax -cos	3719	0	100.00
1257	2nd	-title-text -noise -low -minmax -cos	3719	0	100.00
1258	2nd	-title-text -low -minmax -cos	3719	0	100.00
1259	2nd	-title-text -silence -low -minmax -cos	3719	0	100.00
1260	2nd	-title-text -silence -high -aggr -hamming	3719	0	100.00
1261	2nd	-title-text -noise -raw -lpc -hamming	3719	0	100.00
1262	2nd	-title-text -silence -noise -norm -minmax -cos	3719	0	100.00
1263	2nd	-title-text -silence -norm -lpc -hamming	3719	0	100.00
1264	2nd	-title-text -norm -lpc -hamming	3719	0	100.00
1265	2nd	-title-text -silence -raw -lpc -hamming	3719	0	100.00
1266	2nd	-title-text -raw -lpc -hamming	3719	0	100.00
1267	2nd	-title-text -silence -noise -raw -lpc -hamming	3719	0	100.00
1268	2nd	-title-text -silence -bandstop -minmax -cheb	3719	0	100.00
1269	2nd	-title-text -bandstop -minmax -eucl	3719	0	100.00
1270	2nd	-title-text -noise -low -lpc -cos	3719	0	100.00
1271	2nd	-title-text -silence -bandstop -lpc -eucl	3719	0	100.00
1272	2nd	-title-text -silence -noise -low -minmax -eucl	3719	0	100.00
1273	2nd	-title-text -silence -bandstop -minmax -eucl	3719	0	100.00
1274	2nd	-title-text -noise -low -minmax -eucl	3719	0	100.00
1275	2nd	-title-text -silence -noise -bandstop -minmax -cheb	3719	0	100.00
1276	2nd	-title-text -bandstop -minmax -cheb	3719	0	100.00
1277	2nd	-title-text -noise -low -lpc -eucl	3719	0	100.00
1278	2nd	-title-text -silence -bandstop -lpc -cos	3719	0	100.00
1279	2nd	-title-text -silence -noise -band -lpc -hamming	3719	0	100.00
1280	2nd	-title-text -noise -norm -aggr -hamming	3719	0	100.00
1281	2nd	-title-text -low -aggr -hamming	3719	0	100.00
1282	2nd	-title-text -high -minmax -cheb	3719	0	100.00
1283	2nd	-title-text -silence -bandstop -lpc -hamming	3719	0	100.00
1284	2nd	-title-text -silence -noise -bandstop -lpc -hamming	3719	0	100.00
1285	2nd	-title-text -silence -high -minmax -cheb	3719	0	100.00
1286	2nd	-title-text -noise -endp -minmax -mink	3719	0	100.00
1287	2nd	-title-text -silence -high -minmax -eucl	3719	0	100.00
1288	2nd	-title-text -high -minmax -eucl	3719	0	100.00
1289	2nd	-title-text -silence -bandstop -lpc -mink	3719	0	100.00
1290	2nd	-title-text -silence -noise -bandstop -minmax -diff	3719	0	100.00
1291	2nd	-title-text -noise -endp -lpc -hamming	3719	0	100.00
1292	2nd	-title-text -silence -bandstop -fft -hamming	3719	0	100.00
1293	2nd	-title-text -silence -noise -endp -minmax -mink	3719	0	100.00
1294	2nd	-title-text -noise -low -lpc -cheb	3719	0	100.00
1295	2nd	-title-text -noise -band -aggr -hamming	3719	0	100.00
1296	2nd	-title-text -noise -norm -lpc -mink	3719	0	100.00
1297	2nd	-title-text -noise -band -minmax -hamming	3719	0	100.00
1298	2nd	-title-text -silence -noise -band -minmax -hamming	3719	0	100.00
1299	2nd	-title-text -low -lpc -mink	3719	0	100.00

Table 434: Consolidated results (piste2-result1-marf-text-title-stats), Part 27.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1300	2nd	-title-text -noise -high -minmax -hamming	3719	0	100.00
1301	2nd	-title-text -silence -band -lpc -hamming	3719	0	100.00
1302	2nd	-title-text -silence -noise -low -minmax -mink	3719	0	100.00
1303	2nd	-title-text -silence -noise -high -minmax -hamming	3719	0	100.00
1304	2nd	-title-text -silence -noise -bandstop -lpc -diff	3719	0	100.00
1305	2nd	-title-text -silence -norm -minmax -mink	3719	0	100.00
1306	2nd	-title-text -norm -minmax -mink	3719	0	100.00
1307	2nd	-title-text -silence -high -minmax -diff	3719	0	100.00
1308	2nd	-title-text -high -minmax -diff	3719	0	100.00
1309	2nd	-title-text -silence -noise -bandstop -lpc -cos	3719	0	100.00
1310	2nd	-title-text -noise -norm -lpc -cos	3719	0	100.00
1311	2nd	-title-text -silence -noise -high -aggr -hamming	3719	0	100.00
1312	2nd	-title-text -noise -band -lpc -cheb	3719	0	100.00
1313	2nd	-title-text -low -lpc -cos	3719	0	100.00
1314	2nd	-title-text -silence -bandstop -minmax -cos	3719	0	100.00
1315	2nd	-title-text -bandstop -minmax -cos	3719	0	100.00
1316	2nd	-title-text -noise -low -minmax -mink	3719	0	100.00
1317	2nd	-title-text -noise -low -lpc -diff	3719	0	100.00
1318	2nd	-title-text -noise -low -minmax -diff	3719	0	100.00
1319	2nd	-title-text -noise -bandstop -lpc -cos	3719	0	100.00
1320	2nd	-title-text -silence -noise -low -lpc -hamming	3719	0	100.00
1321	2nd	-title-text -noise -bandstop -lpc -hamming	3719	0	100.00
1322	2nd	-title-text -noise -band -lpc -diff	3719	0	100.00
1323	2nd	-title-text -noise -high -lpc -hamming	3719	0	100.00
1324	2nd	-title-text -silence -noise -norm -fft -hamming	3719	0	100.00
1325	2nd	-title-text -silence -noise -low -aggr -hamming	3719	0	100.00
1326	2nd	-title-text -silence -endp -minmax -cheb	3719	0	100.00
1327	2nd	-title-text -endp -minmax -cheb	3719	0	100.00
1328	2nd	-title-text -silence -noise -low -aggr -cheb	3719	0	100.00
1329	2nd	-title-text -silence -noise -low -fft -cheb	3719	0	100.00
1330	2nd	-title-text -silence -low -fft -hamming	3719	0	100.00
1331	2nd	-title-text -silence -noise -low -fft -diff	3719	0	100.00
1332	2nd	-title-text -silence -noise -high -lpc -cheb	3719	0	100.00
1333	2nd	-title-text -silence -low -lpc -cheb	3719	0	100.00
1334	2nd	-title-text -silence -noise -low -aggr -diff	3719	0	100.00
1335	2nd	-title-text -silence -noise -norm -lpc -cheb	3719	0	100.00
1336	2nd	-title-text -silence -low -lpc -hamming	3719	0	100.00
1337	2nd	-title-text -silence -noise -high -lpc -mink	3719	0	100.00
1338	2nd	-title-text -silence -noise -norm -lpc -hamming	3719	0	100.00
1339	2nd	-title-text -noise -norm -lpc -eucl	3719	0	100.00
1340	2nd	-title-text -silence -noise -high -lpc -eucl	3719	0	100.00
1341	2nd	-title-text -noise -raw -minmax -hamming	3719	0	100.00
1342	2nd	-title-text -low -lpc -diff	3719	0	100.00
1343	2nd	-title-text -band -lpc -cheb	3719	0	100.00
1344	2nd	-title-text -raw -minmax -hamming	3719	0	100.00
1345	2nd	-title-text -low -lpc -eucl	3719	0	100.00
1346	2nd	-title-text -noise -norm -lpc -diff	3719	0	100.00
1347	2nd	-title-text -silence -noise -raw -minmax -hamming	3719	0	100.00
1348	2nd	-title-text -silence -raw -minmax -hamming	3719	0	100.00
1349	2nd	-title-text -silence -raw -minmax -cos	3719	0	100.00

Table 435: Consolidated results (piste2-result1-marf-text-title-stats), Part 28.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1350	2nd	-title-text -silence -noise -raw -minmax -cos	3719	0	100.00
1351	2nd	-title-text -noise -raw -minmax -cos	3719	0	100.00
1352	2nd	-title-text -raw -minmax -cos	3719	0	100.00
1353	2nd	-title-text -high -lpc -mink	3719	0	100.00
1354	2nd	-title-text -silence -noise -norm -lpc -diff	3719	0	100.00
1355	2nd	-title-text -silence -low -lpc -diff	3719	0	100.00
1356	2nd	-title-text -low -minmax -hamming	3719	0	100.00
1357	2nd	-title-text -noise -norm -minmax -hamming	3719	0	100.00
1358	2nd	-title-text -noise -band -lpc -eucl	3719	0	100.00
1359	2nd	-title-text -silence -noise -norm -lpc -mink	3719	0	100.00
1360	2nd	-title-text -silence -low -lpc -mink	3719	0	100.00
1361	2nd	-title-text -band -lpc -diff	3719	0	100.00
1362	2nd	-title-text -noise -high -minmax -cheb	3719	0	100.00
1363	2nd	-title-text -noise -high -lpc -cheb	3719	0	100.00
1364	2nd	-title-text -silence -noise -low -lpc -diff	3719	0	100.00
1365	2nd	-title-text -silence -noise -high -minmax -cheb	3719	0	100.00
1366	2nd	-title-text -silence -noise -band -lpc -diff	3719	0	100.00
1367	2nd	-title-text -silence -noise -norm -minmax -hamming	3719	0	100.00
1368	2nd	-title-text -silence -norm -minmax -cos	3719	0	100.00
1369	2nd	-title-text -norm -minmax -cos	3719	0	100.00
1370	2nd	-title-text -silence -noise -high -fft -hamming	3719	0	100.00
1371	2nd	-title-text -silence -low -minmax -hamming	3719	0	100.00
1372	2nd	-title-text -noise -bandstop -lpc -diff	3719	0	100.00
1373	2nd	-title-text -silence -high -lpc -mink	3719	0	100.00
1374	2nd	-title-text -silence -low -aggr -hamming	3719	0	100.00
1375	2nd	-title-text -noise -high -fft -hamming	3719	0	100.00
1376	2nd	-title-text -silence -noise -norm -aggr -hamming	3719	0	100.00
1377	2nd	-title-text -noise -high -lpc -eucl	3719	0	100.00
1378	2nd	-title-text -noise -band -lpc -mink	3719	0	100.00
1379	2nd	-title-text -silence -noise -raw -aggr -hamming	3719	0	100.00
1380	2nd	-title-text -silence -noise -norm -lpc -eucl	3719	0	100.00
1381	2nd	-title-text -endp -fft -diff	3719	0	100.00
1382	2nd	-title-text -silence -low -lpc -eucl	3719	0	100.00
1383	2nd	-title-text -silence -raw -aggr -hamming	3719	0	100.00
1384	2nd	-title-text -raw -aggr -hamming	3719	0	100.00
1385	2nd	-title-text -silence -norm -minmax -eucl	3719	0	100.00
1386	2nd	-title-text -silence -endp -fft -diff	3719	0	100.00
1387	2nd	-title-text -norm -minmax -eucl	3719	0	100.00
1388	2nd	-title-text -silence -noise -band -minmax -cos	3719	0	100.00
1389	2nd	-title-text -noise -band -minmax -cos	3719	0	100.00
1390	2nd	-title-text -band -lpc -mink	3719	0	100.00
1391	2nd	-title-text -noise -raw -aggr -hamming	3719	0	100.00
1392	2nd	-title-text -noise -high -lpc -diff	3719	0	100.00
1393	2nd	-title-text -silence -endp -minmax -eucl	3719	0	100.00
1394	2nd	-title-text -endp -minmax -eucl	3719	0	100.00
1395	2nd	-title-text -high -lpc -eucl	3719	0	100.00
1396	2nd	-title-text -noise -low -aggr -cheb	3719	0	100.00
1397	2nd	-title-text -silence -high -lpc -cheb	3719	0	100.00
1398	2nd	-title-text -noise -low -aggr -diff	3719	0	100.00
1399	2nd	-title-text -silence -band -minmax -cos	3719	0	100.00

Table 436: Consolidated results (piste2-result1-marf-text-title-stats), Part 29.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1400	2nd	-title-text -band -minmax -cos	3719	0	100.00
1401	2nd	-title-text -noise -low -fft -diff	3719	0	100.00
1402	2nd	-title-text -band -lpc -eucl	3719	0	100.00
1403	2nd	-title-text -silence -high -lpc -eucl	3719	0	100.00
1404	2nd	-title-text -endp -aggr -cheb	3719	0	100.00
1405	2nd	-title-text -endp -fft -cheb	3719	0	100.00
1406	2nd	-title-text -silence -endp -aggr -cheb	3719	0	100.00
1407	2nd	-title-text -silence -endp -fft -cheb	3719	0	100.00
1408	2nd	-title-text -silence -noise -band -lpc -eucl	3719	0	100.00
1409	2nd	-title-text -silence -noise -band -lpc -mink	3719	0	100.00
1410	2nd	-title-text -silence -raw -minmax -diff	3719	0	100.00
1411	2nd	-title-text -raw -minmax -diff	3719	0	100.00
1412	2nd	-title-text -silence -high -lpc -diff	3719	0	100.00
1413	2nd	-title-text -silence -noise -raw -minmax -diff	3719	0	100.00
1414	2nd	-title-text -noise -raw -minmax -diff	3719	0	100.00
1415	2nd	-title-text -noise -low -fft -cheb	3719	0	100.00
1416	2nd	-title-text -endp -aggr -diff	3719	0	100.00
1417	2nd	-title-text -silence -endp -aggr -diff	3719	0	100.00
1418	2nd	-title-text -silence -noise -high -lpc -cos	3719	0	100.00
1419	2nd	-title-text -silence -raw -fft -hamming	3719	0	100.00
1420	2nd	-title-text -raw -fft -hamming	3719	0	100.00
1421	2nd	-title-text -silence -noise -high -lpc -diff	3719	0	100.00
1422	2nd	-title-text -silence -noise -raw -fft -hamming	3719	0	100.00
1423	2nd	-title-text -noise -raw -fft -hamming	3719	0	100.00
1424	2nd	-title-text -silence -low -lpc -cos	3719	0	100.00
1425	2nd	-title-text -silence -high -minmax -hamming	3719	0	100.00
1426	2nd	-title-text -high -minmax -hamming	3719	0	100.00
1427	2nd	-title-text -silence -noise -norm -lpc -cos	3719	0	100.00
1428	2nd	-title-text -silence -endp -fft -mink	3719	0	100.00
1429	2nd	-title-text -endp -aggr -mink	3719	0	100.00
1430	2nd	-title-text -endp -fft -mink	3719	0	100.00
1431	2nd	-title-text -silence -endp -aggr -mink	3719	0	100.00
1432	2nd	-title-text -silence -noise -low -lpc -mink	3719	0	100.00
1433	2nd	-title-text -noise -high -lpc -cos	3719	0	100.00
1434	2nd	-title-text -silence -bandstop -aggr -cheb	3719	0	100.00
1435	2nd	-title-text -noise -low -minmax -hamming	3719	0	100.00
1436	2nd	-title-text -silence -noise -low -lpc -eucl	3719	0	100.00
1437	2nd	-title-text -silence -norm -minmax -cheb	3719	0	100.00
1438	2nd	-title-text -norm -minmax -cheb	3719	0	100.00
1439	2nd	-title-text -silence -endp -minmax -cos	3719	0	100.00
1440	2nd	-title-text -silence -noise -low -minmax -hamming	3719	0	100.00
1441	2nd	-title-text -endp -minmax -cos	3719	0	100.00
1442	2nd	-title-text -band -fft -hamming	3719	0	100.00
1443	2nd	-title-text -silence -bandstop -aggr -diff	3719	0	100.00
1444	2nd	-title-text -silence -noise -low -lpc -cheb	3719	0	100.00
1445	2nd	-title-text -silence -noise -low -lpc -cos	3719	0	100.00
1446	2nd	-title-text -silence -norm -minmax -diff	3719	0	100.00
1447	2nd	-title-text -norm -minmax -diff	3719	0	100.00
1448	2nd	-title-text -silence -raw -minmax -cheb	3719	0	100.00
1449	2nd	-title-text -raw -minmax -cheb	3719	0	100.00

Table 437: Consolidated results (piste2-result1-marf-text-title-stats), Part 30.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1450	2nd	-title-text -silence -noise -raw -minmax -cheb	3719	0	100.00
1451	2nd	-title-text -silence -band -lpc -diff	3719	0	100.00
1452	2nd	-title-text -silence -noise -band -lpc -cheb	3719	0	100.00
1453	2nd	-title-text -noise -raw -minmax -cheb	3719	0	100.00
1454	2nd	-title-text -silence -noise -low -fft -hamming	3719	0	100.00
1455	2nd	-title-text -silence -bandstop -fft -cheb	3719	0	100.00
1456	2nd	-title-text -silence -noise -endp -minmax -diff	3719	0	100.00
1457	2nd	-title-text -silence -bandstop -fft -diff	3719	0	100.00
1458	2nd	-title-text -noise -high -aggr -hamming	3719	0	100.00
1459	2nd	-title-text -noise -band -fft -hamming	3719	0	100.00
1460	2nd	-title-text -silence -high -minmax -cos	3719	0	100.00
1461	2nd	-title-text -high -minmax -cos	3719	0	100.00
1462	2nd	-title-text -noise -endp -fft -diff	3719	0	100.00
1463	2nd	-title-text -silence -noise -endp -fft -diff	3719	0	100.00
1464	2nd	-title-text -raw -minmax -eucl	3719	0	100.00
1465	2nd	-title-text -silence -noise -raw -minmax -eucl	3719	0	100.00
1466	2nd	-title-text -noise -raw -minmax -eucl	3719	0	100.00
1467	2nd	-title-text -noise -endp -minmax -hamming	3719	0	100.00
1468	2nd	-title-text -noise -endp -minmax -cheb	3719	0	100.00
1469	2nd	-title-text -silence -raw -minmax -eucl	3719	0	100.00
1470	2nd	-title-text -noise -high -minmax -diff	3719	0	100.00
1471	2nd	-title-text -silence -noise -high -minmax -diff	3719	0	100.00
1472	2nd	-title-text -noise -endp -minmax -eucl	3719	0	100.00
1473	2nd	-title-text -band -aggr -hamming	3719	0	100.00
1474	2nd	-title-text -noise -endp -fft -cheb	3719	0	100.00
1475	2nd	-title-text -silence -noise -endp -minmax -hamming	3719	0	100.00
1476	2nd	-title-text -noise -endp -aggr -diff	3719	0	100.00
1477	2nd	-title-text -noise -endp -aggr -cheb	3719	0	100.00
1478	2nd	-title-text -silence -noise -endp -minmax -cheb	3719	0	100.00
1479	2nd	-title-text -silence -noise -endp -aggr -diff	3719	0	100.00
1480	2nd	-title-text -noise -endp -minmax -diff	3719	0	100.00
1481	2nd	-title-text -silence -noise -endp -aggr -cheb	3719	0	100.00
1482	2nd	-title-text -silence -noise -endp -fft -cheb	3719	0	100.00
1483	2nd	-title-text -silence -endp -fft -eucl	3719	0	100.00
1484	2nd	-title-text -endp -aggr -eucl	3719	0	100.00
1485	2nd	-title-text -endp -fft -eucl	3719	0	100.00
1486	2nd	-title-text -silence -endp -aggr -eucl	3719	0	100.00
1487	2nd	-title-text -silence -noise -endp -minmax -eucl	3719	0	100.00
1488	2nd	-title-text -silence -noise -bandstop -fft -hamming	3719	0	100.00
1489	2nd	-title-text -silence -band -lpc -eucl	3719	0	100.00
1490	2nd	-title-text -silence -noise -band -aggr -hamming	3719	0	100.00
1491	2nd	-title-text -silence -band -lpc -cheb	3719	0	100.00
1492	2nd	-title-text -silence -noise -endp -fft -eucl	3719	0	100.00
1493	2nd	-title-text -noise -endp -aggr -eucl	3719	0	100.00
1494	2nd	-title-text -silence -noise -endp -minmax -cos	3719	0	100.00
1495	2nd	-title-text -noise -endp -fft -eucl	3719	0	100.00
1496	2nd	-title-text -silence -noise -endp -aggr -eucl	3719	0	100.00
1497	2nd	-title-text -silence -band -lpc -mink	3719	0	100.00
1498	2nd	-title-text -silence -noise -band -fft -hamming	3719	0	100.00
1499	2nd	-title-text -noise -endp -minmax -cos	3719	0	100.00

Table 438: Consolidated results (piste2-result1-marf-text-title-stats), Part 31.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1500	2nd	-title-text -silence -band -aggr -hamming	3719	0	100.00
1501	2nd	-title-text -silence -endp -minmax -diff	3719	0	100.00
1502	2nd	-title-text -endp -minmax -diff	3719	0	100.00
1503	2nd	-title-text -silence -high -lpc -cos	3719	0	100.00
1504	2nd	-title-text -silence -endp -fft -hamming	3719	0	100.00
1505	2nd	-title-text -endp -fft -hamming	3719	0	100.00
1506	2nd	-title-text -norm -aggr -diff	3719	0	100.00
1507	2nd	-title-text -silence -norm -aggr -diff	3719	0	100.00
1508	2nd	-title-text -norm -fft -diff	3719	0	100.00
1509	2nd	-title-text -silence -band -fft -hamming	3719	0	100.00
1510	2nd	-title-text -silence -norm -fft -diff	3719	0	100.00
1511	2nd	-title-text -silence -noise -endp -aggr -mink	3719	0	100.00
1512	2nd	-title-text -silence -noise -endp -fft -mink	3719	0	100.00
1513	2nd	-title-text -noise -endp -aggr -mink	3719	0	100.00
1514	2nd	-title-text -silence -norm -fft -hamming	3719	0	100.00
1515	2nd	-title-text -norm -fft -hamming	3719	0	100.00
1516	2nd	-title-text -bandstop -fft -diff	3719	0	100.00
1517	2nd	-title-text -noise -endp -fft -mink	3719	0	100.00
1518	2nd	-title-text -silence -band -minmax -hamming	3719	0	100.00
1519	2nd	-title-text -band -minmax -hamming	3719	0	100.00
1520	2nd	-title-text -bandstop -fft -cheb	3719	0	100.00
1521	2nd	-title-text -bandstop -aggr -diff	3719	0	100.00
1522	2nd	-title-text -silence -norm -fft -cheb	3719	0	100.00
1523	2nd	-title-text -norm -aggr -cheb	3719	0	100.00
1524	2nd	-title-text -silence -norm -aggr -cheb	3719	0	100.00
1525	2nd	-title-text -norm -fft -cheb	3719	0	100.00
1526	2nd	-title-text -bandstop -aggr -cheb	3719	0	100.00
1527	2nd	-title-text -silence -noise -norm -fft -cheb	3719	0	100.00
1528	2nd	-title-text -silence -low -fft -cheb	3719	0	100.00
1529	2nd	-title-text -silence -band -lpc -cos	3719	0	100.00
1530	2nd	-title-text -low -aggr -diff	3719	0	100.00
1531	2nd	-title-text -low -fft -diff	3719	0	100.00
1532	2nd	-title-text -silence -low -aggr -cheb	3719	0	100.00
1533	2nd	-title-text -noise -norm -fft -diff	3719	0	100.00
1534	2nd	-title-text -silence -noise -norm -aggr -cheb	3719	0	100.00
1535	2nd	-title-text -noise -norm -aggr -diff	3719	0	100.00
1536	2nd	-title-text -noise -norm -aggr -cheb	3719	0	100.00
1537	2nd	-title-text -low -aggr -cheb	3719	0	100.00
1538	2nd	-title-text -silence -norm -aggr -hamming	3719	0	100.00
1539	2nd	-title-text -silence -low -aggr -diff	3719	0	100.00
1540	2nd	-title-text -norm -aggr -hamming	3719	0	100.00
1541	2nd	-title-text -silence -noise -norm -aggr -diff	3719	0	100.00
1542	2nd	-title-text -noise -low -aggr -hamming	3719	0	100.00
1543	2nd	-title-text -silence -low -fft -diff	3719	0	100.00
1544	2nd	-title-text -low -fft -cheb	3719	0	100.00
1545	2nd	-title-text -silence -noise -bandstop -minmax -hamming	3719	0	100.00
1546	2nd	-title-text -noise -norm -fft -cheb	3719	0	100.00
1547	2nd	-title-text -silence -noise -norm -fft -diff	3719	0	100.00
1548	2nd	-title-text -silence -noise -bandstop -fft -diff	3719	0	100.00
1549	2nd	-title-text -noise -bandstop -minmax -hamming	3719	0	100.00

Table 439: Consolidated results (piste2-result1-marf-text-title-stats), Part 32.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1550	2nd	-title-text -silence -norm -minmax -hamming	3719	0	100.00
1551	2nd	-title-text -norm -minmax -hamming	3719	0	100.00
1552	2nd	-title-text -noise -bandstop -fft -diff	3719	0	100.00
1553	2nd	-title-text -silence -noise -bandstop -aggr -diff	3719	0	100.00
1554	2nd	-title-text -silence -noise -bandstop -aggr -cheb	3719	0	100.00
1555	2nd	-title-text -band -lpc -cos	3719	0	100.00
1556	2nd	-title-text -noise -bandstop -aggr -diff	3719	0	100.00
1557	2nd	-title-text -silence -noise -bandstop -fft -cheb	3719	0	100.00
1558	2nd	-title-text -noise -bandstop -fft -cheb	3719	0	100.00
1559	2nd	-title-text -silence -noise -band -lpc -cos	3719	0	100.00
1560	2nd	-title-text -noise -bandstop -aggr -cheb	3719	0	100.00
1561	2nd	-title-text -noise -bandstop -fft -hamming	3719	0	100.00
1562	2nd	-title-text -noise -band -lpc -cos	3719	0	100.00
1563	2nd	-title-text -silence -noise -bandstop -aggr -hamming	3719	0	100.00
1564	2nd	-title-text -silence -endp -minmax -hamming	3719	0	100.00
1565	2nd	-title-text -endp -minmax -hamming	3719	0	100.00
1566	2nd	-title-text -noise -low -fft -hamming	3719	0	100.00
1567	2nd	-title-text -high -lpc -cos	3719	0	100.00
1568	2nd	-title-text -silence -raw -aggr -cheb	3719	0	100.00
1569	2nd	-title-text -raw -aggr -cheb	3719	0	100.00
1570	2nd	-title-text -noise -raw -aggr -cheb	3719	0	100.00
1571	2nd	-title-text -silence -noise -raw -aggr -cheb	3719	0	100.00
1572	2nd	-title-text -raw -fft -cheb	3719	0	100.00
1573	2nd	-title-text -silence -noise -raw -fft -cheb	3719	0	100.00
1574	2nd	-title-text -noise -raw -fft -cheb	3719	0	100.00
1575	2nd	-title-text -silence -raw -fft -cheb	3719	0	100.00
1576	2nd	-title-text -raw -fft -diff	3719	0	100.00
1577	2nd	-title-text -silence -noise -raw -fft -diff	3719	0	100.00
1578	2nd	-title-text -noise -raw -fft -diff	3719	0	100.00
1579	2nd	-title-text -silence -raw -fft -diff	3719	0	100.00
1580	2nd	-title-text -noise -bandstop -aggr -hamming	3719	0	100.00
1581	2nd	-title-text -raw -aggr -diff	3719	0	100.00
1582	2nd	-title-text -noise -raw -aggr -diff	3719	0	100.00
1583	2nd	-title-text -silence -noise -raw -aggr -diff	3719	0	100.00
1584	2nd	-title-text -silence -raw -aggr -diff	3719	0	100.00
1585	2nd	-title-text -norm -aggr -cos	3719	0	100.00
1586	2nd	-title-text -silence -norm -fft -cos	3719	0	100.00
1587	2nd	-title-text -silence -norm -aggr -cos	3719	0	100.00
1588	2nd	-title-text -norm -fft -cos	3719	0	100.00
1589	2nd	-title-text -bandstop -aggr -eucl	3719	0	100.00
1590	2nd	-title-text -silence -norm -fft -eucl	3719	0	100.00
1591	2nd	-title-text -silence -bandstop -fft -cos	3719	0	100.00
1592	2nd	-title-text -norm -aggr -eucl	3719	0	100.00
1593	2nd	-title-text -silence -bandstop -aggr -cos	3719	0	100.00
1594	2nd	-title-text -bandstop -fft -eucl	3719	0	100.00
1595	2nd	-title-text -silence -norm -aggr -eucl	3719	0	100.00
1596	2nd	-title-text -norm -fft -eucl	3719	0	100.00
1597	2nd	-title-text -bandstop -aggr -cos	3719	0	100.00
1598	2nd	-title-text -silence -bandstop -fft -eucl	3719	0	100.00
1599	2nd	-title-text -bandstop -fft -cos	3719	0	100.00

Table 440: Consolidated results (piste2-result1-marf-text-title-stats), Part 33.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1600	2nd	-title-text -silence -bandstop -aggr -eucl	3719	0	100.00
1601	2nd	-title-text -silence -raw -fft -cos	3719	0	100.00
1602	2nd	-title-text -silence -noise -raw -aggr -cos	3719	0	100.00
1603	2nd	-title-text -noise -raw -fft -cos	3719	0	100.00
1604	2nd	-title-text -noise -raw -aggr -cos	3719	0	100.00
1605	2nd	-title-text -silence -raw -aggr -cos	3719	0	100.00
1606	2nd	-title-text -silence -noise -raw -fft -cos	3719	0	100.00
1607	2nd	-title-text -raw -fft -cos	3719	0	100.00
1608	2nd	-title-text -raw -aggr -cos	3719	0	100.00
1609	2nd	-title-text -silence -noise -norm -aggr -eucl	3719	0	100.00
1610	2nd	-title-text -silence -noise -norm -fft -eucl	3719	0	100.00
1611	2nd	-title-text -silence -low -fft -eucl	3719	0	100.00
1612	2nd	-title-text -silence -low -aggr -eucl	3719	0	100.00
1613	2nd	-title-text -noise -norm -fft -eucl	3719	0	100.00
1614	2nd	-title-text -noise -norm -aggr -eucl	3719	0	100.00
1615	2nd	-title-text -low -aggr -eucl	3719	0	100.00
1616	2nd	-title-text -low -fft -eucl	3719	0	100.00
1617	2nd	-title-text -low -aggr -cos	3719	0	100.00
1618	2nd	-title-text -noise -norm -fft -cos	3719	0	100.00
1619	2nd	-title-text -noise -norm -aggr -cos	3719	0	100.00
1620	2nd	-title-text -low -fft -cos	3719	0	100.00
1621	2nd	-title-text -silence -noise -norm -fft -cos	3719	0	100.00
1622	2nd	-title-text -silence -noise -low -aggr -cos	3719	0	100.00
1623	2nd	-title-text -silence -noise -low -fft -cos	3719	0	100.00
1624	2nd	-title-text -silence -noise -norm -aggr -cos	3719	0	100.00
1625	2nd	-title-text -silence -low -aggr -cos	3719	0	100.00
1626	2nd	-title-text -silence -low -fft -cos	3719	0	100.00
1627	2nd	-title-text -noise -bandstop -fft -cos	3719	0	100.00
1628	2nd	-title-text -noise -bandstop -aggr -cos	3719	0	100.00
1629	2nd	-title-text -silence -noise -bandstop -fft -mink	3719	0	100.00
1630	2nd	-title-text -noise -low -fft -cos	3719	0	100.00
1631	2nd	-title-text -silence -noise -bandstop -fft -cos	3719	0	100.00
1632	2nd	-title-text -silence -noise -bandstop -aggr -cos	3719	0	100.00
1633	2nd	-title-text -noise -low -aggr -cos	3719	0	100.00
1634	2nd	-title-text -noise -bandstop -fft -mink	3719	0	100.00
1635	2nd	-title-text -silence -noise -bandstop -aggr -mink	3719	0	100.00
1636	2nd	-title-text -noise -bandstop -aggr -mink	3719	0	100.00
1637	2nd	-title-text -silence -noise -bandstop -fft -eucl	3719	0	100.00
1638	2nd	-title-text -noise -bandstop -fft -eucl	3719	0	100.00
1639	2nd	-title-text -silence -noise -bandstop -aggr -eucl	3719	0	100.00
1640	2nd	-title-text -noise -bandstop -aggr -eucl	3719	0	100.00
1641	2nd	-title-text -noise -raw -aggr -eucl	3719	0	100.00
1642	2nd	-title-text -silence -raw -fft -eucl	3719	0	100.00
1643	2nd	-title-text -silence -noise -raw -aggr -eucl	3719	0	100.00
1644	2nd	-title-text -silence -raw -aggr -eucl	3719	0	100.00
1645	2nd	-title-text -raw -fft -eucl	3719	0	100.00
1646	2nd	-title-text -silence -noise -raw -fft -eucl	3719	0	100.00
1647	2nd	-title-text -raw -aggr -eucl	3719	0	100.00
1648	2nd	-title-text -noise -raw -fft -eucl	3719	0	100.00
1649	2nd	-title-text -silence -bandstop -fft -mink	3719	0	100.00

Table 441: Consolidated results (piste2-result1-marf-text-title-stats), Part 34.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1650	2nd	-title-text -silence -bandstop -aggr -mink	3719	0	100.00
1651	2nd	-title-text -silence -noise -norm -aggr -mink	3719	0	100.00
1652	2nd	-title-text -noise -norm -fft -mink	3719	0	100.00
1653	2nd	-title-text -noise -norm -aggr -mink	3719	0	100.00
1654	2nd	-title-text -silence -noise -norm -fft -mink	3719	0	100.00
1655	2nd	-title-text -silence -low -fft -mink	3719	0	100.00
1656	2nd	-title-text -low -aggr -mink	3719	0	100.00
1657	2nd	-title-text -low -fft -mink	3719	0	100.00
1658	2nd	-title-text -silence -low -aggr -mink	3719	0	100.00
1659	2nd	-title-text -bandstop -aggr -mink	3719	0	100.00
1660	2nd	-title-text -bandstop -fft -mink	3719	0	100.00
1661	2nd	-title-text -silence -noise -low -fft -eucl	3719	0	100.00
1662	2nd	-title-text -noise -low -fft -eucl	3719	0	100.00
1663	2nd	-title-text -noise -low -aggr -eucl	3719	0	100.00
1664	2nd	-title-text -silence -noise -low -aggr -eucl	3719	0	100.00
1665	2nd	-title-text -silence -norm -aggr -mink	3719	0	100.00
1666	2nd	-title-text -norm -fft -mink	3719	0	100.00
1667	2nd	-title-text -silence -norm -fft -mink	3719	0	100.00
1668	2nd	-title-text -norm -aggr -mink	3719	0	100.00
1669	2nd	-title-text -noise -raw -fft -mink	3719	0	100.00
1670	2nd	-title-text -noise -raw -aggr -mink	3719	0	100.00
1671	2nd	-title-text -noise -low -fft -mink	3719	0	100.00
1672	2nd	-title-text -silence -raw -fft -mink	3719	0	100.00
1673	2nd	-title-text -silence -noise -raw -aggr -mink	3719	0	100.00
1674	2nd	-title-text -silence -raw -aggr -mink	3719	0	100.00
1675	2nd	-title-text -raw -fft -mink	3719	0	100.00
1676	2nd	-title-text -noise -low -aggr -mink	3719	0	100.00
1677	2nd	-title-text -silence -noise -raw -fft -mink	3719	0	100.00
1678	2nd	-title-text -raw -aggr -mink	3719	0	100.00
1679	2nd	-title-text -silence -noise -low -fft -mink	3719	0	100.00
1680	2nd	-title-text -silence -noise -low -aggr -mink	3719	0	100.00

Table 442: Consolidated results (piste2-result1-marf-text-title-stats), Part 35.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	Quebec	936182	736258	55.98
2	1st	France	683797	767723	47.11
3	2nd	Quebec	1672440	0	100.00
4	2nd	France	1451520	0	100.00

Table 443: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 1.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	-title-text -journal -silence -noise -endp -fft -mink	1535	2184	41.27
2	1st	-title-text -journal -noise -endp -aggr -mink	1535	2184	41.27
3	1st	-title-text -journal -silence -noise -endp -aggr -mink	1535	2184	41.27
4	1st	-title-text -journal -noise -endp -fft -mink	1535	2184	41.27
5	1st	-title-text -journal -silence -noise -endp -fft -eucl	1529	2190	41.11
6	1st	-title-text -journal -noise -endp -aggr -eucl	1529	2190	41.11
7	1st	-title-text -journal -silence -noise -endp -aggr -eucl	1529	2190	41.11
8	1st	-title-text -journal -noise -endp -fft -eucl	1529	2190	41.11
9	1st	-title-text -journal -noise -endp -fft -diff	1524	2195	40.98
10	1st	-title-text -journal -silence -noise -endp -fft -diff	1523	2196	40.95
11	1st	-title-text -journal -silence -noise -endp -fft -cheb	1520	2199	40.87
12	1st	-title-text -journal -silence -noise -endp -aggr -diff	1520	2199	40.87
13	1st	-title-text -journal -silence -noise -endp -aggr -cheb	1520	2199	40.87
14	1st	-title-text -journal -noise -endp -aggr -diff	1519	2200	40.84
15	1st	-title-text -journal -noise -endp -aggr -cheb	1519	2200	40.84
16	1st	-title-text -journal -noise -endp -fft -cheb	1519	2200	40.84
17	1st	-title-text -journal -noise -endp -fft -cos	1515	2204	40.74
18	1st	-title-text -journal -noise -endp -aggr -cos	1515	2204	40.74
19	1st	-title-text -journal -silence -noise -endp -aggr -cos	1515	2204	40.74
20	1st	-title-text -journal -silence -noise -endp -fft -cos	1515	2204	40.74
21	1st	-title-text -journal -endp -aggr -cheb	1509	2210	40.58
22	1st	-title-text -journal -silence -endp -aggr -cheb	1509	2210	40.58
23	1st	-title-text -journal -silence -endp -fft -cheb	1509	2210	40.58
24	1st	-title-text -journal -endp -fft -cheb	1509	2210	40.58
25	1st	-title-text -journal -silence -endp -fft -diff	1508	2211	40.55
26	1st	-title-text -journal -endp -fft -diff	1508	2211	40.55
27	1st	-title-text -journal -endp -aggr -diff	1505	2214	40.47
28	1st	-title-text -journal -silence -endp -aggr -diff	1505	2214	40.47
29	1st	-title-text -journal -silence -endp -fft -cos	1448	2271	38.94
30	1st	-title-text -journal -endp -fft -cos	1448	2271	38.94
31	1st	-title-text -journal -silence -endp -aggr -cos	1448	2271	38.94
32	1st	-title-text -journal -endp -aggr -cos	1448	2271	38.94
33	1st	-title-text -journal -noise -endp -lpc -eucl	1427	2292	38.37
34	1st	-title-text -journal -silence -band -minmax -diff	1425	2294	38.32
35	1st	-title-text -journal -band -minmax -diff	1425	2294	38.32
36	1st	-title-text -journal -silence -noise -endp -lpc -eucl	1424	2295	38.29
37	1st	-title-text -journal -silence -high -minmax -cos	1421	2298	38.21
38	1st	-title-text -journal -high -minmax -cos	1421	2298	38.21
39	1st	-title-text -journal -silence -high -minmax -diff	1410	2309	37.91
40	1st	-title-text -journal -high -minmax -diff	1410	2309	37.91
41	1st	-title-text -journal -silence -high -minmax -cheb	1409	2310	37.89
42	1st	-title-text -journal -high -minmax -cheb	1409	2310	37.89
43	1st	-title-text -journal -silence -band -minmax -cheb	1403	2316	37.73
44	1st	-title-text -journal -band -minmax -cheb	1403	2316	37.73
45	1st	-title-text -journal -noise -endp -minmax -eucl	1400	2319	37.64
46	1st	-title-text -journal -silence -noise -endp -minmax -eucl	1396	2323	37.54
47	1st	-title-text -journal -bandstop -minmax -eucl	1396	2323	37.54
48	1st	-title-text -journal -silence -high -minmax -eucl	1396	2323	37.54
49	1st	-title-text -journal -high -minmax -eucl	1396	2323	37.54

Table 444: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 2.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
50	1st	-title-text -journal -silence -bandstop -minmax -eucl	1395	2324	37.51
51	1st	-title-text -journal -bandstop -minmax -cheb	1395	2324	37.51
52	1st	-title-text -journal -silence -bandstop -minmax -cheb	1394	2325	37.48
53	1st	-title-text -journal -silence -band -minmax -eucl	1394	2325	37.48
54	1st	-title-text -journal -band -minmax -eucl	1394	2325	37.48
55	1st	-title-text -journal -noise -endp -minmax -diff	1393	2326	37.46
56	1st	-title-text -journal -silence -bandstop -minmax -diff	1393	2326	37.46
57	1st	-title-text -journal -noise -endp -minmax -cheb	1393	2326	37.46
58	1st	-title-text -journal -silence -noise -endp -minmax -cos	1392	2327	37.43
59	1st	-title-text -journal -bandstop -minmax -diff	1391	2328	37.40
60	1st	-title-text -journal -silence -low -minmax -diff	1390	2329	37.38
61	1st	-title-text -journal -silence -noise -norm -minmax -diff	1390	2329	37.38
62	1st	-title-text -journal -noise -endp -minmax -cos	1389	2330	37.35
63	1st	-title-text -journal -endp -aggr -eucl	1389	2330	37.35
64	1st	-title-text -journal -silence -endp -aggr -eucl	1389	2330	37.35
65	1st	-title-text -journal -silence -endp -fft -eucl	1389	2330	37.35
66	1st	-title-text -journal -endp -fft -eucl	1389	2330	37.35
67	1st	-title-text -journal -silence -noise -endp -minmax -diff	1389	2330	37.35
68	1st	-title-text -journal -silence -noise -endp -minmax -cheb	1389	2330	37.35
69	1st	-title-text -journal -low -minmax -cheb	1386	2333	37.27
70	1st	-title-text -journal -noise -norm -minmax -cheb	1386	2333	37.27
71	1st	-title-text -journal -high -aggr -cos	1385	2334	37.24
72	1st	-title-text -journal -low -minmax -diff	1385	2334	37.24
73	1st	-title-text -journal -noise -norm -minmax -diff	1385	2334	37.24
74	1st	-title-text -journal -silence -low -minmax -cheb	1385	2334	37.24
75	1st	-title-text -journal -silence -noise -norm -minmax -cheb	1385	2334	37.24
76	1st	-title-text -journal -high -fft -cos	1380	2339	37.11
77	1st	-title-text -journal -silence -low -minmax -hamming	1374	2345	36.95
78	1st	-title-text -journal -silence -noise -norm -minmax -hamming	1374	2345	36.95
79	1st	-title-text -journal -noise -norm -minmax -hamming	1372	2347	36.89
80	1st	-title-text -journal -low -minmax -hamming	1372	2347	36.89
81	1st	-title-text -journal -silence -high -minmax -mink	1371	2348	36.86
82	1st	-title-text -journal -high -minmax -mink	1371	2348	36.86
83	1st	-title-text -journal -silence -high -aggr -cos	1369	2350	36.81
84	1st	-title-text -journal -silence -band -minmax -cos	1368	2351	36.78
85	1st	-title-text -journal -band -minmax -cos	1368	2351	36.78
86	1st	-title-text -journal -silence -bandstop -minmax -cos	1364	2355	36.68
87	1st	-title-text -journal -bandstop -minmax -cos	1362	2357	36.62
88	1st	-title-text -journal -noise -band -minmax -cos	1357	2362	36.49
89	1st	-title-text -journal -silence -noise -band -minmax -cos	1357	2362	36.49
90	1st	-title-text -journal -silence -noise -low -minmax -cheb	1355	2364	36.43
91	1st	-title-text -journal -silence -noise -norm -minmax -eucl	1354	2365	36.41
92	1st	-title-text -journal -silence -low -minmax -eucl	1354	2365	36.41
93	1st	-title-text -journal -silence -noise -low -minmax -diff	1351	2368	36.33
94	1st	-title-text -journal -noise -endp -minmax -hamming	1351	2368	36.33
95	1st	-title-text -journal -noise -low -minmax -cheb	1351	2368	36.33
96	1st	-title-text -journal -low -minmax -eucl	1350	2369	36.30
97	1st	-title-text -journal -silence -noise -endp -minmax -hamming	1350	2369	36.30
98	1st	-title-text -journal -noise -low -minmax -diff	1350	2369	36.30
99	1st	-title-text -journal -noise -norm -minmax -eucl	1350	2369	36.30

Table 445: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 3.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
100	1st	-title-text -journal -silence -high -fft -cos	1350	2369	36.30
101	1st	-title-text -journal -band -aggr -cos	1349	2370	36.27
102	1st	-title-text -journal -silence -noise -endp -minmax -mink	1345	2374	36.17
103	1st	-title-text -journal -noise -endp -minmax -mink	1343	2376	36.11
104	1st	-title-text -journal -noise -band -aggr -cos	1335	2384	35.90
105	1st	-title-text -journal -band -fft -cos	1335	2384	35.90
106	1st	-title-text -journal -silence -bandstop -minmax -mink	1333	2386	35.84
107	1st	-title-text -journal -silence -raw -minmax -diff	1332	2387	35.82
108	1st	-title-text -journal -bandstop -minmax -mink	1332	2387	35.82
109	1st	-title-text -journal -noise -raw -minmax -diff	1332	2387	35.82
110	1st	-title-text -journal -silence -noise -raw -minmax -diff	1332	2387	35.82
111	1st	-title-text -journal -raw -minmax -diff	1332	2387	35.82
112	1st	-title-text -journal -bandstop -minmax -hamming	1328	2391	35.71
113	1st	-title-text -journal -silence -band -minmax -mink	1327	2392	35.68
114	1st	-title-text -journal -silence -bandstop -minmax -hamming	1327	2392	35.68
115	1st	-title-text -journal -band -minmax -mink	1327	2392	35.68
116	1st	-title-text -journal -noise -low -minmax -eucl	1319	2400	35.47
117	1st	-title-text -journal -silence -noise -low -minmax -eucl	1317	2402	35.41
118	1st	-title-text -journal -noise -band -fft -cos	1315	2404	35.36
119	1st	-title-text -journal -silence -band -fft -cos	1313	2406	35.31
120	1st	-title-text -journal -silence -band -aggr -cos	1312	2407	35.28
121	1st	-title-text -journal -endp -aggr -mink	1311	2408	35.25
122	1st	-title-text -journal -silence -endp -aggr -mink	1311	2408	35.25
123	1st	-title-text -journal -silence -endp -fft -mink	1311	2408	35.25
124	1st	-title-text -journal -endp -fft -mink	1311	2408	35.25
125	1st	-title-text -journal -silence -noise -low -minmax -cos	1310	2409	35.22
126	1st	-title-text -journal -noise -low -minmax -cos	1308	2411	35.17
127	1st	-title-text -journal -silence -noise -raw -minmax -hamming	1306	2413	35.12
128	1st	-title-text -journal -silence -raw -minmax -hamming	1306	2413	35.12
129	1st	-title-text -journal -noise -raw -minmax -hamming	1306	2413	35.12
130	1st	-title-text -journal -raw -minmax -hamming	1306	2413	35.12
131	1st	-title-text -journal -silence -band -minmax -hamming	1305	2414	35.09
132	1st	-title-text -journal -band -minmax -hamming	1305	2414	35.09
133	1st	-title-text -journal -silence -noise -norm -minmax -cos	1303	2416	35.04
134	1st	-title-text -journal -low -minmax -cos	1303	2416	35.04
135	1st	-title-text -journal -silence -low -minmax -cos	1303	2416	35.04
136	1st	-title-text -journal -noise -norm -minmax -cos	1303	2416	35.04
137	1st	-title-text -journal -silence -noise -raw -minmax -mink	1297	2422	34.87
138	1st	-title-text -journal -raw -minmax -mink	1297	2422	34.87
139	1st	-title-text -journal -silence -raw -minmax -mink	1297	2422	34.87
140	1st	-title-text -journal -noise -raw -minmax -mink	1297	2422	34.87
141	1st	-title-text -journal -silence -norm -minmax -mink	1295	2424	34.82
142	1st	-title-text -journal -norm -minmax -mink	1295	2424	34.82
143	1st	-title-text -journal -noise -bandstop -lpc -mink	1294	2425	34.79
144	1st	-title-text -journal -silence -noise -bandstop -lpc -mink	1294	2425	34.79
145	1st	-title-text -journal -silence -high -minmax -hamming	1289	2430	34.66
146	1st	-title-text -journal -high -minmax -hamming	1289	2430	34.66
147	1st	-title-text -journal -silence -noise -band -aggr -cos	1289	2430	34.66
148	1st	-title-text -journal -silence -noise -raw -minmax -eucl	1288	2431	34.63
149	1st	-title-text -journal -raw -minmax -eucl	1288	2431	34.63

Table 446: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 4.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
150	1st	-title-text -journal -silence -raw -minmax -eucl	1288	2431	34.63
151	1st	-title-text -journal -noise -raw -minmax -eucl	1288	2431	34.63
152	1st	-title-text -journal -noise -band -minmax -cheb	1287	2432	34.61
153	1st	-title-text -journal -silence -noise -band -minmax -cheb	1287	2432	34.61
154	1st	-title-text -journal -endp -minmax -mink	1285	2434	34.55
155	1st	-title-text -journal -silence -endp -minmax -mink	1285	2434	34.55
156	1st	-title-text -journal -noise -band -minmax -diff	1284	2435	34.53
157	1st	-title-text -journal -silence -noise -band -minmax -diff	1284	2435	34.53
158	1st	-title-text -journal -silence -endp -lpc -eucl	1284	2435	34.53
159	1st	-title-text -journal -endp -lpc -eucl	1284	2435	34.53
160	1st	-title-text -journal -raw -minmax -cos	1282	2437	34.47
161	1st	-title-text -journal -noise -raw -minmax -cos	1282	2437	34.47
162	1st	-title-text -journal -silence -raw -minmax -cos	1282	2437	34.47
163	1st	-title-text -journal -silence -noise -raw -minmax -cos	1282	2437	34.47
164	1st	-title-text -journal -noise -bandstop -lpc -eucl	1281	2438	34.44
165	1st	-title-text -journal -norm -minmax -cos	1281	2438	34.44
166	1st	-title-text -journal -silence -norm -minmax -cos	1281	2438	34.44
167	1st	-title-text -journal -silence -norm -minmax -eucl	1278	2441	34.36
168	1st	-title-text -journal -norm -minmax -eucl	1278	2441	34.36
169	1st	-title-text -journal -silence -noise -norm -minmax -mink	1278	2441	34.36
170	1st	-title-text -journal -silence -noise -band -fft -cos	1278	2441	34.36
171	1st	-title-text -journal -silence -low -minmax -mink	1278	2441	34.36
172	1st	-title-text -journal -low -minmax -mink	1276	2443	34.31
173	1st	-title-text -journal -noise -norm -minmax -mink	1276	2443	34.31
174	1st	-title-text -journal -silence -noise -bandstop -lpc -eucl	1274	2445	34.26
175	1st	-title-text -journal -silence -endp -minmax -eucl	1273	2446	34.23
176	1st	-title-text -journal -endp -minmax -eucl	1273	2446	34.23
177	1st	-title-text -journal -silence -raw -minmax -cheb	1270	2449	34.15
178	1st	-title-text -journal -noise -raw -minmax -cheb	1270	2449	34.15
179	1st	-title-text -journal -silence -noise -raw -minmax -cheb	1270	2449	34.15
180	1st	-title-text -journal -raw -minmax -cheb	1270	2449	34.15
181	1st	-title-text -journal -silence -endp -minmax -cos	1268	2451	34.10
182	1st	-title-text -journal -endp -minmax -cos	1268	2451	34.10
183	1st	-title-text -journal -silence -endp -minmax -cheb	1257	2462	33.80
184	1st	-title-text -journal -endp -minmax -cheb	1257	2462	33.80
185	1st	-title-text -journal -noise -low -minmax -mink	1255	2464	33.75
186	1st	-title-text -journal -noise -band -minmax -eucl	1254	2465	33.72
187	1st	-title-text -journal -silence -norm -minmax -cheb	1254	2465	33.72
188	1st	-title-text -journal -norm -minmax -cheb	1254	2465	33.72
189	1st	-title-text -journal -silence -noise -band -minmax -eucl	1254	2465	33.72
190	1st	-title-text -journal -silence -noise -bandstop -lpc -cheb	1252	2467	33.66
191	1st	-title-text -journal -silence -noise -low -minmax -mink	1251	2468	33.64
192	1st	-title-text -journal -silence -endp -minmax -diff	1251	2468	33.64
193	1st	-title-text -journal -endp -minmax -diff	1251	2468	33.64
194	1st	-title-text -journal -noise -bandstop -lpc -cheb	1250	2469	33.61
195	1st	-title-text -journal -silence -noise -endp -lpc -mink	1244	2475	33.45
196	1st	-title-text -journal -noise -endp -lpc -mink	1243	2476	33.42
197	1st	-title-text -journal -silence -endp -minmax -hamming	1242	2477	33.40
198	1st	-title-text -journal -endp -minmax -hamming	1242	2477	33.40
199	1st	-title-text -journal -noise -bandstop -minmax -eucl	1238	2481	33.29

Table 447: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 5.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
200	1st	-title-text -journal -silence -noise -endp -lpc -cheb	1237	2482	33.26
201	1st	-title-text -journal -noise -endp -lpc -cheb	1236	2483	33.23
202	1st	-title-text -journal -silence -noise -bandstop -minmax -eucl	1234	2485	33.18
203	1st	-title-text -journal -silence -noise -band -aggr -eucl	1232	2487	33.13
204	1st	-title-text -journal -silence -noise -band -fft -eucl	1232	2487	33.13
205	1st	-title-text -journal -noise -bandstop -minmax -cos	1231	2488	33.10
206	1st	-title-text -journal -silence -norm -minmax -diff	1231	2488	33.10
207	1st	-title-text -journal -norm -minmax -diff	1231	2488	33.10
208	1st	-title-text -journal -silence -norm -minmax -hamming	1229	2490	33.05
209	1st	-title-text -journal -silence -noise -bandstop -minmax -cos	1229	2490	33.05
210	1st	-title-text -journal -norm -minmax -hamming	1229	2490	33.05
211	1st	-title-text -journal -noise -bandstop -minmax -cheb	1227	2492	32.99
212	1st	-title-text -journal -silence -noise -bandstop -minmax -cheb	1227	2492	32.99
213	1st	-title-text -journal -noise -band -aggr -eucl	1225	2494	32.94
214	1st	-title-text -journal -noise -band -fft -eucl	1225	2494	32.94
215	1st	-title-text -journal -band -aggr -eucl	1217	2502	32.72
216	1st	-title-text -journal -band -fft -eucl	1217	2502	32.72
217	1st	-title-text -journal -noise -raw -lpc -eucl	1216	2503	32.70
218	1st	-title-text -journal -silence -raw -lpc -eucl	1216	2503	32.70
219	1st	-title-text -journal -silence -norm -lpc -eucl	1216	2503	32.70
220	1st	-title-text -journal -norm -lpc -eucl	1216	2503	32.70
221	1st	-title-text -journal -raw -lpc -eucl	1216	2503	32.70
222	1st	-title-text -journal -silence -noise -raw -lpc -eucl	1216	2503	32.70
223	1st	-title-text -journal -noise -band -minmax -mink	1214	2505	32.64
224	1st	-title-text -journal -silence -noise -band -minmax -mink	1214	2505	32.64
225	1st	-title-text -journal -noise -bandstop -minmax -mink	1212	2507	32.59
226	1st	-title-text -journal -silence -noise -bandstop -minmax -mink	1212	2507	32.59
227	1st	-title-text -journal -silence -endp -lpc -cheb	1211	2508	32.56
228	1st	-title-text -journal -endp -lpc -cheb	1211	2508	32.56
229	1st	-title-text -journal -silence -noise -bandstop -minmax -diff	1203	2516	32.35
230	1st	-title-text -journal -noise -bandstop -minmax -diff	1197	2522	32.19
231	1st	-title-text -journal -noise -low -lpc -mink	1195	2524	32.13
232	1st	-title-text -journal -silence -noise -band -aggr -diff	1195	2524	32.13
233	1st	-title-text -journal -silence -band -fft -eucl	1194	2525	32.11
234	1st	-title-text -journal -silence -band -aggr -eucl	1192	2527	32.05
235	1st	-title-text -journal -silence -noise -band -fft -diff	1189	2530	31.97
236	1st	-title-text -journal -silence -noise -band -fft -cheb	1189	2530	31.97
237	1st	-title-text -journal -silence -noise -band -aggr -cheb	1189	2530	31.97
238	1st	-title-text -journal -silence -high -aggr -eucl	1188	2531	31.94
239	1st	-title-text -journal -silence -high -fft -eucl	1188	2531	31.94
240	1st	-title-text -journal -silence -noise -bandstop -lpc -diff	1188	2531	31.94
241	1st	-title-text -journal -silence -endp -lpc -mink	1183	2536	31.81
242	1st	-title-text -journal -endp -lpc -mink	1183	2536	31.81
243	1st	-title-text -journal -noise -band -aggr -mink	1182	2537	31.78
244	1st	-title-text -journal -noise -band -fft -mink	1182	2537	31.78
245	1st	-title-text -journal -noise -endp -lpc -diff	1181	2538	31.76
246	1st	-title-text -journal -silence -noise -band -aggr -mink	1180	2539	31.73
247	1st	-title-text -journal -silence -noise -band -fft -mink	1180	2539	31.73
248	1st	-title-text -journal -noise -band -fft -diff	1176	2543	31.62
249	1st	-title-text -journal -noise -band -aggr -diff	1175	2544	31.59

Table 448: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 6.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
250	1st	-title-text -journal -noise -band -fft -cheb	1173	2546	31.54
251	1st	-title-text -journal -silence -noise -endp -lpc -diff	1173	2546	31.54
252	1st	-title-text -journal -noise -band -aggr -cheb	1172	2547	31.51
253	1st	-title-text -journal -low -lpc -mink	1165	2554	31.33
254	1st	-title-text -journal -noise -norm -lpc -mink	1165	2554	31.33
255	1st	-title-text -journal -noise -low -lpc -eucl	1165	2554	31.33
256	1st	-title-text -journal -silence -endp -lpc -diff	1164	2555	31.30
257	1st	-title-text -journal -endp -lpc -diff	1164	2555	31.30
258	1st	-title-text -journal -silence -noise -band -minmax -hamming	1162	2557	31.24
259	1st	-title-text -journal -noise -band -minmax -hamming	1162	2557	31.24
260	1st	-title-text -journal -high -fft -eucl	1159	2560	31.16
261	1st	-title-text -journal -low -lpc -eucl	1158	2561	31.14
262	1st	-title-text -journal -noise -norm -lpc -eucl	1158	2561	31.14
263	1st	-title-text -journal -high -aggr -eucl	1158	2561	31.14
264	1st	-title-text -journal -noise -bandstop -lpc -diff	1157	2562	31.11
265	1st	-title-text -journal -high -aggr -diff	1155	2564	31.06
266	1st	-title-text -journal -noise -low -minmax -hamming	1154	2565	31.03
267	1st	-title-text -journal -high -aggr -cheb	1152	2567	30.98
268	1st	-title-text -journal -noise -raw -lpc -cheb	1150	2569	30.92
269	1st	-title-text -journal -silence -raw -lpc -cheb	1150	2569	30.92
270	1st	-title-text -journal -silence -norm -lpc -cheb	1150	2569	30.92
271	1st	-title-text -journal -norm -lpc -cheb	1150	2569	30.92
272	1st	-title-text -journal -raw -lpc -cheb	1150	2569	30.92
273	1st	-title-text -journal -silence -noise -raw -lpc -cheb	1150	2569	30.92
274	1st	-title-text -journal -high -fft -cheb	1147	2572	30.84
275	1st	-title-text -journal -silence -noise -low -minmax -hamming	1145	2574	30.79
276	1st	-title-text -journal -high -fft -diff	1140	2579	30.65
277	1st	-title-text -journal -silence -band -aggr -diff	1134	2585	30.49
278	1st	-title-text -journal -silence -band -fft -diff	1133	2586	30.47
279	1st	-title-text -journal -silence -noise -raw -lpc -mink	1132	2587	30.44
280	1st	-title-text -journal -noise -raw -lpc -mink	1132	2587	30.44
281	1st	-title-text -journal -silence -raw -lpc -mink	1132	2587	30.44
282	1st	-title-text -journal -silence -norm -lpc -mink	1132	2587	30.44
283	1st	-title-text -journal -norm -lpc -mink	1132	2587	30.44
284	1st	-title-text -journal -raw -lpc -mink	1132	2587	30.44
285	1st	-title-text -journal -silence -band -aggr -mink	1128	2591	30.33
286	1st	-title-text -journal -silence -band -fft -mink	1128	2591	30.33
287	1st	-title-text -journal -bandstop -lpc -mink	1127	2592	30.30
288	1st	-title-text -journal -bandstop -lpc -eucl	1127	2592	30.30
289	1st	-title-text -journal -silence -band -aggr -cheb	1124	2595	30.22
290	1st	-title-text -journal -silence -band -fft -cheb	1123	2596	30.20
291	1st	-title-text -journal -silence -bandstop -lpc -mink	1122	2597	30.17
292	1st	-title-text -journal -noise -low -lpc -cheb	1121	2598	30.14
293	1st	-title-text -journal -silence -high -fft -cheb	1121	2598	30.14
294	1st	-title-text -journal -silence -bandstop -lpc -eucl	1120	2599	30.12
295	1st	-title-text -journal -silence -high -aggr -cheb	1118	2601	30.06
296	1st	-title-text -journal -silence -high -aggr -diff	1117	2602	30.03
297	1st	-title-text -journal -silence -high -fft -diff	1116	2603	30.01
298	1st	-title-text -journal -band -fft -cheb	1116	2603	30.01
299	1st	-title-text -journal -band -aggr -cheb	1116	2603	30.01

Table 449: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 7.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
300	1st	-title-text -journal -band -aggr -mink	1115	2604	29.98
301	1st	-title-text -journal -silence -bandstop -lpc -cheb	1115	2604	29.98
302	1st	-title-text -journal -band -aggr -diff	1115	2604	29.98
303	1st	-title-text -journal -noise -bandstop -lpc -cos	1115	2604	29.98
304	1st	-title-text -journal -band -fft -mink	1115	2604	29.98
305	1st	-title-text -journal -band -fft -diff	1114	2605	29.95
306	1st	-title-text -journal -silence -noise -bandstop -lpc -cos	1113	2606	29.93
307	1st	-title-text -journal -silence -raw -lpc -diff	1112	2607	29.90
308	1st	-title-text -journal -noise -low -lpc -diff	1112	2607	29.90
309	1st	-title-text -journal -silence -norm -lpc -diff	1112	2607	29.90
310	1st	-title-text -journal -norm -lpc -diff	1112	2607	29.90
311	1st	-title-text -journal -raw -lpc -diff	1112	2607	29.90
312	1st	-title-text -journal -silence -noise -raw -lpc -diff	1112	2607	29.90
313	1st	-title-text -journal -low -lpc -cheb	1112	2607	29.90
314	1st	-title-text -journal -noise -norm -lpc -cheb	1112	2607	29.90
315	1st	-title-text -journal -noise -raw -lpc -diff	1112	2607	29.90
316	1st	-title-text -journal -bandstop -lpc -cheb	1111	2608	29.87
317	1st	-title-text -journal -silence -noise -low -lpc -eucl	1110	2609	29.85
318	1st	-title-text -journal -noise -high -fft -eucl	1110	2609	29.85
319	1st	-title-text -journal -silence -high -lpc -cheb	1109	2610	29.82
320	1st	-title-text -journal -noise -high -aggr -eucl	1109	2610	29.82
321	1st	-title-text -journal -silence -noise -low -lpc -mink	1108	2611	29.79
322	1st	-title-text -journal -silence -noise -bandstop -aggr -diff	1108	2611	29.79
323	1st	-title-text -journal -silence -noise -bandstop -aggr -cheb	1107	2612	29.77
324	1st	-title-text -journal -noise -high -minmax -eucl	1107	2612	29.77
325	1st	-title-text -journal -silence -noise -high -minmax -eucl	1107	2612	29.77
326	1st	-title-text -journal -noise -bandstop -aggr -cheb	1106	2613	29.74
327	1st	-title-text -journal -silence -noise -bandstop -fft -diff	1106	2613	29.74
328	1st	-title-text -journal -silence -noise -bandstop -fft -cheb	1106	2613	29.74
329	1st	-title-text -journal -noise -bandstop -fft -cheb	1106	2613	29.74
330	1st	-title-text -journal -noise -bandstop -aggr -diff	1104	2615	29.69
331	1st	-title-text -journal -norm -fft -mink	1103	2616	29.66
332	1st	-title-text -journal -norm -aggr -mink	1103	2616	29.66
333	1st	-title-text -journal -silence -norm -aggr -mink	1103	2616	29.66
334	1st	-title-text -journal -noise -bandstop -fft -diff	1103	2616	29.66
335	1st	-title-text -journal -silence -norm -fft -mink	1103	2616	29.66
336	1st	-title-text -journal -silence -bandstop -lpc -diff	1100	2619	29.58
337	1st	-title-text -journal -bandstop -fft -mink	1099	2620	29.55
338	1st	-title-text -journal -silence -bandstop -aggr -mink	1099	2620	29.55
339	1st	-title-text -journal -bandstop -aggr -mink	1099	2620	29.55
340	1st	-title-text -journal -silence -bandstop -fft -mink	1099	2620	29.55
341	1st	-title-text -journal -noise -bandstop -fft -eucl	1098	2621	29.52
342	1st	-title-text -journal -noise -bandstop -aggr -eucl	1098	2621	29.52
343	1st	-title-text -journal -noise -low -fft -cheb	1097	2622	29.50
344	1st	-title-text -journal -silence -noise -bandstop -fft -eucl	1097	2622	29.50
345	1st	-title-text -journal -silence -noise -bandstop -aggr -eucl	1097	2622	29.50
346	1st	-title-text -journal -silence -noise -norm -lpc -diff	1096	2623	29.47
347	1st	-title-text -journal -silence -low -lpc -diff	1096	2623	29.47
348	1st	-title-text -journal -noise -low -aggr -cheb	1096	2623	29.47
349	1st	-title-text -journal -silence -noise -band -lpc -mink	1096	2623	29.47

Table 450: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 8.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
350	1st	-title-text -journal -noise -low -fft -diff	1095	2624	29.44
351	1st	-title-text -journal -silence -high -lpc -diff	1095	2624	29.44
352	1st	-title-text -journal -silence -noise -norm -lpc -cheb	1095	2624	29.44
353	1st	-title-text -journal -silence -low -lpc -cheb	1095	2624	29.44
354	1st	-title-text -journal -noise -low -fft -eucl	1095	2624	29.44
355	1st	-title-text -journal -noise -low -aggr -eucl	1095	2624	29.44
356	1st	-title-text -journal -low -lpc -diff	1095	2624	29.44
357	1st	-title-text -journal -noise -norm -lpc -diff	1095	2624	29.44
358	1st	-title-text -journal -silence -low -aggr -mink	1094	2625	29.42
359	1st	-title-text -journal -high -aggr -mink	1094	2625	29.42
360	1st	-title-text -journal -silence -noise -norm -lpc -mink	1094	2625	29.42
361	1st	-title-text -journal -silence -low -lpc -mink	1094	2625	29.42
362	1st	-title-text -journal -silence -high -aggr -mink	1094	2625	29.42
363	1st	-title-text -journal -silence -noise -norm -fft -mink	1094	2625	29.42
364	1st	-title-text -journal -silence -noise -norm -aggr -mink	1094	2625	29.42
365	1st	-title-text -journal -silence -low -fft -mink	1094	2625	29.42
366	1st	-title-text -journal -silence -high -fft -mink	1094	2625	29.42
367	1st	-title-text -journal -high -fft -mink	1094	2625	29.42
368	1st	-title-text -journal -low -fft -mink	1093	2626	29.39
369	1st	-title-text -journal -noise -norm -fft -mink	1093	2626	29.39
370	1st	-title-text -journal -noise -low -aggr -diff	1093	2626	29.39
371	1st	-title-text -journal -low -aggr -mink	1093	2626	29.39
372	1st	-title-text -journal -norm -aggr -eucl	1093	2626	29.39
373	1st	-title-text -journal -silence -norm -aggr -eucl	1093	2626	29.39
374	1st	-title-text -journal -noise -norm -aggr -mink	1093	2626	29.39
375	1st	-title-text -journal -silence -noise -low -aggr -diff	1093	2626	29.39
376	1st	-title-text -journal -silence -noise -low -fft -diff	1093	2626	29.39
377	1st	-title-text -journal -silence -norm -fft -eucl	1093	2626	29.39
378	1st	-title-text -journal -norm -fft -eucl	1093	2626	29.39
379	1st	-title-text -journal -silence -noise -low -aggr -eucl	1092	2627	29.36
380	1st	-title-text -journal -silence -noise -low -fft -eucl	1092	2627	29.36
381	1st	-title-text -journal -silence -noise -low -aggr -cheb	1092	2627	29.36
382	1st	-title-text -journal -low -fft -eucl	1091	2628	29.34
383	1st	-title-text -journal -noise -norm -fft -eucl	1091	2628	29.34
384	1st	-title-text -journal -silence -low -aggr -eucl	1091	2628	29.34
385	1st	-title-text -journal -low -aggr -eucl	1091	2628	29.34
386	1st	-title-text -journal -noise -norm -aggr -eucl	1091	2628	29.34
387	1st	-title-text -journal -silence -noise -norm -fft -eucl	1091	2628	29.34
388	1st	-title-text -journal -silence -noise -norm -aggr -eucl	1091	2628	29.34
389	1st	-title-text -journal -silence -low -fft -eucl	1091	2628	29.34
390	1st	-title-text -journal -noise -endp -lpc -cos	1090	2629	29.31
391	1st	-title-text -journal -silence -noise -low -fft -cheb	1090	2629	29.31
392	1st	-title-text -journal -raw -lpc -cos	1089	2630	29.28
393	1st	-title-text -journal -silence -norm -lpc -cos	1089	2630	29.28
394	1st	-title-text -journal -silence -raw -fft -cos	1089	2630	29.28
395	1st	-title-text -journal -silence -bandstop -aggr -eucl	1089	2630	29.28
396	1st	-title-text -journal -silence -noise -raw -fft -cos	1089	2630	29.28
397	1st	-title-text -journal -silence -raw -lpc -cos	1089	2630	29.28
398	1st	-title-text -journal -raw -aggr -cos	1089	2630	29.28
399	1st	-title-text -journal -silence -noise -raw -lpc -cos	1089	2630	29.28

Table 451: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 9.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
400	1st	-title-text -journal -silence -noise -raw -aggr -cos	1089	2630	29.28
401	1st	-title-text -journal -norm -lpc -cos	1089	2630	29.28
402	1st	-title-text -journal -noise -raw -fft -cos	1089	2630	29.28
403	1st	-title-text -journal -noise -raw -aggr -cos	1089	2630	29.28
404	1st	-title-text -journal -noise -raw -lpc -cos	1089	2630	29.28
405	1st	-title-text -journal -silence -raw -aggr -cos	1089	2630	29.28
406	1st	-title-text -journal -silence -bandstop -fft -eucl	1089	2630	29.28
407	1st	-title-text -journal -raw -fft -cos	1089	2630	29.28
408	1st	-title-text -journal -bandstop -lpc -diff	1088	2631	29.26
409	1st	-title-text -journal -silence -bandstop -aggr -diff	1088	2631	29.26
410	1st	-title-text -journal -silence -noise -endp -lpc -cos	1088	2631	29.26
411	1st	-title-text -journal -bandstop -fft -eucl	1087	2632	29.23
412	1st	-title-text -journal -noise -bandstop -fft -mink	1087	2632	29.23
413	1st	-title-text -journal -noise -bandstop -aggr -mink	1087	2632	29.23
414	1st	-title-text -journal -silence -bandstop -fft -cheb	1087	2632	29.23
415	1st	-title-text -journal -bandstop -aggr -eucl	1087	2632	29.23
416	1st	-title-text -journal -silence -noise -low -lpc -cheb	1087	2632	29.23
417	1st	-title-text -journal -silence -bandstop -aggr -cheb	1087	2632	29.23
418	1st	-title-text -journal -silence -norm -aggr -cos	1086	2633	29.20
419	1st	-title-text -journal -norm -aggr -cos	1086	2633	29.20
420	1st	-title-text -journal -norm -fft -cos	1086	2633	29.20
421	1st	-title-text -journal -silence -noise -bandstop -fft -mink	1086	2633	29.20
422	1st	-title-text -journal -silence -noise -bandstop -aggr -mink	1086	2633	29.20
423	1st	-title-text -journal -silence -norm -fft -cos	1086	2633	29.20
424	1st	-title-text -journal -silence -noise -norm -aggr -diff	1085	2634	29.17
425	1st	-title-text -journal -silence -bandstop -fft -diff	1085	2634	29.17
426	1st	-title-text -journal -silence -low -aggr -diff	1085	2634	29.17
427	1st	-title-text -journal -silence -low -aggr -cheb	1084	2635	29.15
428	1st	-title-text -journal -noise -high -aggr -cos	1084	2635	29.15
429	1st	-title-text -journal -silence -noise -norm -fft -diff	1084	2635	29.15
430	1st	-title-text -journal -silence -low -fft -diff	1084	2635	29.15
431	1st	-title-text -journal -silence -noise -norm -aggr -cheb	1084	2635	29.15
432	1st	-title-text -journal -silence -noise -norm -lpc -eucl	1084	2635	29.15
433	1st	-title-text -journal -silence -low -lpc -eucl	1084	2635	29.15
434	1st	-title-text -journal -silence -high -lpc -eucl	1084	2635	29.15
435	1st	-title-text -journal -low -aggr -diff	1083	2636	29.12
436	1st	-title-text -journal -low -aggr -cheb	1083	2636	29.12
437	1st	-title-text -journal -noise -norm -aggr -diff	1083	2636	29.12
438	1st	-title-text -journal -noise -norm -aggr -cheb	1083	2636	29.12
439	1st	-title-text -journal -silence -noise -norm -fft -cheb	1083	2636	29.12
440	1st	-title-text -journal -silence -low -fft -cheb	1083	2636	29.12
441	1st	-title-text -journal -low -fft -diff	1083	2636	29.12
442	1st	-title-text -journal -noise -norm -fft -diff	1083	2636	29.12
443	1st	-title-text -journal -low -fft -cheb	1083	2636	29.12
444	1st	-title-text -journal -noise -norm -fft -cheb	1083	2636	29.12
445	1st	-title-text -journal -silence -noise -band -lpc -eucl	1082	2637	29.09
446	1st	-title-text -journal -silence -noise -high -aggr -cos	1082	2637	29.09
447	1st	-title-text -journal -raw -fft -mink	1078	2641	28.99
448	1st	-title-text -journal -silence -noise -raw -fft -mink	1078	2641	28.99
449	1st	-title-text -journal -noise -raw -aggr -mink	1078	2641	28.99

Table 452: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 10.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
450	1st	-title-text -journal -noise -raw -fft -mink	1078	2641	28.99
451	1st	-title-text -journal -silence -raw -fft -mink	1078	2641	28.99
452	1st	-title-text -journal -silence -noise -raw -aggr -mink	1078	2641	28.99
453	1st	-title-text -journal -silence -raw -aggr -mink	1078	2641	28.99
454	1st	-title-text -journal -raw -aggr -mink	1078	2641	28.99
455	1st	-title-text -journal -noise -low -fft -mink	1077	2642	28.96
456	1st	-title-text -journal -noise -low -aggr -mink	1077	2642	28.96
457	1st	-title-text -journal -bandstop -fft -cheb	1077	2642	28.96
458	1st	-title-text -journal -norm -aggr -diff	1076	2643	28.93
459	1st	-title-text -journal -silence -norm -aggr -diff	1076	2643	28.93
460	1st	-title-text -journal -silence -noise -high -fft -eucl	1076	2643	28.93
461	1st	-title-text -journal -silence -noise -high -aggr -eucl	1076	2643	28.93
462	1st	-title-text -journal -silence -noise -low -lpc -diff	1076	2643	28.93
463	1st	-title-text -journal -silence -noise -low -aggr -mink	1075	2644	28.91
464	1st	-title-text -journal -bandstop -aggr -diff	1075	2644	28.91
465	1st	-title-text -journal -silence -noise -low -fft -mink	1075	2644	28.91
466	1st	-title-text -journal -bandstop -fft -diff	1075	2644	28.91
467	1st	-title-text -journal -norm -aggr -cheb	1074	2645	28.88
468	1st	-title-text -journal -bandstop -aggr -cheb	1074	2645	28.88
469	1st	-title-text -journal -silence -norm -aggr -cheb	1074	2645	28.88
470	1st	-title-text -journal -silence -norm -fft -cheb	1074	2645	28.88
471	1st	-title-text -journal -norm -fft -cheb	1074	2645	28.88
472	1st	-title-text -journal -noise -high -fft -mink	1073	2646	28.85
473	1st	-title-text -journal -noise -high -aggr -mink	1073	2646	28.85
474	1st	-title-text -journal -silence -band -lpc -eucl	1073	2646	28.85
475	1st	-title-text -journal -silence -norm -fft -diff	1072	2647	28.82
476	1st	-title-text -journal -norm -fft -diff	1072	2647	28.82
477	1st	-title-text -journal -noise -endp -fft -hamming	1069	2650	28.74
478	1st	-title-text -journal -high -lpc -cheb	1067	2652	28.69
479	1st	-title-text -journal -raw -fft -eucl	1066	2653	28.66
480	1st	-title-text -journal -silence -noise -raw -fft -eucl	1066	2653	28.66
481	1st	-title-text -journal -bandstop -lpc -cos	1066	2653	28.66
482	1st	-title-text -journal -noise -raw -aggr -eucl	1066	2653	28.66
483	1st	-title-text -journal -noise -raw -fft -eucl	1066	2653	28.66
484	1st	-title-text -journal -silence -raw -fft -eucl	1066	2653	28.66
485	1st	-title-text -journal -silence -noise -raw -aggr -eucl	1066	2653	28.66
486	1st	-title-text -journal -silence -band -lpc -mink	1066	2653	28.66
487	1st	-title-text -journal -silence -raw -aggr -eucl	1066	2653	28.66
488	1st	-title-text -journal -raw -aggr -eucl	1066	2653	28.66
489	1st	-title-text -journal -silence -noise -high -aggr -diff	1064	2655	28.61
490	1st	-title-text -journal -noise -low -lpc -cos	1061	2658	28.53
491	1st	-title-text -journal -noise -high -minmax -cheb	1060	2659	28.50
492	1st	-title-text -journal -silence -noise -high -minmax -cheb	1060	2659	28.50
493	1st	-title-text -journal -silence -noise -high -aggr -cheb	1059	2660	28.48
494	1st	-title-text -journal -silence -noise -high -fft -diff	1057	2662	28.42
495	1st	-title-text -journal -silence -bandstop -lpc -cos	1056	2663	28.39
496	1st	-title-text -journal -silence -noise -bandstop -minmax -hamming	1056	2663	28.39
497	1st	-title-text -journal -high -lpc -diff	1055	2664	28.37
498	1st	-title-text -journal -silence -noise -high -fft -mink	1054	2665	28.34
499	1st	-title-text -journal -silence -noise -high -aggr -mink	1054	2665	28.34

Table 453: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 11.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
500	1st	-title-text -journal -band -lpc -mink	1054	2665	28.34
501	1st	-title-text -journal -silence -noise -high -fft -cheb	1053	2666	28.31
502	1st	-title-text -journal -noise -high -fft -diff	1053	2666	28.31
503	1st	-title-text -journal -noise -bandstop -minmax -hamming	1052	2667	28.29
504	1st	-title-text -journal -noise -high -aggr -diff	1048	2671	28.18
505	1st	-title-text -journal -noise -high -fft -cheb	1048	2671	28.18
506	1st	-title-text -journal -silence -noise -low -lpc -cos	1047	2672	28.15
507	1st	-title-text -journal -noise -band -lpc -mink	1046	2673	28.13
508	1st	-title-text -journal -noise -high -aggr -cheb	1046	2673	28.13
509	1st	-title-text -journal -silence -bandstop -lpc -hamming	1046	2673	28.13
510	1st	-title-text -journal -low -lpc -cos	1046	2673	28.13
511	1st	-title-text -journal -noise -norm -lpc -cos	1046	2673	28.13
512	1st	-title-text -journal -silence -low -lpc -cos	1042	2677	28.02
513	1st	-title-text -journal -silence -noise -norm -lpc -cos	1042	2677	28.02
514	1st	-title-text -journal -high -lpc -eucl	1042	2677	28.02
515	1st	-title-text -journal -silence -noise -band -lpc -cheb	1041	2678	27.99
516	1st	-title-text -journal -silence -band -lpc -cheb	1041	2678	27.99
517	1st	-title-text -journal -silence -band -lpc -diff	1038	2681	27.91
518	1st	-title-text -journal -low -aggr -cos	1038	2681	27.91
519	1st	-title-text -journal -noise -norm -aggr -cos	1038	2681	27.91
520	1st	-title-text -journal -silence -high -lpc -mink	1038	2681	27.91
521	1st	-title-text -journal -low -fft -cos	1038	2681	27.91
522	1st	-title-text -journal -noise -norm -fft -cos	1038	2681	27.91
523	1st	-title-text -journal -noise -raw -fft -diff	1036	2683	27.86
524	1st	-title-text -journal -silence -raw -fft -diff	1036	2683	27.86
525	1st	-title-text -journal -raw -fft -diff	1036	2683	27.86
526	1st	-title-text -journal -silence -noise -raw -fft -diff	1036	2683	27.86
527	1st	-title-text -journal -band -lpc -cheb	1035	2684	27.83
528	1st	-title-text -journal -silence -noise -high -minmax -hamming	1034	2685	27.80
529	1st	-title-text -journal -noise -high -minmax -hamming	1034	2685	27.80
530	1st	-title-text -journal -silence -bandstop -aggr -cos	1033	2686	27.78
531	1st	-title-text -journal -band -lpc -eucl	1033	2686	27.78
532	1st	-title-text -journal -noise -high -minmax -diff	1032	2687	27.75
533	1st	-title-text -journal -noise -raw -fft -cheb	1032	2687	27.75
534	1st	-title-text -journal -silence -noise -raw -aggr -diff	1032	2687	27.75
535	1st	-title-text -journal -silence -raw -fft -cheb	1032	2687	27.75
536	1st	-title-text -journal -silence -noise -raw -aggr -cheb	1032	2687	27.75
537	1st	-title-text -journal -silence -noise -high -minmax -diff	1032	2687	27.75
538	1st	-title-text -journal -silence -raw -aggr -diff	1032	2687	27.75
539	1st	-title-text -journal -raw -aggr -diff	1032	2687	27.75
540	1st	-title-text -journal -silence -raw -aggr -cheb	1032	2687	27.75
541	1st	-title-text -journal -raw -aggr -cheb	1032	2687	27.75
542	1st	-title-text -journal -silence -noise -endp -fft -hamming	1032	2687	27.75
543	1st	-title-text -journal -raw -fft -cheb	1032	2687	27.75
544	1st	-title-text -journal -noise -raw -aggr -diff	1032	2687	27.75
545	1st	-title-text -journal -silence -noise -raw -fft -cheb	1032	2687	27.75
546	1st	-title-text -journal -noise -raw -aggr -cheb	1032	2687	27.75
547	1st	-title-text -journal -silence -noise -band -lpc -diff	1031	2688	27.72
548	1st	-title-text -journal -silence -bandstop -fft -cos	1031	2688	27.72
549	1st	-title-text -journal -silence -low -fft -cos	1030	2689	27.70

Table 454: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 12.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
550	1st	-title-text -journal -noise -band -lpc -eucl	1030	2689	27.70
551	1st	-title-text -journal -bandstop -lpc -hamming	1030	2689	27.70
552	1st	-title-text -journal -silence -endp -lpc -cos	1030	2689	27.70
553	1st	-title-text -journal -silence -noise -norm -fft -cos	1030	2689	27.70
554	1st	-title-text -journal -high -lpc -mink	1030	2689	27.70
555	1st	-title-text -journal -endp -lpc -cos	1030	2689	27.70
556	1st	-title-text -journal -noise -low -aggr -cos	1030	2689	27.70
557	1st	-title-text -journal -silence -noise -norm -aggr -cos	1028	2691	27.64
558	1st	-title-text -journal -silence -low -aggr -cos	1028	2691	27.64
559	1st	-title-text -journal -band -lpc -diff	1027	2692	27.61
560	1st	-title-text -journal -noise -low -fft -cos	1027	2692	27.61
561	1st	-title-text -journal -silence -noise -low -aggr -cos	1026	2693	27.59
562	1st	-title-text -journal -silence -noise -low -fft -cos	1025	2694	27.56
563	1st	-title-text -journal -bandstop -aggr -cos	1023	2696	27.51
564	1st	-title-text -journal -silence -noise -high -fft -cos	1023	2696	27.51
565	1st	-title-text -journal -bandstop -fft -cos	1023	2696	27.51
566	1st	-title-text -journal -silence -bandstop -aggr -hamming	1022	2697	27.48
567	1st	-title-text -journal -silence -noise -norm -lpc -hamming	1019	2700	27.40
568	1st	-title-text -journal -noise -high -minmax -cos	1019	2700	27.40
569	1st	-title-text -journal -noise -high -minmax -mink	1019	2700	27.40
570	1st	-title-text -journal -silence -low -lpc -hamming	1019	2700	27.40
571	1st	-title-text -journal -silence -noise -high -minmax -mink	1019	2700	27.40
572	1st	-title-text -journal -silence -noise -high -minmax -cos	1019	2700	27.40
573	1st	-title-text -journal -low -lpc -hamming	1018	2701	27.37
574	1st	-title-text -journal -noise -norm -lpc -hamming	1018	2701	27.37
575	1st	-title-text -journal -noise -high -fft -cos	1017	2702	27.35
576	1st	-title-text -journal -silence -noise -boost -aggr -cheb	1015	2704	27.29
577	1st	-title-text -journal -silence -noise -highpassboost -aggr -mink	1015	2704	27.29
578	1st	-title-text -journal -noise -boost -lpc -mink	1015	2704	27.29
579	1st	-title-text -journal -boost -fft -cos	1015	2704	27.29
580	1st	-title-text -journal -noise -highpassboost -lpc -eucl	1015	2704	27.29
581	1st	-title-text -journal -silence -highpassboost -lpc -eucl	1015	2704	27.29
582	1st	-title-text -journal -highpassboost -minmax -mink	1015	2704	27.29
583	1st	-title-text -journal -silence -noise -boost -lpc -eucl	1015	2704	27.29
584	1st	-title-text -journal -boost -aggr -cheb	1015	2704	27.29
585	1st	-title-text -journal -silence -boost -lpc -mink	1015	2704	27.29
586	1st	-title-text -journal -boost -fft -mink	1015	2704	27.29
587	1st	-title-text -journal -noise -boost -fft -eucl	1015	2704	27.29
588	1st	-title-text -journal -silence -noise -highpassboost -lpc -diff	1015	2704	27.29
589	1st	-title-text -journal -noise -boost -minmax -mink	1015	2704	27.29
590	1st	-title-text -journal -silence -boost -fft -eucl	1015	2704	27.29
591	1st	-title-text -journal -noise -highpassboost -lpc -mink	1015	2704	27.29
592	1st	-title-text -journal -silence -boost -lpc -cos	1015	2704	27.29
593	1st	-title-text -journal -silence -highpassboost -lpc -mink	1015	2704	27.29
594	1st	-title-text -journal -highpassboost -minmax -hamming	1015	2704	27.29
595	1st	-title-text -journal -silence -noise -boost -lpc -mink	1015	2704	27.29
596	1st	-title-text -journal -noise -boost -fft -mink	1015	2704	27.29
597	1st	-title-text -journal -noise -highpassboost -fft -eucl	1015	2704	27.29
598	1st	-title-text -journal -silence -highpassboost -aggr -eucl	1015	2704	27.29
599	1st	-title-text -journal -silence -highpassboost -fft -eucl	1015	2704	27.29

Table 455: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 13.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
600	1st	-title-text -journal -noise -highpassboost -fft -hamming	1015	2704	27.29
601	1st	-title-text -journal -silence -noise -boost -fft -eucl	1015	2704	27.29
602	1st	-title-text -journal -silence -boost -fft -mink	1015	2704	27.29
603	1st	-title-text -journal -noise -highpassboost -minmax -diff	1015	2704	27.29
604	1st	-title-text -journal -silence -noise -highpassboost -fft -diff	1015	2704	27.29
605	1st	-title-text -journal -boost -lpc -cos	1015	2704	27.29
606	1st	-title-text -journal -silence -noise -boost -lpc -hamming	1015	2704	27.29
607	1st	-title-text -journal -silence -noise -highpassboost -lpc -cheb	1015	2704	27.29
608	1st	-title-text -journal -noise -highpassboost -fft -mink	1015	2704	27.29
609	1st	-title-text -journal -silence -highpassboost -aggr -mink	1015	2704	27.29
610	1st	-title-text -journal -silence -highpassboost -fft -mink	1015	2704	27.29
611	1st	-title-text -journal -boost -minmax -hamming	1015	2704	27.29
612	1st	-title-text -journal -silence -noise -boost -fft -mink	1015	2704	27.29
613	1st	-title-text -journal -highpassboost -lpc -diff	1015	2704	27.29
614	1st	-title-text -journal -silence -highpassboost -lpc -hamming	1015	2704	27.29
615	1st	-title-text -journal -silence -noise -highpassboost -fft -cheb	1015	2704	27.29
616	1st	-title-text -journal -noise -highpassboost -minmax -cheb	1015	2704	27.29
617	1st	-title-text -journal -silence -boost -aggr -hamming	2030	5408	27.29
618	1st	-title-text -journal -noise -boost -fft -cos	1015	2704	27.29
619	1st	-title-text -journal -noise -boost -minmax -hamming	1015	2704	27.29
620	1st	-title-text -journal -boost -aggr -cos	2030	5408	27.29
621	1st	-title-text -journal -highpassboost -fft -diff	1015	2704	27.29
622	1st	-title-text -journal -highpassboost -lpc -cheb	1015	2704	27.29
623	1st	-title-text -journal -silence -noise -boost -aggr -eucl	1015	2704	27.29
624	1st	-title-text -journal -noise -boost -minmax -cos	1015	2704	27.29
625	1st	-title-text -journal -noise -highpassboost -aggr -diff	1015	2704	27.29
626	1st	-title-text -journal -silence -boost -fft -hamming	1015	2704	27.29
627	1st	-title-text -journal -boost -aggr -eucl	1015	2704	27.29
628	1st	-title-text -journal -noise -boost -aggr -cos	2030	5408	27.29
629	1st	-title-text -journal -silence -boost -aggr -diff	2030	5408	27.29
630	1st	-title-text -journal -highpassboost -fft -cos	1015	2704	27.29
631	1st	-title-text -journal -highpassboost -aggr -diff	1015	2704	27.29
632	1st	-title-text -journal -silence -noise -boost -aggr -mink	1015	2704	27.29
633	1st	-title-text -journal -noise -highpassboost -lpc -hamming	1015	2704	27.29
634	1st	-title-text -journal -noise -boost -lpc -cos	1015	2704	27.29
635	1st	-title-text -journal -silence -boost -aggr -cos	2030	5408	27.29
636	1st	-title-text -journal -noise -boost -aggr -hamming	2030	5408	27.29
637	1st	-title-text -journal -boost -aggr -mink	2030	5408	27.29
638	1st	-title-text -journal -highpassboost -fft -cheb	1015	2704	27.29
639	1st	-title-text -journal -noise -highpassboost -aggr -cos	1015	2704	27.29
640	1st	-title-text -journal -noise -highpassboost -aggr -cheb	1015	2704	27.29
641	1st	-title-text -journal -silence -noise -boost -aggr -cos	1015	2704	27.29
642	1st	-title-text -journal -silence -highpassboost -aggr -cos	1015	2704	27.29
643	1st	-title-text -journal -silence -highpassboost -fft -cos	1015	2704	27.29
644	1st	-title-text -journal -silence -noise -highpassboost -lpc -eucl	1015	2704	27.29
645	1st	-title-text -journal -silence -boost -aggr -cheb	1015	2704	27.29
646	1st	-title-text -journal -highpassboost -aggr -cheb	1015	2704	27.29
647	1st	-title-text -journal -highpassboost -lpc -cos	1015	2704	27.29
648	1st	-title-text -journal -noise -boost -aggr -diff	2030	5408	27.29
649	1st	-title-text -journal -silence -noise -highpassboost -lpc -mink	1015	2704	27.29

Table 456: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 14.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
650	1st	-title-text -journal -silence -noise -highpassboost -fft -eucl	1015	2704	27.29
651	1st	-title-text -journal -noise -highpassboost -minmax -eucl	1015	2704	27.29
652	1st	-title-text -journal -silence -highpassboost -aggr -hamming	1015	2704	27.29
653	1st	-title-text -journal -silence -highpassboost -lpc -cos	1015	2704	27.29
654	1st	-title-text -journal -silence -boost -lpc -hamming	1015	2704	27.29
655	1st	-title-text -journal -boost -fft -hamming	1015	2704	27.29
656	1st	-title-text -journal -boost -lpc -diff	1015	2704	27.29
657	1st	-title-text -journal -noise -boost -aggr -cheb	1015	2704	27.29
658	1st	-title-text -journal -boost -minmax -diff	1015	2704	27.29
659	1st	-title-text -journal -silence -noise -highpassboost -fft -mink	1015	2704	27.29
660	1st	-title-text -journal -noise -highpassboost -minmax -mink	1015	2704	27.29
661	1st	-title-text -journal -highpassboost -lpc -eucl	1015	2704	27.29
662	1st	-title-text -journal -boost -minmax -cos	1015	2704	27.29
663	1st	-title-text -journal -silence -noise -highpassboost -aggr -diff	1015	2704	27.29
664	1st	-title-text -journal -noise -boost -lpc -diff	1015	2704	27.29
665	1st	-title-text -journal -highpassboost -minmax -cos	1015	2704	27.29
666	1st	-title-text -journal -highpassboost -fft -hamming	1015	2704	27.29
667	1st	-title-text -journal -highpassboost -minmax -diff	1015	2704	27.29
668	1st	-title-text -journal -silence -boost -lpc -diff	1015	2704	27.29
669	1st	-title-text -journal -highpassboost -lpc -mink	1015	2704	27.29
670	1st	-title-text -journal -boost -fft -diff	1015	2704	27.29
671	1st	-title-text -journal -noise -boost -minmax -diff	1015	2704	27.29
672	1st	-title-text -journal -noise -boost -fft -hamming	1015	2704	27.29
673	1st	-title-text -journal -boost -lpc -cheb	1015	2704	27.29
674	1st	-title-text -journal -boost -minmax -cheb	1015	2704	27.29
675	1st	-title-text -journal -noise -highpassboost -lpc -diff	1015	2704	27.29
676	1st	-title-text -journal -noise -highpassboost -minmax -hamming	1015	2704	27.29
677	1st	-title-text -journal -highpassboost -fft -eucl	1015	2704	27.29
678	1st	-title-text -journal -silence -highpassboost -lpc -diff	1015	2704	27.29
679	1st	-title-text -journal -silence -noise -boost -lpc -diff	1015	2704	27.29
680	1st	-title-text -journal -noise -boost -fft -diff	1015	2704	27.29
681	1st	-title-text -journal -noise -highpassboost -aggr -eucl	1015	2704	27.29
682	1st	-title-text -journal -silence -noise -highpassboost -aggr -cheb	1015	2704	27.29
683	1st	-title-text -journal -noise -boost -lpc -cheb	1015	2704	27.29
684	1st	-title-text -journal -boost -aggr -hamming	2030	5408	27.29
685	1st	-title-text -journal -silence -boost -fft -diff	1015	2704	27.29
686	1st	-title-text -journal -silence -boost -aggr -eucl	1015	2704	27.29
687	1st	-title-text -journal -highpassboost -aggr -hamming	1015	2704	27.29
688	1st	-title-text -journal -highpassboost -aggr -eucl	1015	2704	27.29
689	1st	-title-text -journal -highpassboost -minmax -cheb	1015	2704	27.29
690	1st	-title-text -journal -highpassboost -fft -mink	1015	2704	27.29
691	1st	-title-text -journal -silence -boost -lpc -cheb	1015	2704	27.29
692	1st	-title-text -journal -silence -noise -highpassboost -fft -hamming	1015	2704	27.29
693	1st	-title-text -journal -boost -fft -cheb	1015	2704	27.29
694	1st	-title-text -journal -noise -highpassboost -aggr -hamming	1015	2704	27.29
695	1st	-title-text -journal -noise -boost -minmax -cheb	1015	2704	27.29
696	1st	-title-text -journal -noise -highpassboost -aggr -mink	1015	2704	27.29
697	1st	-title-text -journal -noise -highpassboost -fft -cos	1015	2704	27.29
698	1st	-title-text -journal -silence -noise -boost -fft -cos	1015	2704	27.29
699	1st	-title-text -journal -noise -highpassboost -fft -diff	1015	2704	27.29

Table 457: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 15.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
700	1st	-title-text -journal -silence -highpassboost -aggr -diff	1015	2704	27.29
701	1st	-title-text -journal -silence -highpassboost -fft -diff	1015	2704	27.29
702	1st	-title-text -journal -silence -noise -boost -aggr -hamming	1015	2704	27.29
703	1st	-title-text -journal -noise -highpassboost -lpc -cheb	1015	2704	27.29
704	1st	-title-text -journal -silence -noise -boost -fft -diff	1015	2704	27.29
705	1st	-title-text -journal -silence -boost -aggr -mink	2030	5408	27.29
706	1st	-title-text -journal -silence -highpassboost -lpc -cheb	1015	2704	27.29
707	1st	-title-text -journal -highpassboost -aggr -mink	1015	2704	27.29
708	1st	-title-text -journal -silence -noise -boost -lpc -cheb	1015	2704	27.29
709	1st	-title-text -journal -noise -boost -fft -cheb	1015	2704	27.29
710	1st	-title-text -journal -boost -lpc -hamming	1015	2704	27.29
711	1st	-title-text -journal -noise -highpassboost -minmax -cos	1015	2704	27.29
712	1st	-title-text -journal -silence -noise -highpassboost -aggr -cos	1015	2704	27.29
713	1st	-title-text -journal -silence -boost -fft -cheb	1015	2704	27.29
714	1st	-title-text -journal -noise -boost -aggr -eucl	1015	2704	27.29
715	1st	-title-text -journal -silence -noise -highpassboost -aggr -hamming	1015	2704	27.29
716	1st	-title-text -journal -noise -highpassboost -fft -cheb	1015	2704	27.29
717	1st	-title-text -journal -silence -highpassboost -aggr -cheb	1015	2704	27.29
718	1st	-title-text -journal -silence -noise -highpassboost -fft -cos	1015	2704	27.29
719	1st	-title-text -journal -highpassboost -lpc -hamming	1015	2704	27.29
720	1st	-title-text -journal -silence -highpassboost -fft -cheb	1015	2704	27.29
721	1st	-title-text -journal -silence -noise -boost -fft -cheb	1015	2704	27.29
722	1st	-title-text -journal -noise -highpassboost -lpc -cos	1015	2704	27.29
723	1st	-title-text -journal -silence -noise -boost -lpc -cos	1015	2704	27.29
724	1st	-title-text -journal -noise -boost -lpc -hamming	1015	2704	27.29
725	1st	-title-text -journal -noise -boost -aggr -mink	2030	5408	27.29
726	1st	-title-text -journal -silence -noise -boost -fft -hamming	1015	2704	27.29
727	1st	-title-text -journal -boost -lpc -eucl	1015	2704	27.29
728	1st	-title-text -journal -silence -noise -boost -aggr -diff	1015	2704	27.29
729	1st	-title-text -journal -boost -minmax -eucl	1015	2704	27.29
730	1st	-title-text -journal -highpassboost -aggr -cos	1015	2704	27.29
731	1st	-title-text -journal -silence -noise -highpassboost -lpc -hamming	1015	2704	27.29
732	1st	-title-text -journal -boost -aggr -diff	2030	5408	27.29
733	1st	-title-text -journal -silence -boost -fft -cos	1015	2704	27.29
734	1st	-title-text -journal -silence -noise -highpassboost -lpc -cos	1015	2704	27.29
735	1st	-title-text -journal -silence -noise -highpassboost -aggr -eucl	1015	2704	27.29
736	1st	-title-text -journal -noise -boost -lpc -eucl	1015	2704	27.29
737	1st	-title-text -journal -boost -lpc -mink	1015	2704	27.29
738	1st	-title-text -journal -boost -minmax -mink	1015	2704	27.29
739	1st	-title-text -journal -highpassboost -minmax -eucl	1015	2704	27.29
740	1st	-title-text -journal -silence -boost -lpc -eucl	1015	2704	27.29
741	1st	-title-text -journal -silence -highpassboost -fft -hamming	1015	2704	27.29
742	1st	-title-text -journal -boost -fft -eucl	1015	2704	27.29
743	1st	-title-text -journal -noise -boost -minmax -eucl	1015	2704	27.29
744	1st	-title-text -journal -noise -bandstop -lpc -hamming	1014	2705	27.27
745	1st	-title-text -journal -high -aggr -hamming	1012	2707	27.21
746	1st	-title-text -journal -noise -band -lpc -cheb	1012	2707	27.21
747	1st	-title-text -journal -silence -noise -high -lpc -diff	1011	2708	27.18
748	1st	-title-text -journal -silence -endp -lpc -hamming	1011	2708	27.18
749	1st	-title-text -journal -endp -lpc -hamming	1011	2708	27.18

Table 458: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 16.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
750	1st	-title-text -journal -silence -noise -high -lpc -eucl	1009	2710	27.13
751	1st	-title-text -journal -noise -band -lpc -diff	1009	2710	27.13
752	1st	-title-text -journal -silence -raw -fft -hamming	1006	2713	27.05
753	1st	-title-text -journal -noise -raw -fft -hamming	1006	2713	27.05
754	1st	-title-text -journal -silence -noise -raw -fft -hamming	1006	2713	27.05
755	1st	-title-text -journal -raw -fft -hamming	1006	2713	27.05
756	1st	-title-text -journal -silence -endp -aggr -hamming	1003	2716	26.97
757	1st	-title-text -journal -endp -aggr -hamming	1003	2716	26.97
758	1st	-title-text -journal -noise -endp -aggr -hamming	1003	2716	26.97
759	1st	-title-text -journal -high -fft -hamming	1002	2717	26.94
760	1st	-title-text -journal -silence -noise -high -lpc -cheb	1001	2718	26.92
761	1st	-title-text -journal -silence -bandstop -fft -hamming	1001	2718	26.92
762	1st	-title-text -journal -noise -high -lpc -eucl	1000	2719	26.89
763	1st	-title-text -journal -silence -noise -high -fft -hamming	999	2720	26.86
764	1st	-title-text -journal -silence -high -lpc -hamming	999	2720	26.86
765	1st	-title-text -journal -noise -low -lpc -hamming	998	2721	26.84
766	1st	-title-text -journal -silence -noise -raw -lpc -hamming	997	2722	26.81
767	1st	-title-text -journal -raw -lpc -hamming	997	2722	26.81
768	1st	-title-text -journal -silence -noise -high -lpc -mink	997	2722	26.81
769	1st	-title-text -journal -silence -raw -lpc -hamming	997	2722	26.81
770	1st	-title-text -journal -noise -raw -lpc -hamming	997	2722	26.81
771	1st	-title-text -journal -silence -norm -lpc -hamming	997	2722	26.81
772	1st	-title-text -journal -norm -lpc -hamming	997	2722	26.81
773	1st	-title-text -journal -silence -noise -high -aggr -hamming	994	2725	26.73
774	1st	-title-text -journal -noise -high -lpc -cheb	994	2725	26.73
775	1st	-title-text -journal -silence -noise -endp -aggr -hamming	993	2726	26.70
776	1st	-title-text -journal -silence -noise -low -lpc -hamming	992	2727	26.67
777	1st	-title-text -journal -silence -noise -bandstop -lpc -hamming	990	2729	26.62
778	1st	-title-text -journal -silence -noise -band -lpc -cos	990	2729	26.62
779	1st	-title-text -journal -noise -low -aggr -hamming	986	2733	26.51
780	1st	-title-text -journal -bandstop -aggr -hamming	984	2735	26.46
781	1st	-title-text -journal -silence -low -fft -hamming	984	2735	26.46
782	1st	-title-text -journal -silence -noise -norm -fft -hamming	984	2735	26.46
783	1st	-title-text -journal -silence -noise -band -lpc -hamming	983	2736	26.43
784	1st	-title-text -journal -silence -noise -bandstop -aggr -hamming	980	2739	26.35
785	1st	-title-text -journal -noise -high -lpc -mink	980	2739	26.35
786	1st	-title-text -journal -silence -endp -fft -hamming	979	2740	26.32
787	1st	-title-text -journal -endp -fft -hamming	979	2740	26.32
788	1st	-title-text -journal -silence -noise -bandstop -aggr -cos	979	2740	26.32
789	1st	-title-text -journal -silence -noise -endp -lpc -hamming	979	2740	26.32
790	1st	-title-text -journal -silence -noise -bandstop -fft -cos	978	2741	26.30
791	1st	-title-text -journal -noise -bandstop -aggr -cos	978	2741	26.30
792	1st	-title-text -journal -silence -band -lpc -hamming	978	2741	26.30
793	1st	-title-text -journal -noise -bandstop -fft -cos	977	2742	26.27
794	1st	-title-text -journal -silence -norm -aggr -hamming	976	2743	26.24
795	1st	-title-text -journal -band -lpc -hamming	976	2743	26.24
796	1st	-title-text -journal -norm -aggr -hamming	976	2743	26.24
797	1st	-title-text -journal -noise -bandstop -aggr -hamming	976	2743	26.24
798	1st	-title-text -journal -noise -endp -lpc -hamming	973	2746	26.16
799	1st	-title-text -journal -silence -high -fft -hamming	972	2747	26.14

Table 459: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 17.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
800	1st	-title-text -journal -high -lpc -hamming	972	2747	26.14
801	1st	-title-text -journal -silence -noise -norm -aggr -hamming	971	2748	26.11
802	1st	-title-text -journal -silence -high -aggr -hamming	971	2748	26.11
803	1st	-title-text -journal -noise -raw -aggr -hamming	971	2748	26.11
804	1st	-title-text -journal -silence -low -aggr -hamming	971	2748	26.11
805	1st	-title-text -journal -silence -raw -aggr -hamming	971	2748	26.11
806	1st	-title-text -journal -raw -aggr -hamming	971	2748	26.11
807	1st	-title-text -journal -silence -noise -raw -aggr -hamming	971	2748	26.11
808	1st	-title-text -journal -silence -noise -high -lpc -cos	970	2749	26.08
809	1st	-title-text -journal -noise -high -lpc -diff	967	2752	26.00
810	1st	-title-text -journal -noise -band -aggr -hamming	965	2754	25.95
811	1st	-title-text -journal -silence -noise -high -lpc -hamming	963	2756	25.89
812	1st	-title-text -journal -bandstop -fft -hamming	963	2756	25.89
813	1st	-title-text -journal -silence -noise -band -aggr -hamming	961	2758	25.84
814	1st	-title-text -journal -silence -noise -band -fft -hamming	959	2760	25.79
815	1st	-title-text -journal -silence -band -fft -hamming	958	2761	25.76
816	1st	-title-text -journal -noise -band -lpc -hamming	955	2764	25.68
817	1st	-title-text -journal -silence -norm -fft -hamming	953	2766	25.63
818	1st	-title-text -journal -norm -fft -hamming	953	2766	25.63
819	1st	-title-text -journal -noise -high -lpc -hamming	951	2768	25.57
820	1st	-title-text -journal -silence -band -aggr -hamming	950	2769	25.54
821	1st	-title-text -journal -band -lpc -cos	949	2770	25.52
822	1st	-title-text -journal -silence -noise -low -fft -hamming	942	2777	25.33
823	1st	-title-text -journal -noise -high -aggr -hamming	941	2778	25.30
824	1st	-title-text -journal -noise -high -lpc -cos	938	2781	25.22
825	1st	-title-text -journal -silence -noise -bandstop -fft -hamming	937	2782	25.19
826	1st	-title-text -journal -noise -high -fft -hamming	936	2783	25.17
827	1st	-title-text -journal -noise -band -lpc -cos	936	2783	25.17
828	1st	-title-text -journal -noise -low -fft -hamming	935	2784	25.14
829	1st	-title-text -journal -silence -band -lpc -cos	931	2788	25.03
830	1st	-title-text -journal -band -fft -hamming	926	2793	24.90
831	1st	-title-text -journal -silence -noise -low -aggr -hamming	924	2795	24.85
832	1st	-title-text -journal -noise -band -fft -hamming	923	2796	24.82
833	1st	-title-text -journal -low -aggr -hamming	920	2799	24.74
834	1st	-title-text -journal -noise -norm -aggr -hamming	920	2799	24.74
835	1st	-title-text -journal -noise -bandstop -fft -hamming	918	2801	24.68
836	1st	-title-text -journal -low -fft -hamming	916	2803	24.63
837	1st	-title-text -journal -noise -norm -fft -hamming	916	2803	24.63
838	1st	-title-text -journal -band -aggr -hamming	913	2806	24.55
839	1st	-title-text -journal -silence -high -lpc -cos	900	2819	24.20
840	1st	-title-text -journal -high -lpc -cos	894	2825	24.04
841	2nd	-title-text -journal -silence -noise -endp -fft -mink	2539	1180	68.27
842	2nd	-title-text -journal -noise -endp -aggr -mink	2539	1180	68.27
843	2nd	-title-text -journal -silence -noise -endp -aggr -mink	2539	1180	68.27
844	2nd	-title-text -journal -noise -endp -fft -mink	2539	1180	68.27
845	2nd	-title-text -journal -silence -noise -endp -fft -eucl	2544	1175	68.41
846	2nd	-title-text -journal -noise -endp -aggr -eucl	2544	1175	68.41
847	2nd	-title-text -journal -silence -noise -endp -aggr -eucl	2544	1175	68.41
848	2nd	-title-text -journal -noise -endp -fft -eucl	2544	1175	68.41
849	2nd	-title-text -journal -noise -endp -fft -diff	2537	1182	68.22

Table 460: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 18.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
850	2nd	-title-text -journal -silence -noise -endp -fft -diff	2537	1182	68.22
851	2nd	-title-text -journal -silence -noise -endp -fft -cheb	2537	1182	68.22
852	2nd	-title-text -journal -silence -noise -endp -aggr -diff	2537	1182	68.22
853	2nd	-title-text -journal -silence -noise -endp -aggr -cheb	2537	1182	68.22
854	2nd	-title-text -journal -noise -endp -aggr -diff	2537	1182	68.22
855	2nd	-title-text -journal -noise -endp -aggr -cheb	2537	1182	68.22
856	2nd	-title-text -journal -noise -endp -fft -cheb	2537	1182	68.22
857	2nd	-title-text -journal -noise -endp -fft -cos	2531	1188	68.06
858	2nd	-title-text -journal -noise -endp -aggr -cos	2531	1188	68.06
859	2nd	-title-text -journal -silence -noise -endp -aggr -cos	2531	1188	68.06
860	2nd	-title-text -journal -silence -noise -endp -fft -cos	2531	1188	68.06
861	2nd	-title-text -journal -endp -aggr -cheb	2545	1174	68.43
862	2nd	-title-text -journal -silence -endp -aggr -cheb	2545	1174	68.43
863	2nd	-title-text -journal -silence -endp -fft -cheb	2545	1174	68.43
864	2nd	-title-text -journal -endp -fft -cheb	2545	1174	68.43
865	2nd	-title-text -journal -silence -endp -fft -diff	2526	1193	67.92
866	2nd	-title-text -journal -endp -fft -diff	2526	1193	67.92
867	2nd	-title-text -journal -endp -aggr -diff	2547	1172	68.49
868	2nd	-title-text -journal -silence -endp -aggr -diff	2547	1172	68.49
869	2nd	-title-text -journal -silence -endp -fft -cos	2455	1264	66.01
870	2nd	-title-text -journal -endp -fft -cos	2455	1264	66.01
871	2nd	-title-text -journal -silence -endp -aggr -cos	2455	1264	66.01
872	2nd	-title-text -journal -endp -aggr -cos	2455	1264	66.01
873	2nd	-title-text -journal -noise -endp -lpc -eucl	2441	1278	65.64
874	2nd	-title-text -journal -silence -band -minmax -diff	2422	1297	65.13
875	2nd	-title-text -journal -band -minmax -diff	2422	1297	65.13
876	2nd	-title-text -journal -silence -noise -endp -lpc -eucl	2431	1288	65.37
877	2nd	-title-text -journal -silence -high -minmax -cos	2465	1254	66.28
878	2nd	-title-text -journal -high -minmax -cos	2465	1254	66.28
879	2nd	-title-text -journal -silence -high -minmax -diff	2432	1287	65.39
880	2nd	-title-text -journal -high -minmax -diff	2432	1287	65.39
881	2nd	-title-text -journal -silence -high -minmax -cheb	2427	1292	65.26
882	2nd	-title-text -journal -high -minmax -cheb	2427	1292	65.26
883	2nd	-title-text -journal -silence -band -minmax -cheb	2422	1297	65.13
884	2nd	-title-text -journal -band -minmax -cheb	2422	1297	65.13
885	2nd	-title-text -journal -noise -endp -minmax -eucl	2422	1297	65.13
886	2nd	-title-text -journal -silence -noise -endp -minmax -eucl	2418	1301	65.02
887	2nd	-title-text -journal -bandstop -minmax -eucl	2412	1307	64.86
888	2nd	-title-text -journal -silence -high -minmax -eucl	2426	1293	65.23
889	2nd	-title-text -journal -high -minmax -eucl	2426	1293	65.23
890	2nd	-title-text -journal -silence -bandstop -minmax -eucl	2411	1308	64.83
891	2nd	-title-text -journal -bandstop -minmax -cheb	2421	1298	65.10
892	2nd	-title-text -journal -silence -bandstop -minmax -cheb	2421	1298	65.10
893	2nd	-title-text -journal -silence -band -minmax -eucl	2416	1303	64.96
894	2nd	-title-text -journal -band -minmax -eucl	2416	1303	64.96
895	2nd	-title-text -journal -noise -endp -minmax -diff	2425	1294	65.21
896	2nd	-title-text -journal -silence -bandstop -minmax -diff	2430	1289	65.34
897	2nd	-title-text -journal -noise -endp -minmax -cheb	2417	1302	64.99
898	2nd	-title-text -journal -silence -noise -endp -minmax -cos	2397	1322	64.45
899	2nd	-title-text -journal -bandstop -minmax -diff	2426	1293	65.23

Table 461: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 19.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
900	2nd	-title-text -journal -silence -low -minmax -diff	2415	1304	64.94
901	2nd	-title-text -journal -silence -noise -norm -minmax -diff	2415	1304	64.94
902	2nd	-title-text -journal -noise -endp -minmax -cos	2396	1323	64.43
903	2nd	-title-text -journal -endp -aggr -eucl	2396	1323	64.43
904	2nd	-title-text -journal -silence -endp -aggr -eucl	2396	1323	64.43
905	2nd	-title-text -journal -silence -endp -fft -eucl	2396	1323	64.43
906	2nd	-title-text -journal -endp -fft -eucl	2396	1323	64.43
907	2nd	-title-text -journal -silence -noise -endp -minmax -diff	2417	1302	64.99
908	2nd	-title-text -journal -silence -noise -endp -minmax -cheb	2414	1305	64.91
909	2nd	-title-text -journal -low -minmax -cheb	2409	1310	64.78
910	2nd	-title-text -journal -noise -norm -minmax -cheb	2409	1310	64.78
911	2nd	-title-text -journal -high -aggr -cos	2383	1336	64.08
912	2nd	-title-text -journal -low -minmax -diff	2416	1303	64.96
913	2nd	-title-text -journal -noise -norm -minmax -diff	2416	1303	64.96
914	2nd	-title-text -journal -silence -low -minmax -cheb	2410	1309	64.80
915	2nd	-title-text -journal -silence -noise -norm -minmax -cheb	2410	1309	64.80
916	2nd	-title-text -journal -high -fft -cos	2372	1347	63.78
917	2nd	-title-text -journal -silence -low -minmax -hamming	2266	1453	60.93
918	2nd	-title-text -journal -silence -noise -norm -minmax -hamming	2266	1453	60.93
919	2nd	-title-text -journal -noise -norm -minmax -hamming	2274	1445	61.15
920	2nd	-title-text -journal -low -minmax -hamming	2274	1445	61.15
921	2nd	-title-text -journal -silence -high -minmax -mink	2397	1322	64.45
922	2nd	-title-text -journal -high -minmax -mink	2397	1322	64.45
923	2nd	-title-text -journal -silence -high -aggr -cos	2426	1293	65.23
924	2nd	-title-text -journal -silence -band -minmax -cos	2385	1334	64.13
925	2nd	-title-text -journal -band -minmax -cos	2385	1334	64.13
926	2nd	-title-text -journal -silence -bandstop -minmax -cos	2391	1328	64.29
927	2nd	-title-text -journal -bandstop -minmax -cos	2391	1328	64.29
928	2nd	-title-text -journal -noise -band -minmax -cos	2383	1336	64.08
929	2nd	-title-text -journal -silence -noise -band -minmax -cos	2383	1336	64.08
930	2nd	-title-text -journal -silence -noise -low -minmax -cheb	2386	1333	64.16
931	2nd	-title-text -journal -silence -noise -norm -minmax -eucl	2387	1332	64.18
932	2nd	-title-text -journal -silence -low -minmax -eucl	2387	1332	64.18
933	2nd	-title-text -journal -silence -noise -low -minmax -diff	2363	1356	63.54
934	2nd	-title-text -journal -noise -endp -minmax -hamming	2310	1409	62.11
935	2nd	-title-text -journal -noise -low -minmax -cheb	2384	1335	64.10
936	2nd	-title-text -journal -low -minmax -eucl	2386	1333	64.16
937	2nd	-title-text -journal -silence -noise -endp -minmax -hamming	2308	1411	62.06
938	2nd	-title-text -journal -noise -low -minmax -diff	2360	1359	63.46
939	2nd	-title-text -journal -noise -norm -minmax -eucl	2386	1333	64.16
940	2nd	-title-text -journal -silence -high -fft -cos	2400	1319	64.53
941	2nd	-title-text -journal -band -aggr -cos	2352	1367	63.24
942	2nd	-title-text -journal -silence -noise -endp -minmax -mink	2381	1338	64.02
943	2nd	-title-text -journal -noise -endp -minmax -mink	2377	1342	63.92
944	2nd	-title-text -journal -noise -band -aggr -cos	2355	1364	63.32
945	2nd	-title-text -journal -band -fft -cos	2349	1370	63.16
946	2nd	-title-text -journal -silence -bandstop -minmax -mink	2362	1357	63.51
947	2nd	-title-text -journal -silence -raw -minmax -diff	2347	1372	63.11
948	2nd	-title-text -journal -bandstop -minmax -mink	2362	1357	63.51
949	2nd	-title-text -journal -noise -raw -minmax -diff	2347	1372	63.11

Table 462: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 20.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
950	2nd	-title-text -journal -silence -noise -raw -minmax -diff	2347	1372	63.11
951	2nd	-title-text -journal -raw -minmax -diff	2347	1372	63.11
952	2nd	-title-text -journal -bandstop -minmax -hamming	2266	1453	60.93
953	2nd	-title-text -journal -silence -band -minmax -mink	2357	1362	63.38
954	2nd	-title-text -journal -silence -bandstop -minmax -hamming	2263	1456	60.85
955	2nd	-title-text -journal -band -minmax -mink	2357	1362	63.38
956	2nd	-title-text -journal -noise -low -minmax -eucl	2363	1356	63.54
957	2nd	-title-text -journal -silence -noise -low -minmax -eucl	2364	1355	63.57
958	2nd	-title-text -journal -noise -band -fft -cos	2349	1370	63.16
959	2nd	-title-text -journal -silence -band -fft -cos	2324	1395	62.49
960	2nd	-title-text -journal -silence -band -aggr -cos	2341	1378	62.95
961	2nd	-title-text -journal -endp -aggr -mink	2315	1404	62.25
962	2nd	-title-text -journal -silence -endp -aggr -mink	2315	1404	62.25
963	2nd	-title-text -journal -silence -endp -fft -mink	2315	1404	62.25
964	2nd	-title-text -journal -endp -fft -mink	2315	1404	62.25
965	2nd	-title-text -journal -silence -noise -low -minmax -cos	2358	1361	63.40
966	2nd	-title-text -journal -noise -low -minmax -cos	2358	1361	63.40
967	2nd	-title-text -journal -silence -noise -raw -minmax -hamming	2287	1432	61.50
968	2nd	-title-text -journal -silence -raw -minmax -hamming	2287	1432	61.50
969	2nd	-title-text -journal -noise -raw -minmax -hamming	2287	1432	61.50
970	2nd	-title-text -journal -raw -minmax -hamming	2287	1432	61.50
971	2nd	-title-text -journal -silence -band -minmax -hamming	2247	1472	60.42
972	2nd	-title-text -journal -band -minmax -hamming	2247	1472	60.42
973	2nd	-title-text -journal -silence -noise -norm -minmax -cos	2353	1366	63.27
974	2nd	-title-text -journal -low -minmax -cos	2350	1369	63.19
975	2nd	-title-text -journal -silence -low -minmax -cos	2353	1366	63.27
976	2nd	-title-text -journal -noise -norm -minmax -cos	2350	1369	63.19
977	2nd	-title-text -journal -silence -noise -raw -minmax -mink	2297	1422	61.76
978	2nd	-title-text -journal -raw -minmax -mink	2297	1422	61.76
979	2nd	-title-text -journal -silence -raw -minmax -mink	2297	1422	61.76
980	2nd	-title-text -journal -noise -raw -minmax -mink	2297	1422	61.76
981	2nd	-title-text -journal -silence -norm -minmax -mink	2289	1430	61.55
982	2nd	-title-text -journal -norm -minmax -mink	2289	1430	61.55
983	2nd	-title-text -journal -noise -bandstop -lpc -mink	2307	1412	62.03
984	2nd	-title-text -journal -silence -noise -bandstop -lpc -mink	2307	1412	62.03
985	2nd	-title-text -journal -silence -high -minmax -hamming	2236	1483	60.12
986	2nd	-title-text -journal -high -minmax -hamming	2236	1483	60.12
987	2nd	-title-text -journal -silence -noise -band -aggr -cos	2357	1362	63.38
988	2nd	-title-text -journal -silence -noise -raw -minmax -eucl	2281	1438	61.33
989	2nd	-title-text -journal -raw -minmax -eucl	2281	1438	61.33
990	2nd	-title-text -journal -silence -raw -minmax -eucl	2281	1438	61.33
991	2nd	-title-text -journal -noise -raw -minmax -eucl	2281	1438	61.33
992	2nd	-title-text -journal -noise -band -minmax -cheb	2277	1442	61.23
993	2nd	-title-text -journal -silence -noise -band -minmax -cheb	2277	1442	61.23
994	2nd	-title-text -journal -endp -minmax -mink	2299	1420	61.82
995	2nd	-title-text -journal -silence -endp -minmax -mink	2299	1420	61.82
996	2nd	-title-text -journal -noise -band -minmax -diff	2275	1444	61.17
997	2nd	-title-text -journal -silence -noise -band -minmax -diff	2275	1444	61.17
998	2nd	-title-text -journal -silence -endp -lpc -eucl	2313	1406	62.19
999	2nd	-title-text -journal -endp -lpc -eucl	2313	1406	62.19

Table 463: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 21.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1000	2nd	-title-text -journal -raw -minmax -cos	2279	1440	61.28
1001	2nd	-title-text -journal -noise -raw -minmax -cos	2279	1440	61.28
1002	2nd	-title-text -journal -silence -raw -minmax -cos	2279	1440	61.28
1003	2nd	-title-text -journal -silence -noise -raw -minmax -cos	2279	1440	61.28
1004	2nd	-title-text -journal -noise -bandstop -lpc -eucl	2322	1397	62.44
1005	2nd	-title-text -journal -norm -minmax -cos	2277	1442	61.23
1006	2nd	-title-text -journal -silence -norm -minmax -cos	2277	1442	61.23
1007	2nd	-title-text -journal -silence -norm -minmax -eucl	2279	1440	61.28
1008	2nd	-title-text -journal -norm -minmax -eucl	2279	1440	61.28
1009	2nd	-title-text -journal -silence -noise -norm -minmax -mink	2278	1441	61.25
1010	2nd	-title-text -journal -silence -noise -band -fft -cos	2358	1361	63.40
1011	2nd	-title-text -journal -silence -low -minmax -mink	2278	1441	61.25
1012	2nd	-title-text -journal -low -minmax -mink	2278	1441	61.25
1013	2nd	-title-text -journal -noise -norm -minmax -mink	2278	1441	61.25
1014	2nd	-title-text -journal -silence -noise -bandstop -lpc -eucl	2327	1392	62.57
1015	2nd	-title-text -journal -silence -endp -minmax -eucl	2276	1443	61.20
1016	2nd	-title-text -journal -endp -minmax -eucl	2276	1443	61.20
1017	2nd	-title-text -journal -silence -raw -minmax -cheb	2283	1436	61.39
1018	2nd	-title-text -journal -noise -raw -minmax -cheb	2283	1436	61.39
1019	2nd	-title-text -journal -silence -noise -raw -minmax -cheb	2283	1436	61.39
1020	2nd	-title-text -journal -raw -minmax -cheb	2283	1436	61.39
1021	2nd	-title-text -journal -silence -endp -minmax -cos	2284	1435	61.41
1022	2nd	-title-text -journal -endp -minmax -cos	2284	1435	61.41
1023	2nd	-title-text -journal -silence -endp -minmax -cheb	2262	1457	60.82
1024	2nd	-title-text -journal -endp -minmax -cheb	2262	1457	60.82
1025	2nd	-title-text -journal -noise -low -minmax -mink	2271	1448	61.06
1026	2nd	-title-text -journal -noise -band -minmax -eucl	2274	1445	61.15
1027	2nd	-title-text -journal -silence -norm -minmax -cheb	2278	1441	61.25
1028	2nd	-title-text -journal -norm -minmax -cheb	2278	1441	61.25
1029	2nd	-title-text -journal -silence -noise -band -minmax -eucl	2274	1445	61.15
1030	2nd	-title-text -journal -silence -noise -bandstop -lpc -cheb	2272	1447	61.09
1031	2nd	-title-text -journal -silence -noise -low -minmax -mink	2271	1448	61.06
1032	2nd	-title-text -journal -silence -endp -minmax -diff	2294	1425	61.68
1033	2nd	-title-text -journal -endp -minmax -diff	2294	1425	61.68
1034	2nd	-title-text -journal -noise -bandstop -lpc -cheb	2270	1449	61.04
1035	2nd	-title-text -journal -silence -noise -endp -lpc -mink	2279	1440	61.28
1036	2nd	-title-text -journal -noise -endp -lpc -mink	2283	1436	61.39
1037	2nd	-title-text -journal -silence -endp -minmax -hamming	2055	1664	55.26
1038	2nd	-title-text -journal -endp -minmax -hamming	2055	1664	55.26
1039	2nd	-title-text -journal -noise -bandstop -minmax -eucl	2278	1441	61.25
1040	2nd	-title-text -journal -silence -noise -endp -lpc -cheb	2291	1428	61.60
1041	2nd	-title-text -journal -noise -endp -lpc -cheb	2294	1425	61.68
1042	2nd	-title-text -journal -silence -noise -bandstop -minmax -eucl	2276	1443	61.20
1043	2nd	-title-text -journal -silence -noise -band -aggr -eucl	2246	1473	60.39
1044	2nd	-title-text -journal -silence -noise -band -fft -eucl	2248	1471	60.45
1045	2nd	-title-text -journal -noise -bandstop -minmax -cos	2271	1448	61.06
1046	2nd	-title-text -journal -silence -norm -minmax -diff	2274	1445	61.15
1047	2nd	-title-text -journal -norm -minmax -diff	2274	1445	61.15
1048	2nd	-title-text -journal -silence -norm -minmax -hamming	2038	1681	54.80
1049	2nd	-title-text -journal -silence -noise -bandstop -minmax -cos	2270	1449	61.04

Table 464: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 22.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1050	2nd	-title-text -journal -norm -minmax -hamming	2038	1681	54.80
1051	2nd	-title-text -journal -noise -bandstop -minmax -cheb	2257	1462	60.69
1052	2nd	-title-text -journal -silence -noise -bandstop -minmax -cheb	2257	1462	60.69
1053	2nd	-title-text -journal -noise -band -aggr -eucl	2249	1470	60.47
1054	2nd	-title-text -journal -noise -band -fft -eucl	2249	1470	60.47
1055	2nd	-title-text -journal -band -aggr -eucl	2211	1508	59.45
1056	2nd	-title-text -journal -band -fft -eucl	2210	1509	59.42
1057	2nd	-title-text -journal -noise -raw -lpc -eucl	2225	1494	59.83
1058	2nd	-title-text -journal -silence -raw -lpc -eucl	2225	1494	59.83
1059	2nd	-title-text -journal -silence -norm -lpc -eucl	2225	1494	59.83
1060	2nd	-title-text -journal -norm -lpc -eucl	2225	1494	59.83
1061	2nd	-title-text -journal -raw -lpc -eucl	2225	1494	59.83
1062	2nd	-title-text -journal -silence -noise -raw -lpc -eucl	2225	1494	59.83
1063	2nd	-title-text -journal -noise -band -minmax -mink	2236	1483	60.12
1064	2nd	-title-text -journal -silence -noise -band -minmax -mink	2236	1483	60.12
1065	2nd	-title-text -journal -noise -bandstop -minmax -mink	2232	1487	60.02
1066	2nd	-title-text -journal -silence -noise -bandstop -minmax -mink	2232	1487	60.02
1067	2nd	-title-text -journal -silence -endp -lpc -cheb	2245	1474	60.37
1068	2nd	-title-text -journal -endp -lpc -cheb	2245	1474	60.37
1069	2nd	-title-text -journal -silence -noise -bandstop -minmax -diff	2245	1474	60.37
1070	2nd	-title-text -journal -noise -bandstop -minmax -diff	2248	1471	60.45
1071	2nd	-title-text -journal -noise -low -lpc -mink	2059	1660	55.36
1072	2nd	-title-text -journal -silence -noise -band -aggr -diff	2213	1506	59.51
1073	2nd	-title-text -journal -silence -band -fft -eucl	2212	1507	59.48
1074	2nd	-title-text -journal -silence -band -aggr -eucl	2212	1507	59.48
1075	2nd	-title-text -journal -silence -noise -band -fft -diff	2211	1508	59.45
1076	2nd	-title-text -journal -silence -noise -band -fft -cheb	2214	1505	59.53
1077	2nd	-title-text -journal -silence -noise -band -aggr -cheb	2213	1506	59.51
1078	2nd	-title-text -journal -silence -high -aggr -eucl	2182	1537	58.67
1079	2nd	-title-text -journal -silence -high -fft -eucl	2182	1537	58.67
1080	2nd	-title-text -journal -silence -noise -bandstop -lpc -diff	2263	1456	60.85
1081	2nd	-title-text -journal -silence -endp -lpc -mink	2145	1574	57.68
1082	2nd	-title-text -journal -endp -lpc -mink	2145	1574	57.68
1083	2nd	-title-text -journal -noise -band -aggr -mink	2201	1518	59.18
1084	2nd	-title-text -journal -noise -band -fft -mink	2201	1518	59.18
1085	2nd	-title-text -journal -noise -endp -lpc -diff	2252	1467	60.55
1086	2nd	-title-text -journal -silence -noise -band -aggr -mink	2203	1516	59.24
1087	2nd	-title-text -journal -silence -noise -band -fft -mink	2203	1516	59.24
1088	2nd	-title-text -journal -noise -band -fft -diff	2179	1540	58.59
1089	2nd	-title-text -journal -noise -band -aggr -diff	2180	1539	58.62
1090	2nd	-title-text -journal -noise -band -fft -cheb	2186	1533	58.78
1091	2nd	-title-text -journal -silence -noise -endp -lpc -diff	2243	1476	60.31
1092	2nd	-title-text -journal -noise -band -aggr -cheb	2189	1530	58.86
1093	2nd	-title-text -journal -low -lpc -mink	2036	1683	54.75
1094	2nd	-title-text -journal -noise -norm -lpc -mink	2036	1683	54.75
1095	2nd	-title-text -journal -noise -low -lpc -eucl	2071	1648	55.69
1096	2nd	-title-text -journal -silence -endp -lpc -diff	2203	1516	59.24
1097	2nd	-title-text -journal -endp -lpc -diff	2203	1516	59.24
1098	2nd	-title-text -journal -silence -noise -band -minmax -hamming	2074	1645	55.77
1099	2nd	-title-text -journal -noise -band -minmax -hamming	2074	1645	55.77

Table 465: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 23.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1100	2nd	-title-text -journal -high -fft -eucl	2182	1537	58.67
1101	2nd	-title-text -journal -low -lpc -eucl	2037	1682	54.77
1102	2nd	-title-text -journal -noise -norm -lpc -eucl	2037	1682	54.77
1103	2nd	-title-text -journal -high -aggr -eucl	2182	1537	58.67
1104	2nd	-title-text -journal -noise -bandstop -lpc -diff	2250	1469	60.50
1105	2nd	-title-text -journal -high -aggr -diff	2170	1549	58.35
1106	2nd	-title-text -journal -noise -low -minmax -hamming	2085	1634	56.06
1107	2nd	-title-text -journal -high -aggr -cheb	2172	1547	58.40
1108	2nd	-title-text -journal -noise -raw -lpc -cheb	2141	1578	57.57
1109	2nd	-title-text -journal -silence -raw -lpc -cheb	2141	1578	57.57
1110	2nd	-title-text -journal -silence -norm -lpc -cheb	2141	1578	57.57
1111	2nd	-title-text -journal -norm -lpc -cheb	2141	1578	57.57
1112	2nd	-title-text -journal -raw -lpc -cheb	2141	1578	57.57
1113	2nd	-title-text -journal -silence -noise -raw -lpc -cheb	2141	1578	57.57
1114	2nd	-title-text -journal -high -fft -cheb	2172	1547	58.40
1115	2nd	-title-text -journal -silence -noise -low -minmax -hamming	2084	1635	56.04
1116	2nd	-title-text -journal -high -fft -diff	2169	1550	58.32
1117	2nd	-title-text -journal -silence -band -aggr -diff	2151	1568	57.84
1118	2nd	-title-text -journal -silence -band -fft -diff	2147	1572	57.73
1119	2nd	-title-text -journal -silence -noise -raw -lpc -mink	2144	1575	57.65
1120	2nd	-title-text -journal -noise -raw -lpc -mink	2144	1575	57.65
1121	2nd	-title-text -journal -silence -raw -lpc -mink	2144	1575	57.65
1122	2nd	-title-text -journal -silence -norm -lpc -mink	2144	1575	57.65
1123	2nd	-title-text -journal -norm -lpc -mink	2144	1575	57.65
1124	2nd	-title-text -journal -raw -lpc -mink	2144	1575	57.65
1125	2nd	-title-text -journal -silence -band -aggr -mink	2135	1584	57.41
1126	2nd	-title-text -journal -silence -band -fft -mink	2135	1584	57.41
1127	2nd	-title-text -journal -bandstop -lpc -mink	2094	1625	56.31
1128	2nd	-title-text -journal -bandstop -lpc -eucl	2128	1591	57.22
1129	2nd	-title-text -journal -silence -band -aggr -cheb	2155	1564	57.95
1130	2nd	-title-text -journal -silence -band -fft -cheb	2155	1564	57.95
1131	2nd	-title-text -journal -silence -bandstop -lpc -mink	2133	1586	57.35
1132	2nd	-title-text -journal -noise -low -lpc -cheb	2056	1663	55.28
1133	2nd	-title-text -journal -silence -high -fft -cheb	2156	1563	57.97
1134	2nd	-title-text -journal -silence -bandstop -lpc -eucl	2127	1592	57.19
1135	2nd	-title-text -journal -silence -high -aggr -cheb	2156	1563	57.97
1136	2nd	-title-text -journal -silence -high -aggr -diff	2158	1561	58.03
1137	2nd	-title-text -journal -silence -high -fft -diff	2172	1547	58.40
1138	2nd	-title-text -journal -band -fft -cheb	2169	1550	58.32
1139	2nd	-title-text -journal -band -aggr -cheb	2168	1551	58.30
1140	2nd	-title-text -journal -band -aggr -mink	2136	1583	57.43
1141	2nd	-title-text -journal -silence -bandstop -lpc -cheb	2111	1608	56.76
1142	2nd	-title-text -journal -band -aggr -diff	2164	1555	58.19
1143	2nd	-title-text -journal -noise -bandstop -lpc -cos	2032	1687	54.64
1144	2nd	-title-text -journal -band -fft -mink	2136	1583	57.43
1145	2nd	-title-text -journal -band -fft -diff	2169	1550	58.32
1146	2nd	-title-text -journal -silence -noise -bandstop -lpc -cos	2052	1667	55.18
1147	2nd	-title-text -journal -silence -raw -lpc -diff	2099	1620	56.44
1148	2nd	-title-text -journal -noise -low -lpc -diff	2050	1669	55.12
1149	2nd	-title-text -journal -silence -norm -lpc -diff	2099	1620	56.44

Table 466: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 24.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1150	2nd	-title-text -journal -norm -lpc -diff	2099	1620	56.44
1151	2nd	-title-text -journal -raw -lpc -diff	2099	1620	56.44
1152	2nd	-title-text -journal -silence -noise -raw -lpc -diff	2099	1620	56.44
1153	2nd	-title-text -journal -low -lpc -cheb	2054	1665	55.23
1154	2nd	-title-text -journal -noise -norm -lpc -cheb	2054	1665	55.23
1155	2nd	-title-text -journal -noise -raw -lpc -diff	2099	1620	56.44
1156	2nd	-title-text -journal -bandstop -lpc -cheb	2143	1576	57.62
1157	2nd	-title-text -journal -silence -noise -low -lpc -eucl	2047	1672	55.04
1158	2nd	-title-text -journal -noise -high -fft -eucl	2102	1617	56.52
1159	2nd	-title-text -journal -silence -high -lpc -cheb	2006	1713	53.94
1160	2nd	-title-text -journal -noise -high -aggr -eucl	2102	1617	56.52
1161	2nd	-title-text -journal -silence -noise -low -lpc -mink	2062	1657	55.45
1162	2nd	-title-text -journal -silence -noise -bandstop -aggr -diff	2062	1657	55.45
1163	2nd	-title-text -journal -silence -noise -bandstop -aggr -cheb	2060	1659	55.39
1164	2nd	-title-text -journal -noise -high -minmax -eucl	2018	1701	54.26
1165	2nd	-title-text -journal -silence -noise -high -minmax -eucl	2018	1701	54.26
1166	2nd	-title-text -journal -noise -bandstop -aggr -cheb	2058	1661	55.34
1167	2nd	-title-text -journal -silence -noise -bandstop -fft -diff	2065	1654	55.53
1168	2nd	-title-text -journal -silence -noise -bandstop -fft -cheb	2059	1660	55.36
1169	2nd	-title-text -journal -noise -bandstop -fft -cheb	2059	1660	55.36
1170	2nd	-title-text -journal -noise -bandstop -aggr -diff	2059	1660	55.36
1171	2nd	-title-text -journal -norm -fft -mink	2099	1620	56.44
1172	2nd	-title-text -journal -norm -aggr -mink	2099	1620	56.44
1173	2nd	-title-text -journal -silence -norm -aggr -mink	2099	1620	56.44
1174	2nd	-title-text -journal -noise -bandstop -fft -diff	2057	1662	55.31
1175	2nd	-title-text -journal -silence -norm -fft -mink	2099	1620	56.44
1176	2nd	-title-text -journal -silence -bandstop -lpc -diff	2101	1618	56.49
1177	2nd	-title-text -journal -bandstop -fft -mink	2095	1624	56.33
1178	2nd	-title-text -journal -silence -bandstop -aggr -mink	2095	1624	56.33
1179	2nd	-title-text -journal -bandstop -aggr -mink	2095	1624	56.33
1180	2nd	-title-text -journal -silence -bandstop -fft -mink	2095	1624	56.33
1181	2nd	-title-text -journal -noise -bandstop -fft -eucl	2094	1625	56.31
1182	2nd	-title-text -journal -noise -bandstop -aggr -eucl	2094	1625	56.31
1183	2nd	-title-text -journal -noise -low -fft -cheb	2127	1592	57.19
1184	2nd	-title-text -journal -silence -noise -bandstop -fft -eucl	2094	1625	56.31
1185	2nd	-title-text -journal -silence -noise -bandstop -aggr -eucl	2094	1625	56.31
1186	2nd	-title-text -journal -silence -noise -norm -lpc -diff	2014	1705	54.15
1187	2nd	-title-text -journal -silence -low -lpc -diff	2014	1705	54.15
1188	2nd	-title-text -journal -noise -low -aggr -cheb	2126	1593	57.17
1189	2nd	-title-text -journal -silence -noise -band -lpc -mink	2090	1629	56.20
1190	2nd	-title-text -journal -noise -low -fft -diff	2130	1589	57.27
1191	2nd	-title-text -journal -silence -high -lpc -diff	2007	1712	53.97
1192	2nd	-title-text -journal -silence -noise -norm -lpc -cheb	1999	1720	53.75
1193	2nd	-title-text -journal -silence -low -lpc -cheb	1999	1720	53.75
1194	2nd	-title-text -journal -noise -low -fft -eucl	2084	1635	56.04
1195	2nd	-title-text -journal -noise -low -aggr -eucl	2084	1635	56.04
1196	2nd	-title-text -journal -low -lpc -diff	2044	1675	54.96
1197	2nd	-title-text -journal -noise -norm -lpc -diff	2044	1675	54.96
1198	2nd	-title-text -journal -silence -low -aggr -mink	2095	1624	56.33
1199	2nd	-title-text -journal -high -aggr -mink	2113	1606	56.82

Table 467: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 25.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1200	2nd	-title-text -journal -silence -noise -norm -lpc -mink	2017	1702	54.24
1201	2nd	-title-text -journal -silence -low -lpc -mink	2017	1702	54.24
1202	2nd	-title-text -journal -silence -high -aggr -mink	2104	1615	56.57
1203	2nd	-title-text -journal -silence -noise -norm -fft -mink	2095	1624	56.33
1204	2nd	-title-text -journal -silence -noise -norm -aggr -mink	2095	1624	56.33
1205	2nd	-title-text -journal -silence -low -fft -mink	2095	1624	56.33
1206	2nd	-title-text -journal -silence -high -fft -mink	2104	1615	56.57
1207	2nd	-title-text -journal -high -fft -mink	2113	1606	56.82
1208	2nd	-title-text -journal -low -fft -mink	2097	1622	56.39
1209	2nd	-title-text -journal -noise -norm -fft -mink	2097	1622	56.39
1210	2nd	-title-text -journal -noise -low -aggr -diff	2129	1590	57.25
1211	2nd	-title-text -journal -low -aggr -mink	2097	1622	56.39
1212	2nd	-title-text -journal -norm -aggr -eucl	2088	1631	56.14
1213	2nd	-title-text -journal -silence -norm -aggr -eucl	2088	1631	56.14
1214	2nd	-title-text -journal -noise -norm -aggr -mink	2097	1622	56.39
1215	2nd	-title-text -journal -silence -noise -low -aggr -diff	2152	1567	57.87
1216	2nd	-title-text -journal -silence -noise -low -fft -diff	2147	1572	57.73
1217	2nd	-title-text -journal -silence -norm -fft -eucl	2088	1631	56.14
1218	2nd	-title-text -journal -norm -fft -eucl	2088	1631	56.14
1219	2nd	-title-text -journal -silence -noise -low -aggr -eucl	2086	1633	56.09
1220	2nd	-title-text -journal -silence -noise -low -fft -eucl	2086	1633	56.09
1221	2nd	-title-text -journal -silence -noise -low -aggr -cheb	2152	1567	57.87
1222	2nd	-title-text -journal -low -fft -eucl	2089	1630	56.17
1223	2nd	-title-text -journal -noise -norm -fft -eucl	2089	1630	56.17
1224	2nd	-title-text -journal -silence -low -aggr -eucl	2088	1631	56.14
1225	2nd	-title-text -journal -low -aggr -eucl	2089	1630	56.17
1226	2nd	-title-text -journal -noise -norm -aggr -eucl	2089	1630	56.17
1227	2nd	-title-text -journal -silence -noise -norm -fft -eucl	2088	1631	56.14
1228	2nd	-title-text -journal -silence -noise -norm -aggr -eucl	2088	1631	56.14
1229	2nd	-title-text -journal -silence -low -fft -eucl	2088	1631	56.14
1230	2nd	-title-text -journal -noise -endp -lpc -cos	2044	1675	54.96
1231	2nd	-title-text -journal -silence -noise -low -fft -cheb	2146	1573	57.70
1232	2nd	-title-text -journal -raw -lpc -cos	2074	1645	55.77
1233	2nd	-title-text -journal -silence -norm -lpc -cos	2074	1645	55.77
1234	2nd	-title-text -journal -silence -raw -fft -cos	1805	1914	48.53
1235	2nd	-title-text -journal -silence -bandstop -aggr -eucl	2086	1633	56.09
1236	2nd	-title-text -journal -silence -noise -raw -fft -cos	1805	1914	48.53
1237	2nd	-title-text -journal -silence -raw -lpc -cos	2074	1645	55.77
1238	2nd	-title-text -journal -raw -aggr -cos	1805	1914	48.53
1239	2nd	-title-text -journal -silence -noise -raw -lpc -cos	2074	1645	55.77
1240	2nd	-title-text -journal -silence -noise -raw -aggr -cos	1805	1914	48.53
1241	2nd	-title-text -journal -norm -lpc -cos	2074	1645	55.77
1242	2nd	-title-text -journal -noise -raw -fft -cos	1805	1914	48.53
1243	2nd	-title-text -journal -noise -raw -aggr -cos	1805	1914	48.53
1244	2nd	-title-text -journal -noise -raw -lpc -cos	2074	1645	55.77
1245	2nd	-title-text -journal -silence -raw -aggr -cos	1805	1914	48.53
1246	2nd	-title-text -journal -silence -bandstop -fft -eucl	2086	1633	56.09
1247	2nd	-title-text -journal -raw -fft -cos	1805	1914	48.53
1248	2nd	-title-text -journal -bandstop -lpc -diff	2123	1596	57.09
1249	2nd	-title-text -journal -silence -bandstop -aggr -diff	2101	1618	56.49

Table 468: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 26.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1250	2nd	-title-text -journal -silence -noise -endp -lpc -cos	2037	1682	54.77
1251	2nd	-title-text -journal -bandstop -fft -eucl	2088	1631	56.14
1252	2nd	-title-text -journal -noise -bandstop -fft -mink	2100	1619	56.47
1253	2nd	-title-text -journal -noise -bandstop -aggr -mink	2100	1619	56.47
1254	2nd	-title-text -journal -silence -bandstop -fft -cheb	2102	1617	56.52
1255	2nd	-title-text -journal -bandstop -aggr -eucl	2088	1631	56.14
1256	2nd	-title-text -journal -silence -noise -low -lpc -cheb	2035	1684	54.72
1257	2nd	-title-text -journal -silence -bandstop -aggr -cheb	2101	1618	56.49
1258	2nd	-title-text -journal -silence -norm -aggr -cos	1802	1917	48.45
1259	2nd	-title-text -journal -norm -aggr -cos	1802	1917	48.45
1260	2nd	-title-text -journal -norm -fft -cos	1802	1917	48.45
1261	2nd	-title-text -journal -silence -noise -bandstop -fft -mink	2100	1619	56.47
1262	2nd	-title-text -journal -silence -noise -bandstop -aggr -mink	2100	1619	56.47
1263	2nd	-title-text -journal -silence -norm -fft -cos	1802	1917	48.45
1264	2nd	-title-text -journal -silence -noise -norm -aggr -diff	2104	1615	56.57
1265	2nd	-title-text -journal -silence -bandstop -fft -diff	2102	1617	56.52
1266	2nd	-title-text -journal -silence -low -aggr -diff	2104	1615	56.57
1267	2nd	-title-text -journal -silence -low -aggr -cheb	2102	1617	56.52
1268	2nd	-title-text -journal -noise -high -aggr -cos	2034	1685	54.69
1269	2nd	-title-text -journal -silence -noise -norm -fft -diff	2101	1618	56.49
1270	2nd	-title-text -journal -silence -low -fft -diff	2101	1618	56.49
1271	2nd	-title-text -journal -silence -noise -norm -aggr -cheb	2102	1617	56.52
1272	2nd	-title-text -journal -silence -noise -norm -lpc -eucl	2004	1715	53.89
1273	2nd	-title-text -journal -silence -low -lpc -eucl	2004	1715	53.89
1274	2nd	-title-text -journal -silence -high -lpc -eucl	2013	1706	54.13
1275	2nd	-title-text -journal -low -aggr -diff	2110	1609	56.74
1276	2nd	-title-text -journal -low -aggr -cheb	2108	1611	56.68
1277	2nd	-title-text -journal -noise -norm -aggr -diff	2110	1609	56.74
1278	2nd	-title-text -journal -noise -norm -aggr -cheb	2108	1611	56.68
1279	2nd	-title-text -journal -silence -noise -norm -fft -cheb	2100	1619	56.47
1280	2nd	-title-text -journal -silence -low -fft -cheb	2100	1619	56.47
1281	2nd	-title-text -journal -low -fft -diff	2113	1606	56.82
1282	2nd	-title-text -journal -noise -norm -fft -diff	2113	1606	56.82
1283	2nd	-title-text -journal -low -fft -cheb	2110	1609	56.74
1284	2nd	-title-text -journal -noise -norm -fft -cheb	2110	1609	56.74
1285	2nd	-title-text -journal -silence -noise -band -lpc -eucl	2066	1653	55.55
1286	2nd	-title-text -journal -silence -noise -high -aggr -cos	2063	1656	55.47
1287	2nd	-title-text -journal -raw -fft -mink	2077	1642	55.85
1288	2nd	-title-text -journal -silence -noise -raw -fft -mink	2077	1642	55.85
1289	2nd	-title-text -journal -noise -raw -aggr -mink	2077	1642	55.85
1290	2nd	-title-text -journal -noise -raw -fft -mink	2077	1642	55.85
1291	2nd	-title-text -journal -silence -raw -fft -mink	2077	1642	55.85
1292	2nd	-title-text -journal -silence -noise -raw -aggr -mink	2077	1642	55.85
1293	2nd	-title-text -journal -silence -raw -aggr -mink	2077	1642	55.85
1294	2nd	-title-text -journal -raw -aggr -mink	2077	1642	55.85
1295	2nd	-title-text -journal -noise -low -fft -mink	2068	1651	55.61
1296	2nd	-title-text -journal -noise -low -aggr -mink	2068	1651	55.61
1297	2nd	-title-text -journal -bandstop -fft -cheb	2083	1636	56.01
1298	2nd	-title-text -journal -norm -aggr -diff	2146	1573	57.70
1299	2nd	-title-text -journal -silence -norm -aggr -diff	2146	1573	57.70

Table 469: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 27.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1300	2nd	-title-text -journal -silence -noise -high -fft -eucl	2127	1592	57.19
1301	2nd	-title-text -journal -silence -noise -high -aggr -eucl	2134	1585	57.38
1302	2nd	-title-text -journal -silence -noise -low -lpc -diff	2025	1694	54.45
1303	2nd	-title-text -journal -silence -noise -low -aggr -mink	2069	1650	55.63
1304	2nd	-title-text -journal -bandstop -aggr -diff	2083	1636	56.01
1305	2nd	-title-text -journal -silence -noise -low -fft -mink	2069	1650	55.63
1306	2nd	-title-text -journal -bandstop -fft -diff	2081	1638	55.96
1307	2nd	-title-text -journal -norm -aggr -cheb	2149	1570	57.78
1308	2nd	-title-text -journal -bandstop -aggr -cheb	2084	1635	56.04
1309	2nd	-title-text -journal -silence -norm -aggr -cheb	2149	1570	57.78
1310	2nd	-title-text -journal -silence -norm -fft -cheb	2149	1570	57.78
1311	2nd	-title-text -journal -norm -fft -cheb	2149	1570	57.78
1312	2nd	-title-text -journal -noise -high -fft -mink	2065	1654	55.53
1313	2nd	-title-text -journal -noise -high -aggr -mink	2065	1654	55.53
1314	2nd	-title-text -journal -silence -band -lpc -eucl	2040	1679	54.85
1315	2nd	-title-text -journal -silence -norm -fft -diff	2147	1572	57.73
1316	2nd	-title-text -journal -norm -fft -diff	2147	1572	57.73
1317	2nd	-title-text -journal -noise -endp -fft -hamming	1983	1736	53.32
1318	2nd	-title-text -journal -high -lpc -cheb	2071	1648	55.69
1319	2nd	-title-text -journal -raw -fft -eucl	2069	1650	55.63
1320	2nd	-title-text -journal -silence -noise -raw -fft -eucl	2069	1650	55.63
1321	2nd	-title-text -journal -bandstop -lpc -cos	2085	1634	56.06
1322	2nd	-title-text -journal -noise -raw -aggr -eucl	2069	1650	55.63
1323	2nd	-title-text -journal -noise -raw -fft -eucl	2069	1650	55.63
1324	2nd	-title-text -journal -silence -raw -fft -eucl	2069	1650	55.63
1325	2nd	-title-text -journal -silence -noise -raw -aggr -eucl	2069	1650	55.63
1326	2nd	-title-text -journal -silence -band -lpc -mink	2088	1631	56.14
1327	2nd	-title-text -journal -silence -raw -aggr -eucl	2069	1650	55.63
1328	2nd	-title-text -journal -raw -aggr -eucl	2069	1650	55.63
1329	2nd	-title-text -journal -silence -noise -high -aggr -diff	1977	1742	53.16
1330	2nd	-title-text -journal -noise -low -lpc -cos	1977	1742	53.16
1331	2nd	-title-text -journal -noise -high -minmax -cheb	2092	1627	56.25
1332	2nd	-title-text -journal -silence -noise -high -minmax -cheb	2092	1627	56.25
1333	2nd	-title-text -journal -silence -noise -high -aggr -cheb	1967	1752	52.89
1334	2nd	-title-text -journal -silence -noise -high -fft -diff	1968	1751	52.92
1335	2nd	-title-text -journal -silence -bandstop -lpc -cos	2056	1663	55.28
1336	2nd	-title-text -journal -silence -noise -bandstop -minmax -hamming	1960	1759	52.70
1337	2nd	-title-text -journal -high -lpc -diff	2068	1651	55.61
1338	2nd	-title-text -journal -silence -noise -high -fft -mink	2046	1673	55.01
1339	2nd	-title-text -journal -silence -noise -high -aggr -mink	2046	1673	55.01
1340	2nd	-title-text -journal -band -lpc -mink	2034	1685	54.69
1341	2nd	-title-text -journal -silence -noise -high -fft -cheb	1965	1754	52.84
1342	2nd	-title-text -journal -noise -high -fft -diff	1987	1732	53.43
1343	2nd	-title-text -journal -noise -bandstop -minmax -hamming	1964	1755	52.81
1344	2nd	-title-text -journal -noise -high -aggr -diff	1990	1729	53.51
1345	2nd	-title-text -journal -noise -high -fft -cheb	1991	1728	53.54
1346	2nd	-title-text -journal -silence -noise -low -lpc -cos	1993	1726	53.59
1347	2nd	-title-text -journal -noise -band -lpc -mink	2020	1699	54.32
1348	2nd	-title-text -journal -noise -high -aggr -cheb	1991	1728	53.54
1349	2nd	-title-text -journal -silence -bandstop -lpc -hamming	1907	1812	51.28

Table 470: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 28.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1350	2nd	-title-text -journal -low -lpc -cos	1931	1788	51.92
1351	2nd	-title-text -journal -noise -norm -lpc -cos	1931	1788	51.92
1352	2nd	-title-text -journal -silence -low -lpc -cos	1914	1805	51.47
1353	2nd	-title-text -journal -silence -noise -norm -lpc -cos	1914	1805	51.47
1354	2nd	-title-text -journal -high -lpc -eucl	2004	1715	53.89
1355	2nd	-title-text -journal -silence -noise -band -lpc -cheb	2023	1696	54.40
1356	2nd	-title-text -journal -silence -band -lpc -cheb	2013	1706	54.13
1357	2nd	-title-text -journal -silence -band -lpc -diff	2012	1707	54.10
1358	2nd	-title-text -journal -low -aggr -cos	1792	1927	48.18
1359	2nd	-title-text -journal -noise -norm -aggr -cos	1792	1927	48.18
1360	2nd	-title-text -journal -silence -high -lpc -mink	1977	1742	53.16
1361	2nd	-title-text -journal -low -fft -cos	1791	1928	48.16
1362	2nd	-title-text -journal -noise -norm -fft -cos	1791	1928	48.16
1363	2nd	-title-text -journal -noise -raw -fft -diff	2128	1591	57.22
1364	2nd	-title-text -journal -silence -raw -fft -diff	2128	1591	57.22
1365	2nd	-title-text -journal -raw -fft -diff	2128	1591	57.22
1366	2nd	-title-text -journal -silence -noise -raw -fft -diff	2128	1591	57.22
1367	2nd	-title-text -journal -band -lpc -cheb	1997	1722	53.70
1368	2nd	-title-text -journal -silence -noise -high -minmax -hamming	2025	1694	54.45
1369	2nd	-title-text -journal -noise -high -minmax -hamming	2025	1694	54.45
1370	2nd	-title-text -journal -silence -bandstop -aggr -cos	1779	1940	47.84
1371	2nd	-title-text -journal -band -lpc -eucl	2035	1684	54.72
1372	2nd	-title-text -journal -noise -high -minmax -diff	2070	1649	55.66
1373	2nd	-title-text -journal -noise -raw -fft -cheb	2132	1587	57.33
1374	2nd	-title-text -journal -silence -noise -raw -aggr -diff	2132	1587	57.33
1375	2nd	-title-text -journal -silence -raw -fft -cheb	2132	1587	57.33
1376	2nd	-title-text -journal -silence -noise -raw -aggr -cheb	2132	1587	57.33
1377	2nd	-title-text -journal -silence -noise -high -minmax -diff	2070	1649	55.66
1378	2nd	-title-text -journal -silence -raw -aggr -diff	2132	1587	57.33
1379	2nd	-title-text -journal -raw -aggr -diff	2132	1587	57.33
1380	2nd	-title-text -journal -silence -raw -aggr -cheb	2132	1587	57.33
1381	2nd	-title-text -journal -raw -aggr -cheb	2132	1587	57.33
1382	2nd	-title-text -journal -silence -noise -endp -fft -hamming	1953	1766	52.51
1383	2nd	-title-text -journal -raw -fft -cheb	2132	1587	57.33
1384	2nd	-title-text -journal -noise -raw -aggr -diff	2132	1587	57.33
1385	2nd	-title-text -journal -silence -noise -raw -fft -cheb	2132	1587	57.33
1386	2nd	-title-text -journal -noise -raw -aggr -cheb	2132	1587	57.33
1387	2nd	-title-text -journal -silence -noise -band -lpc -diff	2022	1697	54.37
1388	2nd	-title-text -journal -silence -bandstop -fft -cos	1779	1940	47.84
1389	2nd	-title-text -journal -silence -low -fft -cos	1793	1926	48.21
1390	2nd	-title-text -journal -noise -band -lpc -eucl	2004	1715	53.89
1391	2nd	-title-text -journal -bandstop -lpc -hamming	1924	1795	51.73
1392	2nd	-title-text -journal -silence -endp -lpc -cos	2015	1704	54.18
1393	2nd	-title-text -journal -silence -noise -norm -fft -cos	1793	1926	48.21
1394	2nd	-title-text -journal -high -lpc -mink	1993	1726	53.59
1395	2nd	-title-text -journal -endp -lpc -cos	2015	1704	54.18
1396	2nd	-title-text -journal -noise -low -aggr -cos	1788	1931	48.08
1397	2nd	-title-text -journal -silence -noise -norm -aggr -cos	1793	1926	48.21
1398	2nd	-title-text -journal -silence -low -aggr -cos	1793	1926	48.21
1399	2nd	-title-text -journal -band -lpc -diff	1989	1730	53.48

Table 471: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 29.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1400	2nd	-title-text -journal -noise -low -fft -cos	1786	1933	48.02
1401	2nd	-title-text -journal -silence -noise -low -aggr -cos	1786	1933	48.02
1402	2nd	-title-text -journal -silence -noise -low -fft -cos	1785	1934	48.00
1403	2nd	-title-text -journal -bandstop -aggr -cos	1780	1939	47.86
1404	2nd	-title-text -journal -silence -noise -high -fft -cos	2001	1718	53.80
1405	2nd	-title-text -journal -bandstop -fft -cos	1780	1939	47.86
1406	2nd	-title-text -journal -silence -bandstop -aggr -hamming	1953	1766	52.51
1407	2nd	-title-text -journal -silence -noise -norm -lpc -hamming	1922	1797	51.68
1408	2nd	-title-text -journal -noise -high -minmax -cos	1961	1758	52.73
1409	2nd	-title-text -journal -noise -high -minmax -mink	1970	1749	52.97
1410	2nd	-title-text -journal -silence -low -lpc -hamming	1922	1797	51.68
1411	2nd	-title-text -journal -silence -noise -high -minmax -mink	1970	1749	52.97
1412	2nd	-title-text -journal -silence -noise -high -minmax -cos	1961	1758	52.73
1413	2nd	-title-text -journal -low -lpc -hamming	1901	1818	51.12
1414	2nd	-title-text -journal -noise -norm -lpc -hamming	1901	1818	51.12
1415	2nd	-title-text -journal -noise -high -fft -cos	2015	1704	54.18
1416	2nd	-title-text -journal -silence -noise -boost -aggr -cheb	1915	1804	51.49
1417	2nd	-title-text -journal -silence -noise -highpassboost -aggr -mink	1915	1804	51.49
1418	2nd	-title-text -journal -noise -boost -lpc -mink	1915	1804	51.49
1419	2nd	-title-text -journal -boost -fft -cos	1915	1804	51.49
1420	2nd	-title-text -journal -noise -highpassboost -lpc -eucl	1915	1804	51.49
1421	2nd	-title-text -journal -silence -highpassboost -lpc -eucl	1915	1804	51.49
1422	2nd	-title-text -journal -highpassboost -minmax -mink	1915	1804	51.49
1423	2nd	-title-text -journal -silence -noise -boost -lpc -eucl	1915	1804	51.49
1424	2nd	-title-text -journal -boost -aggr -cheb	1915	1804	51.49
1425	2nd	-title-text -journal -silence -boost -lpc -mink	1915	1804	51.49
1426	2nd	-title-text -journal -boost -fft -mink	1915	1804	51.49
1427	2nd	-title-text -journal -noise -boost -fft -eucl	1915	1804	51.49
1428	2nd	-title-text -journal -silence -noise -highpassboost -lpc -diff	1915	1804	51.49
1429	2nd	-title-text -journal -noise -boost -minmax -mink	1915	1804	51.49
1430	2nd	-title-text -journal -silence -boost -fft -eucl	1915	1804	51.49
1431	2nd	-title-text -journal -noise -highpassboost -lpc -mink	1915	1804	51.49
1432	2nd	-title-text -journal -silence -boost -lpc -cos	1915	1804	51.49
1433	2nd	-title-text -journal -silence -highpassboost -lpc -mink	1915	1804	51.49
1434	2nd	-title-text -journal -highpassboost -minmax -hamming	1915	1804	51.49
1435	2nd	-title-text -journal -silence -noise -boost -lpc -mink	1915	1804	51.49
1436	2nd	-title-text -journal -noise -boost -fft -mink	1915	1804	51.49
1437	2nd	-title-text -journal -noise -highpassboost -fft -eucl	1915	1804	51.49
1438	2nd	-title-text -journal -silence -highpassboost -aggr -eucl	1915	1804	51.49
1439	2nd	-title-text -journal -silence -highpassboost -fft -eucl	1915	1804	51.49
1440	2nd	-title-text -journal -noise -highpassboost -fft -hamming	1915	1804	51.49
1441	2nd	-title-text -journal -silence -noise -boost -fft -eucl	1915	1804	51.49
1442	2nd	-title-text -journal -silence -boost -fft -mink	1915	1804	51.49
1443	2nd	-title-text -journal -noise -highpassboost -minmax -diff	1915	1804	51.49
1444	2nd	-title-text -journal -silence -noise -highpassboost -fft -diff	1915	1804	51.49
1445	2nd	-title-text -journal -boost -lpc -cos	1915	1804	51.49
1446	2nd	-title-text -journal -silence -noise -boost -lpc -hamming	1915	1804	51.49
1447	2nd	-title-text -journal -silence -noise -highpassboost -lpc -cheb	1915	1804	51.49
1448	2nd	-title-text -journal -noise -highpassboost -fft -mink	1915	1804	51.49
1449	2nd	-title-text -journal -silence -highpassboost -aggr -mink	1915	1804	51.49

Table 472: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 30.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1450	2nd	-title-text -journal -silence -highpassboost -fft -mink	1915	1804	51.49
1451	2nd	-title-text -journal -boost -minmax -hamming	1915	1804	51.49
1452	2nd	-title-text -journal -silence -noise -boost -fft -mink	1915	1804	51.49
1453	2nd	-title-text -journal -highpassboost -lpc -diff	1915	1804	51.49
1454	2nd	-title-text -journal -silence -highpassboost -lpc -hamming	1915	1804	51.49
1455	2nd	-title-text -journal -silence -noise -highpassboost -fft -cheb	1915	1804	51.49
1456	2nd	-title-text -journal -noise -highpassboost -minmax -cheb	1915	1804	51.49
1457	2nd	-title-text -journal -silence -boost -aggr -hamming	3830	3608	51.49
1458	2nd	-title-text -journal -noise -boost -fft -cos	1915	1804	51.49
1459	2nd	-title-text -journal -noise -boost -minmax -hamming	1915	1804	51.49
1460	2nd	-title-text -journal -boost -aggr -cos	3830	3608	51.49
1461	2nd	-title-text -journal -highpassboost -fft -diff	1915	1804	51.49
1462	2nd	-title-text -journal -highpassboost -lpc -cheb	1915	1804	51.49
1463	2nd	-title-text -journal -silence -noise -boost -aggr -eucl	1915	1804	51.49
1464	2nd	-title-text -journal -noise -boost -minmax -cos	1915	1804	51.49
1465	2nd	-title-text -journal -noise -highpassboost -aggr -diff	1915	1804	51.49
1466	2nd	-title-text -journal -silence -boost -fft -hamming	1915	1804	51.49
1467	2nd	-title-text -journal -boost -aggr -eucl	1915	1804	51.49
1468	2nd	-title-text -journal -noise -boost -aggr -cos	3830	3608	51.49
1469	2nd	-title-text -journal -silence -boost -aggr -diff	3830	3608	51.49
1470	2nd	-title-text -journal -highpassboost -fft -cos	1915	1804	51.49
1471	2nd	-title-text -journal -highpassboost -aggr -diff	1915	1804	51.49
1472	2nd	-title-text -journal -silence -noise -boost -aggr -mink	1915	1804	51.49
1473	2nd	-title-text -journal -noise -highpassboost -lpc -hamming	1915	1804	51.49
1474	2nd	-title-text -journal -noise -boost -lpc -cos	1915	1804	51.49
1475	2nd	-title-text -journal -silence -boost -aggr -cos	3830	3608	51.49
1476	2nd	-title-text -journal -noise -boost -aggr -hamming	3830	3608	51.49
1477	2nd	-title-text -journal -boost -aggr -mink	3830	3608	51.49
1478	2nd	-title-text -journal -highpassboost -fft -cheb	1915	1804	51.49
1479	2nd	-title-text -journal -noise -highpassboost -aggr -cos	1915	1804	51.49
1480	2nd	-title-text -journal -noise -highpassboost -aggr -cheb	1915	1804	51.49
1481	2nd	-title-text -journal -silence -noise -boost -aggr -cos	1915	1804	51.49
1482	2nd	-title-text -journal -silence -highpassboost -aggr -cos	1915	1804	51.49
1483	2nd	-title-text -journal -silence -highpassboost -fft -cos	1915	1804	51.49
1484	2nd	-title-text -journal -silence -noise -highpassboost -lpc -eucl	1915	1804	51.49
1485	2nd	-title-text -journal -silence -boost -aggr -cheb	1915	1804	51.49
1486	2nd	-title-text -journal -highpassboost -aggr -cheb	1915	1804	51.49
1487	2nd	-title-text -journal -highpassboost -lpc -cos	1915	1804	51.49
1488	2nd	-title-text -journal -noise -boost -aggr -diff	3830	3608	51.49
1489	2nd	-title-text -journal -silence -noise -highpassboost -lpc -mink	1915	1804	51.49
1490	2nd	-title-text -journal -silence -noise -highpassboost -fft -eucl	1915	1804	51.49
1491	2nd	-title-text -journal -noise -highpassboost -minmax -eucl	1915	1804	51.49
1492	2nd	-title-text -journal -silence -highpassboost -aggr -hamming	1915	1804	51.49
1493	2nd	-title-text -journal -silence -highpassboost -lpc -cos	1915	1804	51.49
1494	2nd	-title-text -journal -silence -boost -lpc -hamming	1915	1804	51.49
1495	2nd	-title-text -journal -boost -fft -hamming	1915	1804	51.49
1496	2nd	-title-text -journal -boost -lpc -diff	1915	1804	51.49
1497	2nd	-title-text -journal -noise -boost -aggr -cheb	1915	1804	51.49
1498	2nd	-title-text -journal -boost -minmax -diff	1915	1804	51.49
1499	2nd	-title-text -journal -silence -noise -highpassboost -fft -mink	1915	1804	51.49

Table 473: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 31.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1500	2nd	-title-text -journal -noise -highpassboost -minmax -mink	1915	1804	51.49
1501	2nd	-title-text -journal -highpassboost -lpc -eucl	1915	1804	51.49
1502	2nd	-title-text -journal -boost -minmax -cos	1915	1804	51.49
1503	2nd	-title-text -journal -silence -noise -highpassboost -aggr -diff	1915	1804	51.49
1504	2nd	-title-text -journal -noise -boost -lpc -diff	1915	1804	51.49
1505	2nd	-title-text -journal -highpassboost -minmax -cos	1915	1804	51.49
1506	2nd	-title-text -journal -highpassboost -fft -hamming	1915	1804	51.49
1507	2nd	-title-text -journal -highpassboost -minmax -diff	1915	1804	51.49
1508	2nd	-title-text -journal -silence -boost -lpc -diff	1915	1804	51.49
1509	2nd	-title-text -journal -highpassboost -lpc -mink	1915	1804	51.49
1510	2nd	-title-text -journal -boost -fft -diff	1915	1804	51.49
1511	2nd	-title-text -journal -noise -boost -minmax -diff	1915	1804	51.49
1512	2nd	-title-text -journal -noise -boost -fft -hamming	1915	1804	51.49
1513	2nd	-title-text -journal -boost -lpc -cheb	1915	1804	51.49
1514	2nd	-title-text -journal -boost -minmax -cheb	1915	1804	51.49
1515	2nd	-title-text -journal -noise -highpassboost -lpc -diff	1915	1804	51.49
1516	2nd	-title-text -journal -noise -highpassboost -minmax -hamming	1915	1804	51.49
1517	2nd	-title-text -journal -highpassboost -fft -eucl	1915	1804	51.49
1518	2nd	-title-text -journal -silence -highpassboost -lpc -diff	1915	1804	51.49
1519	2nd	-title-text -journal -silence -noise -boost -lpc -diff	1915	1804	51.49
1520	2nd	-title-text -journal -noise -boost -fft -diff	1915	1804	51.49
1521	2nd	-title-text -journal -noise -highpassboost -aggr -eucl	1915	1804	51.49
1522	2nd	-title-text -journal -silence -noise -highpassboost -aggr -cheb	1915	1804	51.49
1523	2nd	-title-text -journal -noise -boost -lpc -cheb	1915	1804	51.49
1524	2nd	-title-text -journal -boost -aggr -hamming	3830	3608	51.49
1525	2nd	-title-text -journal -silence -boost -fft -diff	1915	1804	51.49
1526	2nd	-title-text -journal -silence -boost -aggr -eucl	1915	1804	51.49
1527	2nd	-title-text -journal -highpassboost -aggr -hamming	1915	1804	51.49
1528	2nd	-title-text -journal -highpassboost -aggr -eucl	1915	1804	51.49
1529	2nd	-title-text -journal -highpassboost -minmax -cheb	1915	1804	51.49
1530	2nd	-title-text -journal -highpassboost -fft -mink	1915	1804	51.49
1531	2nd	-title-text -journal -silence -boost -lpc -cheb	1915	1804	51.49
1532	2nd	-title-text -journal -silence -noise -highpassboost -fft -hamming	1915	1804	51.49
1533	2nd	-title-text -journal -boost -fft -cheb	1915	1804	51.49
1534	2nd	-title-text -journal -noise -highpassboost -aggr -hamming	1915	1804	51.49
1535	2nd	-title-text -journal -noise -boost -minmax -cheb	1915	1804	51.49
1536	2nd	-title-text -journal -noise -highpassboost -aggr -mink	1915	1804	51.49
1537	2nd	-title-text -journal -noise -highpassboost -fft -cos	1915	1804	51.49
1538	2nd	-title-text -journal -silence -noise -boost -fft -cos	1915	1804	51.49
1539	2nd	-title-text -journal -noise -highpassboost -fft -diff	1915	1804	51.49
1540	2nd	-title-text -journal -silence -highpassboost -aggr -diff	1915	1804	51.49
1541	2nd	-title-text -journal -silence -highpassboost -fft -diff	1915	1804	51.49
1542	2nd	-title-text -journal -silence -noise -boost -aggr -hamming	1915	1804	51.49
1543	2nd	-title-text -journal -noise -highpassboost -lpc -cheb	1915	1804	51.49
1544	2nd	-title-text -journal -silence -noise -boost -fft -diff	1915	1804	51.49
1545	2nd	-title-text -journal -silence -boost -aggr -mink	3830	3608	51.49
1546	2nd	-title-text -journal -silence -highpassboost -lpc -cheb	1915	1804	51.49
1547	2nd	-title-text -journal -highpassboost -aggr -mink	1915	1804	51.49
1548	2nd	-title-text -journal -silence -noise -boost -lpc -cheb	1915	1804	51.49
1549	2nd	-title-text -journal -noise -boost -fft -cheb	1915	1804	51.49

Table 474: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 32.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1550	2nd	-title-text -journal -boost -lpc -hamming	1915	1804	51.49
1551	2nd	-title-text -journal -noise -highpassboost -minmax -cos	1915	1804	51.49
1552	2nd	-title-text -journal -silence -noise -highpassboost -aggr -cos	1915	1804	51.49
1553	2nd	-title-text -journal -silence -boost -fft -cheb	1915	1804	51.49
1554	2nd	-title-text -journal -noise -boost -aggr -eucl	1915	1804	51.49
1555	2nd	-title-text -journal -silence -noise -highpassboost -aggr -hamming	1915	1804	51.49
1556	2nd	-title-text -journal -noise -highpassboost -fft -cheb	1915	1804	51.49
1557	2nd	-title-text -journal -silence -highpassboost -aggr -cheb	1915	1804	51.49
1558	2nd	-title-text -journal -silence -noise -highpassboost -fft -cos	1915	1804	51.49
1559	2nd	-title-text -journal -highpassboost -lpc -hamming	1915	1804	51.49
1560	2nd	-title-text -journal -silence -highpassboost -fft -cheb	1915	1804	51.49
1561	2nd	-title-text -journal -silence -noise -boost -fft -cheb	1915	1804	51.49
1562	2nd	-title-text -journal -noise -highpassboost -lpc -cos	1915	1804	51.49
1563	2nd	-title-text -journal -silence -noise -boost -lpc -cos	1915	1804	51.49
1564	2nd	-title-text -journal -noise -boost -lpc -hamming	1915	1804	51.49
1565	2nd	-title-text -journal -noise -boost -aggr -mink	3830	3608	51.49
1566	2nd	-title-text -journal -silence -noise -boost -fft -hamming	1915	1804	51.49
1567	2nd	-title-text -journal -boost -lpc -eucl	1915	1804	51.49
1568	2nd	-title-text -journal -silence -noise -boost -aggr -diff	1915	1804	51.49
1569	2nd	-title-text -journal -boost -minmax -eucl	1915	1804	51.49
1570	2nd	-title-text -journal -highpassboost -aggr -cos	1915	1804	51.49
1571	2nd	-title-text -journal -silence -noise -highpassboost -lpc -hamming	1915	1804	51.49
1572	2nd	-title-text -journal -boost -aggr -diff	3830	3608	51.49
1573	2nd	-title-text -journal -silence -boost -fft -cos	1915	1804	51.49
1574	2nd	-title-text -journal -silence -noise -highpassboost -lpc -cos	1915	1804	51.49
1575	2nd	-title-text -journal -silence -noise -highpassboost -aggr -eucl	1915	1804	51.49
1576	2nd	-title-text -journal -noise -boost -lpc -eucl	1915	1804	51.49
1577	2nd	-title-text -journal -boost -lpc -mink	1915	1804	51.49
1578	2nd	-title-text -journal -boost -minmax -mink	1915	1804	51.49
1579	2nd	-title-text -journal -highpassboost -minmax -eucl	1915	1804	51.49
1580	2nd	-title-text -journal -silence -boost -lpc -eucl	1915	1804	51.49
1581	2nd	-title-text -journal -silence -highpassboost -fft -hamming	1915	1804	51.49
1582	2nd	-title-text -journal -boost -fft -eucl	1915	1804	51.49
1583	2nd	-title-text -journal -noise -boost -minmax -eucl	1915	1804	51.49
1584	2nd	-title-text -journal -noise -bandstop -lpc -hamming	1981	1738	53.27
1585	2nd	-title-text -journal -high -aggr -hamming	1994	1725	53.62
1586	2nd	-title-text -journal -noise -band -lpc -cheb	1978	1741	53.19
1587	2nd	-title-text -journal -silence -noise -high -lpc -diff	2005	1714	53.91
1588	2nd	-title-text -journal -silence -endp -lpc -hamming	1953	1766	52.51
1589	2nd	-title-text -journal -endp -lpc -hamming	1953	1766	52.51
1590	2nd	-title-text -journal -silence -noise -high -lpc -eucl	1986	1733	53.40
1591	2nd	-title-text -journal -noise -band -lpc -diff	1987	1732	53.43
1592	2nd	-title-text -journal -silence -raw -fft -hamming	1911	1808	51.38
1593	2nd	-title-text -journal -noise -raw -fft -hamming	1911	1808	51.38
1594	2nd	-title-text -journal -silence -noise -raw -fft -hamming	1911	1808	51.38
1595	2nd	-title-text -journal -raw -fft -hamming	1911	1808	51.38
1596	2nd	-title-text -journal -silence -endp -aggr -hamming	1940	1779	52.16
1597	2nd	-title-text -journal -endp -aggr -hamming	1940	1779	52.16
1598	2nd	-title-text -journal -noise -endp -aggr -hamming	1952	1767	52.49
1599	2nd	-title-text -journal -high -fft -hamming	1974	1745	53.08

Table 475: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 33.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1600	2nd	-title-text -journal -silence -noise -high -lpc -cheb	1997	1722	53.70
1601	2nd	-title-text -journal -silence -bandstop -fft -hamming	1944	1775	52.27
1602	2nd	-title-text -journal -noise -high -lpc -eucl	1999	1720	53.75
1603	2nd	-title-text -journal -silence -noise -high -fft -hamming	1913	1806	51.44
1604	2nd	-title-text -journal -silence -high -lpc -hamming	1894	1825	50.93
1605	2nd	-title-text -journal -noise -low -lpc -hamming	1911	1808	51.38
1606	2nd	-title-text -journal -silence -noise -raw -lpc -hamming	1870	1849	50.28
1607	2nd	-title-text -journal -raw -lpc -hamming	1870	1849	50.28
1608	2nd	-title-text -journal -silence -noise -high -lpc -mink	1993	1726	53.59
1609	2nd	-title-text -journal -silence -raw -lpc -hamming	1870	1849	50.28
1610	2nd	-title-text -journal -noise -raw -lpc -hamming	1870	1849	50.28
1611	2nd	-title-text -journal -silence -norm -lpc -hamming	1870	1849	50.28
1612	2nd	-title-text -journal -norm -lpc -hamming	1870	1849	50.28
1613	2nd	-title-text -journal -silence -noise -high -aggr -hamming	1919	1800	51.60
1614	2nd	-title-text -journal -noise -high -lpc -cheb	2000	1719	53.78
1615	2nd	-title-text -journal -silence -noise -endp -aggr -hamming	1917	1802	51.55
1616	2nd	-title-text -journal -silence -noise -low -lpc -hamming	1858	1861	49.96
1617	2nd	-title-text -journal -silence -noise -bandstop -lpc -hamming	1976	1743	53.13
1618	2nd	-title-text -journal -silence -noise -band -lpc -cos	1942	1777	52.22
1619	2nd	-title-text -journal -noise -low -aggr -hamming	1880	1839	50.55
1620	2nd	-title-text -journal -bandstop -aggr -hamming	1937	1782	52.08
1621	2nd	-title-text -journal -silence -low -fft -hamming	1960	1759	52.70
1622	2nd	-title-text -journal -silence -noise -norm -fft -hamming	1960	1759	52.70
1623	2nd	-title-text -journal -silence -noise -band -lpc -hamming	1899	1820	51.06
1624	2nd	-title-text -journal -silence -noise -bandstop -aggr -hamming	1827	1892	49.13
1625	2nd	-title-text -journal -noise -high -lpc -mink	2009	1710	54.02
1626	2nd	-title-text -journal -silence -endp -fft -hamming	1873	1846	50.36
1627	2nd	-title-text -journal -endp -fft -hamming	1873	1846	50.36
1628	2nd	-title-text -journal -silence -noise -bandstop -aggr -cos	1768	1951	47.54
1629	2nd	-title-text -journal -silence -noise -endp -lpc -hamming	1888	1831	50.77
1630	2nd	-title-text -journal -silence -noise -bandstop -fft -cos	1767	1952	47.51
1631	2nd	-title-text -journal -noise -bandstop -aggr -cos	1770	1949	47.59
1632	2nd	-title-text -journal -silence -band -lpc -hamming	1846	1873	49.64
1633	2nd	-title-text -journal -noise -bandstop -fft -cos	1769	1950	47.57
1634	2nd	-title-text -journal -silence -norm -aggr -hamming	1908	1811	51.30
1635	2nd	-title-text -journal -band -lpc -hamming	1843	1876	49.56
1636	2nd	-title-text -journal -norm -aggr -hamming	1908	1811	51.30
1637	2nd	-title-text -journal -noise -bandstop -aggr -hamming	1836	1883	49.37
1638	2nd	-title-text -journal -noise -endp -lpc -hamming	1887	1832	50.74
1639	2nd	-title-text -journal -silence -high -fft -hamming	1965	1754	52.84
1640	2nd	-title-text -journal -high -lpc -hamming	1906	1813	51.25
1641	2nd	-title-text -journal -silence -noise -norm -aggr -hamming	1956	1763	52.59
1642	2nd	-title-text -journal -silence -high -aggr -hamming	1967	1752	52.89
1643	2nd	-title-text -journal -noise -raw -aggr -hamming	1928	1791	51.84
1644	2nd	-title-text -journal -silence -low -aggr -hamming	1956	1763	52.59
1645	2nd	-title-text -journal -silence -raw -aggr -hamming	1928	1791	51.84
1646	2nd	-title-text -journal -raw -aggr -hamming	1928	1791	51.84
1647	2nd	-title-text -journal -silence -noise -raw -aggr -hamming	1928	1791	51.84
1648	2nd	-title-text -journal -silence -noise -high -lpc -cos	1960	1759	52.70
1649	2nd	-title-text -journal -noise -high -lpc -diff	1977	1742	53.16

Table 476: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 34.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1650	2nd	-title-text -journal -noise -band -aggr -hamming	1913	1806	51.44
1651	2nd	-title-text -journal -silence -noise -high -lpc -hamming	1884	1835	50.66
1652	2nd	-title-text -journal -bandstop -fft -hamming	1963	1756	52.78
1653	2nd	-title-text -journal -silence -noise -band -aggr -hamming	1883	1836	50.63
1654	2nd	-title-text -journal -silence -noise -band -fft -hamming	1878	1841	50.50
1655	2nd	-title-text -journal -silence -band -fft -hamming	1909	1810	51.33
1656	2nd	-title-text -journal -noise -band -lpc -hamming	1895	1824	50.95
1657	2nd	-title-text -journal -silence -norm -fft -hamming	1897	1822	51.01
1658	2nd	-title-text -journal -norm -fft -hamming	1897	1822	51.01
1659	2nd	-title-text -journal -noise -high -lpc -hamming	1909	1810	51.33
1660	2nd	-title-text -journal -silence -band -aggr -hamming	1878	1841	50.50
1661	2nd	-title-text -journal -band -lpc -cos	1885	1834	50.69
1662	2nd	-title-text -journal -silence -noise -low -fft -hamming	1868	1851	50.23
1663	2nd	-title-text -journal -noise -high -aggr -hamming	1890	1829	50.82
1664	2nd	-title-text -journal -noise -high -lpc -cos	1951	1768	52.46
1665	2nd	-title-text -journal -silence -noise -bandstop -fft -hamming	1831	1888	49.23
1666	2nd	-title-text -journal -noise -high -fft -hamming	1915	1804	51.49
1667	2nd	-title-text -journal -noise -band -lpc -cos	1890	1829	50.82
1668	2nd	-title-text -journal -noise -low -fft -hamming	1843	1876	49.56
1669	2nd	-title-text -journal -silence -band -lpc -cos	1903	1816	51.17
1670	2nd	-title-text -journal -band -fft -hamming	1893	1826	50.90
1671	2nd	-title-text -journal -silence -noise -low -aggr -hamming	1879	1840	50.52
1672	2nd	-title-text -journal -noise -band -fft -hamming	1936	1783	52.06
1673	2nd	-title-text -journal -low -aggr -hamming	1905	1814	51.22
1674	2nd	-title-text -journal -noise -norm -aggr -hamming	1905	1814	51.22
1675	2nd	-title-text -journal -noise -bandstop -fft -hamming	1817	1902	48.86
1676	2nd	-title-text -journal -low -fft -hamming	1925	1794	51.76
1677	2nd	-title-text -journal -noise -norm -fft -hamming	1925	1794	51.76
1678	2nd	-title-text -journal -band -aggr -hamming	1857	1862	49.93
1679	2nd	-title-text -journal -silence -high -lpc -cos	1931	1788	51.92
1680	2nd	-title-text -journal -high -lpc -cos	1862	1857	50.07

Table 477: Consolidated results (piste2-result1-marf-text-title-journal-only-stats), Part 35.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	Le Monde	310096	456704	40.44
2	1st	L'Est Republicain	269541	435915	38.21
3	1st	La Presse	286953	577827	33.18
4	1st	Le Devoir	94394	737158	11.35
5	2nd	Le Monde	536258	230542	69.93
6	2nd	L'Est Republicain	344797	360659	48.88
7	2nd	La Presse	528667	336113	61.13
8	2nd	Le Devoir	372361	459191	44.78

Run #	Guess	Configuration	GOOD	BAD	Precision,%
10	1st	-title-only -journal -silence-noise -bandstop -randfe -eucl	1774	1945	47.70
11	1st	-title-only -journal -noise -bandstop -randfe -eucl	1774	1945	47.70
12	1st	-title-only -journal -silence-noise -low -randfe -eucl	1772	1947	47.65
13	1st	-title-only -journal -noise -low -randfe -eucl	1771	1948	47.62
14	1st	-title-only -journal -silence-noise -norm -randfe -eucl	1763	1956	47.41
15	1st	-title-only -journal -noise -norm -randfe -eucl	1762	1957	47.38
16	1st	-title-only -journal -nopreprep -norm -randfe -cheb	121	137	46.90
17	1st	-title-only -journal -silence -raw -randfe -eucl	1742	1977	46.84
18	1st	-title-only -journal -nopreprep -low -randfe -cos	37	42	46.84
19	1st	-title-only -journal -noise -raw -randfe -eucl	1742	1977	46.84
20	1st	-title-only -journal -silence-noise -raw -randfe -eucl	1742	1977	46.84
21	1st	-title-only -journal -silence -bandstop -randfe -eucl	1741	1978	46.81
22	1st	-title-only -journal -silence-noise -norm -randfe -mink	1737	1982	46.71
23	1st	-title-only -journal -noise -bandstop -randfe -mink	1735	1984	46.65
24	1st	-title-only -journal -noise -norm -randfe -mink	1735	1984	46.65
25	1st	-title-only -journal -silence-noise -bandstop -randfe -mink	1734	1985	46.63
26	1st	-title-only -journal -noise -low -randfe -cos	1729	1990	46.49
27	1st	-title-only -journal -silence-noise -low -randfe -cos	1724	1995	46.36
28	1st	-title-only -journal -silence -endp -randfe -cos	1716	2003	46.14
29	1st	-title-only -journal -silence -endp -randfe -eucl	1714	2005	46.09

Table 478: Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 1.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
30	1st	-title-only -journal -silence -endp -randfe -cheb	1712	2007	46.03
31	1st	-title-only -journal -silence -low -randfe -eucl	69	81	46.00
32	1st	-title-only -journal -silence-noise -bandstop -randfe -cos	1710	2009	45.98
33	1st	-title-only -journal -noise -bandstop -randfe -cos	1709	2010	45.95
34	1st	-title-only -journal -noise -bandstop -randfe -cheb	1707	2012	45.90
35	1st	-title-only -journal -noise -low -randfe -mink	1706	2013	45.87
36	1st	-title-only -journal -nopreprep -low -randfe -cheb	98	116	45.79
37	1st	-title-only -journal -silence-noise -low -randfe -mink	1702	2017	45.76
38	1st	-title-only -journal -silence-noise -bandstop -randfe -cheb	1701	2018	45.74
39	1st	-title-only -journal -silence -bandstop -randfe -cheb	1690	2029	45.44
40	1st	-title-only -journal -silence-noise -norm -randfe -cos	1689	2030	45.42
41	1st	-title-only -journal -noise -norm -randfe -cos	1687	2032	45.36
42	1st	-title-only -journal -silence -bandstop -randfe -cos	1685	2034	45.31
43	1st	-title-only -journal -silence -bandstop -randfe -mink	1675	2044	45.04
44	1st	-title-only -journal -nopreprep -bandstop -randfe -eucl	114	140	44.88
45	1st	-title-only -journal -silence -raw -randfe -cos	1666	2053	44.80
46	1st	-title-only -journal -noise -raw -randfe -cos	1666	2053	44.80
47	1st	-title-only -journal -silence-noise -raw -randfe -cos	1666	2053	44.80
48	1st	-title-only -journal -nopreprep -raw -randfe -cos	70	87	44.59
49	1st	-title-only -journal -noise -endp -randfe -mink	1653	2066	44.45
50	1st	-title-only -journal -silence-noise -raw -randfe -cheb	1651	2068	44.39
51	1st	-title-only -journal -silence -raw -randfe -cheb	1651	2068	44.39
52	1st	-title-only -journal -noise -raw -randfe -cheb	1651	2068	44.39
53	1st	-title-only -journal -noise -norm -randfe -cheb	1651	2068	44.39
54	1st	-title-only -journal -nopreprep -bandstop -randfe -cos	79	99	44.38
55	1st	-title-only -journal -silence-noise -norm -randfe -cheb	1650	2069	44.37
56	1st	-title-only -journal -silence-noise -low -randfe -cheb	1649	2070	44.34
57	1st	-title-only -journal -silence-noise -endp -randfe -mink	1648	2071	44.31
58	1st	-title-only -journal -silence-noise -endp -randfe -eucl	1646	2073	44.26
59	1st	-title-only -journal -noise -endp -randfe -eucl	1644	2075	44.21

Table 479: Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 2.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
60	1st	-title-only -journal -noise -low -randfe -cheb	1640	2079	44.10
61	1st	-title-only -journal -silence-noise -endp -randfe -cos	1633	2086	43.91
62	1st	-title-only -journal -noise -endp -randfe -cos	1632	2087	43.88
63	1st	-title-only -journal -nopreprep -bandstop -randfe -cheb	32	41	43.84
64	1st	-title-only -journal -nopreprep -band -randfe -mink	31	40	43.66
65	1st	-title-only -journal -silence -low -randfe -cos	27	35	43.55
66	1st	-title-only -journal -noise -endp -randfe -cheb	1595	2124	42.89
67	1st	-title-only -journal -silence-noise -endp -randfe -cheb	1595	2124	42.89
68	1st	-title-only -journal -nopreprep -raw -randfe -eucl	33	44	42.86
69	1st	-title-only -journal -silence -endp -randfe -mink	1579	2140	42.46
70	1st	-title-only -journal -nopreprep -endp -randfe -mink	188	255	42.44
71	1st	-title-only -journal -nopreprep -bandstop -randfe -mink	125	170	42.37
72	1st	-title-only -journal -nopreprep -norm -randfe -cos	57	80	41.61
73	1st	-title-only -journal -nopreprep -lowcfe -lpc -mink	2	3	40.00
74	1st	-title-only -journal -nopreprep -raw -randfe -mink	166	254	39.52
75	1st	-title-only -journal -silence-noise -band -randfe -eucl	1435	2284	38.59
76	1st	-title-only -journal -noise -band -randfe -eucl	1434	2285	38.56
77	1st	-title-only -journal -silence-noise -raw -randfe -mink	1429	2290	38.42
78	1st	-title-only -journal -silence -raw -randfe -mink	1429	2290	38.42
79	1st	-title-only -journal -noise -raw -randfe -mink	1429	2290	38.42
80	1st	-title-only -journal -nopreprep -norm -randfe -mink	34	55	38.20
81	1st	-title-only -journal -noise -high -randfe -mink	1410	2309	37.91
82	1st	-title-only -journal -silence -band -randfe -cos	1392	2327	37.43
83	1st	-title-only -journal -noise -band -randfe -cos	1392	2327	37.43
84	1st	-title-only -journal -silence-noise -high -randfe -mink	1391	2328	37.40
85	1st	-title-only -journal -nopreprep -high -randfe -mink	28	47	37.33
86	1st	-title-only -journal -silence-noise -band -randfe -cos	1384	2335	37.21
87	1st	-title-only -journal -silence-noise -band -randfe -mink	1368	2351	36.78
88	1st	-title-only -journal -silence -high -randfe -cheb	522	902	36.66
89	1st	-title-only -journal -nopreprep -band -randfe -cos	138	239	36.60

Table 480: Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 3.

Run #	Guess	Configuration	GOOD	BAD	Precision,
90	1st	-title-only -journal -noise -band -randfe -mink	1357	2362	36.4
91	1st	-title-only -journal -silence-noise -high -randfe -eucl	1357	2362	36.4
92	1st	-title-only -journal -silence -band -randfe -cheb	393	690	36.2
93	1st	-title-only -journal -noise -high -randfe -eucl	1347	2372	36.2
94	1st	-title-only -journal -nopreprep -high -randfe -cos	66	117	36.0
95	1st	-title-only -journal -silence-noise -high -randfe -cos	1338	2381	35.9
96	1st	-title-only -journal -silence -high -randfe -cos	57	103	35.6
97	1st	-title-only -journal -silence -band -randfe -mink	1318	2401	35.4
98	1st	-title-only -journal -nopreprep -high -randfe -eucl	183	334	35.4
99	1st	-title-only -journal -silence-noise -band -randfe -cheb	1301	2418	34.9
100	1st	-title-only -journal -noise -high -randfe -cos	1298	2421	34.9
101	1st	-title-only -journal -noise -band -randfe -cheb	1297	2422	34.8
102	1st	-title-only -journal -silence-noise -high -randfe -cheb	1268	2451	34.1
103	1st	-title-only -journal -noise -high -randfe -cheb	1265	2454	34.0
104	1st	-title-only -journal -nopreprep -lowcfe -fft -cheb	2	4	33.3
105	1st	-title-only -journal -silence -high -randfe -mink	114	231	33.0
106	1st	-title-only -journal -silence -high -randfe -eucl	19	39	32.7
107	1st	-title-only -journal -silence-noise -high -randfe -hamming	1197	2522	32.1
108	1st	-title-only -journal -nopreprep -high -randfe -hamming	150	322	31.7
109	1st	-title-only -journal -nopreprep -highcfe -minmax -cheb	14	31	31.1
110	1st	-title-only -journal -nopreprep -bandcfe -fft -eucl	14	31	31.1
111	1st	-title-only -journal -nopreprep -bandstopcfe -randfe -cos	14	31	31.1
112	1st	-title-only -journal -nopreprep -highcfe -randfe -eucl	14	31	31.1
113	1st	-title-only -journal -nopreprep -band -randfe -cheb	23	51	31.0
114	1st	-title-only -journal -silence -high -randfe -hamming	107	242	30.6
115	1st	-title-only -journal -nopreprep -bandstopcfe -minmax -hamming	14	32	30.4
116	1st	-title-only -journal -nopreprep -bandcfe -aggr -eucl	14	32	30.4
117	1st	-title-only -journal -nopreprep -bandstopcfe -lpc -cheb	14	32	30.4
118	1st	-title-only -journal -silence -bandstopcfe -lpc -diff	13	30	30.2
119	1st	-title-only -journal -nopreprep -bandcfe -minmax -hamming	13	30	30.2

Table 481: Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 4.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
120	1st	-title-only -journal -silence -bandcfe -lpc -diff	13	30	30.23
121	1st	-title-only -journal -noise -high -randfe -hamming	1117	2602	30.03
122	1st	-title-only -journal -nopreprep -lowcfe -lpc -diff	14	33	29.79
123	1st	-title-only -journal -nopreprep -lowcfe -randfe -cos	13	31	29.55
124	1st	-title-only -journal -nopreprep -lowcfe -minmax -cheb	14	34	29.17
125	1st	-title-only -journal -silence -bandcfe -fft -mink	13	32	28.89
126	1st	-title-only -journal -nopreprep -lowcfe -lpc -hamming	15	37	28.85
127	1st	-title-only -journal -nopreprep -bandstopcfe -fft -eucl	15	37	28.85
128	1st	-title-only -journal -nopreprep -bandstopcfe -fft -diff	12	30	28.57
129	1st	-title-only -journal -nopreprep -bandcfe -aggr -diff	14	35	28.57
130	1st	-title-only -journal -nopreprep -highcfe -fft -mink	12	30	28.57
131	1st	-title-only -journal -nopreprep -highcfe -randfe -hamming	14	35	28.57
132	1st	-title-only -journal -nopreprep -bandstopcfe -fft -hamming	12	30	28.57
133	1st	-title-only -journal -silence -bandstopcfe -fft -cheb	12	30	28.57
134	1st	-title-only -journal -nopreprep -lowcfe -lpc -eucl	14	35	28.57
135	1st	-title-only -journal -nopreprep -bandstopcfe -lpc -cos	55	138	28.50
136	1st	-title-only -journal -nopreprep -lowcfe -lpc -cheb	77	194	28.41
137	1st	-title-only -journal -nopreprep -highpassboost -randfe -diff	83	211	28.23
138	1st	-title-only -journal -silence -lowcfe -fft -hamming	11	28	28.21
139	1st	-title-only -journal -nopreprep -bandstopcfe -randfe -eucl	11	28	28.21
140	1st	-title-only -journal -nopreprep -lowcfe -randfe -eucl	11	28	28.21
141	1st	-title-only -journal -nopreprep -lowcfe -aggr -cos	11	28	28.21
142	1st	-title-only -journal -silence -boost -randfe -cheb	49	125	28.16
143	1st	-title-only -journal -nopreprep -bandcfe -randfe -hamming	16	41	28.07
144	1st	-title-only -journal -nopreprep -highcfe -minmax -hamming	14	36	28.00
145	1st	-title-only -journal -nopreprep -bandcfe -minmax -diff	14	36	28.00
146	1st	-title-only -journal -nopreprep -highcfe -aggr -mink	47	121	27.98
147	1st	-title-only -journal -nopreprep -bandstopcfe -minmax -mink	47	121	27.98
148	1st	-title-only -journal -silence -lowcfe -lpc -hamming	10	26	27.78
149	1st	-title-only -journal -nopreprep -highcfe -fft -diff	10	26	27.78

Table 482: Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 5.

Run #	Guess	Configuration	GOOD	BAD	Precisio
150	1st	-title-only -journal -nopreprep -bandstopcfe -fft -cheb	15	39	2
151	1st	-title-only -journal -nopreprep -bandstopcfe -lpc -eucl	43	113	2
152	1st	-title-only -journal -nopreprep -bandstopcfe -fft -mink	41	108	2
153	1st	-title-only -journal -nopreprep -bandstopcfe -lpc -diff	11	29	2
154	1st	-title-only -journal -nopreprep -highcfe -minmax -eucl	11	29	2
155	1st	-title-only -journal -nopreprep -bandcfe -randfe -mink	11	29	2
156	1st	-title-only -journal -nopreprep -lowcfe -fft -mink	14	37	2
157	1st	-title-only -journal -silence -bandstopcfe -randfe -hamming	1015	2704	2
158	1st	-title-only -journal -silence -lowcfe -randfe -eucl	1015	2704	2
159	1st	-title-only -journal -noise -boost -randfe -mink	1015	2704	2
160	1st	-title-only -journal -silence-noise -boost -randfe -diff	1015	2704	2
161	1st	-title-only -journal -silence -bandstopcfe -randfe -eucl	1015	2704	2
162	1st	-title-only -journal -silence-noise -highpassboost -randfe -hamming	1015	2704	2
163	1st	-title-only -journal -noise -highpassboost -randfe -mink	1015	2704	2
164	1st	-title-only -journal -silence -highpassboost -randfe -cheb	1015	2704	2
165	1st	-title-only -journal -silence -highcfe -randfe -hamming	1015	2704	2
166	1st	-title-only -journal -silence-noise -highpassboost -randfe -cheb	1015	2704	2
167	1st	-title-only -journal -silence -bandcfe -randfe -cos	1015	2704	2
168	1st	-title-only -journal -silence -highcfe -randfe -cos	1015	2704	2
169	1st	-title-only -journal -silence -highpassboost -randfe -mink	1015	2704	2
170	1st	-title-only -journal -noise -boost -randfe -cos	1015	2704	2
171	1st	-title-only -journal -silence -highcfe -randfe -diff	1015	2704	2
172	1st	-title-only -journal -silence-noise -boost -randfe -eucl	1015	2704	2
173	1st	-title-only -journal -silence-noise -highpassboost -randfe -mink	1015	2704	2
174	1st	-title-only -journal -silence -bandcfe -randfe -cheb	1015	2704	2
175	1st	-title-only -journal -noise -boost -randfe -diff	1015	2704	2
176	1st	-title-only -journal -noise -highpassboost -randfe -diff	1015	2704	2
177	1st	-title-only -journal -silence -lowcfe -randfe -hamming	1015	2704	2
178	1st	-title-only -journal -silence -highcfe -randfe -eucl	1015	2704	2
179	1st	-title-only -journal -silence -lowcfe -randfe -cos	1015	2704	2

Table 483: Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 6.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
180	1st	-title-only -journal -silence -lowcfe -randfe -cheb	1015	2704	27.29
181	1st	-title-only -journal -silence -bandcfe -randfe -mink	1015	2704	27.29
182	1st	-title-only -journal -silence -bandstopcfe -randfe -cos	1015	2704	27.29
183	1st	-title-only -journal -silence -highpassboost -randfe -diff	1015	2704	27.29
184	1st	-title-only -journal -silence -bandstopcfe -randfe -cheb	1015	2704	27.29
185	1st	-title-only -journal -noise -highpassboost -randfe -hamming	1015	2704	27.29
186	1st	-title-only -journal -noise -boost -randfe -eucl	1015	2704	27.29
187	1st	-title-only -journal -noise -highpassboost -randfe -eucl	1015	2704	27.29
188	1st	-title-only -journal -silence-noise -highpassboost -randfe -diff	1015	2704	27.29
189	1st	-title-only -journal -silence -lowcfe -randfe -mink	1015	2704	27.29
190	1st	-title-only -journal -silence-noise -boost -randfe -hamming	1015	2704	27.29
191	1st	-title-only -journal -silence -bandstopcfe -randfe -mink	1015	2704	27.29
192	1st	-title-only -journal -silence-noise -boost -randfe -cheb	1015	2704	27.29
193	1st	-title-only -journal -silence -highpassboost -randfe -eucl	1015	2704	27.29
194	1st	-title-only -journal -silence-noise -highpassboost -randfe -eucl	1015	2704	27.29
195	1st	-title-only -journal -silence -bandcfe -randfe -diff	1015	2704	27.29
196	1st	-title-only -journal -noise -boost -randfe -hamming	1015	2704	27.29
197	1st	-title-only -journal -silence-noise -boost -randfe -mink	1015	2704	27.29
198	1st	-title-only -journal -silence-noise -highpassboost -randfe -cos	1015	2704	27.29
199	1st	-title-only -journal -silence -highcfe -randfe -cheb	1015	2704	27.29
200	1st	-title-only -journal -silence -highpassboost -randfe -hamming	1015	2704	27.29
201	1st	-title-only -journal -silence -highpassboost -randfe -cos	1015	2704	27.29
202	1st	-title-only -journal -silence -bandcfe -randfe -hamming	1015	2704	27.29
203	1st	-title-only -journal -silence -lowcfe -randfe -diff	1015	2704	27.29
204	1st	-title-only -journal -silence-noise -boost -randfe -cos	1015	2704	27.29
205	1st	-title-only -journal -silence -bandstopcfe -randfe -diff	1015	2704	27.29
206	1st	-title-only -journal -silence -bandcfe -randfe -eucl	1015	2704	27.29
207	1st	-title-only -journal -silence -highcfe -randfe -mink	1015	2704	27.29
208	1st	-title-only -journal -noise -boost -randfe -cheb	1015	2704	27.29
209	1st	-title-only -journal -noise -highpassboost -randfe -cos	1015	2704	27.29

Table 484: Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 7.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
210	1st	-title-only -journal -noise -highpassboost -randfe -cheb	1015	2704	27.29
211	1st	-title-only -journal -nopreprep -lowcfe -randfe -mink	42	112	27.27
212	1st	-title-only -journal -nopreprep -boost -randfe -eucl	3	8	27.27
213	1st	-title-only -journal -silence -boost -randfe -cos	397	1065	27.15
214	1st	-title-only -journal -nopreprep -bandcfe -fft -cheb	10	27	27.03
215	1st	-title-only -journal -nopreprep -bandstopcfe -minmax -cheb	11	30	26.83
216	1st	-title-only -journal -nopreprep -bandcfe -lpc -mink	34	95	26.36
217	1st	-title-only -journal -silence -bandcfe -lpc -mink	10	28	26.32
218	1st	-title-only -journal -nopreprep -lowcfe -randfe -hamming	10	28	26.32
219	1st	-title-only -journal -nopreprep -bandcfe -lpc -eucl	38	107	26.21
220	1st	-title-only -journal -silence -highcfe -fft -hamming	33	93	26.19
221	1st	-title-only -journal -nopreprep -bandcfe -minmax -cheb	35	99	26.12
222	1st	-title-only -journal -silence -boost -randfe -diff	97	275	26.08
223	1st	-title-only -journal -nopreprep -lowcfe -fft -cos	26	75	25.74
224	1st	-title-only -journal -nopreprep -highcfe -lpc -diff	9	26	25.71
225	1st	-title-only -journal -nopreprep -highcfe -randfe -diff	11	32	25.58
226	1st	-title-only -journal -nopreprep -bandstop -randfe -diff	42	123	25.45
227	1st	-title-only -journal -silence -lowcfe -fft -mink	31	91	25.41
228	1st	-title-only -journal -nopreprep -lowcfe -aggr -eucl	16	47	25.40
229	1st	-title-only -journal -nopreprep -lowcfe -fft -eucl	266	788	25.24
230	1st	-title-only -journal -nopreprep -norm -randfe -hamming	31	92	25.20
231	1st	-title-only -journal -silence -band -randfe -hamming	935	2784	25.14
232	1st	-title-only -journal -nopreprep -low -randfe -diff	46	138	25.00
233	1st	-title-only -journal -silence -bandcfe -lpc -cheb	9	27	25.00
234	1st	-title-only -journal -silence -highcfe -fft -mink	10	30	25.00
235	1st	-title-only -journal -silence -endp -randfe -hamming	921	2798	24.76
236	1st	-title-only -journal -silence -norm -randfe -hamming	222	676	24.72
237	1st	-title-only -journal -nopreprep -band -randfe -diff	41	126	24.55
238	1st	-title-only -journal -silence-noise -band -randfe -hamming	909	2810	24.44
239	1st	-title-only -journal -noise -band -randfe -hamming	907	2812	24.39

Table 485: Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 8.

Run #	Guess	Configuration	GOOD	BAD	Precision,
240	1st	-title-only -journal -silence -bandstopcfe -fft -cos	19	59	24.
241	1st	-title-only -journal -nopreprep -highcfe -randfe -cos	27	84	24.
242	1st	-title-only -journal -silence -norm -randfe -diff	42	131	24.
243	1st	-title-only -journal -nopreprep -bandcfe -randfe -diff	20	63	24.
244	1st	-title-only -journal -nopreprep -highpassboost -randfe -hamming	19	60	24.
245	1st	-title-only -journal -nopreprep -highcfe -aggr -eucl	16	51	23.
246	1st	-title-only -journal -noise -endp -randfe -diff	887	2832	23.
247	1st	-title-only -journal -silence-noise -endp -randfe -diff	885	2834	23.
248	1st	-title-only -journal -silence -endp -randfe -diff	880	2839	23.
249	1st	-title-only -journal -silence -low -randfe -hamming	107	347	23.
250	1st	-title-only -journal -nopreprep -highcfe -aggr -cos	8	26	23.
251	1st	-title-only -journal -silence -lowcfe -lpc -diff	8	26	23.
252	1st	-title-only -journal -nopreprep -bandcfe -fft -mink	19	62	23.
253	1st	-title-only -journal -nopreprep -lowcfe -fft -hamming	19	62	23.
254	1st	-title-only -journal -noise -norm -randfe -diff	867	2852	23.
255	1st	-title-only -journal -silence-noise -norm -randfe -diff	867	2852	23.
256	1st	-title-only -journal -silence -bandstop -randfe -diff	866	2853	23.
257	1st	-title-only -journal -silence-noise -bandstop -randfe -diff	864	2855	23.
258	1st	-title-only -journal -noise -bandstop -randfe -diff	863	2856	23.
259	1st	-title-only -journal -noise -raw -randfe -hamming	860	2859	23.
260	1st	-title-only -journal -silence-noise -raw -randfe -hamming	860	2859	23.
261	1st	-title-only -journal -silence -raw -randfe -hamming	860	2859	23.
262	1st	-title-only -journal -silence -low -randfe -diff	459	1530	23.
263	1st	-title-only -journal -silence -lowcfe -fft -cos	6	20	23.
264	1st	-title-only -journal -noise -low -randfe -diff	856	2863	23.
265	1st	-title-only -journal -nopreprep -lowcfe -fft -diff	23	77	23.
266	1st	-title-only -journal -silence-noise -low -randfe -diff	855	2864	22.
267	1st	-title-only -journal -silence -boost -randfe -hamming	16	54	22.
268	1st	-title-only -journal -nopreprep -lowcfe -aggr -cheb	16	54	22.
269	1st	-title-only -journal -noise -low -randfe -hamming	842	2877	22.

Table 486: Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 9.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
270	1st	-title-only -journal -silence-noise -low -randfe -hamming	842	2877	22.64
271	1st	-title-only -journal -noise -bandstop -randfe -hamming	841	2878	22.61
272	1st	-title-only -journal -silence-noise -bandstop -randfe -hamming	841	2878	22.61
273	1st	-title-only -journal -silence -bandstop -randfe -hamming	839	2880	22.56
274	1st	-title-only -journal -silence-noise -norm -randfe -hamming	839	2880	22.56
275	1st	-title-only -journal -noise -norm -randfe -hamming	839	2880	22.56
276	1st	-title-only -journal -noise -endp -randfe -hamming	837	2882	22.51
277	1st	-title-only -journal -silence-noise -endp -randfe -hamming	836	2883	22.48
278	1st	-title-only -journal -nopreprep -boost -randfe -mink	22	76	22.45
279	1st	-title-only -journal -nopreprep -bandstopcfe -lpc -hamming	22	76	22.45
280	1st	-title-only -journal -noise -raw -randfe -diff	832	2887	22.37
281	1st	-title-only -journal -silence-noise -raw -randfe -diff	832	2887	22.37
282	1st	-title-only -journal -silence -raw -randfe -diff	832	2887	22.37
283	1st	-title-only -journal -nopreprep -boost -randfe -cheb	21	73	22.34
284	1st	-title-only -journal -silence-noise -high -randfe -diff	830	2889	22.32
285	1st	-title-only -journal -silence-noise -band -randfe -diff	830	2889	22.32
286	1st	-title-only -journal -noise -high -randfe -diff	830	2889	22.32
287	1st	-title-only -journal -silence -band -randfe -diff	830	2889	22.32
288	1st	-title-only -journal -noise -band -randfe -diff	829	2890	22.29
289	1st	-title-only -journal -nopreprep -bandcfe -aggr -cos	6	21	22.22
290	1st	-title-only -journal -nopreprep -highpassboost -randfe -cos	16	56	22.22
291	1st	-title-only -journal -silence -bandstopcfe -lpc -cos	19	67	22.09
292	1st	-title-only -journal -nopreprep -lowcfe -randfe -diff	20	71	21.98
293	1st	-title-only -journal -nopreprep -bandstopcfe -randfe -hamming	20	71	21.98
294	1st	-title-only -journal -nopreprep -lowcfe -randfe -cheb	21	76	21.65
295	1st	-title-only -journal -nopreprep -highcfe -fft -cheb	20	73	21.51
296	1st	-title-only -journal -silence -boost -randfe -mink	20	73	21.51
297	1st	-title-only -journal -nopreprep -lowcfe -minmax -eucl	21	77	21.43
298	1st	-title-only -journal -nopreprep -highcfe -fft -cos	19	73	20.65
299	1st	-title-only -journal -silence -bandstopcfe -aggr -cos	6	24	20.00

Table 487: Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 10.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
300	1st	-title-only -journal -nopreprep -band -randfe -hamming	2	11	15.38
301	1st	-title-only -journal -nopreprep -bandstop -randfe -hamming	0	1	0.00
302	1st	-title-only -journal -nopreprep -low -randfe -hamming	0	1	0.00
312	2nd	-title-only -journal -silence-noise -bandstop -randfe -eucl	2800	919	75.29
313	2nd	-title-only -journal -noise -bandstop -randfe -eucl	2802	917	75.34
314	2nd	-title-only -journal -silence-noise -low -randfe -eucl	2790	929	75.02
315	2nd	-title-only -journal -noise -low -randfe -eucl	2790	929	75.02
316	2nd	-title-only -journal -silence-noise -norm -randfe -eucl	2799	920	75.26
317	2nd	-title-only -journal -noise -norm -randfe -eucl	2800	919	75.29
318	2nd	-title-only -journal -nopreprep -norm -randfe -cheb	183	75	70.93
319	2nd	-title-only -journal -silence -raw -randfe -eucl	2773	946	74.56
320	2nd	-title-only -journal -nopreprep -low -randfe -cos	52	27	65.82
321	2nd	-title-only -journal -noise -raw -randfe -eucl	2773	946	74.56
322	2nd	-title-only -journal -silence-noise -raw -randfe -eucl	2773	946	74.56
323	2nd	-title-only -journal -silence -bandstop -randfe -eucl	2789	930	74.99
324	2nd	-title-only -journal -silence-noise -norm -randfe -mink	2757	962	74.13
325	2nd	-title-only -journal -noise -bandstop -randfe -mink	2777	942	74.67
326	2nd	-title-only -journal -noise -norm -randfe -mink	2763	956	74.29
327	2nd	-title-only -journal -silence-noise -bandstop -randfe -mink	2776	943	74.64
328	2nd	-title-only -journal -noise -low -randfe -cos	2790	929	75.02
329	2nd	-title-only -journal -silence-noise -low -randfe -cos	2793	926	75.10

Table 488: Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 11.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
330	2nd	-title-only -journal -silence -endp -randfe -cos	2746	973	73.84
331	2nd	-title-only -journal -silence -endp -randfe -eucl	2744	975	73.78
332	2nd	-title-only -journal -silence -endp -randfe -cheb	2739	980	73.65
333	2nd	-title-only -journal -silence -low -randfe -eucl	109	41	72.67
334	2nd	-title-only -journal -silence-noise -bandstop -randfe -cos	2771	948	74.51
335	2nd	-title-only -journal -noise -bandstop -randfe -cos	2771	948	74.51
336	2nd	-title-only -journal -noise -bandstop -randfe -cheb	2737	982	73.60
337	2nd	-title-only -journal -noise -low -randfe -mink	2679	1040	72.04
338	2nd	-title-only -journal -nopreprep -low -randfe -cheb	150	64	70.09
339	2nd	-title-only -journal -silence-noise -low -randfe -mink	2678	1041	72.01
340	2nd	-title-only -journal -silence-noise -bandstop -randfe -cheb	2737	982	73.60
341	2nd	-title-only -journal -silence -bandstop -randfe -cheb	2716	1003	73.03
342	2nd	-title-only -journal -silence-noise -norm -randfe -cos	2756	963	74.11
343	2nd	-title-only -journal -noise -norm -randfe -cos	2757	962	74.13
344	2nd	-title-only -journal -silence -bandstop -randfe -cos	2739	980	73.65
345	2nd	-title-only -journal -silence -bandstop -randfe -mink	2681	1038	72.09
346	2nd	-title-only -journal -nopreprep -bandstop -randfe -eucl	190	64	74.80
347	2nd	-title-only -journal -silence -raw -randfe -cos	2725	994	73.27
348	2nd	-title-only -journal -noise -raw -randfe -cos	2725	994	73.27
349	2nd	-title-only -journal -silence-noise -raw -randfe -cos	2725	994	73.27
350	2nd	-title-only -journal -nopreprep -raw -randfe -cos	109	48	69.43
351	2nd	-title-only -journal -noise -endp -randfe -mink	2702	1017	72.65
352	2nd	-title-only -journal -silence-noise -raw -randfe -cheb	2688	1031	72.28
353	2nd	-title-only -journal -silence -raw -randfe -cheb	2688	1031	72.28
354	2nd	-title-only -journal -noise -raw -randfe -cheb	2688	1031	72.28
355	2nd	-title-only -journal -noise -norm -randfe -cheb	2689	1030	72.30
356	2nd	-title-only -journal -nopreprep -bandstop -randfe -cos	129	49	72.47
357	2nd	-title-only -journal -silence-noise -norm -randfe -cheb	2687	1032	72.25
358	2nd	-title-only -journal -silence-noise -low -randfe -cheb	2670	1049	71.79
359	2nd	-title-only -journal -silence-noise -endp -randfe -mink	2699	1020	72.57

Table 489: Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 12.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
360	2nd	-title-only -journal -silence-noise -endp -randfe -eucl	2716	1003	73.03
361	2nd	-title-only -journal -noise -endp -randfe -eucl	2717	1002	73.06
362	2nd	-title-only -journal -noise -low -randfe -cheb	2668	1051	71.74
363	2nd	-title-only -journal -silence-noise -endp -randfe -cos	2649	1070	71.23
364	2nd	-title-only -journal -noise -endp -randfe -cos	2647	1072	71.18
365	2nd	-title-only -journal -nopreprep -bandstop -randfe -cheb	44	29	60.27
366	2nd	-title-only -journal -nopreprep -band -randfe -mink	43	28	60.56
367	2nd	-title-only -journal -silence -low -randfe -cos	38	24	61.29
368	2nd	-title-only -journal -noise -endp -randfe -cheb	2597	1122	69.83
369	2nd	-title-only -journal -silence-noise -endp -randfe -cheb	2601	1118	69.94
370	2nd	-title-only -journal -nopreprep -raw -randfe -eucl	53	24	68.83
371	2nd	-title-only -journal -silence -endp -randfe -mink	2601	1118	69.94
372	2nd	-title-only -journal -nopreprep -endp -randfe -mink	307	136	69.30
373	2nd	-title-only -journal -nopreprep -bandstop -randfe -mink	211	84	71.53
374	2nd	-title-only -journal -nopreprep -norm -randfe -cos	98	39	71.53
375	2nd	-title-only -journal -nopreprep -lowcfe -lpc -mink	3	2	60.00
376	2nd	-title-only -journal -nopreprep -raw -randfe -mink	279	141	66.43
377	2nd	-title-only -journal -silence-noise -band -randfe -eucl	2322	1397	62.44
378	2nd	-title-only -journal -noise -band -randfe -eucl	2325	1394	62.52
379	2nd	-title-only -journal -silence-noise -raw -randfe -mink	2460	1259	66.15
380	2nd	-title-only -journal -silence -raw -randfe -mink	2460	1259	66.15
381	2nd	-title-only -journal -noise -raw -randfe -mink	2460	1259	66.15
382	2nd	-title-only -journal -nopreprep -norm -randfe -mink	56	33	62.92
383	2nd	-title-only -journal -noise -high -randfe -mink	2381	1338	64.02
384	2nd	-title-only -journal -silence -band -randfe -cos	2234	1485	60.07
385	2nd	-title-only -journal -noise -band -randfe -cos	2256	1463	60.66
386	2nd	-title-only -journal -silence-noise -high -randfe -mink	2360	1359	63.46
387	2nd	-title-only -journal -nopreprep -high -randfe -mink	42	33	56.00
388	2nd	-title-only -journal -silence-noise -band -randfe -cos	2257	1462	60.69
389	2nd	-title-only -journal -silence-noise -band -randfe -mink	2200	1519	59.16

Table 490: Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 13.

Run #	Guess	Configuration	GOOD	BAD	Precision,
390	2nd	-title-only -journal -silence -high -randfe -cheb	943	481	66.2
391	2nd	-title-only -journal -nopreprep -band -randfe -cos	227	150	60.2
392	2nd	-title-only -journal -noise -band -randfe -mink	2198	1521	59.1
393	2nd	-title-only -journal -silence-noise -high -randfe -eucl	2318	1401	62.3
394	2nd	-title-only -journal -silence -band -randfe -cheb	688	395	63.5
395	2nd	-title-only -journal -noise -high -randfe -eucl	2333	1386	62.7
396	2nd	-title-only -journal -nopreprep -high -randfe -cos	101	82	55.1
397	2nd	-title-only -journal -silence-noise -high -randfe -cos	2189	1530	58.8
398	2nd	-title-only -journal -silence -high -randfe -cos	82	78	51.2
399	2nd	-title-only -journal -silence -band -randfe -mink	2177	1542	58.5
400	2nd	-title-only -journal -nopreprep -high -randfe -eucl	298	219	57.6
401	2nd	-title-only -journal -silence-noise -band -randfe -cheb	2260	1459	60.7
402	2nd	-title-only -journal -noise -high -randfe -cos	2208	1511	59.3
403	2nd	-title-only -journal -noise -band -randfe -cheb	2254	1465	60.6
404	2nd	-title-only -journal -silence-noise -high -randfe -cheb	2217	1502	59.6
405	2nd	-title-only -journal -noise -high -randfe -cheb	2189	1530	58.8
406	2nd	-title-only -journal -nopreprep -lowcfe -fft -cheb	4	2	66.6
407	2nd	-title-only -journal -silence -high -randfe -mink	203	142	58.8
408	2nd	-title-only -journal -silence -high -randfe -eucl	31	27	53.4
409	2nd	-title-only -journal -silence-noise -high -randfe -hamming	2109	1610	56.7
410	2nd	-title-only -journal -nopreprep -high -randfe -hamming	270	202	57.2
411	2nd	-title-only -journal -nopreprep -highcfe -minmax -cheb	30	15	66.6
412	2nd	-title-only -journal -nopreprep -bandcfe -fft -eucl	29	16	64.4
413	2nd	-title-only -journal -nopreprep -bandstopcfe -randfe -cos	29	16	64.4
414	2nd	-title-only -journal -nopreprep -highcfe -randfe -eucl	29	16	64.4
415	2nd	-title-only -journal -nopreprep -band -randfe -cheb	38	36	51.3
416	2nd	-title-only -journal -silence -high -randfe -hamming	191	158	54.7
417	2nd	-title-only -journal -nopreprep -bandstopcfe -minmax -hamming	30	16	65.2
418	2nd	-title-only -journal -nopreprep -bandcfe -aggr -eucl	30	16	65.2
419	2nd	-title-only -journal -nopreprep -bandstopcfe -lpc -cheb	30	16	65.2

Table 491: Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 14.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
420	2nd	-title-only -journal -silence -bandstopcfe -lpc -diff	28	15	65.12
421	2nd	-title-only -journal -nopreprep -bandcfe -minmax -hamming	28	15	65.12
422	2nd	-title-only -journal -silence -bandcfe -lpc -diff	28	15	65.12
423	2nd	-title-only -journal -noise -high -randfe -hamming	1941	1778	52.19
424	2nd	-title-only -journal -nopreprep -lowcfe -lpc -diff	30	17	63.83
425	2nd	-title-only -journal -nopreprep -lowcfe -randfe -cos	28	16	63.64
426	2nd	-title-only -journal -nopreprep -lowcfe -minmax -cheb	30	18	62.50
427	2nd	-title-only -journal -silence -bandcfe -fft -mink	29	16	64.44
428	2nd	-title-only -journal -nopreprep -lowcfe -lpc -hamming	31	21	59.62
429	2nd	-title-only -journal -nopreprep -bandstopcfe -fft -eucl	31	21	59.62
430	2nd	-title-only -journal -nopreprep -bandstopcfe -fft -diff	27	15	64.29
431	2nd	-title-only -journal -nopreprep -bandcfe -aggr -diff	30	19	61.22
432	2nd	-title-only -journal -nopreprep -highcfe -fft -mink	27	15	64.29
433	2nd	-title-only -journal -nopreprep -highcfe -randfe -hamming	30	19	61.22
434	2nd	-title-only -journal -nopreprep -bandstopcfe -fft -hamming	27	15	64.29
435	2nd	-title-only -journal -silence -bandstopcfe -fft -cheb	27	15	64.29
436	2nd	-title-only -journal -nopreprep -lowcfe -lpc -eucl	30	19	61.22
437	2nd	-title-only -journal -nopreprep -bandstopcfe -lpc -cos	105	88	54.40
438	2nd	-title-only -journal -nopreprep -lowcfe -lpc -cheb	142	129	52.40
439	2nd	-title-only -journal -nopreprep -highpassboost -randfe -diff	156	138	53.06
440	2nd	-title-only -journal -silence -lowcfe -fft -hamming	26	13	66.67
441	2nd	-title-only -journal -nopreprep -bandstopcfe -randfe -eucl	26	13	66.67
442	2nd	-title-only -journal -nopreprep -lowcfe -randfe -eucl	26	13	66.67
443	2nd	-title-only -journal -nopreprep -lowcfe -aggr -cos	26	13	66.67
444	2nd	-title-only -journal -silence -boost -randfe -cheb	97	77	55.75
445	2nd	-title-only -journal -nopreprep -bandcfe -randfe -hamming	36	21	63.16
446	2nd	-title-only -journal -nopreprep -highcfe -minmax -hamming	30	20	60.00
447	2nd	-title-only -journal -nopreprep -bandcfe -minmax -diff	30	20	60.00
448	2nd	-title-only -journal -nopreprep -highcfe -aggr -mink	94	74	55.95
449	2nd	-title-only -journal -nopreprep -bandstopcfe -minmax -mink	94	74	55.95

Table 492: Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 15.

Run #	Guess	Configuration	GOOD	BAD	Precisio
450	2nd	-title-only -journal -silence -lowcfe -lpc -hamming	24	12	6
451	2nd	-title-only -journal -noprep -highcfe -fft -diff	24	12	6
452	2nd	-title-only -journal -noprep -bandstopcfe -fft -cheb	33	21	6
453	2nd	-title-only -journal -noprep -bandstopcfe -lpc -eucl	85	71	5
454	2nd	-title-only -journal -noprep -bandstopcfe -fft -mink	82	67	5
455	2nd	-title-only -journal -noprep -bandstopcfe -lpc -diff	26	14	6
456	2nd	-title-only -journal -noprep -highcfe -minmax -eucl	26	14	6
457	2nd	-title-only -journal -noprep -bandcfe -randfe -mink	26	14	6
458	2nd	-title-only -journal -noprep -lowcfe -fft -mink	30	21	5
459	2nd	-title-only -journal -silence -bandstopcfe -randfe -hamming	1915	1804	5
460	2nd	-title-only -journal -silence -lowcfe -randfe -eucl	1915	1804	5
461	2nd	-title-only -journal -noise -boost -randfe -mink	1915	1804	5
462	2nd	-title-only -journal -silence-noise -boost -randfe -diff	1915	1804	5
463	2nd	-title-only -journal -silence -bandstopcfe -randfe -eucl	1915	1804	5
464	2nd	-title-only -journal -silence-noise -highpassboost -randfe -hamming	1915	1804	5
465	2nd	-title-only -journal -noise -highpassboost -randfe -mink	1915	1804	5
466	2nd	-title-only -journal -silence -highpassboost -randfe -cheb	1915	1804	5
467	2nd	-title-only -journal -silence -highcfe -randfe -hamming	1915	1804	5
468	2nd	-title-only -journal -silence-noise -highpassboost -randfe -cheb	1915	1804	5
469	2nd	-title-only -journal -silence -bandcfe -randfe -cos	1915	1804	5
470	2nd	-title-only -journal -silence -highcfe -randfe -cos	1915	1804	5
471	2nd	-title-only -journal -silence -highpassboost -randfe -mink	1915	1804	5
472	2nd	-title-only -journal -noise -boost -randfe -cos	1915	1804	5
473	2nd	-title-only -journal -silence -highcfe -randfe -diff	1915	1804	5
474	2nd	-title-only -journal -silence-noise -boost -randfe -eucl	1915	1804	5
475	2nd	-title-only -journal -silence-noise -highpassboost -randfe -mink	1915	1804	5
476	2nd	-title-only -journal -silence -bandcfe -randfe -cheb	1915	1804	5
477	2nd	-title-only -journal -noise -boost -randfe -diff	1915	1804	5
478	2nd	-title-only -journal -noise -highpassboost -randfe -diff	1915	1804	5
479	2nd	-title-only -journal -silence -lowcfe -randfe -hamming	1915	1804	5

Table 493: Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 16.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
480	2nd	-title-only -journal -silence -highcfe -randfe -eucl	1915	1804	51.49
481	2nd	-title-only -journal -silence -lowcfe -randfe -cos	1915	1804	51.49
482	2nd	-title-only -journal -silence -lowcfe -randfe -cheb	1915	1804	51.49
483	2nd	-title-only -journal -silence -bandcfe -randfe -mink	1915	1804	51.49
484	2nd	-title-only -journal -silence -bandstopcfe -randfe -cos	1915	1804	51.49
485	2nd	-title-only -journal -silence -highpassboost -randfe -diff	1915	1804	51.49
486	2nd	-title-only -journal -silence -bandstopcfe -randfe -cheb	1915	1804	51.49
487	2nd	-title-only -journal -noise -highpassboost -randfe -hamming	1915	1804	51.49
488	2nd	-title-only -journal -noise -boost -randfe -eucl	1915	1804	51.49
489	2nd	-title-only -journal -noise -highpassboost -randfe -eucl	1915	1804	51.49
490	2nd	-title-only -journal -silence-noise -highpassboost -randfe -diff	1915	1804	51.49
491	2nd	-title-only -journal -silence -lowcfe -randfe -mink	1915	1804	51.49
492	2nd	-title-only -journal -silence-noise -boost -randfe -hamming	1915	1804	51.49
493	2nd	-title-only -journal -silence -bandstopcfe -randfe -mink	1915	1804	51.49
494	2nd	-title-only -journal -silence-noise -boost -randfe -cheb	1915	1804	51.49
495	2nd	-title-only -journal -silence -highpassboost -randfe -eucl	1915	1804	51.49
496	2nd	-title-only -journal -silence-noise -highpassboost -randfe -eucl	1915	1804	51.49
497	2nd	-title-only -journal -silence -bandcfe -randfe -diff	1915	1804	51.49
498	2nd	-title-only -journal -noise -boost -randfe -hamming	1915	1804	51.49
499	2nd	-title-only -journal -silence-noise -boost -randfe -mink	1915	1804	51.49
500	2nd	-title-only -journal -silence-noise -highpassboost -randfe -cos	1915	1804	51.49
501	2nd	-title-only -journal -silence -highcfe -randfe -cheb	1915	1804	51.49
502	2nd	-title-only -journal -silence -highpassboost -randfe -hamming	1915	1804	51.49
503	2nd	-title-only -journal -silence -highpassboost -randfe -cos	1915	1804	51.49
504	2nd	-title-only -journal -silence -bandcfe -randfe -hamming	1915	1804	51.49
505	2nd	-title-only -journal -silence -lowcfe -randfe -diff	1915	1804	51.49
506	2nd	-title-only -journal -silence-noise -boost -randfe -cos	1915	1804	51.49
507	2nd	-title-only -journal -silence -bandstopcfe -randfe -diff	1915	1804	51.49
508	2nd	-title-only -journal -silence -bandcfe -randfe -eucl	1915	1804	51.49
509	2nd	-title-only -journal -silence -highcfe -randfe -mink	1915	1804	51.49

Table 494: Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 17.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
510	2nd	-title-only -journal -noise -boost -randfe -cheb	1915	1804	51.49
511	2nd	-title-only -journal -noise -highpassboost -randfe -cos	1915	1804	51.49
512	2nd	-title-only -journal -noise -highpassboost -randfe -cheb	1915	1804	51.49
513	2nd	-title-only -journal -nopreprep -lowcfe -randfe -mink	84	70	54.55
514	2nd	-title-only -journal -nopreprep -boost -randfe -eucl	8	3	72.73
515	2nd	-title-only -journal -silence -boost -randfe -cos	750	712	51.30
516	2nd	-title-only -journal -nopreprep -bandcfe -fft -cheb	25	12	67.57
517	2nd	-title-only -journal -nopreprep -bandstopcfe -minmax -cheb	26	15	63.41
518	2nd	-title-only -journal -nopreprep -bandcfe -lpc -mink	72	57	55.81
519	2nd	-title-only -journal -silence -bandcfe -lpc -mink	25	13	65.79
520	2nd	-title-only -journal -nopreprep -lowcfe -randfe -hamming	25	13	65.79
521	2nd	-title-only -journal -nopreprep -bandcfe -lpc -eucl	78	67	53.79
522	2nd	-title-only -journal -silence -highcfe -fft -hamming	70	56	55.56
523	2nd	-title-only -journal -nopreprep -bandcfe -minmax -cheb	73	61	54.48
524	2nd	-title-only -journal -silence -boost -randfe -diff	192	180	51.61
525	2nd	-title-only -journal -nopreprep -lowcfe -fft -cos	56	45	55.45
526	2nd	-title-only -journal -nopreprep -highcfe -lpc -diff	23	12	65.71
527	2nd	-title-only -journal -nopreprep -highcfe -randfe -diff	27	16	62.79
528	2nd	-title-only -journal -nopreprep -bandstop -randfe -diff	90	75	54.55
529	2nd	-title-only -journal -silence -lowcfe -fft -mink	68	54	55.74
530	2nd	-title-only -journal -nopreprep -lowcfe -aggr -eucl	39	24	61.90
531	2nd	-title-only -journal -nopreprep -lowcfe -fft -eucl	516	538	48.96
532	2nd	-title-only -journal -nopreprep -norm -randfe -hamming	62	61	50.41
533	2nd	-title-only -journal -silence -band -randfe -hamming	1919	1800	51.60
534	2nd	-title-only -journal -nopreprep -low -randfe -diff	98	86	53.26
535	2nd	-title-only -journal -silence -bandcfe -lpc -cheb	24	12	66.67
536	2nd	-title-only -journal -silence -highcfe -fft -mink	25	15	62.50
537	2nd	-title-only -journal -silence -endp -randfe -hamming	1919	1800	51.60
538	2nd	-title-only -journal -silence -norm -randfe -hamming	448	450	49.89
539	2nd	-title-only -journal -nopreprep -band -randfe -diff	87	80	52.10

Table 495: Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 18.

Run #	Guess	Configuration	GOOD	BAD	Precision,
540	2nd	-title-only -journal -silence-noise -band -randfe -hamming	1851	1868	49.
541	2nd	-title-only -journal -noise -band -randfe -hamming	1821	1898	48.
542	2nd	-title-only -journal -silence -bandstopcfe -fft -cos	44	34	56.
543	2nd	-title-only -journal -nopreprep -highcfe -randfe -cos	63	48	56.
544	2nd	-title-only -journal -silence -norm -randfe -diff	90	83	52.
545	2nd	-title-only -journal -nopreprep -bandcfe -randfe -diff	47	36	56.
546	2nd	-title-only -journal -nopreprep -highpassboost -randfe -hamming	44	35	55.
547	2nd	-title-only -journal -nopreprep -highcfe -aggr -eucl	40	27	59.
548	2nd	-title-only -journal -noise -endp -randfe -diff	1920	1799	51.
549	2nd	-title-only -journal -silence-noise -endp -randfe -diff	1920	1799	51.
550	2nd	-title-only -journal -silence -endp -randfe -diff	2061	1658	55.
551	2nd	-title-only -journal -silence -low -randfe -hamming	221	233	48.
552	2nd	-title-only -journal -nopreprep -highcfe -aggr -cos	22	12	64.
553	2nd	-title-only -journal -silence -lowcfe -lpc -diff	22	12	64.
554	2nd	-title-only -journal -nopreprep -bandcfe -fft -mink	45	36	55.
555	2nd	-title-only -journal -nopreprep -lowcfe -fft -hamming	46	35	56.
556	2nd	-title-only -journal -noise -norm -randfe -diff	1926	1793	51.
557	2nd	-title-only -journal -silence-noise -norm -randfe -diff	1926	1793	51.
558	2nd	-title-only -journal -silence -bandstop -randfe -diff	1937	1782	52.
559	2nd	-title-only -journal -silence-noise -bandstop -randfe -diff	1931	1788	51.
560	2nd	-title-only -journal -noise -bandstop -randfe -diff	1931	1788	51.
561	2nd	-title-only -journal -noise -raw -randfe -hamming	1842	1877	49.
562	2nd	-title-only -journal -silence-noise -raw -randfe -hamming	1842	1877	49.
563	2nd	-title-only -journal -silence -raw -randfe -hamming	1842	1877	49.
564	2nd	-title-only -journal -silence -low -randfe -diff	1030	959	51.
565	2nd	-title-only -journal -silence -lowcfe -fft -cos	16	10	61.
566	2nd	-title-only -journal -noise -low -randfe -diff	1898	1821	51.
567	2nd	-title-only -journal -nopreprep -lowcfe -fft -diff	55	45	55.
568	2nd	-title-only -journal -silence-noise -low -randfe -diff	1898	1821	51.
569	2nd	-title-only -journal -silence -boost -randfe -hamming	40	30	57.

Table 496: Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 19.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
570	2nd	-title-only -journal -nopreprep -lowcfe -aggr -cheb	40	30	57.14
571	2nd	-title-only -journal -noise -low -randfe -hamming	1849	1870	49.72
572	2nd	-title-only -journal -silence-noise -low -randfe -hamming	1852	1867	49.80
573	2nd	-title-only -journal -noise -bandstop -randfe -hamming	1872	1847	50.34
574	2nd	-title-only -journal -silence-noise -bandstop -randfe -hamming	1853	1866	49.83
575	2nd	-title-only -journal -silence -bandstop -randfe -hamming	1846	1873	49.64
576	2nd	-title-only -journal -silence-noise -norm -randfe -hamming	1852	1867	49.80
577	2nd	-title-only -journal -noise -norm -randfe -hamming	1853	1866	49.83
578	2nd	-title-only -journal -noise -endp -randfe -hamming	1847	1872	49.66
579	2nd	-title-only -journal -silence-noise -endp -randfe -hamming	1850	1869	49.74
580	2nd	-title-only -journal -nopreprep -boost -randfe -mink	54	44	55.10
581	2nd	-title-only -journal -nopreprep -bandstopcfe -lpc -hamming	54	44	55.10
582	2nd	-title-only -journal -noise -raw -randfe -diff	1850	1869	49.74
583	2nd	-title-only -journal -silence-noise -raw -randfe -diff	1850	1869	49.74
584	2nd	-title-only -journal -silence -raw -randfe -diff	1850	1869	49.74
585	2nd	-title-only -journal -nopreprep -boost -randfe -cheb	52	42	55.32
586	2nd	-title-only -journal -silence-noise -high -randfe -diff	1845	1874	49.61
587	2nd	-title-only -journal -silence-noise -band -randfe -diff	1845	1874	49.61
588	2nd	-title-only -journal -noise -high -randfe -diff	1846	1873	49.64
589	2nd	-title-only -journal -silence -band -randfe -diff	1845	1874	49.61
590	2nd	-title-only -journal -noise -band -randfe -diff	1845	1874	49.61
591	2nd	-title-only -journal -nopreprep -bandcfe -aggr -cos	16	11	59.26
592	2nd	-title-only -journal -nopreprep -highpassboost -randfe -cos	40	32	55.56
593	2nd	-title-only -journal -silence -bandstopcfe -lpc -cos	46	40	53.49
594	2nd	-title-only -journal -nopreprep -lowcfe -randfe -diff	49	42	53.85
595	2nd	-title-only -journal -nopreprep -bandstopcfe -randfe -hamming	49	42	53.85
596	2nd	-title-only -journal -nopreprep -lowcfe -randfe -cheb	53	44	54.64
597	2nd	-title-only -journal -nopreprep -highcfe -fft -cheb	51	42	54.84
598	2nd	-title-only -journal -silence -boost -randfe -mink	51	42	54.84
599	2nd	-title-only -journal -nopreprep -lowcfe -minmax -eucl	53	45	54.08

Table 497: Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 20.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	L'Est Républicain	71286	66365	51.79
2	1st	La Presse	76622	91619	45.54
3	1st	Le Monde	39444	110535	26.30
4	1st	Le Devoir	17222	143990	10.68
5	2nd	L'Est Républicain	75168	62483	54.61
6	2nd	La Presse	138357	29884	82.24
7	2nd	Le Monde	97680	52299	65.13
8	2nd	Le Devoir	54630	106582	33.89

Table 498: Consolidated results (piste2-result1-marf-title-only-journal-slow2), Part 22.

4.2.5 Results for testing data for title-only processing

Table 499: Consolidated results (piste2-result1-marf-title-only-eval), Part 1.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	-title-only -ref -silence -noise -norm -aggr -eucl	1714	768	69.06
2	1st	-title-only -ref -silence -noise -norm -fft -eucl	1714	768	69.06
3	1st	-title-only -ref -low -aggr -eucl	1714	768	69.06
4	1st	-title-only -ref -noise -norm -aggr -eucl	1714	768	69.06
5	1st	-title-only -ref -silence -low -aggr -eucl	1714	768	69.06
6	1st	-title-only -ref -noise -norm -fft -eucl	1714	768	69.06
7	1st	-title-only -ref -silence -low -fft -eucl	1714	768	69.06
8	1st	-title-only -ref -low -fft -eucl	1714	768	69.06
9	1st	-title-only -ref -noise -endp -fft -eucl	1701	781	68.53
10	1st	-title-only -ref -noise -endp -aggr -eucl	1701	781	68.53
11	1st	-title-only -ref -silence -noise -endp -fft -eucl	1701	781	68.53
12	1st	-title-only -ref -silence -noise -endp -aggr -eucl	1701	781	68.53
13	1st	-title-only -ref -silence -noise -bandstop -aggr -eucl	1694	788	68.25
14	1st	-title-only -ref -silence -noise -bandstop -fft -eucl	1694	788	68.25
15	1st	-title-only -ref -noise -bandstop -aggr -eucl	1694	788	68.25
16	1st	-title-only -ref -noise -bandstop -fft -eucl	1694	788	68.25
17	1st	-title-only -ref -bandstop -aggr -cos	1691	791	68.13
18	1st	-title-only -ref -bandstop -fft -cos	1691	791	68.13
19	1st	-title-only -ref -silence -bandstop -fft -cos	1690	792	68.09
20	1st	-title-only -ref -silence -bandstop -aggr -cos	1690	792	68.09
21	1st	-title-only -ref -bandstop -fft -eucl	1688	794	68.01
22	1st	-title-only -ref -bandstop -aggr -eucl	1688	794	68.01
23	1st	-title-only -ref -silence -bandstop -fft -eucl	1686	796	67.93
24	1st	-title-only -ref -silence -bandstop -aggr -eucl	1686	796	67.93
25	1st	-title-only -ref -norm -fft -eucl	1678	804	67.61
26	1st	-title-only -ref -norm -aggr -cos	1678	804	67.61
27	1st	-title-only -ref -silence -norm -fft -cos	1678	804	67.61
28	1st	-title-only -ref -norm -aggr -eucl	1678	804	67.61
29	1st	-title-only -ref -norm -fft -cos	1678	804	67.61
30	1st	-title-only -ref -silence -norm -aggr -eucl	1678	804	67.61
31	1st	-title-only -ref -silence -norm -fft -eucl	1678	804	67.61
32	1st	-title-only -ref -silence -norm -aggr -cos	1678	804	67.61
33	1st	-title-only -ref -silence -raw -fft -eucl	1676	806	67.53
34	1st	-title-only -ref -silence -raw -aggr -eucl	1676	806	67.53
35	1st	-title-only -ref -raw -fft -eucl	1676	806	67.53
36	1st	-title-only -ref -noise -raw -fft -eucl	1676	806	67.53
37	1st	-title-only -ref -noise -raw -aggr -eucl	1676	806	67.53
38	1st	-title-only -ref -silence -noise -raw -aggr -eucl	1676	806	67.53
39	1st	-title-only -ref -silence -noise -raw -fft -eucl	1676	806	67.53
40	1st	-title-only -ref -raw -aggr -eucl	1676	806	67.53
41	1st	-title-only -ref -silence -noise -low -aggr -eucl	1670	812	67.28
42	1st	-title-only -ref -silence -noise -low -fft -eucl	1670	812	67.28
43	1st	-title-only -ref -noise -low -fft -eucl	1669	813	67.24
44	1st	-title-only -ref -noise -low -aggr -eucl	1669	813	67.24
45	1st	-title-only -ref -endp -fft -cos	1651	831	66.52
46	1st	-title-only -ref -silence -low -aggr -cheb	1631	851	65.71
47	1st	-title-only -ref -silence -low -fft -cheb	1631	851	65.71
48	1st	-title-only -ref -silence -noise -norm -aggr -cheb	1631	851	65.71
49	1st	-title-only -ref -silence -noise -norm -fft -cheb	1631	851	65.71

Table 500: Consolidated results (piste2-result1-marf-title-only-eval), Part 2.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
50	2nd	-title-only -ref -silence -noise -norm -aggr -eucl	2482	0	100.00
51	2nd	-title-only -ref -silence -noise -norm -fft -eucl	2482	0	100.00
52	2nd	-title-only -ref -low -aggr -eucl	2482	0	100.00
53	2nd	-title-only -ref -noise -norm -aggr -eucl	2482	0	100.00
54	2nd	-title-only -ref -silence -low -aggr -eucl	2482	0	100.00
55	2nd	-title-only -ref -noise -norm -fft -eucl	2482	0	100.00
56	2nd	-title-only -ref -silence -low -fft -eucl	2482	0	100.00
57	2nd	-title-only -ref -low -fft -eucl	2482	0	100.00
58	2nd	-title-only -ref -noise -endp -fft -eucl	2482	0	100.00
59	2nd	-title-only -ref -noise -endp -aggr -eucl	2482	0	100.00
60	2nd	-title-only -ref -silence -noise -endp -fft -eucl	2482	0	100.00
61	2nd	-title-only -ref -silence -noise -endp -aggr -eucl	2482	0	100.00
62	2nd	-title-only -ref -silence -noise -bandstop -aggr -eucl	2482	0	100.00
63	2nd	-title-only -ref -silence -noise -bandstop -fft -eucl	2482	0	100.00
64	2nd	-title-only -ref -noise -bandstop -aggr -eucl	2482	0	100.00
65	2nd	-title-only -ref -noise -bandstop -fft -eucl	2482	0	100.00
66	2nd	-title-only -ref -bandstop -aggr -cos	2482	0	100.00
67	2nd	-title-only -ref -bandstop -fft -cos	2482	0	100.00
68	2nd	-title-only -ref -silence -bandstop -fft -cos	2482	0	100.00
69	2nd	-title-only -ref -silence -bandstop -aggr -cos	2482	0	100.00
70	2nd	-title-only -ref -bandstop -fft -eucl	2482	0	100.00
71	2nd	-title-only -ref -bandstop -aggr -eucl	2482	0	100.00
72	2nd	-title-only -ref -silence -bandstop -fft -eucl	2482	0	100.00
73	2nd	-title-only -ref -silence -bandstop -aggr -eucl	2482	0	100.00
74	2nd	-title-only -ref -norm -fft -eucl	2482	0	100.00
75	2nd	-title-only -ref -norm -aggr -cos	2482	0	100.00
76	2nd	-title-only -ref -silence -norm -fft -cos	2482	0	100.00
77	2nd	-title-only -ref -norm -aggr -eucl	2482	0	100.00
78	2nd	-title-only -ref -norm -fft -cos	2482	0	100.00
79	2nd	-title-only -ref -silence -norm -aggr -eucl	2482	0	100.00
80	2nd	-title-only -ref -silence -norm -fft -eucl	2482	0	100.00
81	2nd	-title-only -ref -silence -norm -aggr -cos	2482	0	100.00
82	2nd	-title-only -ref -silence -raw -fft -eucl	2482	0	100.00
83	2nd	-title-only -ref -silence -raw -aggr -eucl	2482	0	100.00
84	2nd	-title-only -ref -raw -fft -eucl	2482	0	100.00
85	2nd	-title-only -ref -noise -raw -fft -eucl	2482	0	100.00
86	2nd	-title-only -ref -noise -raw -aggr -eucl	2482	0	100.00
87	2nd	-title-only -ref -silence -noise -raw -aggr -eucl	2482	0	100.00
88	2nd	-title-only -ref -silence -noise -raw -fft -eucl	2482	0	100.00
89	2nd	-title-only -ref -raw -aggr -eucl	2482	0	100.00
90	2nd	-title-only -ref -silence -noise -low -aggr -eucl	2482	0	100.00
91	2nd	-title-only -ref -silence -noise -low -fft -eucl	2482	0	100.00
92	2nd	-title-only -ref -noise -low -fft -eucl	2482	0	100.00
93	2nd	-title-only -ref -noise -low -aggr -eucl	2482	0	100.00
94	2nd	-title-only -ref -endp -fft -cos	2482	0	100.00
95	2nd	-title-only -ref -silence -low -aggr -cheb	2482	0	100.00
96	2nd	-title-only -ref -silence -low -fft -cheb	2482	0	100.00
97	2nd	-title-only -ref -silence -noise -norm -aggr -cheb	2482	0	100.00
98	2nd	-title-only -ref -silence -noise -norm -fft -cheb	2482	0	100.00

Table 501: Consolidated results (piste2-result1-marf-title-only-eval), Part 3.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	Quebec	48669	16452	74.74
2	1st	France	33818	22679	59.86
3	2nd	Quebec	65121	0	100.00
4	2nd	France	56497	0	100.00

Table 502: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-bandstop-aggr-cos.prexml.xml`

Evaluation du pays

```
- classe F (attendus = 1153, ramenes = 1050.00, corrects = 706.00)
  rappel = 0.612 precision = 0.672 f-mesure = 0.641
- classe Q (attendus = 1329, ramenes = 1432.00, corrects = 985.00)
  rappel = 0.741 precision = 0.688 f-mesure = 0.714
- sur l'ensemble des 2 classes
  macro rappel = 0.677 macro precision = 0.680 macro F-mesure = 0.678
```

Evaluation du journal

```
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)
  rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)
  rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1050.00, corrects = 484.00)
  rappel = 0.807 precision = 0.461 f-mesure = 0.587
- classe P (attendus = 677, ramenes = 1432.00, corrects = 487.00)
  rappel = 0.719 precision = 0.340 f-mesure = 0.462
- sur l'ensemble des 4 classes
  macro rappel = 0.382 macro precision = 0.200 macro F-mesure = 0.263
```

Table 503: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-bandstop-aggr-eucl.prexml.xml`

Evaluation du pays

```
- classe F (attendus = 1153, ramenes = 1051.00, corrects = 705.00)
  rappel = 0.611 precision = 0.671 f-mesure = 0.640
- classe Q (attendus = 1329, ramenes = 1431.00, corrects = 983.00)
  rappel = 0.740 precision = 0.687 f-mesure = 0.712
- sur l'ensemble des 2 classes
  macro rappel = 0.676 macro precision = 0.679 macro F-mesure = 0.677
```

Evaluation du journal

```
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)
  rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)
  rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1051.00, corrects = 484.00)
  rappel = 0.807 precision = 0.461 f-mesure = 0.586
- classe P (attendus = 677, ramenes = 1431.00, corrects = 485.00)
  rappel = 0.716 precision = 0.339 f-mesure = 0.460
- sur l'ensemble des 4 classes
  macro rappel = 0.381 macro precision = 0.200 macro F-mesure = 0.262
```

Table 504: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-bandstop-fft-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1050.00, corrects = 706.00) rappel = 0.612 precision = 0.672 f-mesure = 0.641
- classe Q (attendus = 1329, ramenes = 1432.00, corrects = 985.00) rappel = 0.741 precision = 0.688 f-mesure = 0.714
- sur l'ensemble des 2 classes macro rappel = 0.677 macro precision = 0.680 macro F-mesure = 0.678
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1050.00, corrects = 484.00) rappel = 0.807 precision = 0.461 f-mesure = 0.587
- classe P (attendus = 677, ramenes = 1432.00, corrects = 487.00) rappel = 0.719 precision = 0.340 f-mesure = 0.462
- sur l'ensemble des 4 classes macro rappel = 0.382 macro precision = 0.200 macro F-mesure = 0.263

Table 505: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-bandstop-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1051.00, corrects = 705.00) rappel = 0.611 precision = 0.671 f-mesure = 0.640
- classe Q (attendus = 1329, ramenes = 1431.00, corrects = 983.00) rappel = 0.740 precision = 0.687 f-mesure = 0.712
- sur l'ensemble des 2 classes macro rappel = 0.676 macro precision = 0.679 macro F-mesure = 0.677
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1051.00, corrects = 484.00) rappel = 0.807 precision = 0.461 f-mesure = 0.586
- classe P (attendus = 677, ramenes = 1431.00, corrects = 485.00) rappel = 0.716 precision = 0.339 f-mesure = 0.460
- sur l'ensemble des 4 classes macro rappel = 0.381 macro precision = 0.200 macro F-mesure = 0.262

Table 506: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-endp-fft-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1114.00, corrects = 718.00) rappel = 0.623 precision = 0.645 f-mesure = 0.633
- classe Q (attendus = 1329, ramenes = 1368.00, corrects = 933.00) rappel = 0.702 precision = 0.682 f-mesure = 0.692
- sur l'ensemble des 2 classes macro rappel = 0.662 macro precision = 0.663 macro F-mesure = 0.663
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1114.00, corrects = 473.00) rappel = 0.788 precision = 0.425 f-mesure = 0.552
- classe P (attendus = 677, ramenes = 1368.00, corrects = 454.00) rappel = 0.671 precision = 0.332 f-mesure = 0.444
- sur l'ensemble des 4 classes macro rappel = 0.365 macro precision = 0.189 macro F-mesure = 0.249

Table 507: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-low-aggr-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 985.00, corrects = 685.00) rappel = 0.594 precision = 0.695 f-mesure = 0.641
- classe Q (attendus = 1329, ramenes = 1497.00, corrects = 1029.00) rappel = 0.774 precision = 0.687 f-mesure = 0.728
- sur l'ensemble des 2 classes macro rappel = 0.684 macro precision = 0.691 macro F-mesure = 0.688
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 985.00, corrects = 468.00) rappel = 0.780 precision = 0.475 f-mesure = 0.591
- classe P (attendus = 677, ramenes = 1497.00, corrects = 514.00) rappel = 0.759 precision = 0.343 f-mesure = 0.473
- sur l'ensemble des 4 classes macro rappel = 0.385 macro precision = 0.205 macro F-mesure = 0.267

Table 508: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-low-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 985.00, corrects = 685.00) rappel = 0.594 precision = 0.695 f-mesure = 0.641
- classe Q (attendus = 1329, ramenes = 1497.00, corrects = 1029.00) rappel = 0.774 precision = 0.687 f-mesure = 0.728
- sur l'ensemble des 2 classes macro rappel = 0.684 macro precision = 0.691 macro F-mesure = 0.688
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 985.00, corrects = 468.00) rappel = 0.780 precision = 0.475 f-mesure = 0.591
- classe P (attendus = 677, ramenes = 1497.00, corrects = 514.00) rappel = 0.759 precision = 0.343 f-mesure = 0.473
- sur l'ensemble des 4 classes macro rappel = 0.385 macro precision = 0.205 macro F-mesure = 0.267

Table 509: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-noise-bandstop-aggr-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1007.00, corrects = 686.00) rappel = 0.595 precision = 0.681 f-mesure = 0.635
- classe Q (attendus = 1329, ramenes = 1475.00, corrects = 1008.00) rappel = 0.758 precision = 0.683 f-mesure = 0.719
- sur l'ensemble des 2 classes macro rappel = 0.677 macro precision = 0.682 macro F-mesure = 0.680
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1007.00, corrects = 438.00) rappel = 0.730 precision = 0.435 f-mesure = 0.545
- classe P (attendus = 677, ramenes = 1475.00, corrects = 498.00) rappel = 0.736 precision = 0.338 f-mesure = 0.463
- sur l'ensemble des 4 classes macro rappel = 0.366 macro precision = 0.193 macro F-mesure = 0.253

Table 510: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-noise-bandstop-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1007.00, corrects = 686.00) rappel = 0.595 precision = 0.681 f-mesure = 0.635
- classe Q (attendus = 1329, ramenes = 1475.00, corrects = 1008.00) rappel = 0.758 precision = 0.683 f-mesure = 0.719
- sur l'ensemble des 2 classes macro rappel = 0.677 macro precision = 0.682 macro F-mesure = 0.680
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1007.00, corrects = 438.00) rappel = 0.730 precision = 0.435 f-mesure = 0.545
- classe P (attendus = 677, ramenes = 1475.00, corrects = 498.00) rappel = 0.736 precision = 0.338 f-mesure = 0.463
- sur l'ensemble des 4 classes macro rappel = 0.366 macro precision = 0.193 macro F-mesure = 0.253

Table 511: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-noise-endp-aggr-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1004.00, corrects = 688.00) rappel = 0.597 precision = 0.685 f-mesure = 0.638
- classe Q (attendus = 1329, ramenes = 1478.00, corrects = 1013.00) rappel = 0.762 precision = 0.685 f-mesure = 0.722
- sur l'ensemble des 2 classes macro rappel = 0.679 macro precision = 0.685 macro F-mesure = 0.682
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1004.00, corrects = 458.00) rappel = 0.763 precision = 0.456 f-mesure = 0.571
- classe P (attendus = 677, ramenes = 1478.00, corrects = 512.00) rappel = 0.756 precision = 0.346 f-mesure = 0.475
- sur l'ensemble des 4 classes macro rappel = 0.380 macro precision = 0.201 macro F-mesure = 0.263

Table 512: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-noise-endp-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1004.00, corrects = 688.00) rappel = 0.597 precision = 0.685 f-mesure = 0.638
- classe Q (attendus = 1329, ramenes = 1478.00, corrects = 1013.00) rappel = 0.762 precision = 0.685 f-mesure = 0.722
- sur l'ensemble des 2 classes macro rappel = 0.679 macro precision = 0.685 macro F-mesure = 0.682
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1004.00, corrects = 458.00) rappel = 0.763 precision = 0.456 f-mesure = 0.571
- classe P (attendus = 677, ramenes = 1478.00, corrects = 512.00) rappel = 0.756 precision = 0.346 f-mesure = 0.475
- sur l'ensemble des 4 classes macro rappel = 0.380 macro precision = 0.201 macro F-mesure = 0.263

Table 513: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-noise-low-aggr-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1036.00, corrects = 688.00) rappel = 0.597 precision = 0.664 f-mesure = 0.629
- classe Q (attendus = 1329, ramenes = 1446.00, corrects = 981.00) rappel = 0.738 precision = 0.678 f-mesure = 0.707
- sur l'ensemble des 2 classes macro rappel = 0.667 macro precision = 0.671 macro F-mesure = 0.669
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1036.00, corrects = 453.00) rappel = 0.755 precision = 0.437 f-mesure = 0.554
- classe P (attendus = 677, ramenes = 1446.00, corrects = 494.00) rappel = 0.730 precision = 0.342 f-mesure = 0.465
- sur l'ensemble des 4 classes macro rappel = 0.371 macro precision = 0.195 macro F-mesure = 0.255

Table 514: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-noise-low-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1036.00, corrects = 688.00) rappel = 0.597 precision = 0.664 f-mesure = 0.629
- classe Q (attendus = 1329, ramenes = 1446.00, corrects = 981.00) rappel = 0.738 precision = 0.678 f-mesure = 0.707
- sur l'ensemble des 2 classes macro rappel = 0.667 macro precision = 0.671 macro F-mesure = 0.669
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1036.00, corrects = 453.00) rappel = 0.755 precision = 0.437 f-mesure = 0.554
- classe P (attendus = 677, ramenes = 1446.00, corrects = 494.00) rappel = 0.730 precision = 0.342 f-mesure = 0.465
- sur l'ensemble des 4 classes macro rappel = 0.371 macro precision = 0.195 macro F-mesure = 0.255

Table 515: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-noise-norm-aggr-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 985.00, corrects = 685.00) rappel = 0.594 precision = 0.695 f-mesure = 0.641
- classe Q (attendus = 1329, ramenes = 1497.00, corrects = 1029.00) rappel = 0.774 precision = 0.687 f-mesure = 0.728
- sur l'ensemble des 2 classes macro rappel = 0.684 macro precision = 0.691 macro F-mesure = 0.688
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 985.00, corrects = 468.00) rappel = 0.780 precision = 0.475 f-mesure = 0.591
- classe P (attendus = 677, ramenes = 1497.00, corrects = 514.00) rappel = 0.759 precision = 0.343 f-mesure = 0.473
- sur l'ensemble des 4 classes macro rappel = 0.385 macro precision = 0.205 macro F-mesure = 0.267

Table 516: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-noise-norm-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 985.00, corrects = 685.00) rappel = 0.594 precision = 0.695 f-mesure = 0.641
- classe Q (attendus = 1329, ramenes = 1497.00, corrects = 1029.00) rappel = 0.774 precision = 0.687 f-mesure = 0.728
- sur l'ensemble des 2 classes macro rappel = 0.684 macro precision = 0.691 macro F-mesure = 0.688
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 985.00, corrects = 468.00) rappel = 0.780 precision = 0.475 f-mesure = 0.591
- classe P (attendus = 677, ramenes = 1497.00, corrects = 514.00) rappel = 0.759 precision = 0.343 f-mesure = 0.473
- sur l'ensemble des 4 classes macro rappel = 0.385 macro precision = 0.205 macro F-mesure = 0.267

Table 517: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-noise-raw-aggr-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 993.00, corrects = 670.00) rappel = 0.581 precision = 0.675 f-mesure = 0.624
- classe Q (attendus = 1329, ramenes = 1489.00, corrects = 1006.00) rappel = 0.757 precision = 0.676 f-mesure = 0.714
- sur l'ensemble des 2 classes macro rappel = 0.669 macro precision = 0.675 macro F-mesure = 0.672
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 993.00, corrects = 449.00) rappel = 0.748 precision = 0.452 f-mesure = 0.564
- classe P (attendus = 677, ramenes = 1489.00, corrects = 502.00) rappel = 0.742 precision = 0.337 f-mesure = 0.464
- sur l'ensemble des 4 classes macro rappel = 0.372 macro precision = 0.197 macro F-mesure = 0.258

Table 518: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-noise-raw-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 993.00, corrects = 670.00) rappel = 0.581 precision = 0.675 f-mesure = 0.624
- classe Q (attendus = 1329, ramenes = 1489.00, corrects = 1006.00) rappel = 0.757 precision = 0.676 f-mesure = 0.714
- sur l'ensemble des 2 classes macro rappel = 0.669 macro precision = 0.675 macro F-mesure = 0.672
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 993.00, corrects = 449.00) rappel = 0.748 precision = 0.452 f-mesure = 0.564
- classe P (attendus = 677, ramenes = 1489.00, corrects = 502.00) rappel = 0.742 precision = 0.337 f-mesure = 0.464
- sur l'ensemble des 4 classes macro rappel = 0.372 macro precision = 0.197 macro F-mesure = 0.258

Table 519: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-norm-aggr-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1071.00, corrects = 710.00) rappel = 0.616 precision = 0.663 f-mesure = 0.638
- classe Q (attendus = 1329, ramenes = 1411.00, corrects = 968.00) rappel = 0.728 precision = 0.686 f-mesure = 0.707
- sur l'ensemble des 2 classes macro rappel = 0.672 macro precision = 0.674 macro F-mesure = 0.673
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1071.00, corrects = 480.00) rappel = 0.800 precision = 0.448 f-mesure = 0.575
- classe P (attendus = 677, ramenes = 1411.00, corrects = 482.00) rappel = 0.712 precision = 0.342 f-mesure = 0.462
- sur l'ensemble des 4 classes macro rappel = 0.378 macro precision = 0.197 macro F-mesure = 0.259

Table 520: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-norm-aggr-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1069.00, corrects = 709.00) rappel = 0.615 precision = 0.663 f-mesure = 0.638
- classe Q (attendus = 1329, ramenes = 1413.00, corrects = 969.00) rappel = 0.729 precision = 0.686 f-mesure = 0.707
- sur l'ensemble des 2 classes macro rappel = 0.672 macro precision = 0.675 macro F-mesure = 0.673
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1069.00, corrects = 485.00) rappel = 0.808 precision = 0.454 f-mesure = 0.581
- classe P (attendus = 677, ramenes = 1413.00, corrects = 482.00) rappel = 0.712 precision = 0.341 f-mesure = 0.461
- sur l'ensemble des 4 classes macro rappel = 0.380 macro precision = 0.199 macro F-mesure = 0.261

Table 521: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-norm-fft-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1071.00, corrects = 710.00) rappel = 0.616 precision = 0.663 f-mesure = 0.638
- classe Q (attendus = 1329, ramenes = 1411.00, corrects = 968.00) rappel = 0.728 precision = 0.686 f-mesure = 0.707
- sur l'ensemble des 2 classes macro rappel = 0.672 macro precision = 0.674 macro F-mesure = 0.673
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1071.00, corrects = 480.00) rappel = 0.800 precision = 0.448 f-mesure = 0.575
- classe P (attendus = 677, ramenes = 1411.00, corrects = 482.00) rappel = 0.712 precision = 0.342 f-mesure = 0.462
- sur l'ensemble des 4 classes macro rappel = 0.378 macro precision = 0.197 macro F-mesure = 0.259

Table 522: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-norm-fft-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1069.00, corrects = 709.00)` `rappel = 0.615 precision = 0.663 f-mesure = 0.638`
`- classe Q (attendus = 1329, ramenes = 1413.00, corrects = 969.00)` `rappel = 0.729 precision = 0.686 f-mesure = 0.707`
`- sur l'ensemble des 2 classes` `macro rappel = 0.672 macro precision = 0.675 macro F-mesure = 0.673`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1069.00, corrects = 485.00)` `rappel = 0.808 precision = 0.454 f-mesure = 0.581`
`- classe P (attendus = 677, ramenes = 1413.00, corrects = 482.00)` `rappel = 0.712 precision = 0.341 f-mesure = 0.461`
`- sur l'ensemble des 4 classes` `macro rappel = 0.380 macro precision = 0.199 macro F-mesure = 0.261`

Table 523: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-raw-aggr-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 993.00, corrects = 670.00)` `rappel = 0.581 precision = 0.675 f-mesure = 0.624`
`- classe Q (attendus = 1329, ramenes = 1489.00, corrects = 1006.00)` `rappel = 0.757 precision = 0.676 f-mesure = 0.714`
`- sur l'ensemble des 2 classes` `macro rappel = 0.669 macro precision = 0.675 macro F-mesure = 0.672`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 993.00, corrects = 449.00)` `rappel = 0.748 precision = 0.452 f-mesure = 0.564`
`- classe P (attendus = 677, ramenes = 1489.00, corrects = 502.00)` `rappel = 0.742 precision = 0.337 f-mesure = 0.464`
`- sur l'ensemble des 4 classes` `macro rappel = 0.372 macro precision = 0.197 macro F-mesure = 0.258`

Table 524: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-raw-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 993.00, corrects = 670.00) rappel = 0.581 precision = 0.675 f-mesure = 0.624
- classe Q (attendus = 1329, ramenes = 1489.00, corrects = 1006.00) rappel = 0.757 precision = 0.676 f-mesure = 0.714
- sur l'ensemble des 2 classes macro rappel = 0.669 macro precision = 0.675 macro F-mesure = 0.672
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 993.00, corrects = 449.00) rappel = 0.748 precision = 0.452 f-mesure = 0.564
- classe P (attendus = 677, ramenes = 1489.00, corrects = 502.00) rappel = 0.742 precision = 0.337 f-mesure = 0.464
- sur l'ensemble des 4 classes macro rappel = 0.372 macro precision = 0.197 macro F-mesure = 0.258

Table 525: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-bandstop-aggr-cos.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1051.00, corrects = 706.00) rappel = 0.612 precision = 0.672 f-mesure = 0.641
- classe Q (attendus = 1329, ramenes = 1431.00, corrects = 984.00) rappel = 0.740 precision = 0.688 f-mesure = 0.713
- sur l'ensemble des 2 classes macro rappel = 0.676 macro precision = 0.680 macro F-mesure = 0.678
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1051.00, corrects = 484.00) rappel = 0.807 precision = 0.461 f-mesure = 0.586
- classe P (attendus = 677, ramenes = 1431.00, corrects = 487.00) rappel = 0.719 precision = 0.340 f-mesure = 0.462
- sur l'ensemble des 4 classes macro rappel = 0.382 macro precision = 0.200 macro F-mesure = 0.263

Table 526: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-bandstop-aggr-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1053.00, corrects = 705.00)` `rappel = 0.611 precision = 0.670 f-mesure = 0.639`
`- classe Q (attendus = 1329, ramenes = 1429.00, corrects = 981.00)` `rappel = 0.738 precision = 0.686 f-mesure = 0.711`
`- sur l'ensemble des 2 classes` `macro rappel = 0.675 macro precision = 0.678 macro F-mesure = 0.676`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1053.00, corrects = 484.00)` `rappel = 0.807 precision = 0.460 f-mesure = 0.586`
`- classe P (attendus = 677, ramenes = 1429.00, corrects = 483.00)` `rappel = 0.713 precision = 0.338 f-mesure = 0.459`
`- sur l'ensemble des 4 classes` `macro rappel = 0.380 macro precision = 0.199 macro F-mesure = 0.262`

Table 527: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-bandstop-fft-cos.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1051.00, corrects = 706.00)` `rappel = 0.612 precision = 0.672 f-mesure = 0.641`
`- classe Q (attendus = 1329, ramenes = 1431.00, corrects = 984.00)` `rappel = 0.740 precision = 0.688 f-mesure = 0.713`
`- sur l'ensemble des 2 classes` `macro rappel = 0.676 macro precision = 0.680 macro F-mesure = 0.678`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1051.00, corrects = 484.00)` `rappel = 0.807 precision = 0.461 f-mesure = 0.586`
`- classe P (attendus = 677, ramenes = 1431.00, corrects = 487.00)` `rappel = 0.719 precision = 0.340 f-mesure = 0.462`
`- sur l'ensemble des 4 classes` `macro rappel = 0.382 macro precision = 0.200 macro F-mesure = 0.263`

Table 528: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-bandstop-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1053.00, corrects = 705.00) rappel = 0.611 precision = 0.670 f-mesure = 0.639
- classe Q (attendus = 1329, ramenes = 1429.00, corrects = 981.00) rappel = 0.738 precision = 0.686 f-mesure = 0.711
- sur l'ensemble des 2 classes macro rappel = 0.675 macro precision = 0.678 macro F-mesure = 0.676
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1053.00, corrects = 484.00) rappel = 0.807 precision = 0.460 f-mesure = 0.586
- classe P (attendus = 677, ramenes = 1429.00, corrects = 483.00) rappel = 0.713 precision = 0.338 f-mesure = 0.459
- sur l'ensemble des 4 classes macro rappel = 0.380 macro precision = 0.199 macro F-mesure = 0.262

Table 529: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-low-aggr-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1044.00, corrects = 673.00) rappel = 0.584 precision = 0.645 f-mesure = 0.613
- classe Q (attendus = 1329, ramenes = 1438.00, corrects = 958.00) rappel = 0.721 precision = 0.666 f-mesure = 0.692
- sur l'ensemble des 2 classes macro rappel = 0.652 macro precision = 0.655 macro F-mesure = 0.654
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1044.00, corrects = 419.00) rappel = 0.698 precision = 0.401 f-mesure = 0.510
- classe P (attendus = 677, ramenes = 1438.00, corrects = 479.00) rappel = 0.708 precision = 0.333 f-mesure = 0.453
- sur l'ensemble des 4 classes macro rappel = 0.351 macro precision = 0.184 macro F-mesure = 0.241

Table 530: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-low-aggr-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 985.00, corrects = 685.00)` `rappel = 0.594 precision = 0.695 f-mesure = 0.641`
`- classe Q (attendus = 1329, ramenes = 1497.00, corrects = 1029.00)` `rappel = 0.774 precision = 0.687 f-mesure = 0.728`
`- sur l'ensemble des 2 classes` `macro rappel = 0.684 macro precision = 0.691 macro F-mesure = 0.688`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 985.00, corrects = 468.00)` `rappel = 0.780 precision = 0.475 f-mesure = 0.591`
`- classe P (attendus = 677, ramenes = 1497.00, corrects = 514.00)` `rappel = 0.759 precision = 0.343 f-mesure = 0.473`
`- sur l'ensemble des 4 classes` `macro rappel = 0.385 macro precision = 0.205 macro F-mesure = 0.267`

Table 531: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-low-fft-cheb.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1044.00, corrects = 673.00)` `rappel = 0.584 precision = 0.645 f-mesure = 0.613`
`- classe Q (attendus = 1329, ramenes = 1438.00, corrects = 958.00)` `rappel = 0.721 precision = 0.666 f-mesure = 0.692`
`- sur l'ensemble des 2 classes` `macro rappel = 0.652 macro precision = 0.655 macro F-mesure = 0.654`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1044.00, corrects = 419.00)` `rappel = 0.698 precision = 0.401 f-mesure = 0.510`
`- classe P (attendus = 677, ramenes = 1438.00, corrects = 479.00)` `rappel = 0.708 precision = 0.333 f-mesure = 0.453`
`- sur l'ensemble des 4 classes` `macro rappel = 0.351 macro precision = 0.184 macro F-mesure = 0.241`

Table 532: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-low-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 985.00, corrects = 685.00) rappel = 0.594 precision = 0.695 f-mesure = 0.641
- classe Q (attendus = 1329, ramenes = 1497.00, corrects = 1029.00) rappel = 0.774 precision = 0.687 f-mesure = 0.728
- sur l'ensemble des 2 classes macro rappel = 0.684 macro precision = 0.691 macro F-mesure = 0.688
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 985.00, corrects = 468.00) rappel = 0.780 precision = 0.475 f-mesure = 0.591
- classe P (attendus = 677, ramenes = 1497.00, corrects = 514.00) rappel = 0.759 precision = 0.343 f-mesure = 0.473
- sur l'ensemble des 4 classes macro rappel = 0.385 macro precision = 0.205 macro F-mesure = 0.267

Table 533: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-noise-bandstop-aggr-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1007.00, corrects = 686.00) rappel = 0.595 precision = 0.681 f-mesure = 0.635
- classe Q (attendus = 1329, ramenes = 1475.00, corrects = 1008.00) rappel = 0.758 precision = 0.683 f-mesure = 0.719
- sur l'ensemble des 2 classes macro rappel = 0.677 macro precision = 0.682 macro F-mesure = 0.680
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1007.00, corrects = 438.00) rappel = 0.730 precision = 0.435 f-mesure = 0.545
- classe P (attendus = 677, ramenes = 1475.00, corrects = 498.00) rappel = 0.736 precision = 0.338 f-mesure = 0.463
- sur l'ensemble des 4 classes macro rappel = 0.366 macro precision = 0.193 macro F-mesure = 0.253

Table 534: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-noise-bandstop-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1007.00, corrects = 686.00) rappel = 0.595 precision = 0.681 f-mesure = 0.635
- classe Q (attendus = 1329, ramenes = 1475.00, corrects = 1008.00) rappel = 0.758 precision = 0.683 f-mesure = 0.719
- sur l'ensemble des 2 classes macro rappel = 0.677 macro precision = 0.682 macro F-mesure = 0.680
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1007.00, corrects = 438.00) rappel = 0.730 precision = 0.435 f-mesure = 0.545
- classe P (attendus = 677, ramenes = 1475.00, corrects = 498.00) rappel = 0.736 precision = 0.338 f-mesure = 0.463
- sur l'ensemble des 4 classes macro rappel = 0.366 macro precision = 0.193 macro F-mesure = 0.253

Table 535: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-noise-endp-aggr-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1004.00, corrects = 688.00) rappel = 0.597 precision = 0.685 f-mesure = 0.638
- classe Q (attendus = 1329, ramenes = 1478.00, corrects = 1013.00) rappel = 0.762 precision = 0.685 f-mesure = 0.722
- sur l'ensemble des 2 classes macro rappel = 0.679 macro precision = 0.685 macro F-mesure = 0.682
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1004.00, corrects = 458.00) rappel = 0.763 precision = 0.456 f-mesure = 0.571
- classe P (attendus = 677, ramenes = 1478.00, corrects = 511.00) rappel = 0.755 precision = 0.346 f-mesure = 0.474
- sur l'ensemble des 4 classes macro rappel = 0.380 macro precision = 0.200 macro F-mesure = 0.262

Table 536: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-noise-endp-fft-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1004.00, corrects = 688.00)` `rappel = 0.597 precision = 0.685 f-mesure = 0.638`
`- classe Q (attendus = 1329, ramenes = 1478.00, corrects = 1013.00)` `rappel = 0.762 precision = 0.685 f-mesure = 0.722`
`- sur l'ensemble des 2 classes` `macro rappel = 0.679 macro precision = 0.685 macro F-mesure = 0.682`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1004.00, corrects = 458.00)` `rappel = 0.763 precision = 0.456 f-mesure = 0.571`
`- classe P (attendus = 677, ramenes = 1478.00, corrects = 511.00)` `rappel = 0.755 precision = 0.346 f-mesure = 0.474`
`- sur l'ensemble des 4 classes` `macro rappel = 0.380 macro precision = 0.200 macro F-mesure = 0.262`

Table 537: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-noise-low-aggr-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1035.00, corrects = 688.00)` `rappel = 0.597 precision = 0.665 f-mesure = 0.629`
`- classe Q (attendus = 1329, ramenes = 1447.00, corrects = 982.00)` `rappel = 0.739 precision = 0.679 f-mesure = 0.707`
`- sur l'ensemble des 2 classes` `macro rappel = 0.668 macro precision = 0.672 macro F-mesure = 0.670`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1035.00, corrects = 453.00)` `rappel = 0.755 precision = 0.438 f-mesure = 0.554`
`- classe P (attendus = 677, ramenes = 1447.00, corrects = 495.00)` `rappel = 0.731 precision = 0.342 f-mesure = 0.466`
`- sur l'ensemble des 4 classes` `macro rappel = 0.372 macro precision = 0.195 macro F-mesure = 0.256`

Table 538: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-noise-low-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1035.00, corrects = 688.00) rappel = 0.597 precision = 0.665 f-mesure = 0.629
- classe Q (attendus = 1329, ramenes = 1447.00, corrects = 982.00) rappel = 0.739 precision = 0.679 f-mesure = 0.707
- sur l'ensemble des 2 classes macro rappel = 0.668 macro precision = 0.672 macro F-mesure = 0.670
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1035.00, corrects = 453.00) rappel = 0.755 precision = 0.438 f-mesure = 0.554
- classe P (attendus = 677, ramenes = 1447.00, corrects = 495.00) rappel = 0.731 precision = 0.342 f-mesure = 0.466
- sur l'ensemble des 4 classes macro rappel = 0.372 macro precision = 0.195 macro F-mesure = 0.256

Table 539: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-noise-norm-aggr-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1044.00, corrects = 673.00) rappel = 0.584 precision = 0.645 f-mesure = 0.613
- classe Q (attendus = 1329, ramenes = 1438.00, corrects = 958.00) rappel = 0.721 precision = 0.666 f-mesure = 0.692
- sur l'ensemble des 2 classes macro rappel = 0.652 macro precision = 0.655 macro F-mesure = 0.654
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 1044.00, corrects = 419.00) rappel = 0.698 precision = 0.401 f-mesure = 0.510
- classe P (attendus = 677, ramenes = 1438.00, corrects = 479.00) rappel = 0.708 precision = 0.333 f-mesure = 0.453
- sur l'ensemble des 4 classes macro rappel = 0.351 macro precision = 0.184 macro F-mesure = 0.241

Table 540: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-noise-norm-aggr-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 985.00, corrects = 685.00)` `rappel = 0.594 precision = 0.695 f-mesure = 0.641`
`- classe Q (attendus = 1329, ramenes = 1497.00, corrects = 1029.00)` `rappel = 0.774 precision = 0.687 f-mesure = 0.728`
`- sur l'ensemble des 2 classes` `macro rappel = 0.684 macro precision = 0.691 macro F-mesure = 0.688`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 985.00, corrects = 468.00)` `rappel = 0.780 precision = 0.475 f-mesure = 0.591`
`- classe P (attendus = 677, ramenes = 1497.00, corrects = 514.00)` `rappel = 0.759 precision = 0.343 f-mesure = 0.473`
`- sur l'ensemble des 4 classes` `macro rappel = 0.385 macro precision = 0.205 macro F-mesure = 0.267`

Table 541: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-noise-norm-fft-cheb.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1044.00, corrects = 673.00)` `rappel = 0.584 precision = 0.645 f-mesure = 0.613`
`- classe Q (attendus = 1329, ramenes = 1438.00, corrects = 958.00)` `rappel = 0.721 precision = 0.666 f-mesure = 0.692`
`- sur l'ensemble des 2 classes` `macro rappel = 0.652 macro precision = 0.655 macro F-mesure = 0.654`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1044.00, corrects = 419.00)` `rappel = 0.698 precision = 0.401 f-mesure = 0.510`
`- classe P (attendus = 677, ramenes = 1438.00, corrects = 479.00)` `rappel = 0.708 precision = 0.333 f-mesure = 0.453`
`- sur l'ensemble des 4 classes` `macro rappel = 0.351 macro precision = 0.184 macro F-mesure = 0.241`

Table 542: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-noise-norm-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 985.00, corrects = 685.00) rappel = 0.594 precision = 0.695 f-mesure = 0.641
- classe Q (attendus = 1329, ramenes = 1497.00, corrects = 1029.00) rappel = 0.774 precision = 0.687 f-mesure = 0.728
- sur l'ensemble des 2 classes macro rappel = 0.684 macro precision = 0.691 macro F-mesure = 0.688
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 985.00, corrects = 468.00) rappel = 0.780 precision = 0.475 f-mesure = 0.591
- classe P (attendus = 677, ramenes = 1497.00, corrects = 514.00) rappel = 0.759 precision = 0.343 f-mesure = 0.473
- sur l'ensemble des 4 classes macro rappel = 0.385 macro precision = 0.205 macro F-mesure = 0.267

Table 543: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-noise-raw-aggr-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 993.00, corrects = 670.00) rappel = 0.581 precision = 0.675 f-mesure = 0.624
- classe Q (attendus = 1329, ramenes = 1489.00, corrects = 1006.00) rappel = 0.757 precision = 0.676 f-mesure = 0.714
- sur l'ensemble des 2 classes macro rappel = 0.669 macro precision = 0.675 macro F-mesure = 0.672
Evaluation du journal
- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00) rappel = 0.000 precision = 0.000 f-mesure = 0.000
- classe M (attendus = 600, ramenes = 993.00, corrects = 449.00) rappel = 0.748 precision = 0.452 f-mesure = 0.564
- classe P (attendus = 677, ramenes = 1489.00, corrects = 502.00) rappel = 0.742 precision = 0.337 f-mesure = 0.464
- sur l'ensemble des 4 classes macro rappel = 0.372 macro precision = 0.197 macro F-mesure = 0.258

Table 544: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-noise-raw-fft-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 993.00, corrects = 670.00)` `rappel = 0.581 precision = 0.675 f-mesure = 0.624`
`- classe Q (attendus = 1329, ramenes = 1489.00, corrects = 1006.00)` `rappel = 0.757 precision = 0.676 f-mesure = 0.714`
`- sur l'ensemble des 2 classes` `macro rappel = 0.669 macro precision = 0.675 macro F-mesure = 0.672`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 993.00, corrects = 449.00)` `rappel = 0.748 precision = 0.452 f-mesure = 0.564`
`- classe P (attendus = 677, ramenes = 1489.00, corrects = 502.00)` `rappel = 0.742 precision = 0.337 f-mesure = 0.464`
`- sur l'ensemble des 4 classes` `macro rappel = 0.372 macro precision = 0.197 macro F-mesure = 0.258`

Table 545: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-norm-aggr-cos.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1071.00, corrects = 710.00)` `rappel = 0.616 precision = 0.663 f-mesure = 0.638`
`- classe Q (attendus = 1329, ramenes = 1411.00, corrects = 968.00)` `rappel = 0.728 precision = 0.686 f-mesure = 0.707`
`- sur l'ensemble des 2 classes` `macro rappel = 0.672 macro precision = 0.674 macro F-mesure = 0.673`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1071.00, corrects = 480.00)` `rappel = 0.800 precision = 0.448 f-mesure = 0.575`
`- classe P (attendus = 677, ramenes = 1411.00, corrects = 482.00)` `rappel = 0.712 precision = 0.342 f-mesure = 0.462`
`- sur l'ensemble des 4 classes` `macro rappel = 0.378 macro precision = 0.197 macro F-mesure = 0.259`

Table 546: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-norm-aggr-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1069.00, corrects = 709.00)` `rappel = 0.615 precision = 0.663 f-mesure = 0.638`
`- classe Q (attendus = 1329, ramenes = 1413.00, corrects = 969.00)` `rappel = 0.729 precision = 0.686 f-mesure = 0.707`
`- sur l'ensemble des 2 classes` `macro rappel = 0.672 macro precision = 0.675 macro F-mesure = 0.673`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1069.00, corrects = 485.00)` `rappel = 0.808 precision = 0.454 f-mesure = 0.581`
`- classe P (attendus = 677, ramenes = 1413.00, corrects = 482.00)` `rappel = 0.712 precision = 0.341 f-mesure = 0.461`
`- sur l'ensemble des 4 classes` `macro rappel = 0.380 macro precision = 0.199 macro F-mesure = 0.261`

Table 547: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-norm-fft-cos.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1071.00, corrects = 710.00)` `rappel = 0.616 precision = 0.663 f-mesure = 0.638`
`- classe Q (attendus = 1329, ramenes = 1411.00, corrects = 968.00)` `rappel = 0.728 precision = 0.686 f-mesure = 0.707`
`- sur l'ensemble des 2 classes` `macro rappel = 0.672 macro precision = 0.674 macro F-mesure = 0.673`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1071.00, corrects = 480.00)` `rappel = 0.800 precision = 0.448 f-mesure = 0.575`
`- classe P (attendus = 677, ramenes = 1411.00, corrects = 482.00)` `rappel = 0.712 precision = 0.342 f-mesure = 0.462`
`- sur l'ensemble des 4 classes` `macro rappel = 0.378 macro precision = 0.197 macro F-mesure = 0.259`

Table 548: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-norm-fft-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1069.00, corrects = 709.00)` `rappel = 0.615 precision = 0.663 f-mesure = 0.638`
`- classe Q (attendus = 1329, ramenes = 1413.00, corrects = 969.00)` `rappel = 0.729 precision = 0.686 f-mesure = 0.707`
`- sur l'ensemble des 2 classes` `macro rappel = 0.672 macro precision = 0.675 macro F-mesure = 0.673`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 1069.00, corrects = 485.00)` `rappel = 0.808 precision = 0.454 f-mesure = 0.581`
`- classe P (attendus = 677, ramenes = 1413.00, corrects = 482.00)` `rappel = 0.712 precision = 0.341 f-mesure = 0.461`
`- sur l'ensemble des 4 classes` `macro rappel = 0.380 macro precision = 0.199 macro F-mesure = 0.261`

Table 549: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-raw-aggr-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 993.00, corrects = 670.00)` `rappel = 0.581 precision = 0.675 f-mesure = 0.624`
`- classe Q (attendus = 1329, ramenes = 1489.00, corrects = 1006.00)` `rappel = 0.757 precision = 0.676 f-mesure = 0.714`
`- sur l'ensemble des 2 classes` `macro rappel = 0.669 macro precision = 0.675 macro F-mesure = 0.672`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 993.00, corrects = 449.00)` `rappel = 0.748 precision = 0.452 f-mesure = 0.564`
`- classe P (attendus = 677, ramenes = 1489.00, corrects = 502.00)` `rappel = 0.742 precision = 0.337 f-mesure = 0.464`
`- sur l'ensemble des 4 classes` `macro rappel = 0.372 macro precision = 0.197 macro F-mesure = 0.258`

Table 550: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-ref-silence-raw-fft-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 993.00, corrects = 670.00)` `rappel = 0.581 precision = 0.675 f-mesure = 0.624`
`- classe Q (attendus = 1329, ramenes = 1489.00, corrects = 1006.00)` `rappel = 0.757 precision = 0.676 f-mesure = 0.714`
`- sur l'ensemble des 2 classes` `macro rappel = 0.669 macro precision = 0.675 macro F-mesure = 0.672`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe E (attendus = 553, ramenes = 0.00, corrects = 0.00)` `rappel = 0.000 precision = 0.000 f-mesure = 0.000`
`- classe M (attendus = 600, ramenes = 993.00, corrects = 449.00)` `rappel = 0.748 precision = 0.452 f-mesure = 0.564`
`- classe P (attendus = 677, ramenes = 1489.00, corrects = 502.00)` `rappel = 0.742 precision = 0.337 f-mesure = 0.464`
`- sur l'ensemble des 4 classes` `macro rappel = 0.372 macro precision = 0.197 macro F-mesure = 0.258`

Table 551: Consolidated results (piste2-result1-marf-title-only-journal-eval), Part 1.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	-title-only -journal -ref -silence -bandstop -fft -diff	1210	1272	48.75
2	1st	-title-only -journal -ref -silence -bandstop -aggr -diff	1209	1273	48.71
3	1st	-title-only -journal -ref -bandstop -aggr -eucl	1201	1281	48.39
4	1st	-title-only -journal -ref -silence -bandstop -fft -eucl	1201	1281	48.39
5	1st	-title-only -journal -ref -silence -bandstop -aggr -eucl	1201	1281	48.39
6	1st	-title-only -journal -ref -bandstop -fft -eucl	1201	1281	48.39
7	1st	-title-only -journal -ref -norm -aggr -eucl	1198	1284	48.27
8	1st	-title-only -journal -ref -silence -norm -aggr -eucl	1198	1284	48.27
9	1st	-title-only -journal -ref -norm -fft -eucl	1198	1284	48.27
10	1st	-title-only -journal -ref -silence -norm -fft -eucl	1198	1284	48.27
11	1st	-title-only -journal -ref -silence -noise -raw -fft -eucl	1197	1285	48.23
12	1st	-title-only -journal -ref -silence -raw -aggr -eucl	1197	1285	48.23
13	1st	-title-only -journal -ref -noise -raw -aggr -eucl	1197	1285	48.23
14	1st	-title-only -journal -ref -silence -noise -raw -aggr -eucl	1197	1285	48.23
15	1st	-title-only -journal -ref -silence -raw -fft -eucl	1197	1285	48.23
16	1st	-title-only -journal -ref -silence -bandstop -fft -cheb	1197	1285	48.23
17	1st	-title-only -journal -ref -raw -fft -eucl	1197	1285	48.23
18	1st	-title-only -journal -ref -noise -raw -fft -eucl	1197	1285	48.23
19	1st	-title-only -journal -ref -silence -bandstop -aggr -cheb	1197	1285	48.23
20	1st	-title-only -journal -ref -raw -aggr -eucl	1197	1285	48.23
21	1st	-title-only -journal -ref -bandstop -fft -cheb	1195	1287	48.15
22	1st	-title-only -journal -ref -bandstop -aggr -cheb	1195	1287	48.15
23	1st	-title-only -journal -ref -silence -noise -norm -aggr -eucl	1189	1293	47.90
24	1st	-title-only -journal -ref -noise -norm -fft -eucl	1189	1293	47.90
25	1st	-title-only -journal -ref -silence -noise -norm -fft -eucl	1189	1293	47.90
26	1st	-title-only -journal -ref -noise -norm -aggr -eucl	1189	1293	47.90
27	1st	-title-only -journal -ref -low -aggr -eucl	1189	1293	47.90
28	1st	-title-only -journal -ref -silence -low -fft -eucl	1189	1293	47.90
29	1st	-title-only -journal -ref -low -fft -eucl	1189	1293	47.90
30	1st	-title-only -journal -ref -silence -low -aggr -eucl	1189	1293	47.90
31	1st	-title-only -journal -ref -silence -noise -norm -fft -diff	1188	1294	47.86
32	1st	-title-only -journal -ref -silence -low -fft -diff	1188	1294	47.86
33	1st	-title-only -journal -ref -bandstop -aggr -mink	1186	1296	47.78
34	1st	-title-only -journal -ref -silence -bandstop -fft -mink	1186	1296	47.78
35	1st	-title-only -journal -ref -bandstop -fft -mink	1186	1296	47.78
36	1st	-title-only -journal -ref -silence -noise -low -fft -cheb	1185	1297	47.74
37	1st	-title-only -journal -ref -silence -noise -low -aggr -cheb	1185	1297	47.74
38	1st	-title-only -journal -ref -noise -norm -fft -cheb	1182	1300	47.62
39	1st	-title-only -journal -ref -noise -norm -aggr -cheb	1182	1300	47.62
40	1st	-title-only -journal -ref -low -aggr -cheb	1182	1300	47.62
41	1st	-title-only -journal -ref -low -fft -cheb	1182	1300	47.62
42	1st	-title-only -journal -ref -silence -low -aggr -cheb	1180	1302	47.54
43	1st	-title-only -journal -ref -silence -noise -norm -aggr -cheb	1180	1302	47.54
44	1st	-title-only -journal -ref -silence -noise -norm -fft -cheb	1180	1302	47.54
45	1st	-title-only -journal -ref -silence -low -fft -cheb	1180	1302	47.54
46	1st	-title-only -journal -ref -silence -noise -bandstop -aggr -mink	1169	1313	47.10
47	1st	-title-only -journal -ref -noise -bandstop -aggr -mink	1169	1313	47.10
48	1st	-title-only -journal -ref -noise -bandstop -fft -mink	1169	1313	47.10
49	1st	-title-only -journal -ref -silence -noise -bandstop -fft -mink	1169	1313	47.10

Table 552: Consolidated results (piste2-result1-marf-title-only-journal-eval), Part 2.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
50	2nd	-title-only -journal -ref -silence -bandstop -fft -diff	1891	591	76.19
51	2nd	-title-only -journal -ref -silence -bandstop -aggr -diff	1890	592	76.15
52	2nd	-title-only -journal -ref -bandstop -aggr -eucl	1885	597	75.95
53	2nd	-title-only -journal -ref -silence -bandstop -fft -eucl	1885	597	75.95
54	2nd	-title-only -journal -ref -silence -bandstop -aggr -eucl	1885	597	75.95
55	2nd	-title-only -journal -ref -bandstop -fft -eucl	1885	597	75.95
56	2nd	-title-only -journal -ref -norm -aggr -eucl	1883	599	75.87
57	2nd	-title-only -journal -ref -silence -norm -aggr -eucl	1883	599	75.87
58	2nd	-title-only -journal -ref -norm -fft -eucl	1883	599	75.87
59	2nd	-title-only -journal -ref -silence -norm -fft -eucl	1883	599	75.87
60	2nd	-title-only -journal -ref -silence -noise -raw -fft -eucl	1874	608	75.50
61	2nd	-title-only -journal -ref -silence -raw -aggr -eucl	1874	608	75.50
62	2nd	-title-only -journal -ref -noise -raw -aggr -eucl	1874	608	75.50
63	2nd	-title-only -journal -ref -silence -noise -raw -aggr -eucl	1874	608	75.50
64	2nd	-title-only -journal -ref -silence -raw -fft -eucl	1874	608	75.50
65	2nd	-title-only -journal -ref -silence -bandstop -fft -cheb	1881	601	75.79
66	2nd	-title-only -journal -ref -raw -fft -eucl	1874	608	75.50
67	2nd	-title-only -journal -ref -noise -raw -fft -eucl	1874	608	75.50
68	2nd	-title-only -journal -ref -silence -bandstop -aggr -cheb	1881	601	75.79
69	2nd	-title-only -journal -ref -raw -aggr -eucl	1874	608	75.50
70	2nd	-title-only -journal -ref -bandstop -fft -cheb	1883	599	75.87
71	2nd	-title-only -journal -ref -bandstop -aggr -cheb	1883	599	75.87
72	2nd	-title-only -journal -ref -silence -noise -norm -aggr -eucl	1882	600	75.83
73	2nd	-title-only -journal -ref -noise -norm -fft -eucl	1882	600	75.83
74	2nd	-title-only -journal -ref -silence -noise -norm -fft -eucl	1882	600	75.83
75	2nd	-title-only -journal -ref -noise -norm -aggr -eucl	1882	600	75.83
76	2nd	-title-only -journal -ref -low -aggr -eucl	1882	600	75.83
77	2nd	-title-only -journal -ref -silence -low -fft -eucl	1882	600	75.83
78	2nd	-title-only -journal -ref -low -fft -eucl	1882	600	75.83
79	2nd	-title-only -journal -ref -silence -low -aggr -eucl	1882	600	75.83
80	2nd	-title-only -journal -ref -silence -noise -norm -fft -diff	1875	607	75.54
81	2nd	-title-only -journal -ref -silence -low -fft -diff	1875	607	75.54
82	2nd	-title-only -journal -ref -bandstop -aggr -mink	1879	603	75.71
83	2nd	-title-only -journal -ref -silence -bandstop -fft -mink	1879	603	75.71
84	2nd	-title-only -journal -ref -bandstop -fft -mink	1879	603	75.71
85	2nd	-title-only -journal -ref -silence -noise -low -fft -cheb	1844	638	74.29
86	2nd	-title-only -journal -ref -silence -noise -low -aggr -cheb	1844	638	74.29
87	2nd	-title-only -journal -ref -noise -norm -fft -cheb	1881	601	75.79
88	2nd	-title-only -journal -ref -noise -norm -aggr -cheb	1881	601	75.79
89	2nd	-title-only -journal -ref -low -aggr -cheb	1881	601	75.79
90	2nd	-title-only -journal -ref -low -fft -cheb	1881	601	75.79
91	2nd	-title-only -journal -ref -silence -low -aggr -cheb	1877	605	75.62
92	2nd	-title-only -journal -ref -silence -noise -norm -aggr -cheb	1877	605	75.62
93	2nd	-title-only -journal -ref -silence -noise -norm -fft -cheb	1877	605	75.62
94	2nd	-title-only -journal -ref -silence -low -fft -cheb	1877	605	75.62
95	2nd	-title-only -journal -ref -silence -noise -bandstop -aggr -mink	1850	632	74.54
96	2nd	-title-only -journal -ref -noise -bandstop -aggr -mink	1850	632	74.54
97	2nd	-title-only -journal -ref -noise -bandstop -fft -mink	1850	632	74.54
98	2nd	-title-only -journal -ref -silence -noise -bandstop -fft -mink	1850	632	74.54

Table 553: Consolidated results (piste2-result1-marf-title-only-journal-eval), Part 3.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	Le Monde	22887	6513	77.85
2	1st	L'Est Republicain	18418	8679	67.97
3	1st	Le Devoir	8686	23262	27.19
4	1st	La Presse	8324	24849	25.09
5	2nd	Le Monde	23530	5870	80.03
6	2nd	L'Est Republicain	19485	7612	71.91
7	2nd	Le Devoir	24466	7482	76.58
8	2nd	La Presse	24455	8718	73.72

Table 554: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-bandstop-aggr-cheb.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1511.00, corrects = 865.00)` `rappel = 0.750 precision = 0.572 f-mesure = 0.649`
`- classe Q (attendus = 1329, ramenes = 971.00, corrects = 683.00)` `rappel = 0.514 precision = 0.703 f-mesure = 0.594`
`- sur l'ensemble des 2 classes` `macro rappel = 0.632 macro precision = 0.638 macro F-mesure = 0.635`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 513.00, corrects = 181.00)` `rappel = 0.278 precision = 0.353 f-mesure = 0.311`
`- classe E (attendus = 553, ramenes = 748.00, corrects = 383.00)` `rappel = 0.693 precision = 0.512 f-mesure = 0.589`
`- classe M (attendus = 600, ramenes = 763.00, corrects = 462.00)` `rappel = 0.770 precision = 0.606 f-mesure = 0.678`
`- classe P (attendus = 677, ramenes = 458.00, corrects = 169.00)` `rappel = 0.250 precision = 0.369 f-mesure = 0.298`
`- sur l'ensemble des 4 classes` `macro rappel = 0.497 macro precision = 0.460 macro F-mesure = 0.478`

Table 555: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-bandstop-aggr-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1561.00, corrects = 885.00)` `rappel = 0.768 precision = 0.567 f-mesure = 0.652`
`- classe Q (attendus = 1329, ramenes = 921.00, corrects = 653.00)` `rappel = 0.491 precision = 0.709 f-mesure = 0.580`
`- sur l'ensemble des 2 classes` `macro rappel = 0.629 macro precision = 0.638 macro F-mesure = 0.634`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 483.00, corrects = 171.00)` `rappel = 0.262 precision = 0.354 f-mesure = 0.301`
`- classe E (attendus = 553, ramenes = 768.00, corrects = 384.00)` `rappel = 0.694 precision = 0.500 f-mesure = 0.581`
`- classe M (attendus = 600, ramenes = 793.00, corrects = 476.00)` `rappel = 0.793 precision = 0.600 f-mesure = 0.683`
`- classe P (attendus = 677, ramenes = 438.00, corrects = 170.00)` `rappel = 0.251 precision = 0.388 f-mesure = 0.305`
`- sur l'ensemble des 4 classes` `macro rappel = 0.500 macro precision = 0.461 macro F-mesure = 0.480`

Table 556: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-bandstop-aggr-mink.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1610.00, corrects = 897.00)` `rappel = 0.778 precision = 0.557 f-mesure = 0.649`
`- classe Q (attendus = 1329, ramenes = 872.00, corrects = 616.00)` `rappel = 0.464 precision = 0.706 f-mesure = 0.560`
`- sur l'ensemble des 2 classes` `macro rappel = 0.621 macro precision = 0.632 macro F-mesure = 0.626`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 426.00, corrects = 146.00)` `rappel = 0.224 precision = 0.343 f-mesure = 0.271`
`- classe E (attendus = 553, ramenes = 841.00, corrects = 408.00)` `rappel = 0.738 precision = 0.485 f-mesure = 0.585`
`- classe M (attendus = 600, ramenes = 769.00, corrects = 463.00)` `rappel = 0.772 precision = 0.602 f-mesure = 0.676`
`- classe P (attendus = 677, ramenes = 446.00, corrects = 169.00)` `rappel = 0.250 precision = 0.379 f-mesure = 0.301`
`- sur l'ensemble des 4 classes` `macro rappel = 0.496 macro precision = 0.452 macro F-mesure = 0.473`

Table 557: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-bandstop-fft-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1511.00, corrects = 865.00) rappel = 0.750 precision = 0.572 f-mesure = 0.649
- classe Q (attendus = 1329, ramenes = 971.00, corrects = 683.00) rappel = 0.514 precision = 0.703 f-mesure = 0.594
- sur l'ensemble des 2 classes macro rappel = 0.632 macro precision = 0.638 macro F-mesure = 0.635
Evaluation du journal
- classe D (attendus = 652, ramenes = 513.00, corrects = 181.00) rappel = 0.278 precision = 0.353 f-mesure = 0.311
- classe E (attendus = 553, ramenes = 748.00, corrects = 383.00) rappel = 0.693 precision = 0.512 f-mesure = 0.589
- classe M (attendus = 600, ramenes = 763.00, corrects = 462.00) rappel = 0.770 precision = 0.606 f-mesure = 0.678
- classe P (attendus = 677, ramenes = 458.00, corrects = 169.00) rappel = 0.250 precision = 0.369 f-mesure = 0.298
- sur l'ensemble des 4 classes macro rappel = 0.497 macro precision = 0.460 macro F-mesure = 0.478

Table 558: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-bandstop-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1561.00, corrects = 885.00) rappel = 0.768 precision = 0.567 f-mesure = 0.652
- classe Q (attendus = 1329, ramenes = 921.00, corrects = 653.00) rappel = 0.491 precision = 0.709 f-mesure = 0.580
- sur l'ensemble des 2 classes macro rappel = 0.629 macro precision = 0.638 macro F-mesure = 0.634
Evaluation du journal
- classe D (attendus = 652, ramenes = 483.00, corrects = 171.00) rappel = 0.262 precision = 0.354 f-mesure = 0.301
- classe E (attendus = 553, ramenes = 768.00, corrects = 384.00) rappel = 0.694 precision = 0.500 f-mesure = 0.581
- classe M (attendus = 600, ramenes = 793.00, corrects = 476.00) rappel = 0.793 precision = 0.600 f-mesure = 0.683
- classe P (attendus = 677, ramenes = 438.00, corrects = 170.00) rappel = 0.251 precision = 0.388 f-mesure = 0.305
- sur l'ensemble des 4 classes macro rappel = 0.500 macro precision = 0.461 macro F-mesure = 0.480

Table 559: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-bandstop-fft-mink.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1610.00, corrects = 897.00) rappel = 0.778 precision = 0.557 f-mesure = 0.649
- classe Q (attendus = 1329, ramenes = 872.00, corrects = 616.00) rappel = 0.464 precision = 0.706 f-mesure = 0.560
- sur l'ensemble des 2 classes macro rappel = 0.621 macro precision = 0.632 macro F-mesure = 0.626
Evaluation du journal
- classe D (attendus = 652, ramenes = 426.00, corrects = 146.00) rappel = 0.224 precision = 0.343 f-mesure = 0.271
- classe E (attendus = 553, ramenes = 841.00, corrects = 408.00) rappel = 0.738 precision = 0.485 f-mesure = 0.585
- classe M (attendus = 600, ramenes = 769.00, corrects = 463.00) rappel = 0.772 precision = 0.602 f-mesure = 0.676
- classe P (attendus = 677, ramenes = 446.00, corrects = 169.00) rappel = 0.250 precision = 0.379 f-mesure = 0.301
- sur l'ensemble des 4 classes macro rappel = 0.496 macro precision = 0.452 macro F-mesure = 0.473

Table 560: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-low-aggr-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1478.00, corrects = 845.00) rappel = 0.733 precision = 0.572 f-mesure = 0.642
- classe Q (attendus = 1329, ramenes = 1004.00, corrects = 696.00) rappel = 0.524 precision = 0.693 f-mesure = 0.597
- sur l'ensemble des 2 classes macro rappel = 0.628 macro precision = 0.632 macro F-mesure = 0.630
Evaluation du journal
- classe D (attendus = 652, ramenes = 537.00, corrects = 180.00) rappel = 0.276 precision = 0.335 f-mesure = 0.303
- classe E (attendus = 553, ramenes = 714.00, corrects = 358.00) rappel = 0.647 precision = 0.501 f-mesure = 0.565
- classe M (attendus = 600, ramenes = 764.00, corrects = 465.00) rappel = 0.775 precision = 0.609 f-mesure = 0.682
- classe P (attendus = 677, ramenes = 467.00, corrects = 179.00) rappel = 0.264 precision = 0.383 f-mesure = 0.313
- sur l'ensemble des 4 classes macro rappel = 0.491 macro precision = 0.457 macro F-mesure = 0.473

Table 561: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-low-aggr-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1537.00, corrects = 874.00)` `rappel = 0.758 precision = 0.569 f-mesure = 0.650`
`- classe Q (attendus = 1329, ramenes = 945.00, corrects = 666.00)` `rappel = 0.501 precision = 0.705 f-mesure = 0.586`
`- sur l'ensemble des 2 classes` `macro rappel = 0.630 macro precision = 0.637 macro F-mesure = 0.633`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 510.00, corrects = 178.00)` `rappel = 0.273 precision = 0.349 f-mesure = 0.306`
`- classe E (attendus = 553, ramenes = 746.00, corrects = 376.00)` `rappel = 0.680 precision = 0.504 f-mesure = 0.579`
`- classe M (attendus = 600, ramenes = 791.00, corrects = 472.00)` `rappel = 0.787 precision = 0.597 f-mesure = 0.679`
`- classe P (attendus = 677, ramenes = 435.00, corrects = 163.00)` `rappel = 0.241 precision = 0.375 f-mesure = 0.293`
`- sur l'ensemble des 4 classes` `macro rappel = 0.495 macro precision = 0.456 macro F-mesure = 0.475`

Table 562: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-low-fft-cheb.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1478.00, corrects = 845.00)` `rappel = 0.733 precision = 0.572 f-mesure = 0.642`
`- classe Q (attendus = 1329, ramenes = 1004.00, corrects = 696.00)` `rappel = 0.524 precision = 0.693 f-mesure = 0.597`
`- sur l'ensemble des 2 classes` `macro rappel = 0.628 macro precision = 0.632 macro F-mesure = 0.630`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 537.00, corrects = 180.00)` `rappel = 0.276 precision = 0.335 f-mesure = 0.303`
`- classe E (attendus = 553, ramenes = 714.00, corrects = 358.00)` `rappel = 0.647 precision = 0.501 f-mesure = 0.565`
`- classe M (attendus = 600, ramenes = 764.00, corrects = 465.00)` `rappel = 0.775 precision = 0.609 f-mesure = 0.682`
`- classe P (attendus = 677, ramenes = 467.00, corrects = 179.00)` `rappel = 0.264 precision = 0.383 f-mesure = 0.313`
`- sur l'ensemble des 4 classes` `macro rappel = 0.491 macro precision = 0.457 macro F-mesure = 0.473`

Table 563: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-low-fft-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1537.00, corrects = 874.00)` `rappel = 0.758 precision = 0.569 f-mesure = 0.650`
`- classe Q (attendus = 1329, ramenes = 945.00, corrects = 666.00)` `rappel = 0.501 precision = 0.705 f-mesure = 0.586`
`- sur l'ensemble des 2 classes` `macro rappel = 0.630 macro precision = 0.637 macro F-mesure = 0.633`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 510.00, corrects = 178.00)` `rappel = 0.273 precision = 0.349 f-mesure = 0.306`
`- classe E (attendus = 553, ramenes = 746.00, corrects = 376.00)` `rappel = 0.680 precision = 0.504 f-mesure = 0.579`
`- classe M (attendus = 600, ramenes = 791.00, corrects = 472.00)` `rappel = 0.787 precision = 0.597 f-mesure = 0.679`
`- classe P (attendus = 677, ramenes = 435.00, corrects = 163.00)` `rappel = 0.241 precision = 0.375 f-mesure = 0.293`
`- sur l'ensemble des 4 classes` `macro rappel = 0.495 macro precision = 0.456 macro F-mesure = 0.475`

Table 564: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-noise-bandstop-aggr-mink.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1591.00, corrects = 874.00)` `rappel = 0.758 precision = 0.549 f-mesure = 0.637`
`- classe Q (attendus = 1329, ramenes = 891.00, corrects = 612.00)` `rappel = 0.460 precision = 0.687 f-mesure = 0.551`
`- sur l'ensemble des 2 classes` `macro rappel = 0.609 macro precision = 0.618 macro F-mesure = 0.614`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 439.00, corrects = 158.00)` `rappel = 0.242 precision = 0.360 f-mesure = 0.290`
`- classe E (attendus = 553, ramenes = 828.00, corrects = 404.00)` `rappel = 0.731 precision = 0.488 f-mesure = 0.585`
`- classe M (attendus = 600, ramenes = 763.00, corrects = 443.00)` `rappel = 0.738 precision = 0.581 f-mesure = 0.650`
`- classe P (attendus = 677, ramenes = 452.00, corrects = 164.00)` `rappel = 0.242 precision = 0.363 f-mesure = 0.291`
`- sur l'ensemble des 4 classes` `macro rappel = 0.488 macro precision = 0.448 macro F-mesure = 0.467`

Table 565: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-noise-bandstop-fft-mink.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1591.00, corrects = 874.00) rappel = 0.758 precision = 0.549 f-mesure = 0.637
- classe Q (attendus = 1329, ramenes = 891.00, corrects = 612.00) rappel = 0.460 precision = 0.687 f-mesure = 0.551
- sur l'ensemble des 2 classes macro rappel = 0.609 macro precision = 0.618 macro F-mesure = 0.614
Evaluation du journal
- classe D (attendus = 652, ramenes = 439.00, corrects = 158.00) rappel = 0.242 precision = 0.360 f-mesure = 0.290
- classe E (attendus = 553, ramenes = 828.00, corrects = 404.00) rappel = 0.731 precision = 0.488 f-mesure = 0.585
- classe M (attendus = 600, ramenes = 763.00, corrects = 443.00) rappel = 0.738 precision = 0.581 f-mesure = 0.650
- classe P (attendus = 677, ramenes = 452.00, corrects = 164.00) rappel = 0.242 precision = 0.363 f-mesure = 0.291
- sur l'ensemble des 4 classes macro rappel = 0.488 macro precision = 0.448 macro F-mesure = 0.467

Table 566: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-noise-norm-aggr-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1478.00, corrects = 845.00) rappel = 0.733 precision = 0.572 f-mesure = 0.642
- classe Q (attendus = 1329, ramenes = 1004.00, corrects = 696.00) rappel = 0.524 precision = 0.693 f-mesure = 0.597
- sur l'ensemble des 2 classes macro rappel = 0.628 macro precision = 0.632 macro F-mesure = 0.630
Evaluation du journal
- classe D (attendus = 652, ramenes = 537.00, corrects = 180.00) rappel = 0.276 precision = 0.335 f-mesure = 0.303
- classe E (attendus = 553, ramenes = 714.00, corrects = 358.00) rappel = 0.647 precision = 0.501 f-mesure = 0.565
- classe M (attendus = 600, ramenes = 764.00, corrects = 465.00) rappel = 0.775 precision = 0.609 f-mesure = 0.682
- classe P (attendus = 677, ramenes = 467.00, corrects = 179.00) rappel = 0.264 precision = 0.383 f-mesure = 0.313
- sur l'ensemble des 4 classes macro rappel = 0.491 macro precision = 0.457 macro F-mesure = 0.473

Table 567: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-noise-norm-aggr-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1537.00, corrects = 874.00) rappel = 0.758 precision = 0.569 f-mesure = 0.650
- classe Q (attendus = 1329, ramenes = 945.00, corrects = 666.00) rappel = 0.501 precision = 0.705 f-mesure = 0.586
- sur l'ensemble des 2 classes macro rappel = 0.630 macro precision = 0.637 macro F-mesure = 0.633
Evaluation du journal
- classe D (attendus = 652, ramenes = 510.00, corrects = 178.00) rappel = 0.273 precision = 0.349 f-mesure = 0.306
- classe E (attendus = 553, ramenes = 746.00, corrects = 376.00) rappel = 0.680 precision = 0.504 f-mesure = 0.579
- classe M (attendus = 600, ramenes = 791.00, corrects = 472.00) rappel = 0.787 precision = 0.597 f-mesure = 0.679
- classe P (attendus = 677, ramenes = 435.00, corrects = 163.00) rappel = 0.241 precision = 0.375 f-mesure = 0.293
- sur l'ensemble des 4 classes macro rappel = 0.495 macro precision = 0.456 macro F-mesure = 0.475

Table 568: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-noise-norm-fft-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1478.00, corrects = 845.00) rappel = 0.733 precision = 0.572 f-mesure = 0.642
- classe Q (attendus = 1329, ramenes = 1004.00, corrects = 696.00) rappel = 0.524 precision = 0.693 f-mesure = 0.597
- sur l'ensemble des 2 classes macro rappel = 0.628 macro precision = 0.632 macro F-mesure = 0.630
Evaluation du journal
- classe D (attendus = 652, ramenes = 537.00, corrects = 180.00) rappel = 0.276 precision = 0.335 f-mesure = 0.303
- classe E (attendus = 553, ramenes = 714.00, corrects = 358.00) rappel = 0.647 precision = 0.501 f-mesure = 0.565
- classe M (attendus = 600, ramenes = 764.00, corrects = 465.00) rappel = 0.775 precision = 0.609 f-mesure = 0.682
- classe P (attendus = 677, ramenes = 467.00, corrects = 179.00) rappel = 0.264 precision = 0.383 f-mesure = 0.313
- sur l'ensemble des 4 classes macro rappel = 0.491 macro precision = 0.457 macro F-mesure = 0.473

Table 569: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-noise-norm-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1537.00, corrects = 874.00) rappel = 0.758 precision = 0.569 f-mesure = 0.650
- classe Q (attendus = 1329, ramenes = 945.00, corrects = 666.00) rappel = 0.501 precision = 0.705 f-mesure = 0.586
- sur l'ensemble des 2 classes macro rappel = 0.630 macro precision = 0.637 macro F-mesure = 0.633
Evaluation du journal
- classe D (attendus = 652, ramenes = 510.00, corrects = 178.00) rappel = 0.273 precision = 0.349 f-mesure = 0.306
- classe E (attendus = 553, ramenes = 746.00, corrects = 376.00) rappel = 0.680 precision = 0.504 f-mesure = 0.579
- classe M (attendus = 600, ramenes = 791.00, corrects = 472.00) rappel = 0.787 precision = 0.597 f-mesure = 0.679
- classe P (attendus = 677, ramenes = 435.00, corrects = 163.00) rappel = 0.241 precision = 0.375 f-mesure = 0.293
- sur l'ensemble des 4 classes macro rappel = 0.495 macro precision = 0.456 macro F-mesure = 0.475

Table 570: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-noise-raw-aggr-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1519.00, corrects = 864.00) rappel = 0.749 precision = 0.569 f-mesure = 0.647
- classe Q (attendus = 1329, ramenes = 963.00, corrects = 674.00) rappel = 0.507 precision = 0.700 f-mesure = 0.588
- sur l'ensemble des 2 classes macro rappel = 0.628 macro precision = 0.634 macro F-mesure = 0.631
Evaluation du journal
- classe D (attendus = 652, ramenes = 526.00, corrects = 188.00) rappel = 0.288 precision = 0.357 f-mesure = 0.319
- classe E (attendus = 553, ramenes = 723.00, corrects = 362.00) rappel = 0.655 precision = 0.501 f-mesure = 0.567
- classe M (attendus = 600, ramenes = 796.00, corrects = 478.00) rappel = 0.797 precision = 0.601 f-mesure = 0.685
- classe P (attendus = 677, ramenes = 437.00, corrects = 169.00) rappel = 0.250 precision = 0.387 f-mesure = 0.303
- sur l'ensemble des 4 classes macro rappel = 0.497 macro precision = 0.461 macro F-mesure = 0.479

Table 571: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-noise-raw-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1519.00, corrects = 864.00) rappel = 0.749 precision = 0.569 f-mesure = 0.647
- classe Q (attendus = 1329, ramenes = 963.00, corrects = 674.00) rappel = 0.507 precision = 0.700 f-mesure = 0.588
- sur l'ensemble des 2 classes macro rappel = 0.628 macro precision = 0.634 macro F-mesure = 0.631
Evaluation du journal
- classe D (attendus = 652, ramenes = 526.00, corrects = 188.00) rappel = 0.288 precision = 0.357 f-mesure = 0.319
- classe E (attendus = 553, ramenes = 723.00, corrects = 362.00) rappel = 0.655 precision = 0.501 f-mesure = 0.567
- classe M (attendus = 600, ramenes = 796.00, corrects = 478.00) rappel = 0.797 precision = 0.601 f-mesure = 0.685
- classe P (attendus = 677, ramenes = 437.00, corrects = 169.00) rappel = 0.250 precision = 0.387 f-mesure = 0.303
- sur l'ensemble des 4 classes macro rappel = 0.497 macro precision = 0.461 macro F-mesure = 0.479

Table 572: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-norm-aggr-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1564.00, corrects = 888.00) rappel = 0.770 precision = 0.568 f-mesure = 0.654
- classe Q (attendus = 1329, ramenes = 918.00, corrects = 653.00) rappel = 0.491 precision = 0.711 f-mesure = 0.581
- sur l'ensemble des 2 classes macro rappel = 0.631 macro precision = 0.640 macro F-mesure = 0.635
Evaluation du journal
- classe D (attendus = 652, ramenes = 473.00, corrects = 164.00) rappel = 0.252 precision = 0.347 f-mesure = 0.292
- classe E (attendus = 553, ramenes = 770.00, corrects = 385.00) rappel = 0.696 precision = 0.500 f-mesure = 0.582
- classe M (attendus = 600, ramenes = 794.00, corrects = 478.00) rappel = 0.797 precision = 0.602 f-mesure = 0.686
- classe P (attendus = 677, ramenes = 445.00, corrects = 171.00) rappel = 0.253 precision = 0.384 f-mesure = 0.305
- sur l'ensemble des 4 classes macro rappel = 0.499 macro precision = 0.458 macro F-mesure = 0.478

Table 573: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-norm-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1564.00, corrects = 888.00) rappel = 0.770 precision = 0.568 f-mesure = 0.654
- classe Q (attendus = 1329, ramenes = 918.00, corrects = 653.00) rappel = 0.491 precision = 0.711 f-mesure = 0.581
- sur l'ensemble des 2 classes macro rappel = 0.631 macro precision = 0.640 macro F-mesure = 0.635
Evaluation du journal
- classe D (attendus = 652, ramenes = 473.00, corrects = 164.00) rappel = 0.252 precision = 0.347 f-mesure = 0.292
- classe E (attendus = 553, ramenes = 770.00, corrects = 385.00) rappel = 0.696 precision = 0.500 f-mesure = 0.582
- classe M (attendus = 600, ramenes = 794.00, corrects = 478.00) rappel = 0.797 precision = 0.602 f-mesure = 0.686
- classe P (attendus = 677, ramenes = 445.00, corrects = 171.00) rappel = 0.253 precision = 0.384 f-mesure = 0.305
- sur l'ensemble des 4 classes macro rappel = 0.499 macro precision = 0.458 macro F-mesure = 0.478

Table 574: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-raw-aggr-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1519.00, corrects = 864.00) rappel = 0.749 precision = 0.569 f-mesure = 0.647
- classe Q (attendus = 1329, ramenes = 963.00, corrects = 674.00) rappel = 0.507 precision = 0.700 f-mesure = 0.588
- sur l'ensemble des 2 classes macro rappel = 0.628 macro precision = 0.634 macro F-mesure = 0.631
Evaluation du journal
- classe D (attendus = 652, ramenes = 526.00, corrects = 188.00) rappel = 0.288 precision = 0.357 f-mesure = 0.319
- classe E (attendus = 553, ramenes = 723.00, corrects = 362.00) rappel = 0.655 precision = 0.501 f-mesure = 0.567
- classe M (attendus = 600, ramenes = 796.00, corrects = 478.00) rappel = 0.797 precision = 0.601 f-mesure = 0.685
- classe P (attendus = 677, ramenes = 437.00, corrects = 169.00) rappel = 0.250 precision = 0.387 f-mesure = 0.303
- sur l'ensemble des 4 classes macro rappel = 0.497 macro precision = 0.461 macro F-mesure = 0.479

Table 575: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-raw-fft-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1519.00, corrects = 864.00)` `rappel = 0.749 precision = 0.569 f-mesure = 0.647`
`- classe Q (attendus = 1329, ramenes = 963.00, corrects = 674.00)` `rappel = 0.507 precision = 0.700 f-mesure = 0.588`
`- sur l'ensemble des 2 classes` `macro rappel = 0.628 macro precision = 0.634 macro F-mesure = 0.631`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 526.00, corrects = 188.00)` `rappel = 0.288 precision = 0.357 f-mesure = 0.319`
`- classe E (attendus = 553, ramenes = 723.00, corrects = 362.00)` `rappel = 0.655 precision = 0.501 f-mesure = 0.567`
`- classe M (attendus = 600, ramenes = 796.00, corrects = 478.00)` `rappel = 0.797 precision = 0.601 f-mesure = 0.685`
`- classe P (attendus = 677, ramenes = 437.00, corrects = 169.00)` `rappel = 0.250 precision = 0.387 f-mesure = 0.303`
`- sur l'ensemble des 4 classes` `macro rappel = 0.497 macro precision = 0.461 macro F-mesure = 0.479`

Table 576: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-bandstop-aggr-cheb.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1512.00, corrects = 867.00)` `rappel = 0.752 precision = 0.573 f-mesure = 0.651`
`- classe Q (attendus = 1329, ramenes = 970.00, corrects = 684.00)` `rappel = 0.515 precision = 0.705 f-mesure = 0.595`
`- sur l'ensemble des 2 classes` `macro rappel = 0.633 macro precision = 0.639 macro F-mesure = 0.636`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 513.00, corrects = 181.00)` `rappel = 0.278 precision = 0.353 f-mesure = 0.311`
`- classe E (attendus = 553, ramenes = 747.00, corrects = 383.00)` `rappel = 0.693 precision = 0.513 f-mesure = 0.589`
`- classe M (attendus = 600, ramenes = 765.00, corrects = 464.00)` `rappel = 0.773 precision = 0.607 f-mesure = 0.680`
`- classe P (attendus = 677, ramenes = 457.00, corrects = 169.00)` `rappel = 0.250 precision = 0.370 f-mesure = 0.298`
`- sur l'ensemble des 4 classes` `macro rappel = 0.498 macro precision = 0.460 macro F-mesure = 0.479`

Table 577: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-bandstop-aggr-diff.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1514.00, corrects = 869.00) rappel = 0.754 precision = 0.574 f-mesure = 0.652
- classe Q (attendus = 1329, ramenes = 968.00, corrects = 684.00) rappel = 0.515 precision = 0.707 f-mesure = 0.596
- sur l'ensemble des 2 classes macro rappel = 0.634 macro precision = 0.640 macro F-mesure = 0.637
Evaluation du journal
- classe D (attendus = 652, ramenes = 530.00, corrects = 192.00) rappel = 0.294 precision = 0.362 f-mesure = 0.325
- classe E (attendus = 553, ramenes = 747.00, corrects = 384.00) rappel = 0.694 precision = 0.514 f-mesure = 0.591
- classe M (attendus = 600, ramenes = 767.00, corrects = 464.00) rappel = 0.773 precision = 0.605 f-mesure = 0.679
- classe P (attendus = 677, ramenes = 438.00, corrects = 169.00) rappel = 0.250 precision = 0.386 f-mesure = 0.303
- sur l'ensemble des 4 classes macro rappel = 0.503 macro precision = 0.467 macro F-mesure = 0.484

Table 578: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-bandstop-aggr-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1560.00, corrects = 885.00) rappel = 0.768 precision = 0.567 f-mesure = 0.652
- classe Q (attendus = 1329, ramenes = 922.00, corrects = 654.00) rappel = 0.492 precision = 0.709 f-mesure = 0.581
- sur l'ensemble des 2 classes macro rappel = 0.630 macro precision = 0.638 macro F-mesure = 0.634
Evaluation du journal
- classe D (attendus = 652, ramenes = 487.00, corrects = 172.00) rappel = 0.264 precision = 0.353 f-mesure = 0.302
- classe E (attendus = 553, ramenes = 767.00, corrects = 384.00) rappel = 0.694 precision = 0.501 f-mesure = 0.582
- classe M (attendus = 600, ramenes = 793.00, corrects = 476.00) rappel = 0.793 precision = 0.600 f-mesure = 0.683
- classe P (attendus = 677, ramenes = 435.00, corrects = 169.00) rappel = 0.250 precision = 0.389 f-mesure = 0.304
- sur l'ensemble des 4 classes macro rappel = 0.500 macro precision = 0.461 macro F-mesure = 0.480

Table 579: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-bandstop-fft-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1512.00, corrects = 867.00) rappel = 0.752 precision = 0.573 f-mesure = 0.651
- classe Q (attendus = 1329, ramenes = 970.00, corrects = 684.00) rappel = 0.515 precision = 0.705 f-mesure = 0.595
- sur l'ensemble des 2 classes macro rappel = 0.633 macro precision = 0.639 macro F-mesure = 0.636
Evaluation du journal
- classe D (attendus = 652, ramenes = 513.00, corrects = 181.00) rappel = 0.278 precision = 0.353 f-mesure = 0.311
- classe E (attendus = 553, ramenes = 747.00, corrects = 383.00) rappel = 0.693 precision = 0.513 f-mesure = 0.589
- classe M (attendus = 600, ramenes = 765.00, corrects = 464.00) rappel = 0.773 precision = 0.607 f-mesure = 0.680
- classe P (attendus = 677, ramenes = 457.00, corrects = 169.00) rappel = 0.250 precision = 0.370 f-mesure = 0.298
- sur l'ensemble des 4 classes macro rappel = 0.498 macro precision = 0.460 macro F-mesure = 0.479

Table 580: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-bandstop-fft-diff.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1514.00, corrects = 869.00) rappel = 0.754 precision = 0.574 f-mesure = 0.652
- classe Q (attendus = 1329, ramenes = 968.00, corrects = 684.00) rappel = 0.515 precision = 0.707 f-mesure = 0.596
- sur l'ensemble des 2 classes macro rappel = 0.634 macro precision = 0.640 macro F-mesure = 0.637
Evaluation du journal
- classe D (attendus = 652, ramenes = 529.00, corrects = 192.00) rappel = 0.294 precision = 0.363 f-mesure = 0.325
- classe E (attendus = 553, ramenes = 747.00, corrects = 384.00) rappel = 0.694 precision = 0.514 f-mesure = 0.591
- classe M (attendus = 600, ramenes = 767.00, corrects = 464.00) rappel = 0.773 precision = 0.605 f-mesure = 0.679
- classe P (attendus = 677, ramenes = 439.00, corrects = 170.00) rappel = 0.251 precision = 0.387 f-mesure = 0.305
- sur l'ensemble des 4 classes macro rappel = 0.503 macro precision = 0.467 macro F-mesure = 0.485

Table 581: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-bandstop-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1560.00, corrects = 885.00) rappel = 0.768 precision = 0.567 f-mesure = 0.652
- classe Q (attendus = 1329, ramenes = 922.00, corrects = 654.00) rappel = 0.492 precision = 0.709 f-mesure = 0.581
- sur l'ensemble des 2 classes macro rappel = 0.630 macro precision = 0.638 macro F-mesure = 0.634
Evaluation du journal
- classe D (attendus = 652, ramenes = 487.00, corrects = 172.00) rappel = 0.264 precision = 0.353 f-mesure = 0.302
- classe E (attendus = 553, ramenes = 767.00, corrects = 384.00) rappel = 0.694 precision = 0.501 f-mesure = 0.582
- classe M (attendus = 600, ramenes = 793.00, corrects = 476.00) rappel = 0.793 precision = 0.600 f-mesure = 0.683
- classe P (attendus = 677, ramenes = 435.00, corrects = 169.00) rappel = 0.250 precision = 0.389 f-mesure = 0.304
- sur l'ensemble des 4 classes macro rappel = 0.500 macro precision = 0.461 macro F-mesure = 0.480

Table 582: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-bandstop-fft-mink.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1610.00, corrects = 897.00) rappel = 0.778 precision = 0.557 f-mesure = 0.649
- classe Q (attendus = 1329, ramenes = 872.00, corrects = 616.00) rappel = 0.464 precision = 0.706 f-mesure = 0.560
- sur l'ensemble des 2 classes macro rappel = 0.621 macro precision = 0.632 macro F-mesure = 0.626
Evaluation du journal
- classe D (attendus = 652, ramenes = 426.00, corrects = 146.00) rappel = 0.224 precision = 0.343 f-mesure = 0.271
- classe E (attendus = 553, ramenes = 841.00, corrects = 408.00) rappel = 0.738 precision = 0.485 f-mesure = 0.585
- classe M (attendus = 600, ramenes = 769.00, corrects = 463.00) rappel = 0.772 precision = 0.602 f-mesure = 0.676
- classe P (attendus = 677, ramenes = 446.00, corrects = 169.00) rappel = 0.250 precision = 0.379 f-mesure = 0.301
- sur l'ensemble des 4 classes macro rappel = 0.496 macro precision = 0.452 macro F-mesure = 0.473

Table 583: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-low-aggr-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1476.00, corrects = 844.00) rappel = 0.732 precision = 0.572 f-mesure = 0.642
- classe Q (attendus = 1329, ramenes = 1006.00, corrects = 697.00) rappel = 0.524 precision = 0.693 f-mesure = 0.597
- sur l'ensemble des 2 classes macro rappel = 0.628 macro precision = 0.632 macro F-mesure = 0.630
Evaluation du journal
- classe D (attendus = 652, ramenes = 538.00, corrects = 180.00) rappel = 0.276 precision = 0.335 f-mesure = 0.303
- classe E (attendus = 553, ramenes = 713.00, corrects = 358.00) rappel = 0.647 precision = 0.502 f-mesure = 0.566
- classe M (attendus = 600, ramenes = 763.00, corrects = 464.00) rappel = 0.773 precision = 0.608 f-mesure = 0.681
- classe P (attendus = 677, ramenes = 468.00, corrects = 178.00) rappel = 0.263 precision = 0.380 f-mesure = 0.311
- sur l'ensemble des 4 classes macro rappel = 0.490 macro precision = 0.456 macro F-mesure = 0.473

Table 584: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-low-aggr-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1537.00, corrects = 874.00) rappel = 0.758 precision = 0.569 f-mesure = 0.650
- classe Q (attendus = 1329, ramenes = 945.00, corrects = 666.00) rappel = 0.501 precision = 0.705 f-mesure = 0.586
- sur l'ensemble des 2 classes macro rappel = 0.630 macro precision = 0.637 macro F-mesure = 0.633
Evaluation du journal
- classe D (attendus = 652, ramenes = 511.00, corrects = 178.00) rappel = 0.273 precision = 0.348 f-mesure = 0.306
- classe E (attendus = 553, ramenes = 746.00, corrects = 376.00) rappel = 0.680 precision = 0.504 f-mesure = 0.579
- classe M (attendus = 600, ramenes = 791.00, corrects = 472.00) rappel = 0.787 precision = 0.597 f-mesure = 0.679
- classe P (attendus = 677, ramenes = 434.00, corrects = 163.00) rappel = 0.241 precision = 0.376 f-mesure = 0.293
- sur l'ensemble des 4 classes macro rappel = 0.495 macro precision = 0.456 macro F-mesure = 0.475

Table 585: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-low-fft-cheb.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1476.00, corrects = 844.00)` `rappel = 0.732 precision = 0.572 f-mesure = 0.642`
`- classe Q (attendus = 1329, ramenes = 1006.00, corrects = 697.00)` `rappel = 0.524 precision = 0.693 f-mesure = 0.597`
`- sur l'ensemble des 2 classes` `macro rappel = 0.628 macro precision = 0.632 macro F-mesure = 0.630`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 538.00, corrects = 180.00)` `rappel = 0.276 precision = 0.335 f-mesure = 0.303`
`- classe E (attendus = 553, ramenes = 713.00, corrects = 358.00)` `rappel = 0.647 precision = 0.502 f-mesure = 0.566`
`- classe M (attendus = 600, ramenes = 763.00, corrects = 464.00)` `rappel = 0.773 precision = 0.608 f-mesure = 0.681`
`- classe P (attendus = 677, ramenes = 468.00, corrects = 178.00)` `rappel = 0.263 precision = 0.380 f-mesure = 0.311`
`- sur l'ensemble des 4 classes` `macro rappel = 0.490 macro precision = 0.456 macro F-mesure = 0.473`

Table 586: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-low-fft-diff.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1468.00, corrects = 846.00)` `rappel = 0.734 precision = 0.576 f-mesure = 0.646`
`- classe Q (attendus = 1329, ramenes = 1014.00, corrects = 707.00)` `rappel = 0.532 precision = 0.697 f-mesure = 0.603`
`- sur l'ensemble des 2 classes` `macro rappel = 0.633 macro precision = 0.637 macro F-mesure = 0.635`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 557.00, corrects = 190.00)` `rappel = 0.291 precision = 0.341 f-mesure = 0.314`
`- classe E (attendus = 553, ramenes = 715.00, corrects = 364.00)` `rappel = 0.658 precision = 0.509 f-mesure = 0.574`
`- classe M (attendus = 600, ramenes = 753.00, corrects = 460.00)` `rappel = 0.767 precision = 0.611 f-mesure = 0.680`
`- classe P (attendus = 677, ramenes = 457.00, corrects = 174.00)` `rappel = 0.257 precision = 0.381 f-mesure = 0.307`
`- sur l'ensemble des 4 classes` `macro rappel = 0.493 macro precision = 0.460 macro F-mesure = 0.476`

Table 587: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-low-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1537.00, corrects = 874.00) rappel = 0.758 precision = 0.569 f-mesure = 0.650
- classe Q (attendus = 1329, ramenes = 945.00, corrects = 666.00) rappel = 0.501 precision = 0.705 f-mesure = 0.586
- sur l'ensemble des 2 classes macro rappel = 0.630 macro precision = 0.637 macro F-mesure = 0.633
Evaluation du journal
- classe D (attendus = 652, ramenes = 511.00, corrects = 178.00) rappel = 0.273 precision = 0.348 f-mesure = 0.306
- classe E (attendus = 553, ramenes = 746.00, corrects = 376.00) rappel = 0.680 precision = 0.504 f-mesure = 0.579
- classe M (attendus = 600, ramenes = 791.00, corrects = 472.00) rappel = 0.787 precision = 0.597 f-mesure = 0.679
- classe P (attendus = 677, ramenes = 434.00, corrects = 163.00) rappel = 0.241 precision = 0.376 f-mesure = 0.293
- sur l'ensemble des 4 classes macro rappel = 0.495 macro precision = 0.456 macro F-mesure = 0.475

Table 588: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-noise-bandstop-aggr-mink.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1591.00, corrects = 874.00) rappel = 0.758 precision = 0.549 f-mesure = 0.637
- classe Q (attendus = 1329, ramenes = 891.00, corrects = 612.00) rappel = 0.460 precision = 0.687 f-mesure = 0.551
- sur l'ensemble des 2 classes macro rappel = 0.609 macro precision = 0.618 macro F-mesure = 0.614
Evaluation du journal
- classe D (attendus = 652, ramenes = 439.00, corrects = 158.00) rappel = 0.242 precision = 0.360 f-mesure = 0.290
- classe E (attendus = 553, ramenes = 828.00, corrects = 404.00) rappel = 0.731 precision = 0.488 f-mesure = 0.585
- classe M (attendus = 600, ramenes = 763.00, corrects = 443.00) rappel = 0.738 precision = 0.581 f-mesure = 0.650
- classe P (attendus = 677, ramenes = 452.00, corrects = 164.00) rappel = 0.242 precision = 0.363 f-mesure = 0.291
- sur l'ensemble des 4 classes macro rappel = 0.488 macro precision = 0.448 macro F-mesure = 0.467

Table 589: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-noise-bandstop-fft-mink.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1591.00, corrects = 874.00) rappel = 0.758 precision = 0.549 f-mesure = 0.637
- classe Q (attendus = 1329, ramenes = 891.00, corrects = 612.00) rappel = 0.460 precision = 0.687 f-mesure = 0.551
- sur l'ensemble des 2 classes macro rappel = 0.609 macro precision = 0.618 macro F-mesure = 0.614
Evaluation du journal
- classe D (attendus = 652, ramenes = 439.00, corrects = 158.00) rappel = 0.242 precision = 0.360 f-mesure = 0.290
- classe E (attendus = 553, ramenes = 828.00, corrects = 404.00) rappel = 0.731 precision = 0.488 f-mesure = 0.585
- classe M (attendus = 600, ramenes = 763.00, corrects = 443.00) rappel = 0.738 precision = 0.581 f-mesure = 0.650
- classe P (attendus = 677, ramenes = 452.00, corrects = 164.00) rappel = 0.242 precision = 0.363 f-mesure = 0.291
- sur l'ensemble des 4 classes macro rappel = 0.488 macro precision = 0.448 macro F-mesure = 0.467

Table 590: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-noise-low-aggr-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1457.00, corrects = 822.00) rappel = 0.713 precision = 0.564 f-mesure = 0.630
- classe Q (attendus = 1329, ramenes = 1025.00, corrects = 694.00) rappel = 0.522 precision = 0.677 f-mesure = 0.590
- sur l'ensemble des 2 classes macro rappel = 0.618 macro precision = 0.621 macro F-mesure = 0.619
Evaluation du journal
- classe D (attendus = 652, ramenes = 563.00, corrects = 209.00) rappel = 0.321 precision = 0.371 f-mesure = 0.344
- classe E (attendus = 553, ramenes = 688.00, corrects = 353.00) rappel = 0.638 precision = 0.513 f-mesure = 0.569
- classe M (attendus = 600, ramenes = 769.00, corrects = 447.00) rappel = 0.745 precision = 0.581 f-mesure = 0.653
- classe P (attendus = 677, ramenes = 462.00, corrects = 176.00) rappel = 0.260 precision = 0.381 f-mesure = 0.309
- sur l'ensemble des 4 classes macro rappel = 0.491 macro precision = 0.462 macro F-mesure = 0.476

Table 591: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-noise-low-fft-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1457.00, corrects = 822.00) rappel = 0.713 precision = 0.564 f-mesure = 0.630
- classe Q (attendus = 1329, ramenes = 1025.00, corrects = 694.00) rappel = 0.522 precision = 0.677 f-mesure = 0.590
- sur l'ensemble des 2 classes macro rappel = 0.618 macro precision = 0.621 macro F-mesure = 0.619
Evaluation du journal
- classe D (attendus = 652, ramenes = 563.00, corrects = 209.00) rappel = 0.321 precision = 0.371 f-mesure = 0.344
- classe E (attendus = 553, ramenes = 688.00, corrects = 353.00) rappel = 0.638 precision = 0.513 f-mesure = 0.569
- classe M (attendus = 600, ramenes = 769.00, corrects = 447.00) rappel = 0.745 precision = 0.581 f-mesure = 0.653
- classe P (attendus = 677, ramenes = 462.00, corrects = 176.00) rappel = 0.260 precision = 0.381 f-mesure = 0.309
- sur l'ensemble des 4 classes macro rappel = 0.491 macro precision = 0.462 macro F-mesure = 0.476

Table 592: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-noise-norm-aggr-cheb.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1476.00, corrects = 844.00) rappel = 0.732 precision = 0.572 f-mesure = 0.642
- classe Q (attendus = 1329, ramenes = 1006.00, corrects = 697.00) rappel = 0.524 precision = 0.693 f-mesure = 0.597
- sur l'ensemble des 2 classes macro rappel = 0.628 macro precision = 0.632 macro F-mesure = 0.630
Evaluation du journal
- classe D (attendus = 652, ramenes = 538.00, corrects = 180.00) rappel = 0.276 precision = 0.335 f-mesure = 0.303
- classe E (attendus = 553, ramenes = 713.00, corrects = 358.00) rappel = 0.647 precision = 0.502 f-mesure = 0.566
- classe M (attendus = 600, ramenes = 763.00, corrects = 464.00) rappel = 0.773 precision = 0.608 f-mesure = 0.681
- classe P (attendus = 677, ramenes = 468.00, corrects = 178.00) rappel = 0.263 precision = 0.380 f-mesure = 0.311
- sur l'ensemble des 4 classes macro rappel = 0.490 macro precision = 0.456 macro F-mesure = 0.473

Table 593: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-noise-norm-aggr-eucl.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1537.00, corrects = 874.00)` `rappel = 0.758 precision = 0.569 f-mesure = 0.650`
`- classe Q (attendus = 1329, ramenes = 945.00, corrects = 666.00)` `rappel = 0.501 precision = 0.705 f-mesure = 0.586`
`- sur l'ensemble des 2 classes` `macro rappel = 0.630 macro precision = 0.637 macro F-mesure = 0.633`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 511.00, corrects = 178.00)` `rappel = 0.273 precision = 0.348 f-mesure = 0.306`
`- classe E (attendus = 553, ramenes = 746.00, corrects = 376.00)` `rappel = 0.680 precision = 0.504 f-mesure = 0.579`
`- classe M (attendus = 600, ramenes = 791.00, corrects = 472.00)` `rappel = 0.787 precision = 0.597 f-mesure = 0.679`
`- classe P (attendus = 677, ramenes = 434.00, corrects = 163.00)` `rappel = 0.241 precision = 0.376 f-mesure = 0.293`
`- sur l'ensemble des 4 classes` `macro rappel = 0.495 macro precision = 0.456 macro F-mesure = 0.475`

Table 594: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-noise-norm-fft-cheb.prexml.xml`

Evaluation du pays
`- classe F (attendus = 1153, ramenes = 1476.00, corrects = 844.00)` `rappel = 0.732 precision = 0.572 f-mesure = 0.642`
`- classe Q (attendus = 1329, ramenes = 1006.00, corrects = 697.00)` `rappel = 0.524 precision = 0.693 f-mesure = 0.597`
`- sur l'ensemble des 2 classes` `macro rappel = 0.628 macro precision = 0.632 macro F-mesure = 0.630`
Evaluation du journal
`- classe D (attendus = 652, ramenes = 538.00, corrects = 180.00)` `rappel = 0.276 precision = 0.335 f-mesure = 0.303`
`- classe E (attendus = 553, ramenes = 713.00, corrects = 358.00)` `rappel = 0.647 precision = 0.502 f-mesure = 0.566`
`- classe M (attendus = 600, ramenes = 763.00, corrects = 464.00)` `rappel = 0.773 precision = 0.608 f-mesure = 0.681`
`- classe P (attendus = 677, ramenes = 468.00, corrects = 178.00)` `rappel = 0.263 precision = 0.380 f-mesure = 0.311`
`- sur l'ensemble des 4 classes` `macro rappel = 0.490 macro precision = 0.456 macro F-mesure = 0.473`

Table 595: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-noise-norm-fft-diff.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1468.00, corrects = 846.00) rappel = 0.734 precision = 0.576 f-mesure = 0.646
- classe Q (attendus = 1329, ramenes = 1014.00, corrects = 707.00) rappel = 0.532 precision = 0.697 f-mesure = 0.603
- sur l'ensemble des 2 classes macro rappel = 0.633 macro precision = 0.637 macro F-mesure = 0.635
Evaluation du journal
- classe D (attendus = 652, ramenes = 557.00, corrects = 190.00) rappel = 0.291 precision = 0.341 f-mesure = 0.314
- classe E (attendus = 553, ramenes = 715.00, corrects = 364.00) rappel = 0.658 precision = 0.509 f-mesure = 0.574
- classe M (attendus = 600, ramenes = 753.00, corrects = 460.00) rappel = 0.767 precision = 0.611 f-mesure = 0.680
- classe P (attendus = 677, ramenes = 457.00, corrects = 174.00) rappel = 0.257 precision = 0.381 f-mesure = 0.307
- sur l'ensemble des 4 classes macro rappel = 0.493 macro precision = 0.460 macro F-mesure = 0.476

Table 596: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-noise-norm-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1537.00, corrects = 874.00) rappel = 0.758 precision = 0.569 f-mesure = 0.650
- classe Q (attendus = 1329, ramenes = 945.00, corrects = 666.00) rappel = 0.501 precision = 0.705 f-mesure = 0.586
- sur l'ensemble des 2 classes macro rappel = 0.630 macro precision = 0.637 macro F-mesure = 0.633
Evaluation du journal
- classe D (attendus = 652, ramenes = 511.00, corrects = 178.00) rappel = 0.273 precision = 0.348 f-mesure = 0.306
- classe E (attendus = 553, ramenes = 746.00, corrects = 376.00) rappel = 0.680 precision = 0.504 f-mesure = 0.579
- classe M (attendus = 600, ramenes = 791.00, corrects = 472.00) rappel = 0.787 precision = 0.597 f-mesure = 0.679
- classe P (attendus = 677, ramenes = 434.00, corrects = 163.00) rappel = 0.241 precision = 0.376 f-mesure = 0.293
- sur l'ensemble des 4 classes macro rappel = 0.495 macro precision = 0.456 macro F-mesure = 0.475

Table 597: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-noise-raw-aggr-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1519.00, corrects = 864.00) rappel = 0.749 precision = 0.569 f-mesure = 0.647
- classe Q (attendus = 1329, ramenes = 963.00, corrects = 674.00) rappel = 0.507 precision = 0.700 f-mesure = 0.588
- sur l'ensemble des 2 classes macro rappel = 0.628 macro precision = 0.634 macro F-mesure = 0.631
Evaluation du journal
- classe D (attendus = 652, ramenes = 526.00, corrects = 188.00) rappel = 0.288 precision = 0.357 f-mesure = 0.319
- classe E (attendus = 553, ramenes = 723.00, corrects = 362.00) rappel = 0.655 precision = 0.501 f-mesure = 0.567
- classe M (attendus = 600, ramenes = 796.00, corrects = 478.00) rappel = 0.797 precision = 0.601 f-mesure = 0.685
- classe P (attendus = 677, ramenes = 437.00, corrects = 169.00) rappel = 0.250 precision = 0.387 f-mesure = 0.303
- sur l'ensemble des 4 classes macro rappel = 0.497 macro precision = 0.461 macro F-mesure = 0.479

Table 598: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-noise-raw-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1519.00, corrects = 864.00) rappel = 0.749 precision = 0.569 f-mesure = 0.647
- classe Q (attendus = 1329, ramenes = 963.00, corrects = 674.00) rappel = 0.507 precision = 0.700 f-mesure = 0.588
- sur l'ensemble des 2 classes macro rappel = 0.628 macro precision = 0.634 macro F-mesure = 0.631
Evaluation du journal
- classe D (attendus = 652, ramenes = 526.00, corrects = 188.00) rappel = 0.288 precision = 0.357 f-mesure = 0.319
- classe E (attendus = 553, ramenes = 723.00, corrects = 362.00) rappel = 0.655 precision = 0.501 f-mesure = 0.567
- classe M (attendus = 600, ramenes = 796.00, corrects = 478.00) rappel = 0.797 precision = 0.601 f-mesure = 0.685
- classe P (attendus = 677, ramenes = 437.00, corrects = 169.00) rappel = 0.250 precision = 0.387 f-mesure = 0.303
- sur l'ensemble des 4 classes macro rappel = 0.497 macro precision = 0.461 macro F-mesure = 0.479

Table 599: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-norm-aggr-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1564.00, corrects = 888.00) rappel = 0.770 precision = 0.568 f-mesure = 0.654
- classe Q (attendus = 1329, ramenes = 918.00, corrects = 653.00) rappel = 0.491 precision = 0.711 f-mesure = 0.581
- sur l'ensemble des 2 classes macro rappel = 0.631 macro precision = 0.640 macro F-mesure = 0.635

Evaluation du journal
- classe D (attendus = 652, ramenes = 473.00, corrects = 164.00) rappel = 0.252 precision = 0.347 f-mesure = 0.292
- classe E (attendus = 553, ramenes = 770.00, corrects = 385.00) rappel = 0.696 precision = 0.500 f-mesure = 0.582
- classe M (attendus = 600, ramenes = 794.00, corrects = 478.00) rappel = 0.797 precision = 0.602 f-mesure = 0.686
- classe P (attendus = 677, ramenes = 445.00, corrects = 171.00) rappel = 0.253 precision = 0.384 f-mesure = 0.305
- sur l'ensemble des 4 classes macro rappel = 0.499 macro precision = 0.458 macro F-mesure = 0.478

Table 600: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-norm-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1564.00, corrects = 888.00) rappel = 0.770 precision = 0.568 f-mesure = 0.654
- classe Q (attendus = 1329, ramenes = 918.00, corrects = 653.00) rappel = 0.491 precision = 0.711 f-mesure = 0.581
- sur l'ensemble des 2 classes macro rappel = 0.631 macro precision = 0.640 macro F-mesure = 0.635

Evaluation du journal
- classe D (attendus = 652, ramenes = 473.00, corrects = 164.00) rappel = 0.252 precision = 0.347 f-mesure = 0.292
- classe E (attendus = 553, ramenes = 770.00, corrects = 385.00) rappel = 0.696 precision = 0.500 f-mesure = 0.582
- classe M (attendus = 600, ramenes = 794.00, corrects = 478.00) rappel = 0.797 precision = 0.602 f-mesure = 0.686
- classe P (attendus = 677, ramenes = 445.00, corrects = 171.00) rappel = 0.253 precision = 0.384 f-mesure = 0.305
- sur l'ensemble des 4 classes macro rappel = 0.499 macro precision = 0.458 macro F-mesure = 0.478

Table 601: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-raw-aggr-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1519.00, corrects = 864.00) rappel = 0.749 precision = 0.569 f-mesure = 0.647
- classe Q (attendus = 1329, ramenes = 963.00, corrects = 674.00) rappel = 0.507 precision = 0.700 f-mesure = 0.588
- sur l'ensemble des 2 classes macro rappel = 0.628 macro precision = 0.634 macro F-mesure = 0.631
Evaluation du journal
- classe D (attendus = 652, ramenes = 526.00, corrects = 188.00) rappel = 0.288 precision = 0.357 f-mesure = 0.319
- classe E (attendus = 553, ramenes = 723.00, corrects = 362.00) rappel = 0.655 precision = 0.501 f-mesure = 0.567
- classe M (attendus = 600, ramenes = 796.00, corrects = 478.00) rappel = 0.797 precision = 0.601 f-mesure = 0.685
- classe P (attendus = 677, ramenes = 437.00, corrects = 169.00) rappel = 0.250 precision = 0.387 f-mesure = 0.303
- sur l'ensemble des 4 classes macro rappel = 0.497 macro precision = 0.461 macro F-mesure = 0.479

Table 602: Fichier évalué : `equipe_3_tache_2_execution_3-testing.sh-title-only-journal-ref-silence-raw-fft-eucl.prexml.xml`

Evaluation du pays
- classe F (attendus = 1153, ramenes = 1519.00, corrects = 864.00) rappel = 0.749 precision = 0.569 f-mesure = 0.647
- classe Q (attendus = 1329, ramenes = 963.00, corrects = 674.00) rappel = 0.507 precision = 0.700 f-mesure = 0.588
- sur l'ensemble des 2 classes macro rappel = 0.628 macro precision = 0.634 macro F-mesure = 0.631
Evaluation du journal
- classe D (attendus = 652, ramenes = 526.00, corrects = 188.00) rappel = 0.288 precision = 0.357 f-mesure = 0.319
- classe E (attendus = 553, ramenes = 723.00, corrects = 362.00) rappel = 0.655 precision = 0.501 f-mesure = 0.567
- classe M (attendus = 600, ramenes = 796.00, corrects = 478.00) rappel = 0.797 precision = 0.601 f-mesure = 0.685
- classe P (attendus = 677, ramenes = 437.00, corrects = 169.00) rappel = 0.250 precision = 0.387 f-mesure = 0.303
- sur l'ensemble des 4 classes macro rappel = 0.497 macro precision = 0.461 macro F-mesure = 0.479

4.2.6 Results for training data for title-only processing

Table 603: Consolidated results (piste2-result1-marf-title-only-stats), Part 1.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	-title-only -noise -raw -aggr -eucl	2525	1194	67.89
2	1st	-title-only -silence -noise -raw -aggr -eucl	2525	1194	67.89
3	1st	-title-only -raw -fft -eucl	2525	1194	67.89
4	1st	-title-only -silence -noise -raw -fft -eucl	2525	1194	67.89
5	1st	-title-only -raw -aggr -eucl	2525	1194	67.89
6	1st	-title-only -silence -raw -aggr -eucl	2525	1194	67.89
7	1st	-title-only -noise -raw -fft -eucl	2525	1194	67.89
8	1st	-title-only -silence -raw -fft -eucl	2525	1194	67.89
9	1st	-title-only -silence -low -fft -eucl	2521	1198	67.79
10	1st	-title-only -silence -noise -norm -fft -eucl	2521	1198	67.79
11	1st	-title-only -silence -low -aggr -eucl	2521	1198	67.79
12	1st	-title-only -silence -noise -norm -aggr -eucl	2521	1198	67.79
13	1st	-title-only -noise -norm -aggr -eucl	2520	1199	67.76
14	1st	-title-only -low -aggr -eucl	2520	1199	67.76
15	1st	-title-only -noise -norm -fft -eucl	2520	1199	67.76
16	1st	-title-only -low -fft -eucl	2520	1199	67.76
17	1st	-title-only -silence -noise -endp -fft -eucl	2513	1206	67.57
18	1st	-title-only -silence -noise -endp -aggr -eucl	2513	1206	67.57
19	1st	-title-only -noise -endp -aggr -eucl	2513	1206	67.57
20	1st	-title-only -noise -endp -fft -eucl	2513	1206	67.57
21	1st	-title-only -silence -bandstop -aggr -cos	2496	1223	67.11
22	1st	-title-only -silence -bandstop -fft -cos	2496	1223	67.11
23	1st	-title-only -silence -norm -aggr -cos	2494	1225	67.06
24	1st	-title-only -bandstop -fft -cos	2494	1225	67.06
25	1st	-title-only -silence -norm -fft -cos	2494	1225	67.06
26	1st	-title-only -bandstop -aggr -cos	2494	1225	67.06
27	1st	-title-only -norm -fft -cos	2494	1225	67.06
28	1st	-title-only -norm -aggr -cos	2494	1225	67.06
29	1st	-title-only -noise -bandstop -aggr -eucl	2489	1230	66.93
30	1st	-title-only -noise -bandstop -fft -eucl	2489	1230	66.93
31	1st	-title-only -silence -noise -bandstop -aggr -eucl	2488	1231	66.90
32	1st	-title-only -silence -noise -bandstop -fft -eucl	2488	1231	66.90
33	1st	-title-only -silence -bandstop -aggr -eucl	2487	1232	66.87
34	1st	-title-only -silence -bandstop -fft -eucl	2487	1232	66.87
35	1st	-title-only -bandstop -aggr -eucl	2486	1233	66.85
36	1st	-title-only -bandstop -fft -eucl	2486	1233	66.85
37	1st	-title-only -norm -aggr -eucl	2475	1244	66.55
38	1st	-title-only -silence -norm -aggr -eucl	2475	1244	66.55
39	1st	-title-only -norm -fft -eucl	2475	1244	66.55
40	1st	-title-only -silence -norm -fft -eucl	2475	1244	66.55
41	1st	-title-only -noise -low -fft -eucl	2472	1247	66.47
42	1st	-title-only -noise -low -aggr -eucl	2472	1247	66.47
43	1st	-title-only -silence -noise -low -fft -eucl	2471	1248	66.44
44	1st	-title-only -silence -noise -low -aggr -eucl	2471	1248	66.44
45	1st	-title-only -silence -noise -norm -fft -cheb	2460	1259	66.15
46	1st	-title-only -silence -low -aggr -cheb	2460	1259	66.15
47	1st	-title-only -silence -noise -norm -aggr -cheb	2460	1259	66.15
48	1st	-title-only -silence -low -fft -cheb	2460	1259	66.15
49	1st	-title-only -endp -fft -cos	2455	1264	66.01

Table 604: Consolidated results (piste2-result1-marf-title-only-stats), Part 2.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
50	1st	-title-only -low -fft -cheb	2455	1264	66.01
51	1st	-title-only -silence -endp -fft -cos	2455	1264	66.01
52	1st	-title-only -endp -aggr -cos	2455	1264	66.01
53	1st	-title-only -noise -norm -aggr -cheb	2455	1264	66.01
54	1st	-title-only -low -aggr -cheb	2455	1264	66.01
55	1st	-title-only -silence -endp -aggr -cos	2455	1264	66.01
56	1st	-title-only -noise -norm -fft -cheb	2455	1264	66.01
57	1st	-title-only -noise -low -aggr -cheb	2439	1280	65.58
58	1st	-title-only -noise -low -fft -cheb	2439	1280	65.58
59	1st	-title-only -silence -noise -low -fft -cheb	2438	1281	65.56
60	1st	-title-only -silence -noise -low -aggr -cheb	2438	1281	65.56
61	1st	-title-only -silence -noise -endp -fft -diff	2407	1312	64.72
62	1st	-title-only -endp -minmax -cos	2406	1313	64.69
63	1st	-title-only -silence -endp -minmax -cos	2406	1313	64.69
64	1st	-title-only -silence -noise -raw -minmax -cos	2404	1315	64.64
65	1st	-title-only -raw -minmax -cos	2404	1315	64.64
66	1st	-title-only -noise -raw -minmax -cos	2404	1315	64.64
67	1st	-title-only -silence -raw -minmax -cos	2404	1315	64.64
68	1st	-title-only -silence -noise -endp -aggr -diff	2399	1320	64.51
69	1st	-title-only -noise -norm -aggr -diff	2399	1320	64.51
70	1st	-title-only -low -aggr -diff	2399	1320	64.51
71	1st	-title-only -low -fft -diff	2397	1322	64.45
72	1st	-title-only -noise -norm -fft -diff	2397	1322	64.45
73	1st	-title-only -silence -bandstop -minmax -cos	2396	1323	64.43
74	1st	-title-only -bandstop -minmax -cos	2396	1323	64.43
75	1st	-title-only -silence -noise -endp -aggr -cheb	2395	1324	64.40
76	1st	-title-only -noise -endp -aggr -cheb	2395	1324	64.40
77	1st	-title-only -noise -endp -fft -cheb	2395	1324	64.40
78	1st	-title-only -silence -noise -endp -fft -cheb	2395	1324	64.40
79	1st	-title-only -noise -endp -fft -diff	2387	1332	64.18
80	1st	-title-only -noise -low -minmax -cos	2385	1334	64.13
81	1st	-title-only -silence -noise -low -fft -diff	2385	1334	64.13
82	1st	-title-only -silence -noise -low -aggr -diff	2385	1334	64.13
83	1st	-title-only -norm -minmax -cos	2383	1336	64.08
84	1st	-title-only -silence -norm -minmax -cos	2383	1336	64.08
85	1st	-title-only -silence -noise -low -minmax -cos	2382	1337	64.05
86	1st	-title-only -raw -fft -cheb	2382	1337	64.05
87	1st	-title-only -silence -noise -raw -fft -cheb	2382	1337	64.05
88	1st	-title-only -raw -aggr -cheb	2382	1337	64.05
89	1st	-title-only -silence -raw -aggr -cheb	2382	1337	64.05
90	1st	-title-only -noise -raw -fft -cheb	2382	1337	64.05
91	1st	-title-only -silence -raw -fft -cheb	2382	1337	64.05
92	1st	-title-only -noise -raw -aggr -cheb	2382	1337	64.05
93	1st	-title-only -silence -noise -raw -aggr -cheb	2382	1337	64.05
94	1st	-title-only -noise -endp -aggr -diff	2381	1338	64.02
95	1st	-title-only -low -minmax -cos	2379	1340	63.97
96	1st	-title-only -noise -norm -minmax -cos	2379	1340	63.97
97	1st	-title-only -noise -endp -minmax -cos	2378	1341	63.94
98	1st	-title-only -silence -noise -norm -minmax -cos	2377	1342	63.92
99	1st	-title-only -silence -low -minmax -cos	2377	1342	63.92

Table 605: Consolidated results (piste2-result1-marf-title-only-stats), Part 3.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
100	1st	-title-only -noise -bandstop -minmax -cos	2376	1343	63.89
101	1st	-title-only -silence -noise -endp -minmax -cos	2374	1345	63.83
102	1st	-title-only -silence -norm -minmax -mink	2373	1346	63.81
103	1st	-title-only -norm -minmax -mink	2373	1346	63.81
104	1st	-title-only -silence -noise -bandstop -minmax -cos	2373	1346	63.81
105	1st	-title-only -silence -noise -norm -aggr -diff	2369	1350	63.70
106	1st	-title-only -silence -low -aggr -diff	2369	1350	63.70
107	1st	-title-only -silence -low -fft -diff	2368	1351	63.67
108	1st	-title-only -silence -noise -norm -fft -diff	2368	1351	63.67
109	1st	-title-only -noise -low -fft -diff	2366	1353	63.62
110	1st	-title-only -noise -low -aggr -diff	2365	1354	63.59
111	1st	-title-only -high -minmax -eucl	2334	1385	62.76
112	1st	-title-only -silence -noise -raw -minmax -mink	2333	1386	62.73
113	1st	-title-only -raw -aggr -diff	2333	1386	62.73
114	1st	-title-only -raw -minmax -mink	2333	1386	62.73
115	1st	-title-only -silence -raw -minmax -mink	2333	1386	62.73
116	1st	-title-only -silence -raw -aggr -diff	2333	1386	62.73
117	1st	-title-only -noise -raw -aggr -diff	2333	1386	62.73
118	1st	-title-only -noise -raw -minmax -mink	2333	1386	62.73
119	1st	-title-only -silence -noise -raw -aggr -diff	2333	1386	62.73
120	1st	-title-only -silence -noise -raw -fft -diff	2329	1390	62.62
121	1st	-title-only -noise -raw -fft -diff	2329	1390	62.62
122	1st	-title-only -silence -raw -fft -diff	2329	1390	62.62
123	1st	-title-only -raw -fft -diff	2329	1390	62.62
124	1st	-title-only -silence -high -minmax -eucl	2327	1392	62.57
125	1st	-title-only -silence -band -fft -cheb	2310	1409	62.11
126	1st	-title-only -silence -band -aggr -cheb	2310	1409	62.11
127	1st	-title-only -band -aggr -cheb	2300	1419	61.84
128	1st	-title-only -band -fft -cheb	2300	1419	61.84
129	1st	-title-only -silence -noise -bandstop -fft -cheb	2296	1423	61.74
130	1st	-title-only -noise -bandstop -fft -cheb	2296	1423	61.74
131	1st	-title-only -silence -noise -bandstop -aggr -cheb	2296	1423	61.74
132	1st	-title-only -noise -bandstop -aggr -cheb	2296	1423	61.74
133	1st	-title-only -band -fft -diff	4588	2850	61.68
134	1st	-title-only -band -aggr -diff	4584	2854	61.63
135	1st	-title-only -silence -noise -low -minmax -mink	2284	1435	61.41
136	1st	-title-only -silence -endp -minmax -hamming	2283	1436	61.39
137	1st	-title-only -endp -minmax -hamming	2283	1436	61.39
138	1st	-title-only -silence -high -minmax -mink	2283	1436	61.39
139	1st	-title-only -noise -low -minmax -mink	2282	1437	61.36
140	1st	-title-only -high -minmax -mink	2279	1440	61.28
141	1st	-title-only -silence -band -aggr -hamming	4554	2884	61.23
142	1st	-title-only -silence -band -fft -hamming	4554	2884	61.23
143	1st	-title-only -band -minmax -cos	4554	2884	61.23
144	1st	-title-only -band -minmax -eucl	2274	1445	61.15
145	1st	-title-only -band -fft -hamming	4546	2892	61.12
146	1st	-title-only -band -aggr -hamming	4546	2892	61.12
147	1st	-title-only -silence -band -minmax -cos	4546	2892	61.12
148	1st	-title-only -silence -band -minmax -eucl	2272	1447	61.09
149	1st	-title-only -silence -norm -minmax -hamming	2268	1451	60.98

Table 606: Consolidated results (piste2-result1-marf-title-only-stats), Part 4.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
150	1st	-title-only -norm -minmax -hamming	2268	1451	60.98
151	1st	-title-only -silence -noise -bandstop -fft -diff	2265	1454	60.90
152	1st	-title-only -silence -noise -bandstop -aggr -diff	2265	1454	60.90
153	1st	-title-only -band -minmax -mink	4528	2910	60.88
154	1st	-title-only -silence -band -fft -diff	4528	2910	60.88
155	1st	-title-only -silence -band -minmax -mink	4526	2912	60.85
156	1st	-title-only -silence -band -aggr -diff	4526	2912	60.85
157	1st	-title-only -noise -bandstop -aggr -diff	2261	1458	60.80
158	1st	-title-only -noise -bandstop -fft -diff	2260	1459	60.77
159	1st	-title-only -noise -bandstop -minmax -mink	2258	1461	60.72
160	1st	-title-only -silence -noise -bandstop -minmax -mink	2258	1461	60.72
161	1st	-title-only -raw -minmax -hamming	2248	1471	60.45
162	1st	-title-only -silence -noise -raw -minmax -hamming	2248	1471	60.45
163	1st	-title-only -noise -raw -minmax -hamming	2248	1471	60.45
164	1st	-title-only -silence -raw -minmax -hamming	2248	1471	60.45
165	1st	-title-only -noise -band -minmax -mink	4464	2974	60.02
166	1st	-title-only -silence -noise -band -minmax -mink	2230	1489	59.96
167	1st	-title-only -noise -band -minmax -cos	4452	2986	59.85
168	1st	-title-only -silence -noise -norm -minmax -mink	2221	1498	59.72
169	1st	-title-only -silence -low -minmax -mink	2221	1498	59.72
170	1st	-title-only -noise -endp -minmax -mink	2221	1498	59.72
171	1st	-title-only -silence -noise -band -minmax -cos	2220	1499	59.69
172	1st	-title-only -low -minmax -mink	2219	1500	59.67
173	1st	-title-only -noise -norm -minmax -mink	2219	1500	59.67
174	1st	-title-only -high -minmax -cos	2217	1502	59.61
175	1st	-title-only -silence -noise -endp -minmax -mink	2215	1504	59.56
176	1st	-title-only -silence -noise -high -minmax -mink	2206	1513	59.32
177	1st	-title-only -silence -noise -low -minmax -eucl	2206	1513	59.32
178	1st	-title-only -noise -high -minmax -mink	2206	1513	59.32
179	1st	-title-only -noise -low -minmax -eucl	2205	1514	59.29
180	1st	-title-only -silence -band -aggr -cos	4408	3030	59.26
181	1st	-title-only -silence -band -fft -cos	4408	3030	59.26
182	1st	-title-only -band -aggr -cos	4408	3030	59.26
183	1st	-title-only -band -fft -cos	4408	3030	59.26
184	1st	-title-only -noise -high -fft -hamming	2203	1516	59.24
185	1st	-title-only -noise -raw -aggr -mink	2203	1516	59.24
186	1st	-title-only -silence -noise -raw -aggr -mink	2203	1516	59.24
187	1st	-title-only -raw -fft -mink	2203	1516	59.24
188	1st	-title-only -noise -high -aggr -hamming	2203	1516	59.24
189	1st	-title-only -silence -noise -raw -fft -mink	2203	1516	59.24
190	1st	-title-only -raw -aggr -mink	2203	1516	59.24
191	1st	-title-only -silence -raw -aggr -mink	2203	1516	59.24
192	1st	-title-only -noise -raw -fft -mink	2203	1516	59.24
193	1st	-title-only -silence -raw -fft -mink	2203	1516	59.24
194	1st	-title-only -silence -noise -low -minmax -diff	2201	1518	59.18
195	1st	-title-only -silence -high -minmax -cos	2201	1518	59.18
196	1st	-title-only -noise -bandstop -minmax -cheb	2199	1520	59.13
197	1st	-title-only -silence -noise -endp -fft -cos	2199	1520	59.13
198	1st	-title-only -silence -noise -endp -aggr -cos	2199	1520	59.13
199	1st	-title-only -noise -bandstop -minmax -eucl	2199	1520	59.13

Table 607: Consolidated results (piste2-result1-marf-title-only-stats), Part 5.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
200	1st	-title-only -noise -low -minmax -diff	2199	1520	59.13
201	1st	-title-only -silence -noise -low -minmax -cheb	2199	1520	59.13
202	1st	-title-only -silence -noise -high -aggr -hamming	2198	1521	59.10
203	1st	-title-only -noise -bandstop -minmax -diff	2198	1521	59.10
204	1st	-title-only -silence -noise -bandstop -minmax -diff	2198	1521	59.10
205	1st	-title-only -noise -endp -aggr -cos	2198	1521	59.10
206	1st	-title-only -noise -endp -fft -cos	2198	1521	59.10
207	1st	-title-only -silence -noise -bandstop -minmax -eucl	2198	1521	59.10
208	1st	-title-only -silence -noise -high -fft -hamming	2198	1521	59.10
209	1st	-title-only -noise -low -minmax -cheb	2198	1521	59.10
210	1st	-title-only -noise -high -aggr -mink	2196	1523	59.05
211	1st	-title-only -silence -low -fft -cos	2196	1523	59.05
212	1st	-title-only -noise -high -fft -mink	2196	1523	59.05
213	1st	-title-only -noise -norm -fft -cos	2196	1523	59.05
214	1st	-title-only -silence -noise -bandstop -minmax -cheb	2196	1523	59.05
215	1st	-title-only -silence -low -aggr -cos	2196	1523	59.05
216	1st	-title-only -low -fft -cos	2196	1523	59.05
217	1st	-title-only -noise -norm -aggr -cos	2196	1523	59.05
218	1st	-title-only -silence -noise -norm -aggr -cos	2196	1523	59.05
219	1st	-title-only -low -aggr -cos	2196	1523	59.05
220	1st	-title-only -silence -noise -norm -fft -cos	2196	1523	59.05
221	1st	-title-only -silence -noise -band -fft -cos	2194	1525	58.99
222	1st	-title-only -noise -band -fft -cos	4388	3050	58.99
223	1st	-title-only -noise -band -aggr -cos	4388	3050	58.99
224	1st	-title-only -silence -noise -band -aggr -cos	2194	1525	58.99
225	1st	-title-only -noise -band -minmax -eucl	2187	1532	58.81
226	1st	-title-only -noise -raw -fft -cos	2185	1534	58.75
227	1st	-title-only -noise -raw -aggr -cos	2185	1534	58.75
228	1st	-title-only -silence -raw -fft -cos	2185	1534	58.75
229	1st	-title-only -silence -raw -aggr -cos	2185	1534	58.75
230	1st	-title-only -silence -noise -raw -fft -cos	2185	1534	58.75
231	1st	-title-only -raw -fft -cos	2185	1534	58.75
232	1st	-title-only -raw -aggr -cos	2185	1534	58.75
233	1st	-title-only -silence -noise -raw -aggr -cos	2185	1534	58.75
234	1st	-title-only -silence -noise -band -fft -diff	2185	1534	58.75
235	1st	-title-only -silence -noise -band -aggr -diff	2183	1536	58.70
236	1st	-title-only -silence -noise -endp -fft -mink	2182	1537	58.67
237	1st	-title-only -silence -noise -norm -fft -hamming	2182	1537	58.67
238	1st	-title-only -silence -noise -norm -aggr -hamming	2182	1537	58.67
239	1st	-title-only -silence -low -fft -hamming	2182	1537	58.67
240	1st	-title-only -silence -low -aggr -hamming	2182	1537	58.67
241	1st	-title-only -silence -noise -endp -aggr -mink	2182	1537	58.67
242	1st	-title-only -noise -low -fft -cos	2180	1539	58.62
243	1st	-title-only -noise -endp -fft -mink	2180	1539	58.62
244	1st	-title-only -silence -noise -low -fft -cos	2180	1539	58.62
245	1st	-title-only -noise -low -aggr -cos	2180	1539	58.62
246	1st	-title-only -bandstop -minmax -mink	2180	1539	58.62
247	1st	-title-only -silence -bandstop -minmax -mink	2180	1539	58.62
248	1st	-title-only -noise -endp -aggr -mink	2180	1539	58.62
249	1st	-title-only -silence -noise -low -aggr -cos	2180	1539	58.62

Table 608: Consolidated results (piste2-result1-marf-title-only-stats), Part 6.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
250	1st	-title-only -silence -noise -norm -aggr -mink	2177	1542	58.54
251	1st	-title-only -noise -norm -aggr -mink	2177	1542	58.54
252	1st	-title-only -low -aggr -mink	2177	1542	58.54
253	1st	-title-only -silence -low -fft -mink	2177	1542	58.54
254	1st	-title-only -noise -norm -fft -mink	2177	1542	58.54
255	1st	-title-only -silence -noise -norm -fft -mink	2177	1542	58.54
256	1st	-title-only -silence -low -aggr -mink	2177	1542	58.54
257	1st	-title-only -low -fft -mink	2177	1542	58.54
258	1st	-title-only -low -fft -hamming	2174	1545	58.46
259	1st	-title-only -low -aggr -hamming	2174	1545	58.46
260	1st	-title-only -noise -norm -fft -hamming	2174	1545	58.46
261	1st	-title-only -noise -norm -aggr -hamming	2174	1545	58.46
262	1st	-title-only -silence -noise -low -fft -mink	2174	1545	58.46
263	1st	-title-only -silence -noise -low -aggr -mink	2174	1545	58.46
264	1st	-title-only -noise -low -fft -mink	2173	1546	58.43
265	1st	-title-only -noise -low -aggr -mink	2173	1546	58.43
266	1st	-title-only -noise -bandstop -aggr -cos	2171	1548	58.38
267	1st	-title-only -silence -noise -bandstop -fft -cos	2171	1548	58.38
268	1st	-title-only -silence -noise -bandstop -aggr -cos	2171	1548	58.38
269	1st	-title-only -noise -bandstop -fft -cos	2171	1548	58.38
270	1st	-title-only -silence -noise -bandstop -aggr -mink	2167	1552	58.27
271	1st	-title-only -silence -noise -bandstop -fft -mink	2167	1552	58.27
272	1st	-title-only -noise -bandstop -aggr -mink	2166	1553	58.24
273	1st	-title-only -noise -bandstop -fft -mink	2166	1553	58.24
274	1st	-title-only -endp -minmax -mink	2161	1558	58.11
275	1st	-title-only -silence -endp -minmax -mink	2161	1558	58.11
276	1st	-title-only -noise -band -aggr -diff	4318	3120	58.05
277	1st	-title-only -noise -band -fft -diff	4318	3120	58.05
278	1st	-title-only -bandstop -aggr -mink	2157	1562	58.00
279	1st	-title-only -bandstop -fft -mink	2157	1562	58.00
280	1st	-title-only -silence -noise -high -aggr -mink	2156	1563	57.97
281	1st	-title-only -silence -noise -high -fft -mink	2156	1563	57.97
282	1st	-title-only -silence -bandstop -aggr -mink	2156	1563	57.97
283	1st	-title-only -endp -fft -eucl	2156	1563	57.97
284	1st	-title-only -silence -endp -aggr -eucl	2156	1563	57.97
285	1st	-title-only -silence -endp -fft -eucl	2156	1563	57.97
286	1st	-title-only -silence -bandstop -fft -mink	2156	1563	57.97
287	1st	-title-only -endp -aggr -eucl	2156	1563	57.97
288	1st	-title-only -norm -minmax -eucl	2155	1564	57.95
289	1st	-title-only -noise -high -aggr -cheb	2155	1564	57.95
290	1st	-title-only -noise -high -fft -cheb	2155	1564	57.95
291	1st	-title-only -silence -norm -minmax -eucl	2155	1564	57.95
292	1st	-title-only -silence -noise -high -aggr -cheb	2154	1565	57.92
293	1st	-title-only -silence -noise -high -fft -cheb	2154	1565	57.92
294	1st	-title-only -norm -aggr -mink	2152	1567	57.87
295	1st	-title-only -silence -norm -aggr -mink	2152	1567	57.87
296	1st	-title-only -norm -fft -mink	2152	1567	57.87
297	1st	-title-only -silence -norm -fft -mink	2152	1567	57.87
298	1st	-title-only -bandstop -fft -cheb	2149	1570	57.78
299	1st	-title-only -bandstop -aggr -cheb	2149	1570	57.78

Table 609: Consolidated results (piste2-result1-marf-title-only-stats), Part 7.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
300	1st	-title-only -silence -bandstop -aggr -cheb	2147	1572	57.73
301	1st	-title-only -noise -high -minmax -eucl	2147	1572	57.73
302	1st	-title-only -silence -bandstop -fft -cheb	2147	1572	57.73
303	1st	-title-only -silence -bandstop -aggr -diff	2145	1574	57.68
304	1st	-title-only -silence -noise -band -fft -cheb	2145	1574	57.68
305	1st	-title-only -silence -bandstop -fft -diff	2142	1577	57.60
306	1st	-title-only -silence -noise -band -fft -hamming	2141	1578	57.57
307	1st	-title-only -silence -noise -band -aggr -hamming	2141	1578	57.57
308	1st	-title-only -silence -noise -high -minmax -eucl	2138	1581	57.49
309	1st	-title-only -noise -band -minmax -cheb	2137	1582	57.46
310	1st	-title-only -bandstop -aggr -diff	2137	1582	57.46
311	1st	-title-only -high -minmax -cheb	2137	1582	57.46
312	1st	-title-only -noise -band -aggr -cheb	2135	1584	57.41
313	1st	-title-only -silence -norm -aggr -cheb	2135	1584	57.41
314	1st	-title-only -norm -fft -cheb	2135	1584	57.41
315	1st	-title-only -silence -norm -fft -cheb	2135	1584	57.41
316	1st	-title-only -norm -aggr -cheb	2135	1584	57.41
317	1st	-title-only -silence -bandstop -aggr -hamming	2135	1584	57.41
318	1st	-title-only -noise -band -fft -cheb	2135	1584	57.41
319	1st	-title-only -silence -bandstop -fft -hamming	2135	1584	57.41
320	1st	-title-only -bandstop -fft -diff	2134	1585	57.38
321	1st	-title-only -noise -high -minmax -cos	2134	1585	57.38
322	1st	-title-only -noise -band -minmax -diff	4266	3172	57.35
323	1st	-title-only -endp -fft -mink	2133	1586	57.35
324	1st	-title-only -noise -high -minmax -hamming	2133	1586	57.35
325	1st	-title-only -silence -endp -aggr -mink	2133	1586	57.35
326	1st	-title-only -silence -noise -high -aggr -diff	2133	1586	57.35
327	1st	-title-only -silence -endp -fft -mink	2133	1586	57.35
328	1st	-title-only -endp -aggr -mink	2133	1586	57.35
329	1st	-title-only -noise -high -aggr -eucl	2132	1587	57.33
330	1st	-title-only -noise -high -fft -eucl	2132	1587	57.33
331	1st	-title-only -high -minmax -diff	2131	1588	57.30
332	1st	-title-only -silence -noise -high -fft -diff	2130	1589	57.27
333	1st	-title-only -bandstop -aggr -hamming	2130	1589	57.27
334	1st	-title-only -bandstop -fft -hamming	2130	1589	57.27
335	1st	-title-only -silence -noise -high -fft -eucl	2129	1590	57.25
336	1st	-title-only -noise -band -fft -hamming	4258	3180	57.25
337	1st	-title-only -silence -noise -high -minmax -hamming	2129	1590	57.25
338	1st	-title-only -noise -band -aggr -hamming	4258	3180	57.25
339	1st	-title-only -silence -noise -high -aggr -eucl	2129	1590	57.25
340	1st	-title-only -silence -noise -band -minmax -diff	2128	1591	57.22
341	1st	-title-only -noise -high -fft -cos	2127	1592	57.19
342	1st	-title-only -noise -high -aggr -cos	2127	1592	57.19
343	1st	-title-only -noise -high -aggr -diff	2127	1592	57.19
344	1st	-title-only -silence -high -minmax -cheb	2126	1593	57.17
345	1st	-title-only -silence -noise -raw -minmax -eucl	2124	1595	57.11
346	1st	-title-only -raw -minmax -eucl	2124	1595	57.11
347	1st	-title-only -silence -raw -minmax -eucl	2124	1595	57.11
348	1st	-title-only -noise -raw -minmax -eucl	2124	1595	57.11
349	1st	-title-only -silence -high -minmax -diff	2123	1596	57.09

Table 610: Consolidated results (piste2-result1-marf-title-only-stats), Part 8.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
350	1st	-title-only -noise -high -fft -diff	2123	1596	57.09
351	1st	-title-only -silence -noise -high -minmax -cos	2121	1598	57.03
352	1st	-title-only -norm -minmax -cheb	2120	1599	57.00
353	1st	-title-only -low -minmax -eucl	2120	1599	57.00
354	1st	-title-only -silence -norm -minmax -cheb	2120	1599	57.00
355	1st	-title-only -noise -norm -minmax -eucl	2120	1599	57.00
356	1st	-title-only -norm -minmax -diff	2119	1600	56.98
357	1st	-title-only -silence -norm -minmax -diff	2119	1600	56.98
358	1st	-title-only -silence -noise -norm -minmax -eucl	2117	1602	56.92
359	1st	-title-only -silence -low -minmax -eucl	2117	1602	56.92
360	1st	-title-only -silence -norm -aggr -diff	2116	1603	56.90
361	1st	-title-only -norm -aggr -diff	2116	1603	56.90
362	1st	-title-only -norm -fft -diff	2114	1605	56.84
363	1st	-title-only -silence -norm -fft -diff	2114	1605	56.84
364	1st	-title-only -endp -fft -cheb	2107	1612	56.66
365	1st	-title-only -silence -endp -aggr -cheb	2107	1612	56.66
366	1st	-title-only -silence -endp -fft -cheb	2107	1612	56.66
367	1st	-title-only -endp -aggr -cheb	2107	1612	56.66
368	1st	-title-only -low -minmax -diff	2103	1616	56.55
369	1st	-title-only -silence -bandstop -minmax -eucl	2103	1616	56.55
370	1st	-title-only -noise -norm -minmax -diff	2103	1616	56.55
371	1st	-title-only -silence -noise -norm -minmax -diff	2102	1617	56.52
372	1st	-title-only -silence -low -minmax -diff	2102	1617	56.52
373	1st	-title-only -silence -noise -norm -minmax -cheb	2102	1617	56.52
374	1st	-title-only -silence -low -minmax -cheb	2102	1617	56.52
375	1st	-title-only -bandstop -minmax -eucl	2102	1617	56.52
376	1st	-title-only -low -minmax -cheb	2100	1619	56.47
377	1st	-title-only -noise -norm -minmax -cheb	2100	1619	56.47
378	1st	-title-only -silence -noise -high -fft -cos	2099	1620	56.44
379	1st	-title-only -silence -band -minmax -diff	4198	3240	56.44
380	1st	-title-only -silence -noise -high -aggr -cos	2099	1620	56.44
381	1st	-title-only -silence -band -minmax -cheb	2097	1622	56.39
382	1st	-title-only -silence -raw -minmax -cheb	2095	1624	56.33
383	1st	-title-only -noise -raw -minmax -diff	2095	1624	56.33
384	1st	-title-only -noise -raw -minmax -cheb	2095	1624	56.33
385	1st	-title-only -silence -noise -raw -minmax -diff	2095	1624	56.33
386	1st	-title-only -silence -noise -raw -minmax -cheb	2095	1624	56.33
387	1st	-title-only -raw -minmax -diff	2095	1624	56.33
388	1st	-title-only -raw -minmax -cheb	2095	1624	56.33
389	1st	-title-only -silence -raw -minmax -diff	2095	1624	56.33
390	1st	-title-only -band -minmax -cheb	2093	1626	56.28
391	1st	-title-only -band -minmax -diff	4180	3258	56.20
392	1st	-title-only -noise -high -minmax -cheb	2089	1630	56.17
393	1st	-title-only -silence -noise -high -minmax -cheb	2084	1635	56.04
394	1st	-title-only -bandstop -minmax -cheb	2080	1639	55.93
395	1st	-title-only -silence -bandstop -minmax -cheb	2080	1639	55.93
396	1st	-title-only -silence -noise -high -minmax -diff	2080	1639	55.93
397	1st	-title-only -bandstop -minmax -diff	2080	1639	55.93
398	1st	-title-only -silence -endp -aggr -diff	2078	1641	55.88
399	1st	-title-only -endp -aggr -diff	2078	1641	55.88

Table 611: Consolidated results (piste2-result1-marf-title-only-stats), Part 9.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
400	1st	-title-only -noise -high -minmax -diff	2077	1642	55.85
401	1st	-title-only -silence -bandstop -minmax -diff	2077	1642	55.85
402	1st	-title-only -silence -endp -fft -diff	2074	1645	55.77
403	1st	-title-only -endp -fft -diff	2074	1645	55.77
404	1st	-title-only -noise -endp -minmax -eucl	2060	1659	55.39
405	1st	-title-only -silence -noise -endp -minmax -eucl	2059	1660	55.36
406	1st	-title-only -noise -endp -minmax -diff	2045	1674	54.99
407	1st	-title-only -noise -endp -minmax -cheb	2043	1676	54.93
408	1st	-title-only -silence -noise -endp -minmax -diff	2042	1677	54.91
409	1st	-title-only -silence -noise -endp -minmax -cheb	2041	1678	54.88
410	1st	-title-only -high -aggr -cos	2041	1678	54.88
411	1st	-title-only -high -fft -cos	2041	1678	54.88
412	1st	-title-only -silence -high -fft -cos	2039	1680	54.83
413	1st	-title-only -silence -high -aggr -cos	2039	1680	54.83
414	1st	-title-only -band -aggr -eucl	2024	1695	54.42
415	1st	-title-only -band -fft -eucl	2024	1695	54.42
416	1st	-title-only -silence -band -aggr -eucl	2020	1699	54.32
417	1st	-title-only -silence -band -fft -eucl	2020	1699	54.32
418	1st	-title-only -silence -noise -low -aggr -hamming	2015	1704	54.18
419	1st	-title-only -silence -noise -low -fft -hamming	2015	1704	54.18
420	1st	-title-only -endp -minmax -eucl	2009	1710	54.02
421	1st	-title-only -silence -endp -minmax -eucl	2009	1710	54.02
422	1st	-title-only -noise -low -aggr -hamming	2006	1713	53.94
423	1st	-title-only -noise -low -fft -hamming	2006	1713	53.94
424	1st	-title-only -silence -endp -minmax -cheb	1995	1724	53.64
425	1st	-title-only -endp -minmax -cheb	1995	1724	53.64
426	1st	-title-only -silence -endp -minmax -diff	1992	1727	53.56
427	1st	-title-only -endp -minmax -diff	1992	1727	53.56
428	1st	-title-only -silence -boost -lpc -eucl	1991	1728	53.54
429	1st	-title-only -noise -boost -lpc -diff	1991	1728	53.54
430	1st	-title-only -noise -highpassboost -aggr -mink	1991	1728	53.54
431	1st	-title-only -high -lpc -diff	1991	1728	53.54
432	1st	-title-only -bandstop -lpc -diff	1991	1728	53.54
433	1st	-title-only -silence -noise -high -lpc -eucl	1991	1728	53.54
434	1st	-title-only -boost -minmax -cheb	1991	1728	53.54
435	1st	-title-only -silence -noise -boost -fft -diff	1991	1728	53.54
436	1st	-title-only -silence -low -lpc -eucl	1991	1728	53.54
437	1st	-title-only -silence -noise -bandstop -lpc -cheb	1991	1728	53.54
438	1st	-title-only -silence -noise -boost -lpc -cheb	1991	1728	53.54
439	1st	-title-only -silence -highpassboost -aggr -cheb	1991	1728	53.54
440	1st	-title-only -noise -high -lpc -mink	1991	1728	53.54
441	1st	-title-only -silence -boost -lpc -mink	1991	1728	53.54
442	1st	-title-only -silence -noise -highpassboost -fft -hamming	1991	1728	53.54
443	1st	-title-only -boost -fft -diff	1991	1728	53.54
444	1st	-title-only -raw -lpc -hamming	1991	1728	53.54
445	1st	-title-only -silence -boost -lpc -cos	1991	1728	53.54
446	1st	-title-only -silence -noise -high -lpc -mink	1991	1728	53.54
447	1st	-title-only -boost -lpc -cheb	1991	1728	53.54
448	1st	-title-only -silence -noise -raw -lpc -diff	1991	1728	53.54
449	1st	-title-only -silence -noise -norm -lpc -cos	1991	1728	53.54

Table 612: Consolidated results (piste2-result1-marf-title-only-stats), Part 10.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
450	1st	-title-only -low -lpc -diff	1991	1728	53.54
451	1st	-title-only -silence -boost -fft -eucl	1991	1728	53.54
452	1st	-title-only -boost -aggr -hamming	1991	1728	53.54
453	1st	-title-only -silence -low -lpc -mink	1991	1728	53.54
454	1st	-title-only -noise -boost -fft -diff	1991	1728	53.54
455	1st	-title-only -silence -boost -aggr -cheb	1991	1728	53.54
456	1st	-title-only -silence -noise -boost -aggr -eucl	1991	1728	53.54
457	1st	-title-only -noise -boost -lpc -cheb	1991	1728	53.54
458	1st	-title-only -high -lpc -cheb	1991	1728	53.54
459	1st	-title-only -bandstop -lpc -cheb	1991	1728	53.54
460	1st	-title-only -silence -noise -boost -lpc -hamming	1991	1728	53.54
461	1st	-title-only -silence -noise -highpassboost -aggr -diff	1991	1728	53.54
462	1st	-title-only -silence -noise -highpassboost -aggr -cos	1991	1728	53.54
463	1st	-title-only -band -lpc -cos	3982	3456	53.54
464	1st	-title-only -endp -lpc -hamming	1991	1728	53.54
465	1st	-title-only -silence -noise -boost -fft -cheb	1991	1728	53.54
466	1st	-title-only -silence -noise -high -lpc -cos	1991	1728	53.54
467	1st	-title-only -noise -low -lpc -cos	1991	1728	53.54
468	1st	-title-only -silence -boost -fft -mink	1991	1728	53.54
469	1st	-title-only -silence -noise -low -lpc -hamming	1991	1728	53.54
470	1st	-title-only -noise -band -lpc -eucl	1991	1728	53.54
471	1st	-title-only -silence -noise -boost -aggr -mink	1991	1728	53.54
472	1st	-title-only -band -lpc -diff	3982	3456	53.54
473	1st	-title-only -silence -endp -lpc -diff	1991	1728	53.54
474	1st	-title-only -boost -fft -cheb	1991	1728	53.54
475	1st	-title-only -bandstop -lpc -hamming	1991	1728	53.54
476	1st	-title-only -silence -noise -endp -lpc -hamming	1991	1728	53.54
477	1st	-title-only -boost -lpc -hamming	1991	1728	53.54
478	1st	-title-only -silence -noise -raw -lpc -cheb	1991	1728	53.54
479	1st	-title-only -low -lpc -cheb	1991	1728	53.54
480	1st	-title-only -endp -lpc -cos	1991	1728	53.54
481	1st	-title-only -silence -raw -lpc -hamming	1991	1728	53.54
482	1st	-title-only -noise -boost -fft -cheb	1991	1728	53.54
483	1st	-title-only -noise -norm -lpc -eucl	1991	1728	53.54
484	1st	-title-only -noise -raw -lpc -cos	1991	1728	53.54
485	1st	-title-only -highpassboost -lpc -diff	1991	1728	53.54
486	1st	-title-only -noise -band -lpc -mink	3982	3456	53.54
487	1st	-title-only -noise -highpassboost -fft -cos	1991	1728	53.54
488	1st	-title-only -silence -bandstop -lpc -hamming	1991	1728	53.54
489	1st	-title-only -norm -lpc -diff	1991	1728	53.54
490	1st	-title-only -silence -highpassboost -aggr -cos	1991	1728	53.54
491	1st	-title-only -silence -noise -highpassboost -aggr -cheb	1991	1728	53.54
492	1st	-title-only -silence -noise -boost -aggr -hamming	1991	1728	53.54
493	1st	-title-only -silence -noise -norm -lpc -eucl	1991	1728	53.54
494	1st	-title-only -silence -noise -band -lpc -mink	1991	1728	53.54
495	1st	-title-only -silence -low -lpc -cos	1991	1728	53.54
496	1st	-title-only -silence -boost -fft -hamming	1991	1728	53.54
497	1st	-title-only -noise -norm -lpc -mink	1991	1728	53.54
498	1st	-title-only -boost -minmax -hamming	1991	1728	53.54
499	1st	-title-only -band -lpc -cheb	1991	1728	53.54

Table 613: Consolidated results (piste2-result1-marf-title-only-stats), Part 11.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
500	1st	-title-only -silence -endp -lpc -cheb	1991	1728	53.54
501	1st	-title-only -boost -aggr -eucl	1991	1728	53.54
502	1st	-title-only -highpassboost -minmax -cos	1991	1728	53.54
503	1st	-title-only -silence -high -lpc -diff	1991	1728	53.54
504	1st	-title-only -noise -boost -aggr -hamming	1991	1728	53.54
505	1st	-title-only -silence -noise -low -lpc -diff	1991	1728	53.54
506	1st	-title-only -silence -noise -norm -lpc -mink	1991	1728	53.54
507	1st	-title-only -noise -highpassboost -lpc -diff	1991	1728	53.54
508	1st	-title-only -raw -lpc -eucl	1991	1728	53.54
509	1st	-title-only -highpassboost -fft -diff	1991	1728	53.54
510	1st	-title-only -noise -bandstop -lpc -hamming	1991	1728	53.54
511	1st	-title-only -endp -lpc -eucl	1991	1728	53.54
512	1st	-title-only -highpassboost -lpc -cheb	1991	1728	53.54
513	1st	-title-only -norm -lpc -cheb	1991	1728	53.54
514	1st	-title-only -low -lpc -hamming	1991	1728	53.54
515	1st	-title-only -noise -boost -fft -hamming	1991	1728	53.54
516	1st	-title-only -silence -raw -lpc -cos	1991	1728	53.54
517	1st	-title-only -silence -noise -highpassboost -lpc -hamming	1991	1728	53.54
518	1st	-title-only -noise -boost -minmax -diff	1991	1728	53.54
519	1st	-title-only -silence -noise -band -lpc -cos	1991	1728	53.54
520	1st	-title-only -boost -aggr -mink	1991	1728	53.54
521	1st	-title-only -norm -lpc -hamming	1991	1728	53.54
522	1st	-title-only -noise -boost -fft -cos	1991	1728	53.54
523	1st	-title-only -boost -minmax -eucl	1991	1728	53.54
524	1st	-title-only -noise -high -lpc -hamming	1991	1728	53.54
525	1st	-title-only -silence -bandstop -lpc -diff	1991	1728	53.54
526	1st	-title-only -noise -highpassboost -lpc -cos	1991	1728	53.54
527	1st	-title-only -silence -noise -bandstop -lpc -eucl	1991	1728	53.54
528	1st	-title-only -raw -lpc -mink	1991	1728	53.54
529	1st	-title-only -noise -boost -minmax -cos	1991	1728	53.54
530	1st	-title-only -silence -noise -boost -lpc -eucl	1991	1728	53.54
531	1st	-title-only -silence -highpassboost -aggr -eucl	1991	1728	53.54
532	1st	-title-only -endp -lpc -mink	1991	1728	53.54
533	1st	-title-only -silence -boost -aggr -hamming	1991	1728	53.54
534	1st	-title-only -silence -noise -norm -lpc -hamming	1991	1728	53.54
535	1st	-title-only -noise -highpassboost -fft -hamming	1991	1728	53.54
536	1st	-title-only -silence -noise -boost -fft -cos	1991	1728	53.54
537	1st	-title-only -noise -highpassboost -minmax -diff	1991	1728	53.54
538	1st	-title-only -noise -highpassboost -fft -diff	1991	1728	53.54
539	1st	-title-only -highpassboost -aggr -diff	1991	1728	53.54
540	1st	-title-only -silence -high -lpc -cheb	1991	1728	53.54
541	1st	-title-only -silence -highpassboost -aggr -hamming	1991	1728	53.54
542	1st	-title-only -boost -lpc -eucl	1991	1728	53.54
543	1st	-title-only -noise -boost -minmax -hamming	1991	1728	53.54
544	1st	-title-only -silence -noise -low -lpc -cheb	1991	1728	53.54
545	1st	-title-only -noise -highpassboost -lpc -cheb	1991	1728	53.54
546	1st	-title-only -silence -noise -endp -lpc -cos	1991	1728	53.54
547	1st	-title-only -boost -minmax -mink	1991	1728	53.54
548	1st	-title-only -noise -band -lpc -hamming	3982	3456	53.54
549	1st	-title-only -noise -bandstop -lpc -diff	1991	1728	53.54

Table 614: Consolidated results (piste2-result1-marf-title-only-stats), Part 12.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
550	1st	-title-only -highpassboost -fft -cheb	1991	1728	53.54
551	1st	-title-only -silence -noise -bandstop -lpc -mink	1991	1728	53.54
552	1st	-title-only -silence -noise -highpassboost -lpc -diff	1991	1728	53.54
553	1st	-title-only -silence -boost -aggr -eucl	1991	1728	53.54
554	1st	-title-only -silence -boost -aggr -cos	1991	1728	53.54
555	1st	-title-only -silence -noise -boost -lpc -mink	1991	1728	53.54
556	1st	-title-only -silence -highpassboost -aggr -mink	1991	1728	53.54
557	1st	-title-only -silence -noise -low -lpc -cos	1991	1728	53.54
558	1st	-title-only -noise -boost -lpc -eucl	1991	1728	53.54
559	1st	-title-only -high -lpc -eucl	1991	1728	53.54
560	1st	-title-only -bandstop -lpc -eucl	1991	1728	53.54
561	1st	-title-only -noise -norm -lpc -cos	1991	1728	53.54
562	1st	-title-only -silence -band -lpc -diff	3982	3456	53.54
563	1st	-title-only -noise -boost -minmax -cheb	1991	1728	53.54
564	1st	-title-only -silence -high -lpc -hamming	1991	1728	53.54
565	1st	-title-only -noise -raw -lpc -diff	1991	1728	53.54
566	1st	-title-only -silence -noise -boost -fft -eucl	1991	1728	53.54
567	1st	-title-only -boost -lpc -mink	1991	1728	53.54
568	1st	-title-only -silence -bandstop -lpc -cheb	1991	1728	53.54
569	1st	-title-only -bandstop -lpc -cos	1991	1728	53.54
570	1st	-title-only -silence -low -lpc -hamming	1991	1728	53.54
571	1st	-title-only -silence -noise -bandstop -lpc -hamming	1991	1728	53.54
572	1st	-title-only -silence -boost -aggr -mink	1991	1728	53.54
573	1st	-title-only -noise -boost -lpc -mink	1991	1728	53.54
574	1st	-title-only -noise -boost -lpc -cos	1991	1728	53.54
575	1st	-title-only -high -lpc -mink	1991	1728	53.54
576	1st	-title-only -bandstop -lpc -mink	1991	1728	53.54
577	1st	-title-only -silence -noise -bandstop -lpc -cos	1991	1728	53.54
578	1st	-title-only -boost -fft -eucl	1991	1728	53.54
579	1st	-title-only -silence -noise -raw -lpc -cos	1991	1728	53.54
580	1st	-title-only -noise -highpassboost -fft -cheb	1991	1728	53.54
581	1st	-title-only -noise -highpassboost -minmax -cheb	1991	1728	53.54
582	1st	-title-only -highpassboost -aggr -cheb	1991	1728	53.54
583	1st	-title-only -noise -boost -aggr -diff	1991	1728	53.54
584	1st	-title-only -silence -noise -raw -lpc -eucl	1991	1728	53.54
585	1st	-title-only -silence -norm -lpc -diff	1991	1728	53.54
586	1st	-title-only -low -lpc -eucl	1991	1728	53.54
587	1st	-title-only -noise -high -lpc -cos	1991	1728	53.54
588	1st	-title-only -silence -noise -boost -fft -mink	1991	1728	53.54
589	1st	-title-only -noise -bandstop -lpc -cheb	1991	1728	53.54
590	1st	-title-only -silence -band -lpc -hamming	3982	3456	53.54
591	1st	-title-only -silence -boost -lpc -hamming	1991	1728	53.54
592	1st	-title-only -silence -highpassboost -fft -hamming	1991	1728	53.54
593	1st	-title-only -noise -boost -fft -eucl	1991	1728	53.54
594	1st	-title-only -silence -noise -highpassboost -fft -diff	1991	1728	53.54
595	1st	-title-only -silence -noise -highpassboost -lpc -cheb	1991	1728	53.54
596	1st	-title-only -silence -noise -boost -lpc -cos	1991	1728	53.54
597	1st	-title-only -silence -highpassboost -lpc -diff	1991	1728	53.54
598	1st	-title-only -silence -raw -lpc -diff	1991	1728	53.54
599	1st	-title-only -silence -norm -lpc -cos	1991	1728	53.54

Table 615: Consolidated results (piste2-result1-marf-title-only-stats), Part 13.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
600	1st	-title-only -silence -noise -highpassboost -aggr -eucl	1991	1728	53.54
601	1st	-title-only -silence -band -lpc -cheb	1991	1728	53.54
602	1st	-title-only -boost -fft -mink	1991	1728	53.54
603	1st	-title-only -noise -highpassboost -minmax -hamming	1991	1728	53.54
604	1st	-title-only -noise -raw -lpc -cheb	1991	1728	53.54
605	1st	-title-only -highpassboost -fft -hamming	1991	1728	53.54
606	1st	-title-only -silence -noise -raw -lpc -mink	1991	1728	53.54
607	1st	-title-only -low -lpc -mink	1991	1728	53.54
608	1st	-title-only -highpassboost -minmax -diff	1991	1728	53.54
609	1st	-title-only -noise -boost -fft -mink	1991	1728	53.54
610	1st	-title-only -band -lpc -eucl	1991	1728	53.54
611	1st	-title-only -silence -endp -lpc -eucl	1991	1728	53.54
612	1st	-title-only -noise -endp -lpc -diff	1991	1728	53.54
613	1st	-title-only -noise -boost -lpc -hamming	1991	1728	53.54
614	1st	-title-only -silence -noise -highpassboost -aggr -mink	1991	1728	53.54
615	1st	-title-only -noise -boost -aggr -cheb	1991	1728	53.54
616	1st	-title-only -highpassboost -minmax -hamming	1991	1728	53.54
617	1st	-title-only -silence -high -lpc -cos	1991	1728	53.54
618	1st	-title-only -silence -norm -lpc -cheb	1991	1728	53.54
619	1st	-title-only -silence -noise -endp -lpc -diff	1991	1728	53.54
620	1st	-title-only -silence -highpassboost -fft -diff	1991	1728	53.54
621	1st	-title-only -silence -noise -highpassboost -fft -cheb	1991	1728	53.54
622	1st	-title-only -noise -endp -lpc -hamming	1991	1728	53.54
623	1st	-title-only -highpassboost -lpc -eucl	1991	1728	53.54
624	1st	-title-only -silence -highpassboost -lpc -cheb	1991	1728	53.54
625	1st	-title-only -norm -lpc -eucl	1991	1728	53.54
626	1st	-title-only -noise -highpassboost -lpc -hamming	1991	1728	53.54
627	1st	-title-only -band -lpc -mink	3982	3456	53.54
628	1st	-title-only -silence -endp -lpc -mink	1991	1728	53.54
629	1st	-title-only -noise -low -lpc -diff	1991	1728	53.54
630	1st	-title-only -silence -raw -lpc -cheb	1991	1728	53.54
631	1st	-title-only -noise -highpassboost -minmax -cos	1991	1728	53.54
632	1st	-title-only -noise -highpassboost -aggr -diff	1991	1728	53.54
633	1st	-title-only -low -lpc -cos	1991	1728	53.54
634	1st	-title-only -highpassboost -minmax -cheb	1991	1728	53.54
635	1st	-title-only -highpassboost -lpc -mink	1991	1728	53.54
636	1st	-title-only -noise -endp -lpc -cheb	1991	1728	53.54
637	1st	-title-only -norm -lpc -mink	1991	1728	53.54
638	1st	-title-only -noise -band -lpc -cos	3982	3456	53.54
639	1st	-title-only -silence -high -lpc -eucl	1991	1728	53.54
640	1st	-title-only -noise -high -lpc -diff	1991	1728	53.54
641	1st	-title-only -silence -boost -lpc -diff	1991	1728	53.54
642	1st	-title-only -silence -noise -low -lpc -eucl	1991	1728	53.54
643	1st	-title-only -noise -highpassboost -lpc -eucl	1991	1728	53.54
644	1st	-title-only -noise -raw -lpc -hamming	1991	1728	53.54
645	1st	-title-only -highpassboost -aggr -hamming	1991	1728	53.54
646	1st	-title-only -silence -noise -endp -lpc -cheb	1991	1728	53.54
647	1st	-title-only -highpassboost -fft -eucl	1991	1728	53.54
648	1st	-title-only -silence -highpassboost -fft -cheb	1991	1728	53.54
649	1st	-title-only -silence -endp -lpc -hamming	1991	1728	53.54

Table 616: Consolidated results (piste2-result1-marf-title-only-stats), Part 14.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
650	1st	-title-only -silence -noise -high -lpc -diff	1991	1728	53.54
651	1st	-title-only -raw -lpc -cos	1991	1728	53.54
652	1st	-title-only -silence -low -lpc -diff	1991	1728	53.54
653	1st	-title-only -noise -low -lpc -cheb	1991	1728	53.54
654	1st	-title-only -noise -endp -lpc -cos	1991	1728	53.54
655	1st	-title-only -noise -boost -minmax -eucl	1991	1728	53.54
656	1st	-title-only -noise -highpassboost -aggr -cheb	1991	1728	53.54
657	1st	-title-only -silence -highpassboost -fft -cos	1991	1728	53.54
658	1st	-title-only -silence -high -lpc -mink	1991	1728	53.54
659	1st	-title-only -silence -bandstop -lpc -eucl	1991	1728	53.54
660	1st	-title-only -silence -noise -boost -aggr -cos	1991	1728	53.54
661	1st	-title-only -silence -noise -low -lpc -mink	1991	1728	53.54
662	1st	-title-only -noise -highpassboost -lpc -mink	1991	1728	53.54
663	1st	-title-only -noise -highpassboost -aggr -hamming	1991	1728	53.54
664	1st	-title-only -silence -highpassboost -lpc -hamming	1991	1728	53.54
665	1st	-title-only -highpassboost -fft -mink	1991	1728	53.54
666	1st	-title-only -boost -fft -cos	1991	1728	53.54
667	1st	-title-only -silence -band -lpc -cos	3982	3456	53.54
668	1st	-title-only -silence -boost -fft -diff	1991	1728	53.54
669	1st	-title-only -noise -highpassboost -fft -eucl	1991	1728	53.54
670	1st	-title-only -noise -highpassboost -minmax -eucl	1991	1728	53.54
671	1st	-title-only -highpassboost -aggr -eucl	1991	1728	53.54
672	1st	-title-only -noise -high -lpc -cheb	1991	1728	53.54
673	1st	-title-only -silence -boost -lpc -cheb	1991	1728	53.54
674	1st	-title-only -silence -noise -boost -aggr -diff	1991	1728	53.54
675	1st	-title-only -noise -boost -minmax -mink	1991	1728	53.54
676	1st	-title-only -boost -aggr -cos	1991	1728	53.54
677	1st	-title-only -highpassboost -lpc -hamming	1991	1728	53.54
678	1st	-title-only -noise -norm -lpc -hamming	1991	1728	53.54
679	1st	-title-only -highpassboost -fft -cos	1991	1728	53.54
680	1st	-title-only -noise -bandstop -lpc -eucl	1991	1728	53.54
681	1st	-title-only -silence -bandstop -lpc -mink	1991	1728	53.54
682	1st	-title-only -noise -boost -aggr -cos	1991	1728	53.54
683	1st	-title-only -silence -noise -highpassboost -lpc -eucl	1991	1728	53.54
684	1st	-title-only -silence -noise -high -lpc -cheb	1991	1728	53.54
685	1st	-title-only -silence -low -lpc -cheb	1991	1728	53.54
686	1st	-title-only -silence -endp -lpc -cos	1991	1728	53.54
687	1st	-title-only -silence -band -lpc -eucl	1991	1728	53.54
688	1st	-title-only -noise -band -lpc -diff	3982	3456	53.54
689	1st	-title-only -noise -highpassboost -minmax -mink	1991	1728	53.54
690	1st	-title-only -noise -highpassboost -fft -mink	1991	1728	53.54
691	1st	-title-only -highpassboost -aggr -mink	1991	1728	53.54
692	1st	-title-only -noise -raw -lpc -eucl	1991	1728	53.54
693	1st	-title-only -noise -bandstop -lpc -mink	1991	1728	53.54
694	1st	-title-only -silence -noise -band -lpc -diff	1991	1728	53.54
695	1st	-title-only -silence -noise -highpassboost -lpc -mink	1991	1728	53.54
696	1st	-title-only -silence -highpassboost -lpc -cos	1991	1728	53.54
697	1st	-title-only -silence -boost -fft -cheb	1991	1728	53.54
698	1st	-title-only -noise -norm -lpc -diff	1991	1728	53.54
699	1st	-title-only -noise -boost -aggr -eucl	1991	1728	53.54

Table 617: Consolidated results (piste2-result1-marf-title-only-stats), Part 15.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
700	1st	-title-only -silence -band -lpc -mink	3982	3456	53.54
701	1st	-title-only -silence -noise -boost -aggr -cheb	1991	1728	53.54
702	1st	-title-only -silence -norm -lpc -eucl	1991	1728	53.54
703	1st	-title-only -boost -lpc -cos	1991	1728	53.54
704	1st	-title-only -noise -raw -lpc -mink	1991	1728	53.54
705	1st	-title-only -silence -norm -lpc -hamming	1991	1728	53.54
706	1st	-title-only -noise -bandstop -lpc -cos	1991	1728	53.54
707	1st	-title-only -silence -noise -highpassboost -fft -eucl	1991	1728	53.54
708	1st	-title-only -silence -noise -norm -lpc -diff	1991	1728	53.54
709	1st	-title-only -silence -noise -highpassboost -fft -cos	1991	1728	53.54
710	1st	-title-only -silence -highpassboost -lpc -eucl	1991	1728	53.54
711	1st	-title-only -silence -raw -lpc -eucl	1991	1728	53.54
712	1st	-title-only -noise -low -lpc -hamming	1991	1728	53.54
713	1st	-title-only -highpassboost -lpc -cos	1991	1728	53.54
714	1st	-title-only -noise -band -lpc -cheb	1991	1728	53.54
715	1st	-title-only -noise -boost -aggr -mink	1991	1728	53.54
716	1st	-title-only -high -lpc -hamming	1991	1728	53.54
717	1st	-title-only -silence -norm -lpc -mink	1991	1728	53.54
718	1st	-title-only -silence -noise -boost -fft -hamming	1991	1728	53.54
719	1st	-title-only -silence -noise -highpassboost -aggr -hamming	1991	1728	53.54
720	1st	-title-only -boost -aggr -diff	1991	1728	53.54
721	1st	-title-only -highpassboost -minmax -eucl	1991	1728	53.54
722	1st	-title-only -boost -minmax -cos	1991	1728	53.54
723	1st	-title-only -silence -noise -highpassboost -fft -mink	1991	1728	53.54
724	1st	-title-only -noise -endp -lpc -eucl	1991	1728	53.54
725	1st	-title-only -silence -highpassboost -lpc -mink	1991	1728	53.54
726	1st	-title-only -raw -lpc -diff	1991	1728	53.54
727	1st	-title-only -norm -lpc -cos	1991	1728	53.54
728	1st	-title-only -silence -raw -lpc -mink	1991	1728	53.54
729	1st	-title-only -endp -lpc -diff	1991	1728	53.54
730	1st	-title-only -noise -norm -lpc -cheb	1991	1728	53.54
731	1st	-title-only -silence -noise -high -lpc -hamming	1991	1728	53.54
732	1st	-title-only -silence -noise -raw -lpc -hamming	1991	1728	53.54
733	1st	-title-only -silence -noise -endp -lpc -eucl	1991	1728	53.54
734	1st	-title-only -silence -highpassboost -fft -eucl	1991	1728	53.54
735	1st	-title-only -highpassboost -minmax -mink	1991	1728	53.54
736	1st	-title-only -silence -bandstop -lpc -cos	1991	1728	53.54
737	1st	-title-only -silence -noise -norm -lpc -cheb	1991	1728	53.54
738	1st	-title-only -highpassboost -aggr -cos	1991	1728	53.54
739	1st	-title-only -band -lpc -hamming	3982	3456	53.54
740	1st	-title-only -boost -minmax -diff	1991	1728	53.54
741	1st	-title-only -boost -fft -hamming	1991	1728	53.54
742	1st	-title-only -silence -boost -fft -cos	1991	1728	53.54
743	1st	-title-only -noise -endp -lpc -mink	1991	1728	53.54
744	1st	-title-only -silence -noise -bandstop -lpc -diff	1991	1728	53.54
745	1st	-title-only -high -lpc -cos	1991	1728	53.54
746	1st	-title-only -noise -low -lpc -eucl	1991	1728	53.54
747	1st	-title-only -silence -highpassboost -aggr -diff	1991	1728	53.54
748	1st	-title-only -silence -noise -boost -lpc -diff	1991	1728	53.54
749	1st	-title-only -noise -highpassboost -aggr -eucl	1991	1728	53.54

Table 618: Consolidated results (piste2-result1-marf-title-only-stats), Part 16.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
750	1st	-title-only -silence -noise -highpassboost -lpc -cos	1991	1728	53.54
751	1st	-title-only -silence -noise -band -lpc -hamming	1991	1728	53.54
752	1st	-title-only -silence -noise -endp -lpc -mink	1991	1728	53.54
753	1st	-title-only -boost -aggr -cheb	1991	1728	53.54
754	1st	-title-only -silence -highpassboost -fft -mink	1991	1728	53.54
755	1st	-title-only -boost -lpc -diff	1991	1728	53.54
756	1st	-title-only -raw -lpc -cheb	1991	1728	53.54
757	1st	-title-only -noise -high -lpc -eucl	1991	1728	53.54
758	1st	-title-only -noise -highpassboost -aggr -cos	1991	1728	53.54
759	1st	-title-only -endp -lpc -cheb	1991	1728	53.54
760	1st	-title-only -silence -boost -aggr -diff	1991	1728	53.54
761	1st	-title-only -noise -low -lpc -mink	1991	1728	53.54
762	1st	-title-only -noise -band -fft -eucl	1988	1731	53.46
763	1st	-title-only -noise -band -aggr -eucl	1988	1731	53.46
764	1st	-title-only -silence -noise -band -fft -eucl	1980	1739	53.24
765	1st	-title-only -silence -high -aggr -cheb	1976	1743	53.13
766	1st	-title-only -silence -high -fft -cheb	1976	1743	53.13
767	1st	-title-only -high -fft -cheb	1974	1745	53.08
768	1st	-title-only -high -aggr -cheb	1974	1745	53.08
769	1st	-title-only -silence -high -fft -diff	1962	1757	52.76
770	1st	-title-only -high -fft -diff	1960	1759	52.70
771	1st	-title-only -high -aggr -diff	1960	1759	52.70
772	1st	-title-only -silence -high -aggr -diff	1956	1763	52.59
773	1st	-title-only -band -aggr -mink	3902	3536	52.46
774	1st	-title-only -band -fft -mink	3902	3536	52.46
775	1st	-title-only -silence -band -aggr -mink	3900	3538	52.43
776	1st	-title-only -silence -band -fft -mink	3900	3538	52.43
777	1st	-title-only -high -aggr -eucl	1948	1771	52.38
778	1st	-title-only -high -fft -eucl	1948	1771	52.38
779	1st	-title-only -silence -high -aggr -eucl	1945	1774	52.30
780	1st	-title-only -silence -high -fft -eucl	1945	1774	52.30
781	1st	-title-only -high -aggr -hamming	1941	1778	52.19
782	1st	-title-only -high -fft -hamming	1941	1778	52.19
783	1st	-title-only -silence -high -fft -hamming	1939	1780	52.14
784	1st	-title-only -silence -high -aggr -hamming	1939	1780	52.14
785	1st	-title-only -silence -high -aggr -mink	1939	1780	52.14
786	1st	-title-only -silence -high -fft -mink	1939	1780	52.14
787	1st	-title-only -high -aggr -mink	1937	1782	52.08
788	1st	-title-only -high -fft -mink	1937	1782	52.08
789	1st	-title-only -noise -band -fft -mink	3868	3570	52.00
790	1st	-title-only -noise -band -aggr -mink	3868	3570	52.00
791	1st	-title-only -noise -low -minmax -hamming	1931	1788	51.92
792	1st	-title-only -silence -noise -low -minmax -hamming	1929	1790	51.87
793	1st	-title-only -silence -noise -band -fft -mink	1928	1791	51.84
794	1st	-title-only -silence -noise -band -aggr -mink	1928	1791	51.84
795	1st	-title-only -silence -noise -bandstop -minmax -hamming	1926	1793	51.79
796	1st	-title-only -noise -bandstop -minmax -hamming	1923	1796	51.71
797	1st	-title-only -silence -noise -endp -minmax -hamming	1892	1827	50.87
798	1st	-title-only -noise -endp -minmax -hamming	1888	1831	50.77
799	1st	-title-only -raw -aggr -hamming	1857	1862	49.93

Table 619: Consolidated results (piste2-result1-marf-title-only-stats), Part 17.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
800	1st	-title-only -silence -noise -raw -aggr -hamming	1857	1862	49.93
801	1st	-title-only -noise -raw -fft -hamming	1857	1862	49.93
802	1st	-title-only -noise -raw -aggr -hamming	1857	1862	49.93
803	1st	-title-only -silence -noise -raw -fft -hamming	1857	1862	49.93
804	1st	-title-only -silence -raw -aggr -hamming	1857	1862	49.93
805	1st	-title-only -raw -fft -hamming	1857	1862	49.93
806	1st	-title-only -silence -raw -fft -hamming	1857	1862	49.93
807	1st	-title-only -low -minmax -hamming	1856	1863	49.91
808	1st	-title-only -noise -norm -minmax -hamming	1856	1863	49.91
809	1st	-title-only -silence -low -minmax -hamming	1855	1864	49.88
810	1st	-title-only -silence -noise -norm -minmax -hamming	1855	1864	49.88
811	1st	-title-only -silence -endp -aggr -hamming	1846	1873	49.64
812	1st	-title-only -silence -endp -fft -hamming	1846	1873	49.64
813	1st	-title-only -endp -aggr -hamming	1846	1873	49.64
814	1st	-title-only -endp -fft -hamming	1846	1873	49.64
815	1st	-title-only -high -minmax -hamming	1838	1881	49.42
816	1st	-title-only -silence -bandstop -minmax -hamming	1834	1885	49.31
817	1st	-title-only -bandstop -minmax -hamming	1831	1888	49.23
818	1st	-title-only -silence -high -minmax -hamming	1821	1898	48.96
819	1st	-title-only -norm -fft -hamming	1819	1900	48.91
820	1st	-title-only -norm -aggr -hamming	1819	1900	48.91
821	1st	-title-only -silence -norm -aggr -hamming	1819	1900	48.91
822	1st	-title-only -silence -norm -fft -hamming	1819	1900	48.91
823	1st	-title-only -noise -band -minmax -hamming	3614	3824	48.59
824	1st	-title-only -silence -noise -bandstop -aggr -hamming	1802	1917	48.45
825	1st	-title-only -silence -noise -bandstop -fft -hamming	1802	1917	48.45
826	1st	-title-only -silence -noise -band -minmax -hamming	1801	1918	48.43
827	1st	-title-only -noise -bandstop -fft -hamming	1800	1919	48.40
828	1st	-title-only -noise -bandstop -aggr -hamming	1800	1919	48.40
829	1st	-title-only -noise -endp -aggr -hamming	1792	1927	48.18
830	1st	-title-only -noise -endp -fft -hamming	1792	1927	48.18
831	1st	-title-only -silence -noise -endp -aggr -hamming	1788	1931	48.08
832	1st	-title-only -silence -noise -endp -fft -hamming	1788	1931	48.08
833	1st	-title-only -silence -band -minmax -hamming	3322	4116	44.66
834	1st	-title-only -band -minmax -hamming	3312	4126	44.53
835	2nd	-title-only -noise -raw -aggr -eucl	3719	0	100.00
836	2nd	-title-only -silence -noise -raw -aggr -eucl	3719	0	100.00
837	2nd	-title-only -raw -fft -eucl	3719	0	100.00
838	2nd	-title-only -silence -noise -raw -fft -eucl	3719	0	100.00
839	2nd	-title-only -raw -aggr -eucl	3719	0	100.00
840	2nd	-title-only -silence -raw -aggr -eucl	3719	0	100.00
841	2nd	-title-only -noise -raw -fft -eucl	3719	0	100.00
842	2nd	-title-only -silence -raw -fft -eucl	3719	0	100.00
843	2nd	-title-only -silence -low -fft -eucl	3719	0	100.00
844	2nd	-title-only -silence -noise -norm -fft -eucl	3719	0	100.00
845	2nd	-title-only -silence -low -aggr -eucl	3719	0	100.00
846	2nd	-title-only -silence -noise -norm -aggr -eucl	3719	0	100.00
847	2nd	-title-only -noise -norm -aggr -eucl	3719	0	100.00
848	2nd	-title-only -low -aggr -eucl	3719	0	100.00
849	2nd	-title-only -noise -norm -fft -eucl	3719	0	100.00

Table 620: Consolidated results (piste2-result1-marf-title-only-stats), Part 18.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
850	2nd	-title-only -low -fft -eucl	3719	0	100.00
851	2nd	-title-only -silence -noise -endp -fft -eucl	3719	0	100.00
852	2nd	-title-only -silence -noise -endp -aggr -eucl	3719	0	100.00
853	2nd	-title-only -noise -endp -aggr -eucl	3719	0	100.00
854	2nd	-title-only -noise -endp -fft -eucl	3719	0	100.00
855	2nd	-title-only -silence -bandstop -aggr -cos	3719	0	100.00
856	2nd	-title-only -silence -bandstop -fft -cos	3719	0	100.00
857	2nd	-title-only -silence -norm -aggr -cos	3719	0	100.00
858	2nd	-title-only -bandstop -fft -cos	3719	0	100.00
859	2nd	-title-only -silence -norm -fft -cos	3719	0	100.00
860	2nd	-title-only -bandstop -aggr -cos	3719	0	100.00
861	2nd	-title-only -norm -fft -cos	3719	0	100.00
862	2nd	-title-only -norm -aggr -cos	3719	0	100.00
863	2nd	-title-only -noise -bandstop -aggr -eucl	3719	0	100.00
864	2nd	-title-only -noise -bandstop -fft -eucl	3719	0	100.00
865	2nd	-title-only -silence -noise -bandstop -aggr -eucl	3719	0	100.00
866	2nd	-title-only -silence -noise -bandstop -fft -eucl	3719	0	100.00
867	2nd	-title-only -silence -bandstop -aggr -eucl	3719	0	100.00
868	2nd	-title-only -silence -bandstop -fft -eucl	3719	0	100.00
869	2nd	-title-only -bandstop -aggr -eucl	3719	0	100.00
870	2nd	-title-only -bandstop -fft -eucl	3719	0	100.00
871	2nd	-title-only -norm -aggr -eucl	3719	0	100.00
872	2nd	-title-only -silence -norm -aggr -eucl	3719	0	100.00
873	2nd	-title-only -norm -fft -eucl	3719	0	100.00
874	2nd	-title-only -silence -norm -fft -eucl	3719	0	100.00
875	2nd	-title-only -noise -low -fft -eucl	3719	0	100.00
876	2nd	-title-only -noise -low -aggr -eucl	3719	0	100.00
877	2nd	-title-only -silence -noise -low -fft -eucl	3719	0	100.00
878	2nd	-title-only -silence -noise -low -aggr -eucl	3719	0	100.00
879	2nd	-title-only -silence -noise -norm -fft -cheb	3719	0	100.00
880	2nd	-title-only -silence -low -aggr -cheb	3719	0	100.00
881	2nd	-title-only -silence -noise -norm -aggr -cheb	3719	0	100.00
882	2nd	-title-only -silence -low -fft -cheb	3719	0	100.00
883	2nd	-title-only -endp -fft -cos	3719	0	100.00
884	2nd	-title-only -low -fft -cheb	3719	0	100.00
885	2nd	-title-only -silence -endp -fft -cos	3719	0	100.00
886	2nd	-title-only -endp -aggr -cos	3719	0	100.00
887	2nd	-title-only -noise -norm -aggr -cheb	3719	0	100.00
888	2nd	-title-only -low -aggr -cheb	3719	0	100.00
889	2nd	-title-only -silence -endp -aggr -cos	3719	0	100.00
890	2nd	-title-only -noise -norm -fft -cheb	3719	0	100.00
891	2nd	-title-only -noise -low -aggr -cheb	3719	0	100.00
892	2nd	-title-only -noise -low -fft -cheb	3719	0	100.00
893	2nd	-title-only -silence -noise -low -fft -cheb	3719	0	100.00
894	2nd	-title-only -silence -noise -low -aggr -cheb	3719	0	100.00
895	2nd	-title-only -silence -noise -endp -fft -diff	3719	0	100.00
896	2nd	-title-only -endp -minmax -cos	3719	0	100.00
897	2nd	-title-only -silence -endp -minmax -cos	3719	0	100.00
898	2nd	-title-only -silence -noise -raw -minmax -cos	3719	0	100.00
899	2nd	-title-only -raw -minmax -cos	3719	0	100.00

Table 621: Consolidated results (piste2-result1-marf-title-only-stats), Part 19.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
900	2nd	-title-only -noise -raw -minmax -cos	3719	0	100.00
901	2nd	-title-only -silence -raw -minmax -cos	3719	0	100.00
902	2nd	-title-only -silence -noise -endp -aggr -diff	3719	0	100.00
903	2nd	-title-only -noise -norm -aggr -diff	3719	0	100.00
904	2nd	-title-only -low -aggr -diff	3719	0	100.00
905	2nd	-title-only -low -fft -diff	3719	0	100.00
906	2nd	-title-only -noise -norm -fft -diff	3719	0	100.00
907	2nd	-title-only -silence -bandstop -minmax -cos	3719	0	100.00
908	2nd	-title-only -bandstop -minmax -cos	3719	0	100.00
909	2nd	-title-only -silence -noise -endp -aggr -cheb	3719	0	100.00
910	2nd	-title-only -noise -endp -aggr -cheb	3719	0	100.00
911	2nd	-title-only -noise -endp -fft -cheb	3719	0	100.00
912	2nd	-title-only -silence -noise -endp -fft -cheb	3719	0	100.00
913	2nd	-title-only -noise -endp -fft -diff	3719	0	100.00
914	2nd	-title-only -noise -low -minmax -cos	3719	0	100.00
915	2nd	-title-only -silence -noise -low -fft -diff	3719	0	100.00
916	2nd	-title-only -silence -noise -low -aggr -diff	3719	0	100.00
917	2nd	-title-only -norm -minmax -cos	3719	0	100.00
918	2nd	-title-only -silence -norm -minmax -cos	3719	0	100.00
919	2nd	-title-only -silence -noise -low -minmax -cos	3719	0	100.00
920	2nd	-title-only -raw -fft -cheb	3719	0	100.00
921	2nd	-title-only -silence -noise -raw -fft -cheb	3719	0	100.00
922	2nd	-title-only -raw -aggr -cheb	3719	0	100.00
923	2nd	-title-only -silence -raw -aggr -cheb	3719	0	100.00
924	2nd	-title-only -noise -raw -fft -cheb	3719	0	100.00
925	2nd	-title-only -silence -raw -fft -cheb	3719	0	100.00
926	2nd	-title-only -noise -raw -aggr -cheb	3719	0	100.00
927	2nd	-title-only -silence -noise -raw -aggr -cheb	3719	0	100.00
928	2nd	-title-only -noise -endp -aggr -diff	3719	0	100.00
929	2nd	-title-only -low -minmax -cos	3719	0	100.00
930	2nd	-title-only -noise -norm -minmax -cos	3719	0	100.00
931	2nd	-title-only -noise -endp -minmax -cos	3719	0	100.00
932	2nd	-title-only -silence -noise -norm -minmax -cos	3719	0	100.00
933	2nd	-title-only -silence -low -minmax -cos	3719	0	100.00
934	2nd	-title-only -noise -bandstop -minmax -cos	3719	0	100.00
935	2nd	-title-only -silence -noise -endp -minmax -cos	3719	0	100.00
936	2nd	-title-only -silence -norm -minmax -mink	3719	0	100.00
937	2nd	-title-only -norm -minmax -mink	3719	0	100.00
938	2nd	-title-only -silence -noise -bandstop -minmax -cos	3719	0	100.00
939	2nd	-title-only -silence -noise -norm -aggr -diff	3719	0	100.00
940	2nd	-title-only -silence -low -aggr -diff	3719	0	100.00
941	2nd	-title-only -silence -low -fft -diff	3719	0	100.00
942	2nd	-title-only -silence -noise -norm -fft -diff	3719	0	100.00
943	2nd	-title-only -noise -low -fft -diff	3719	0	100.00
944	2nd	-title-only -noise -low -aggr -diff	3719	0	100.00
945	2nd	-title-only -high -minmax -eucl	3719	0	100.00
946	2nd	-title-only -silence -noise -raw -minmax -mink	3719	0	100.00
947	2nd	-title-only -raw -aggr -diff	3719	0	100.00
948	2nd	-title-only -raw -minmax -mink	3719	0	100.00
949	2nd	-title-only -silence -raw -minmax -mink	3719	0	100.00

Table 622: Consolidated results (piste2-result1-marf-title-only-stats), Part 20.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
950	2nd	-title-only -silence -raw -aggr -diff	3719	0	100.00
951	2nd	-title-only -noise -raw -aggr -diff	3719	0	100.00
952	2nd	-title-only -noise -raw -minmax -mink	3719	0	100.00
953	2nd	-title-only -silence -noise -raw -aggr -diff	3719	0	100.00
954	2nd	-title-only -silence -noise -raw -fft -diff	3719	0	100.00
955	2nd	-title-only -noise -raw -fft -diff	3719	0	100.00
956	2nd	-title-only -silence -raw -fft -diff	3719	0	100.00
957	2nd	-title-only -raw -fft -diff	3719	0	100.00
958	2nd	-title-only -silence -high -minmax -eucl	3719	0	100.00
959	2nd	-title-only -silence -band -fft -cheb	3719	0	100.00
960	2nd	-title-only -silence -band -aggr -cheb	3719	0	100.00
961	2nd	-title-only -band -aggr -cheb	3719	0	100.00
962	2nd	-title-only -band -fft -cheb	3719	0	100.00
963	2nd	-title-only -silence -noise -bandstop -fft -cheb	3719	0	100.00
964	2nd	-title-only -noise -bandstop -fft -cheb	3719	0	100.00
965	2nd	-title-only -silence -noise -bandstop -aggr -cheb	3719	0	100.00
966	2nd	-title-only -noise -bandstop -aggr -cheb	3719	0	100.00
967	2nd	-title-only -band -fft -diff	7438	0	100.00
968	2nd	-title-only -band -aggr -diff	7438	0	100.00
969	2nd	-title-only -silence -noise -low -minmax -mink	3719	0	100.00
970	2nd	-title-only -silence -endp -minmax -hamming	3719	0	100.00
971	2nd	-title-only -endp -minmax -hamming	3719	0	100.00
972	2nd	-title-only -silence -high -minmax -mink	3719	0	100.00
973	2nd	-title-only -noise -low -minmax -mink	3719	0	100.00
974	2nd	-title-only -high -minmax -mink	3719	0	100.00
975	2nd	-title-only -silence -band -aggr -hamming	7438	0	100.00
976	2nd	-title-only -silence -band -fft -hamming	7438	0	100.00
977	2nd	-title-only -band -minmax -cos	7438	0	100.00
978	2nd	-title-only -band -minmax -eucl	3719	0	100.00
979	2nd	-title-only -band -fft -hamming	7438	0	100.00
980	2nd	-title-only -band -aggr -hamming	7438	0	100.00
981	2nd	-title-only -silence -band -minmax -cos	7438	0	100.00
982	2nd	-title-only -silence -band -minmax -eucl	3719	0	100.00
983	2nd	-title-only -silence -norm -minmax -hamming	3719	0	100.00
984	2nd	-title-only -norm -minmax -hamming	3719	0	100.00
985	2nd	-title-only -silence -noise -bandstop -fft -diff	3719	0	100.00
986	2nd	-title-only -silence -noise -bandstop -aggr -diff	3719	0	100.00
987	2nd	-title-only -band -minmax -mink	7438	0	100.00
988	2nd	-title-only -silence -band -fft -diff	7438	0	100.00
989	2nd	-title-only -silence -band -minmax -mink	7438	0	100.00
990	2nd	-title-only -silence -band -aggr -diff	7438	0	100.00
991	2nd	-title-only -noise -bandstop -aggr -diff	3719	0	100.00
992	2nd	-title-only -noise -bandstop -fft -diff	3719	0	100.00
993	2nd	-title-only -noise -bandstop -minmax -mink	3719	0	100.00
994	2nd	-title-only -silence -noise -bandstop -minmax -mink	3719	0	100.00
995	2nd	-title-only -raw -minmax -hamming	3719	0	100.00
996	2nd	-title-only -silence -noise -raw -minmax -hamming	3719	0	100.00
997	2nd	-title-only -noise -raw -minmax -hamming	3719	0	100.00
998	2nd	-title-only -silence -raw -minmax -hamming	3719	0	100.00
999	2nd	-title-only -noise -band -minmax -mink	7438	0	100.00

Table 623: Consolidated results (piste2-result1-marf-title-only-stats), Part 21.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1000	2nd	-title-only -silence -noise -band -minmax -mink	3719	0	100.00
1001	2nd	-title-only -noise -band -minmax -cos	7438	0	100.00
1002	2nd	-title-only -silence -noise -norm -minmax -mink	3719	0	100.00
1003	2nd	-title-only -silence -low -minmax -mink	3719	0	100.00
1004	2nd	-title-only -noise -endp -minmax -mink	3719	0	100.00
1005	2nd	-title-only -silence -noise -band -minmax -cos	3719	0	100.00
1006	2nd	-title-only -low -minmax -mink	3719	0	100.00
1007	2nd	-title-only -noise -norm -minmax -mink	3719	0	100.00
1008	2nd	-title-only -high -minmax -cos	3719	0	100.00
1009	2nd	-title-only -silence -noise -endp -minmax -mink	3719	0	100.00
1010	2nd	-title-only -silence -noise -high -minmax -mink	3719	0	100.00
1011	2nd	-title-only -silence -noise -low -minmax -eucl	3719	0	100.00
1012	2nd	-title-only -noise -high -minmax -mink	3719	0	100.00
1013	2nd	-title-only -noise -low -minmax -eucl	3719	0	100.00
1014	2nd	-title-only -silence -band -aggr -cos	7438	0	100.00
1015	2nd	-title-only -silence -band -fft -cos	7438	0	100.00
1016	2nd	-title-only -band -aggr -cos	7438	0	100.00
1017	2nd	-title-only -band -fft -cos	7438	0	100.00
1018	2nd	-title-only -noise -high -fft -hamming	3719	0	100.00
1019	2nd	-title-only -noise -raw -aggr -mink	3719	0	100.00
1020	2nd	-title-only -silence -noise -raw -aggr -mink	3719	0	100.00
1021	2nd	-title-only -raw -fft -mink	3719	0	100.00
1022	2nd	-title-only -noise -high -aggr -hamming	3719	0	100.00
1023	2nd	-title-only -silence -noise -raw -fft -mink	3719	0	100.00
1024	2nd	-title-only -raw -aggr -mink	3719	0	100.00
1025	2nd	-title-only -silence -raw -aggr -mink	3719	0	100.00
1026	2nd	-title-only -noise -raw -fft -mink	3719	0	100.00
1027	2nd	-title-only -silence -raw -fft -mink	3719	0	100.00
1028	2nd	-title-only -silence -noise -low -minmax -diff	3719	0	100.00
1029	2nd	-title-only -silence -high -minmax -cos	3719	0	100.00
1030	2nd	-title-only -noise -bandstop -minmax -cheb	3719	0	100.00
1031	2nd	-title-only -silence -noise -endp -fft -cos	3719	0	100.00
1032	2nd	-title-only -silence -noise -endp -aggr -cos	3719	0	100.00
1033	2nd	-title-only -noise -bandstop -minmax -eucl	3719	0	100.00
1034	2nd	-title-only -noise -low -minmax -diff	3719	0	100.00
1035	2nd	-title-only -silence -noise -low -minmax -cheb	3719	0	100.00
1036	2nd	-title-only -silence -noise -high -aggr -hamming	3719	0	100.00
1037	2nd	-title-only -noise -bandstop -minmax -diff	3719	0	100.00
1038	2nd	-title-only -silence -noise -bandstop -minmax -diff	3719	0	100.00
1039	2nd	-title-only -noise -endp -aggr -cos	3719	0	100.00
1040	2nd	-title-only -noise -endp -fft -cos	3719	0	100.00
1041	2nd	-title-only -silence -noise -bandstop -minmax -eucl	3719	0	100.00
1042	2nd	-title-only -silence -noise -high -fft -hamming	3719	0	100.00
1043	2nd	-title-only -noise -low -minmax -cheb	3719	0	100.00
1044	2nd	-title-only -noise -high -aggr -mink	3719	0	100.00
1045	2nd	-title-only -silence -low -fft -cos	3719	0	100.00
1046	2nd	-title-only -noise -high -fft -mink	3719	0	100.00
1047	2nd	-title-only -noise -norm -fft -cos	3719	0	100.00
1048	2nd	-title-only -silence -noise -bandstop -minmax -cheb	3719	0	100.00
1049	2nd	-title-only -silence -low -aggr -cos	3719	0	100.00

Table 624: Consolidated results (piste2-result1-marf-title-only-stats), Part 22.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1050	2nd	-title-only -low -fft -cos	3719	0	100.00
1051	2nd	-title-only -noise -norm -aggr -cos	3719	0	100.00
1052	2nd	-title-only -silence -noise -norm -aggr -cos	3719	0	100.00
1053	2nd	-title-only -low -aggr -cos	3719	0	100.00
1054	2nd	-title-only -silence -noise -norm -fft -cos	3719	0	100.00
1055	2nd	-title-only -silence -noise -band -fft -cos	3719	0	100.00
1056	2nd	-title-only -noise -band -fft -cos	7438	0	100.00
1057	2nd	-title-only -noise -band -aggr -cos	7438	0	100.00
1058	2nd	-title-only -silence -noise -band -aggr -cos	3719	0	100.00
1059	2nd	-title-only -noise -band -minmax -eucl	3719	0	100.00
1060	2nd	-title-only -noise -raw -fft -cos	3719	0	100.00
1061	2nd	-title-only -noise -raw -aggr -cos	3719	0	100.00
1062	2nd	-title-only -silence -raw -fft -cos	3719	0	100.00
1063	2nd	-title-only -silence -raw -aggr -cos	3719	0	100.00
1064	2nd	-title-only -silence -noise -raw -fft -cos	3719	0	100.00
1065	2nd	-title-only -raw -fft -cos	3719	0	100.00
1066	2nd	-title-only -raw -aggr -cos	3719	0	100.00
1067	2nd	-title-only -silence -noise -raw -aggr -cos	3719	0	100.00
1068	2nd	-title-only -silence -noise -band -fft -diff	3719	0	100.00
1069	2nd	-title-only -silence -noise -band -aggr -diff	3719	0	100.00
1070	2nd	-title-only -silence -noise -endp -fft -mink	3719	0	100.00
1071	2nd	-title-only -silence -noise -norm -fft -hamming	3719	0	100.00
1072	2nd	-title-only -silence -noise -norm -aggr -hamming	3719	0	100.00
1073	2nd	-title-only -silence -low -fft -hamming	3719	0	100.00
1074	2nd	-title-only -silence -low -aggr -hamming	3719	0	100.00
1075	2nd	-title-only -silence -noise -endp -aggr -mink	3719	0	100.00
1076	2nd	-title-only -noise -low -fft -cos	3719	0	100.00
1077	2nd	-title-only -noise -endp -fft -mink	3719	0	100.00
1078	2nd	-title-only -silence -noise -low -fft -cos	3719	0	100.00
1079	2nd	-title-only -noise -low -aggr -cos	3719	0	100.00
1080	2nd	-title-only -bandstop -minmax -mink	3719	0	100.00
1081	2nd	-title-only -silence -bandstop -minmax -mink	3719	0	100.00
1082	2nd	-title-only -noise -endp -aggr -mink	3719	0	100.00
1083	2nd	-title-only -silence -noise -low -aggr -cos	3719	0	100.00
1084	2nd	-title-only -silence -noise -norm -aggr -mink	3719	0	100.00
1085	2nd	-title-only -noise -norm -aggr -mink	3719	0	100.00
1086	2nd	-title-only -low -aggr -mink	3719	0	100.00
1087	2nd	-title-only -silence -low -fft -mink	3719	0	100.00
1088	2nd	-title-only -noise -norm -fft -mink	3719	0	100.00
1089	2nd	-title-only -silence -noise -norm -fft -mink	3719	0	100.00
1090	2nd	-title-only -silence -low -aggr -mink	3719	0	100.00
1091	2nd	-title-only -low -fft -mink	3719	0	100.00
1092	2nd	-title-only -low -fft -hamming	3719	0	100.00
1093	2nd	-title-only -low -aggr -hamming	3719	0	100.00
1094	2nd	-title-only -noise -norm -fft -hamming	3719	0	100.00
1095	2nd	-title-only -noise -norm -aggr -hamming	3719	0	100.00
1096	2nd	-title-only -silence -noise -low -fft -mink	3719	0	100.00
1097	2nd	-title-only -silence -noise -low -aggr -mink	3719	0	100.00
1098	2nd	-title-only -noise -low -fft -mink	3719	0	100.00
1099	2nd	-title-only -noise -low -aggr -mink	3719	0	100.00

Table 625: Consolidated results (piste2-result1-marf-title-only-stats), Part 23.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1100	2nd	-title-only -noise -bandstop -aggr -cos	3719	0	100.00
1101	2nd	-title-only -silence -noise -bandstop -fft -cos	3719	0	100.00
1102	2nd	-title-only -silence -noise -bandstop -aggr -cos	3719	0	100.00
1103	2nd	-title-only -noise -bandstop -fft -cos	3719	0	100.00
1104	2nd	-title-only -silence -noise -bandstop -aggr -mink	3719	0	100.00
1105	2nd	-title-only -silence -noise -bandstop -fft -mink	3719	0	100.00
1106	2nd	-title-only -noise -bandstop -aggr -mink	3719	0	100.00
1107	2nd	-title-only -noise -bandstop -fft -mink	3719	0	100.00
1108	2nd	-title-only -endp -minmax -mink	3719	0	100.00
1109	2nd	-title-only -silence -endp -minmax -mink	3719	0	100.00
1110	2nd	-title-only -noise -band -aggr -diff	7438	0	100.00
1111	2nd	-title-only -noise -band -fft -diff	7438	0	100.00
1112	2nd	-title-only -bandstop -aggr -mink	3719	0	100.00
1113	2nd	-title-only -bandstop -fft -mink	3719	0	100.00
1114	2nd	-title-only -silence -noise -high -aggr -mink	3719	0	100.00
1115	2nd	-title-only -silence -noise -high -fft -mink	3719	0	100.00
1116	2nd	-title-only -silence -bandstop -aggr -mink	3719	0	100.00
1117	2nd	-title-only -endp -fft -eucl	3719	0	100.00
1118	2nd	-title-only -silence -endp -aggr -eucl	3719	0	100.00
1119	2nd	-title-only -silence -endp -fft -eucl	3719	0	100.00
1120	2nd	-title-only -silence -bandstop -fft -mink	3719	0	100.00
1121	2nd	-title-only -endp -aggr -eucl	3719	0	100.00
1122	2nd	-title-only -norm -minmax -eucl	3719	0	100.00
1123	2nd	-title-only -noise -high -aggr -cheb	3719	0	100.00
1124	2nd	-title-only -noise -high -fft -cheb	3719	0	100.00
1125	2nd	-title-only -silence -norm -minmax -eucl	3719	0	100.00
1126	2nd	-title-only -silence -noise -high -aggr -cheb	3719	0	100.00
1127	2nd	-title-only -silence -noise -high -fft -cheb	3719	0	100.00
1128	2nd	-title-only -norm -aggr -mink	3719	0	100.00
1129	2nd	-title-only -silence -norm -aggr -mink	3719	0	100.00
1130	2nd	-title-only -norm -fft -mink	3719	0	100.00
1131	2nd	-title-only -silence -norm -fft -mink	3719	0	100.00
1132	2nd	-title-only -bandstop -fft -cheb	3719	0	100.00
1133	2nd	-title-only -bandstop -aggr -cheb	3719	0	100.00
1134	2nd	-title-only -silence -bandstop -aggr -cheb	3719	0	100.00
1135	2nd	-title-only -noise -high -minmax -eucl	3719	0	100.00
1136	2nd	-title-only -silence -bandstop -fft -cheb	3719	0	100.00
1137	2nd	-title-only -silence -bandstop -aggr -diff	3719	0	100.00
1138	2nd	-title-only -silence -noise -band -fft -cheb	3719	0	100.00
1139	2nd	-title-only -silence -bandstop -fft -diff	3719	0	100.00
1140	2nd	-title-only -silence -noise -band -fft -hamming	3719	0	100.00
1141	2nd	-title-only -silence -noise -band -aggr -hamming	3719	0	100.00
1142	2nd	-title-only -silence -noise -high -minmax -eucl	3719	0	100.00
1143	2nd	-title-only -noise -band -minmax -cheb	3719	0	100.00
1144	2nd	-title-only -bandstop -aggr -diff	3719	0	100.00
1145	2nd	-title-only -high -minmax -cheb	3719	0	100.00
1146	2nd	-title-only -noise -band -aggr -cheb	3719	0	100.00
1147	2nd	-title-only -silence -norm -aggr -cheb	3719	0	100.00
1148	2nd	-title-only -norm -fft -cheb	3719	0	100.00
1149	2nd	-title-only -silence -norm -fft -cheb	3719	0	100.00

Table 626: Consolidated results (piste2-result1-marf-title-only-stats), Part 24.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1150	2nd	-title-only -norm -aggr -cheb	3719	0	100.00
1151	2nd	-title-only -silence -bandstop -aggr -hamming	3719	0	100.00
1152	2nd	-title-only -noise -band -fft -cheb	3719	0	100.00
1153	2nd	-title-only -silence -bandstop -fft -hamming	3719	0	100.00
1154	2nd	-title-only -bandstop -fft -diff	3719	0	100.00
1155	2nd	-title-only -noise -high -minmax -cos	3719	0	100.00
1156	2nd	-title-only -noise -band -minmax -diff	7438	0	100.00
1157	2nd	-title-only -endp -fft -mink	3719	0	100.00
1158	2nd	-title-only -noise -high -minmax -hamming	3719	0	100.00
1159	2nd	-title-only -silence -endp -aggr -mink	3719	0	100.00
1160	2nd	-title-only -silence -noise -high -aggr -diff	3719	0	100.00
1161	2nd	-title-only -silence -endp -fft -mink	3719	0	100.00
1162	2nd	-title-only -endp -aggr -mink	3719	0	100.00
1163	2nd	-title-only -noise -high -aggr -eucl	3719	0	100.00
1164	2nd	-title-only -noise -high -fft -eucl	3719	0	100.00
1165	2nd	-title-only -high -minmax -diff	3719	0	100.00
1166	2nd	-title-only -silence -noise -high -fft -diff	3719	0	100.00
1167	2nd	-title-only -bandstop -aggr -hamming	3719	0	100.00
1168	2nd	-title-only -bandstop -fft -hamming	3719	0	100.00
1169	2nd	-title-only -silence -noise -high -fft -eucl	3719	0	100.00
1170	2nd	-title-only -noise -band -fft -hamming	7438	0	100.00
1171	2nd	-title-only -silence -noise -high -minmax -hamming	3719	0	100.00
1172	2nd	-title-only -noise -band -aggr -hamming	7438	0	100.00
1173	2nd	-title-only -silence -noise -high -aggr -eucl	3719	0	100.00
1174	2nd	-title-only -silence -noise -band -minmax -diff	3719	0	100.00
1175	2nd	-title-only -noise -high -fft -cos	3719	0	100.00
1176	2nd	-title-only -noise -high -aggr -cos	3719	0	100.00
1177	2nd	-title-only -noise -high -aggr -diff	3719	0	100.00
1178	2nd	-title-only -silence -high -minmax -cheb	3719	0	100.00
1179	2nd	-title-only -silence -noise -raw -minmax -eucl	3719	0	100.00
1180	2nd	-title-only -raw -minmax -eucl	3719	0	100.00
1181	2nd	-title-only -silence -raw -minmax -eucl	3719	0	100.00
1182	2nd	-title-only -noise -raw -minmax -eucl	3719	0	100.00
1183	2nd	-title-only -silence -high -minmax -diff	3719	0	100.00
1184	2nd	-title-only -noise -high -fft -diff	3719	0	100.00
1185	2nd	-title-only -silence -noise -high -minmax -cos	3719	0	100.00
1186	2nd	-title-only -norm -minmax -cheb	3719	0	100.00
1187	2nd	-title-only -low -minmax -eucl	3719	0	100.00
1188	2nd	-title-only -silence -norm -minmax -cheb	3719	0	100.00
1189	2nd	-title-only -noise -norm -minmax -eucl	3719	0	100.00
1190	2nd	-title-only -norm -minmax -diff	3719	0	100.00
1191	2nd	-title-only -silence -norm -minmax -diff	3719	0	100.00
1192	2nd	-title-only -silence -noise -norm -minmax -eucl	3719	0	100.00
1193	2nd	-title-only -silence -low -minmax -eucl	3719	0	100.00
1194	2nd	-title-only -silence -norm -aggr -diff	3719	0	100.00
1195	2nd	-title-only -norm -aggr -diff	3719	0	100.00
1196	2nd	-title-only -norm -fft -diff	3719	0	100.00
1197	2nd	-title-only -silence -norm -fft -diff	3719	0	100.00
1198	2nd	-title-only -endp -fft -cheb	3719	0	100.00
1199	2nd	-title-only -silence -endp -aggr -cheb	3719	0	100.00

Table 627: Consolidated results (piste2-result1-marf-title-only-stats), Part 25.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1200	2nd	-title-only -silence -endp -fft -cheb	3719	0	100.00
1201	2nd	-title-only -endp -aggr -cheb	3719	0	100.00
1202	2nd	-title-only -low -minmax -diff	3719	0	100.00
1203	2nd	-title-only -silence -bandstop -minmax -eucl	3719	0	100.00
1204	2nd	-title-only -noise -norm -minmax -diff	3719	0	100.00
1205	2nd	-title-only -silence -noise -norm -minmax -diff	3719	0	100.00
1206	2nd	-title-only -silence -low -minmax -diff	3719	0	100.00
1207	2nd	-title-only -silence -noise -norm -minmax -cheb	3719	0	100.00
1208	2nd	-title-only -silence -low -minmax -cheb	3719	0	100.00
1209	2nd	-title-only -bandstop -minmax -eucl	3719	0	100.00
1210	2nd	-title-only -low -minmax -cheb	3719	0	100.00
1211	2nd	-title-only -noise -norm -minmax -cheb	3719	0	100.00
1212	2nd	-title-only -silence -noise -high -fft -cos	3719	0	100.00
1213	2nd	-title-only -silence -band -minmax -diff	7438	0	100.00
1214	2nd	-title-only -silence -noise -high -aggr -cos	3719	0	100.00
1215	2nd	-title-only -silence -band -minmax -cheb	3719	0	100.00
1216	2nd	-title-only -silence -raw -minmax -cheb	3719	0	100.00
1217	2nd	-title-only -noise -raw -minmax -diff	3719	0	100.00
1218	2nd	-title-only -noise -raw -minmax -cheb	3719	0	100.00
1219	2nd	-title-only -silence -noise -raw -minmax -diff	3719	0	100.00
1220	2nd	-title-only -silence -noise -raw -minmax -cheb	3719	0	100.00
1221	2nd	-title-only -raw -minmax -diff	3719	0	100.00
1222	2nd	-title-only -raw -minmax -cheb	3719	0	100.00
1223	2nd	-title-only -silence -raw -minmax -diff	3719	0	100.00
1224	2nd	-title-only -band -minmax -cheb	3719	0	100.00
1225	2nd	-title-only -band -minmax -diff	7438	0	100.00
1226	2nd	-title-only -noise -high -minmax -cheb	3719	0	100.00
1227	2nd	-title-only -silence -noise -high -minmax -cheb	3719	0	100.00
1228	2nd	-title-only -bandstop -minmax -cheb	3719	0	100.00
1229	2nd	-title-only -silence -bandstop -minmax -cheb	3719	0	100.00
1230	2nd	-title-only -silence -noise -high -minmax -diff	3719	0	100.00
1231	2nd	-title-only -bandstop -minmax -diff	3719	0	100.00
1232	2nd	-title-only -silence -endp -aggr -diff	3719	0	100.00
1233	2nd	-title-only -endp -aggr -diff	3719	0	100.00
1234	2nd	-title-only -noise -high -minmax -diff	3719	0	100.00
1235	2nd	-title-only -silence -bandstop -minmax -diff	3719	0	100.00
1236	2nd	-title-only -silence -endp -fft -diff	3719	0	100.00
1237	2nd	-title-only -endp -fft -diff	3719	0	100.00
1238	2nd	-title-only -noise -endp -minmax -eucl	3719	0	100.00
1239	2nd	-title-only -silence -noise -endp -minmax -eucl	3719	0	100.00
1240	2nd	-title-only -noise -endp -minmax -diff	3719	0	100.00
1241	2nd	-title-only -noise -endp -minmax -cheb	3719	0	100.00
1242	2nd	-title-only -silence -noise -endp -minmax -diff	3719	0	100.00
1243	2nd	-title-only -silence -noise -endp -minmax -cheb	3719	0	100.00
1244	2nd	-title-only -high -aggr -cos	3719	0	100.00
1245	2nd	-title-only -high -fft -cos	3719	0	100.00
1246	2nd	-title-only -silence -high -fft -cos	3719	0	100.00
1247	2nd	-title-only -silence -high -aggr -cos	3719	0	100.00
1248	2nd	-title-only -band -aggr -eucl	3719	0	100.00
1249	2nd	-title-only -band -fft -eucl	3719	0	100.00

Table 628: Consolidated results (piste2-result1-marf-title-only-stats), Part 26.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1250	2nd	-title-only -silence -band -aggr -eucl	3719	0	100.00
1251	2nd	-title-only -silence -band -fft -eucl	3719	0	100.00
1252	2nd	-title-only -silence -noise -low -aggr -hamming	3719	0	100.00
1253	2nd	-title-only -silence -noise -low -fft -hamming	3719	0	100.00
1254	2nd	-title-only -endp -minmax -eucl	3719	0	100.00
1255	2nd	-title-only -silence -endp -minmax -eucl	3719	0	100.00
1256	2nd	-title-only -noise -low -aggr -hamming	3719	0	100.00
1257	2nd	-title-only -noise -low -fft -hamming	3719	0	100.00
1258	2nd	-title-only -silence -endp -minmax -cheb	3719	0	100.00
1259	2nd	-title-only -endp -minmax -cheb	3719	0	100.00
1260	2nd	-title-only -silence -endp -minmax -diff	3719	0	100.00
1261	2nd	-title-only -endp -minmax -diff	3719	0	100.00
1262	2nd	-title-only -silence -boost -lpc -eucl	3719	0	100.00
1263	2nd	-title-only -noise -boost -lpc -diff	3719	0	100.00
1264	2nd	-title-only -noise -highpassboost -aggr -mink	3719	0	100.00
1265	2nd	-title-only -high -lpc -diff	3719	0	100.00
1266	2nd	-title-only -bandstop -lpc -diff	3719	0	100.00
1267	2nd	-title-only -silence -noise -high -lpc -eucl	3719	0	100.00
1268	2nd	-title-only -boost -minmax -cheb	3719	0	100.00
1269	2nd	-title-only -silence -noise -boost -fft -diff	3719	0	100.00
1270	2nd	-title-only -silence -low -lpc -eucl	3719	0	100.00
1271	2nd	-title-only -silence -noise -bandstop -lpc -cheb	3719	0	100.00
1272	2nd	-title-only -silence -noise -boost -lpc -cheb	3719	0	100.00
1273	2nd	-title-only -silence -highpassboost -aggr -cheb	3719	0	100.00
1274	2nd	-title-only -noise -high -lpc -mink	3719	0	100.00
1275	2nd	-title-only -silence -boost -lpc -mink	3719	0	100.00
1276	2nd	-title-only -silence -noise -highpassboost -fft -hamming	3719	0	100.00
1277	2nd	-title-only -boost -fft -diff	3719	0	100.00
1278	2nd	-title-only -raw -lpc -hamming	3719	0	100.00
1279	2nd	-title-only -silence -boost -lpc -cos	3719	0	100.00
1280	2nd	-title-only -silence -noise -high -lpc -mink	3719	0	100.00
1281	2nd	-title-only -boost -lpc -cheb	3719	0	100.00
1282	2nd	-title-only -silence -noise -raw -lpc -diff	3719	0	100.00
1283	2nd	-title-only -silence -noise -norm -lpc -cos	3719	0	100.00
1284	2nd	-title-only -low -lpc -diff	3719	0	100.00
1285	2nd	-title-only -silence -boost -fft -eucl	3719	0	100.00
1286	2nd	-title-only -boost -aggr -hamming	3719	0	100.00
1287	2nd	-title-only -silence -low -lpc -mink	3719	0	100.00
1288	2nd	-title-only -noise -boost -fft -diff	3719	0	100.00
1289	2nd	-title-only -silence -boost -aggr -cheb	3719	0	100.00
1290	2nd	-title-only -silence -noise -boost -aggr -eucl	3719	0	100.00
1291	2nd	-title-only -noise -boost -lpc -cheb	3719	0	100.00
1292	2nd	-title-only -high -lpc -cheb	3719	0	100.00
1293	2nd	-title-only -bandstop -lpc -cheb	3719	0	100.00
1294	2nd	-title-only -silence -noise -boost -lpc -hamming	3719	0	100.00
1295	2nd	-title-only -silence -noise -highpassboost -aggr -diff	3719	0	100.00
1296	2nd	-title-only -silence -noise -highpassboost -aggr -cos	3719	0	100.00
1297	2nd	-title-only -band -lpc -cos	7438	0	100.00
1298	2nd	-title-only -endp -lpc -hamming	3719	0	100.00
1299	2nd	-title-only -silence -noise -boost -fft -cheb	3719	0	100.00

Table 629: Consolidated results (piste2-result1-marf-title-only-stats), Part 27.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1300	2nd	-title-only -silence -noise -high -lpc -cos	3719	0	100.00
1301	2nd	-title-only -noise -low -lpc -cos	3719	0	100.00
1302	2nd	-title-only -silence -boost -fft -mink	3719	0	100.00
1303	2nd	-title-only -silence -noise -low -lpc -hamming	3719	0	100.00
1304	2nd	-title-only -noise -band -lpc -eucl	3719	0	100.00
1305	2nd	-title-only -silence -noise -boost -aggr -mink	3719	0	100.00
1306	2nd	-title-only -band -lpc -diff	7438	0	100.00
1307	2nd	-title-only -silence -endp -lpc -diff	3719	0	100.00
1308	2nd	-title-only -boost -fft -cheb	3719	0	100.00
1309	2nd	-title-only -bandstop -lpc -hamming	3719	0	100.00
1310	2nd	-title-only -silence -noise -endp -lpc -hamming	3719	0	100.00
1311	2nd	-title-only -boost -lpc -hamming	3719	0	100.00
1312	2nd	-title-only -silence -noise -raw -lpc -cheb	3719	0	100.00
1313	2nd	-title-only -low -lpc -cheb	3719	0	100.00
1314	2nd	-title-only -endp -lpc -cos	3719	0	100.00
1315	2nd	-title-only -silence -raw -lpc -hamming	3719	0	100.00
1316	2nd	-title-only -noise -boost -fft -cheb	3719	0	100.00
1317	2nd	-title-only -noise -norm -lpc -eucl	3719	0	100.00
1318	2nd	-title-only -noise -raw -lpc -cos	3719	0	100.00
1319	2nd	-title-only -highpassboost -lpc -diff	3719	0	100.00
1320	2nd	-title-only -noise -band -lpc -mink	7438	0	100.00
1321	2nd	-title-only -noise -highpassboost -fft -cos	3719	0	100.00
1322	2nd	-title-only -silence -bandstop -lpc -hamming	3719	0	100.00
1323	2nd	-title-only -norm -lpc -diff	3719	0	100.00
1324	2nd	-title-only -silence -highpassboost -aggr -cos	3719	0	100.00
1325	2nd	-title-only -silence -noise -highpassboost -aggr -cheb	3719	0	100.00
1326	2nd	-title-only -silence -noise -boost -aggr -hamming	3719	0	100.00
1327	2nd	-title-only -silence -noise -norm -lpc -eucl	3719	0	100.00
1328	2nd	-title-only -silence -noise -band -lpc -mink	3719	0	100.00
1329	2nd	-title-only -silence -low -lpc -cos	3719	0	100.00
1330	2nd	-title-only -silence -boost -fft -hamming	3719	0	100.00
1331	2nd	-title-only -noise -norm -lpc -mink	3719	0	100.00
1332	2nd	-title-only -boost -minmax -hamming	3719	0	100.00
1333	2nd	-title-only -band -lpc -cheb	3719	0	100.00
1334	2nd	-title-only -silence -endp -lpc -cheb	3719	0	100.00
1335	2nd	-title-only -boost -aggr -eucl	3719	0	100.00
1336	2nd	-title-only -highpassboost -minmax -cos	3719	0	100.00
1337	2nd	-title-only -silence -high -lpc -diff	3719	0	100.00
1338	2nd	-title-only -noise -boost -aggr -hamming	3719	0	100.00
1339	2nd	-title-only -silence -noise -low -lpc -diff	3719	0	100.00
1340	2nd	-title-only -silence -noise -norm -lpc -mink	3719	0	100.00
1341	2nd	-title-only -noise -highpassboost -lpc -diff	3719	0	100.00
1342	2nd	-title-only -raw -lpc -eucl	3719	0	100.00
1343	2nd	-title-only -highpassboost -fft -diff	3719	0	100.00
1344	2nd	-title-only -noise -bandstop -lpc -hamming	3719	0	100.00
1345	2nd	-title-only -endp -lpc -eucl	3719	0	100.00
1346	2nd	-title-only -highpassboost -lpc -cheb	3719	0	100.00
1347	2nd	-title-only -norm -lpc -cheb	3719	0	100.00
1348	2nd	-title-only -low -lpc -hamming	3719	0	100.00
1349	2nd	-title-only -noise -boost -fft -hamming	3719	0	100.00

Table 630: Consolidated results (piste2-result1-marf-title-only-stats), Part 28.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1350	2nd	-title-only -silence -raw -lpc -cos	3719	0	100.00
1351	2nd	-title-only -silence -noise -highpassboost -lpc -hamming	3719	0	100.00
1352	2nd	-title-only -noise -boost -minmax -diff	3719	0	100.00
1353	2nd	-title-only -silence -noise -band -lpc -cos	3719	0	100.00
1354	2nd	-title-only -boost -aggr -mink	3719	0	100.00
1355	2nd	-title-only -norm -lpc -hamming	3719	0	100.00
1356	2nd	-title-only -noise -boost -fft -cos	3719	0	100.00
1357	2nd	-title-only -boost -minmax -eucl	3719	0	100.00
1358	2nd	-title-only -noise -high -lpc -hamming	3719	0	100.00
1359	2nd	-title-only -silence -bandstop -lpc -diff	3719	0	100.00
1360	2nd	-title-only -noise -highpassboost -lpc -cos	3719	0	100.00
1361	2nd	-title-only -silence -noise -bandstop -lpc -eucl	3719	0	100.00
1362	2nd	-title-only -raw -lpc -mink	3719	0	100.00
1363	2nd	-title-only -noise -boost -minmax -cos	3719	0	100.00
1364	2nd	-title-only -silence -noise -boost -lpc -eucl	3719	0	100.00
1365	2nd	-title-only -silence -highpassboost -aggr -eucl	3719	0	100.00
1366	2nd	-title-only -endp -lpc -mink	3719	0	100.00
1367	2nd	-title-only -silence -boost -aggr -hamming	3719	0	100.00
1368	2nd	-title-only -silence -noise -norm -lpc -hamming	3719	0	100.00
1369	2nd	-title-only -noise -highpassboost -fft -hamming	3719	0	100.00
1370	2nd	-title-only -silence -noise -boost -fft -cos	3719	0	100.00
1371	2nd	-title-only -noise -highpassboost -minmax -diff	3719	0	100.00
1372	2nd	-title-only -noise -highpassboost -fft -diff	3719	0	100.00
1373	2nd	-title-only -highpassboost -aggr -diff	3719	0	100.00
1374	2nd	-title-only -silence -high -lpc -cheb	3719	0	100.00
1375	2nd	-title-only -silence -highpassboost -aggr -hamming	3719	0	100.00
1376	2nd	-title-only -boost -lpc -eucl	3719	0	100.00
1377	2nd	-title-only -noise -boost -minmax -hamming	3719	0	100.00
1378	2nd	-title-only -silence -noise -low -lpc -cheb	3719	0	100.00
1379	2nd	-title-only -noise -highpassboost -lpc -cheb	3719	0	100.00
1380	2nd	-title-only -silence -noise -endp -lpc -cos	3719	0	100.00
1381	2nd	-title-only -boost -minmax -mink	3719	0	100.00
1382	2nd	-title-only -noise -band -lpc -hamming	7438	0	100.00
1383	2nd	-title-only -noise -bandstop -lpc -diff	3719	0	100.00
1384	2nd	-title-only -highpassboost -fft -cheb	3719	0	100.00
1385	2nd	-title-only -silence -noise -bandstop -lpc -mink	3719	0	100.00
1386	2nd	-title-only -silence -noise -highpassboost -lpc -diff	3719	0	100.00
1387	2nd	-title-only -silence -boost -aggr -eucl	3719	0	100.00
1388	2nd	-title-only -silence -boost -aggr -cos	3719	0	100.00
1389	2nd	-title-only -silence -noise -boost -lpc -mink	3719	0	100.00
1390	2nd	-title-only -silence -highpassboost -aggr -mink	3719	0	100.00
1391	2nd	-title-only -silence -noise -low -lpc -cos	3719	0	100.00
1392	2nd	-title-only -noise -boost -lpc -eucl	3719	0	100.00
1393	2nd	-title-only -high -lpc -eucl	3719	0	100.00
1394	2nd	-title-only -bandstop -lpc -eucl	3719	0	100.00
1395	2nd	-title-only -noise -norm -lpc -cos	3719	0	100.00
1396	2nd	-title-only -silence -band -lpc -diff	7438	0	100.00
1397	2nd	-title-only -noise -boost -minmax -cheb	3719	0	100.00
1398	2nd	-title-only -silence -high -lpc -hamming	3719	0	100.00
1399	2nd	-title-only -noise -raw -lpc -diff	3719	0	100.00

Table 631: Consolidated results (piste2-result1-marf-title-only-stats), Part 29.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1400	2nd	-title-only -silence -noise -boost -fft -eucl	3719	0	100.00
1401	2nd	-title-only -boost -lpc -mink	3719	0	100.00
1402	2nd	-title-only -silence -bandstop -lpc -cheb	3719	0	100.00
1403	2nd	-title-only -bandstop -lpc -cos	3719	0	100.00
1404	2nd	-title-only -silence -low -lpc -hamming	3719	0	100.00
1405	2nd	-title-only -silence -noise -bandstop -lpc -hamming	3719	0	100.00
1406	2nd	-title-only -silence -boost -aggr -mink	3719	0	100.00
1407	2nd	-title-only -noise -boost -lpc -mink	3719	0	100.00
1408	2nd	-title-only -noise -boost -lpc -cos	3719	0	100.00
1409	2nd	-title-only -high -lpc -mink	3719	0	100.00
1410	2nd	-title-only -bandstop -lpc -mink	3719	0	100.00
1411	2nd	-title-only -silence -noise -bandstop -lpc -cos	3719	0	100.00
1412	2nd	-title-only -boost -fft -eucl	3719	0	100.00
1413	2nd	-title-only -silence -noise -raw -lpc -cos	3719	0	100.00
1414	2nd	-title-only -noise -highpassboost -fft -cheb	3719	0	100.00
1415	2nd	-title-only -noise -highpassboost -minmax -cheb	3719	0	100.00
1416	2nd	-title-only -highpassboost -aggr -cheb	3719	0	100.00
1417	2nd	-title-only -noise -boost -aggr -diff	3719	0	100.00
1418	2nd	-title-only -silence -noise -raw -lpc -eucl	3719	0	100.00
1419	2nd	-title-only -silence -norm -lpc -diff	3719	0	100.00
1420	2nd	-title-only -low -lpc -eucl	3719	0	100.00
1421	2nd	-title-only -noise -high -lpc -cos	3719	0	100.00
1422	2nd	-title-only -silence -noise -boost -fft -mink	3719	0	100.00
1423	2nd	-title-only -noise -bandstop -lpc -cheb	3719	0	100.00
1424	2nd	-title-only -silence -band -lpc -hamming	7438	0	100.00
1425	2nd	-title-only -silence -boost -lpc -hamming	3719	0	100.00
1426	2nd	-title-only -silence -highpassboost -fft -hamming	3719	0	100.00
1427	2nd	-title-only -noise -boost -fft -eucl	3719	0	100.00
1428	2nd	-title-only -silence -noise -highpassboost -fft -diff	3719	0	100.00
1429	2nd	-title-only -silence -noise -highpassboost -lpc -cheb	3719	0	100.00
1430	2nd	-title-only -silence -noise -boost -lpc -cos	3719	0	100.00
1431	2nd	-title-only -silence -highpassboost -lpc -diff	3719	0	100.00
1432	2nd	-title-only -silence -raw -lpc -diff	3719	0	100.00
1433	2nd	-title-only -silence -norm -lpc -cos	3719	0	100.00
1434	2nd	-title-only -silence -noise -highpassboost -aggr -eucl	3719	0	100.00
1435	2nd	-title-only -silence -band -lpc -cheb	3719	0	100.00
1436	2nd	-title-only -boost -fft -mink	3719	0	100.00
1437	2nd	-title-only -noise -highpassboost -minmax -hamming	3719	0	100.00
1438	2nd	-title-only -noise -raw -lpc -cheb	3719	0	100.00
1439	2nd	-title-only -highpassboost -fft -hamming	3719	0	100.00
1440	2nd	-title-only -silence -noise -raw -lpc -mink	3719	0	100.00
1441	2nd	-title-only -low -lpc -mink	3719	0	100.00
1442	2nd	-title-only -highpassboost -minmax -diff	3719	0	100.00
1443	2nd	-title-only -noise -boost -fft -mink	3719	0	100.00
1444	2nd	-title-only -band -lpc -eucl	3719	0	100.00
1445	2nd	-title-only -silence -endp -lpc -eucl	3719	0	100.00
1446	2nd	-title-only -noise -endp -lpc -diff	3719	0	100.00
1447	2nd	-title-only -noise -boost -lpc -hamming	3719	0	100.00
1448	2nd	-title-only -silence -noise -highpassboost -aggr -mink	3719	0	100.00
1449	2nd	-title-only -noise -boost -aggr -cheb	3719	0	100.00

Table 632: Consolidated results (piste2-result1-marf-title-only-stats), Part 30.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1450	2nd	-title-only -highpassboost -minmax -hamming	3719	0	100.00
1451	2nd	-title-only -silence -high -lpc -cos	3719	0	100.00
1452	2nd	-title-only -silence -norm -lpc -cheb	3719	0	100.00
1453	2nd	-title-only -silence -noise -endp -lpc -diff	3719	0	100.00
1454	2nd	-title-only -silence -highpassboost -fft -diff	3719	0	100.00
1455	2nd	-title-only -silence -noise -highpassboost -fft -cheb	3719	0	100.00
1456	2nd	-title-only -noise -endp -lpc -hamming	3719	0	100.00
1457	2nd	-title-only -highpassboost -lpc -eucl	3719	0	100.00
1458	2nd	-title-only -silence -highpassboost -lpc -cheb	3719	0	100.00
1459	2nd	-title-only -norm -lpc -eucl	3719	0	100.00
1460	2nd	-title-only -noise -highpassboost -lpc -hamming	3719	0	100.00
1461	2nd	-title-only -band -lpc -mink	7438	0	100.00
1462	2nd	-title-only -silence -endp -lpc -mink	3719	0	100.00
1463	2nd	-title-only -noise -low -lpc -diff	3719	0	100.00
1464	2nd	-title-only -silence -raw -lpc -cheb	3719	0	100.00
1465	2nd	-title-only -noise -highpassboost -minmax -cos	3719	0	100.00
1466	2nd	-title-only -noise -highpassboost -aggr -diff	3719	0	100.00
1467	2nd	-title-only -low -lpc -cos	3719	0	100.00
1468	2nd	-title-only -highpassboost -minmax -cheb	3719	0	100.00
1469	2nd	-title-only -highpassboost -lpc -mink	3719	0	100.00
1470	2nd	-title-only -noise -endp -lpc -cheb	3719	0	100.00
1471	2nd	-title-only -norm -lpc -mink	3719	0	100.00
1472	2nd	-title-only -noise -band -lpc -cos	7438	0	100.00
1473	2nd	-title-only -silence -high -lpc -eucl	3719	0	100.00
1474	2nd	-title-only -noise -high -lpc -diff	3719	0	100.00
1475	2nd	-title-only -silence -boost -lpc -diff	3719	0	100.00
1476	2nd	-title-only -silence -noise -low -lpc -eucl	3719	0	100.00
1477	2nd	-title-only -noise -highpassboost -lpc -eucl	3719	0	100.00
1478	2nd	-title-only -noise -raw -lpc -hamming	3719	0	100.00
1479	2nd	-title-only -highpassboost -aggr -hamming	3719	0	100.00
1480	2nd	-title-only -silence -noise -endp -lpc -cheb	3719	0	100.00
1481	2nd	-title-only -highpassboost -fft -eucl	3719	0	100.00
1482	2nd	-title-only -silence -highpassboost -fft -cheb	3719	0	100.00
1483	2nd	-title-only -silence -endp -lpc -hamming	3719	0	100.00
1484	2nd	-title-only -silence -noise -high -lpc -diff	3719	0	100.00
1485	2nd	-title-only -raw -lpc -cos	3719	0	100.00
1486	2nd	-title-only -silence -low -lpc -diff	3719	0	100.00
1487	2nd	-title-only -noise -low -lpc -cheb	3719	0	100.00
1488	2nd	-title-only -noise -endp -lpc -cos	3719	0	100.00
1489	2nd	-title-only -noise -boost -minmax -eucl	3719	0	100.00
1490	2nd	-title-only -noise -highpassboost -aggr -cheb	3719	0	100.00
1491	2nd	-title-only -silence -highpassboost -fft -cos	3719	0	100.00
1492	2nd	-title-only -silence -high -lpc -mink	3719	0	100.00
1493	2nd	-title-only -silence -bandstop -lpc -eucl	3719	0	100.00
1494	2nd	-title-only -silence -noise -boost -aggr -cos	3719	0	100.00
1495	2nd	-title-only -silence -noise -low -lpc -mink	3719	0	100.00
1496	2nd	-title-only -noise -highpassboost -lpc -mink	3719	0	100.00
1497	2nd	-title-only -noise -highpassboost -aggr -hamming	3719	0	100.00
1498	2nd	-title-only -silence -highpassboost -lpc -hamming	3719	0	100.00
1499	2nd	-title-only -highpassboost -fft -mink	3719	0	100.00

Table 633: Consolidated results (piste2-result1-marf-title-only-stats), Part 31.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1500	2nd	-title-only -boost -fft -cos	3719	0	100.00
1501	2nd	-title-only -silence -band -lpc -cos	7438	0	100.00
1502	2nd	-title-only -silence -boost -fft -diff	3719	0	100.00
1503	2nd	-title-only -noise -highpassboost -fft -eucl	3719	0	100.00
1504	2nd	-title-only -noise -highpassboost -minmax -eucl	3719	0	100.00
1505	2nd	-title-only -highpassboost -aggr -eucl	3719	0	100.00
1506	2nd	-title-only -noise -high -lpc -cheb	3719	0	100.00
1507	2nd	-title-only -silence -boost -lpc -cheb	3719	0	100.00
1508	2nd	-title-only -silence -noise -boost -aggr -diff	3719	0	100.00
1509	2nd	-title-only -noise -boost -minmax -mink	3719	0	100.00
1510	2nd	-title-only -boost -aggr -cos	3719	0	100.00
1511	2nd	-title-only -highpassboost -lpc -hamming	3719	0	100.00
1512	2nd	-title-only -noise -norm -lpc -hamming	3719	0	100.00
1513	2nd	-title-only -highpassboost -fft -cos	3719	0	100.00
1514	2nd	-title-only -noise -bandstop -lpc -eucl	3719	0	100.00
1515	2nd	-title-only -silence -bandstop -lpc -mink	3719	0	100.00
1516	2nd	-title-only -noise -boost -aggr -cos	3719	0	100.00
1517	2nd	-title-only -silence -noise -highpassboost -lpc -eucl	3719	0	100.00
1518	2nd	-title-only -silence -noise -high -lpc -cheb	3719	0	100.00
1519	2nd	-title-only -silence -low -lpc -cheb	3719	0	100.00
1520	2nd	-title-only -silence -endp -lpc -cos	3719	0	100.00
1521	2nd	-title-only -silence -band -lpc -eucl	3719	0	100.00
1522	2nd	-title-only -noise -band -lpc -diff	7438	0	100.00
1523	2nd	-title-only -noise -highpassboost -minmax -mink	3719	0	100.00
1524	2nd	-title-only -noise -highpassboost -fft -mink	3719	0	100.00
1525	2nd	-title-only -highpassboost -aggr -mink	3719	0	100.00
1526	2nd	-title-only -noise -raw -lpc -eucl	3719	0	100.00
1527	2nd	-title-only -noise -bandstop -lpc -mink	3719	0	100.00
1528	2nd	-title-only -silence -noise -band -lpc -diff	3719	0	100.00
1529	2nd	-title-only -silence -noise -highpassboost -lpc -mink	3719	0	100.00
1530	2nd	-title-only -silence -highpassboost -lpc -cos	3719	0	100.00
1531	2nd	-title-only -silence -boost -fft -cheb	3719	0	100.00
1532	2nd	-title-only -noise -norm -lpc -diff	3719	0	100.00
1533	2nd	-title-only -noise -boost -aggr -eucl	3719	0	100.00
1534	2nd	-title-only -silence -band -lpc -mink	7438	0	100.00
1535	2nd	-title-only -silence -noise -boost -aggr -cheb	3719	0	100.00
1536	2nd	-title-only -silence -norm -lpc -eucl	3719	0	100.00
1537	2nd	-title-only -boost -lpc -cos	3719	0	100.00
1538	2nd	-title-only -noise -raw -lpc -mink	3719	0	100.00
1539	2nd	-title-only -silence -norm -lpc -hamming	3719	0	100.00
1540	2nd	-title-only -noise -bandstop -lpc -cos	3719	0	100.00
1541	2nd	-title-only -silence -noise -highpassboost -fft -eucl	3719	0	100.00
1542	2nd	-title-only -silence -noise -norm -lpc -diff	3719	0	100.00
1543	2nd	-title-only -silence -noise -highpassboost -fft -cos	3719	0	100.00
1544	2nd	-title-only -silence -highpassboost -lpc -eucl	3719	0	100.00
1545	2nd	-title-only -silence -raw -lpc -eucl	3719	0	100.00
1546	2nd	-title-only -noise -low -lpc -hamming	3719	0	100.00
1547	2nd	-title-only -highpassboost -lpc -cos	3719	0	100.00
1548	2nd	-title-only -noise -band -lpc -cheb	3719	0	100.00
1549	2nd	-title-only -noise -boost -aggr -mink	3719	0	100.00

Table 634: Consolidated results (piste2-result1-marf-title-only-stats), Part 32.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1550	2nd	-title-only -high -lpc -hamming	3719	0	100.00
1551	2nd	-title-only -silence -norm -lpc -mink	3719	0	100.00
1552	2nd	-title-only -silence -noise -boost -fft -hamming	3719	0	100.00
1553	2nd	-title-only -silence -noise -highpassboost -aggr -hamming	3719	0	100.00
1554	2nd	-title-only -boost -aggr -diff	3719	0	100.00
1555	2nd	-title-only -highpassboost -minmax -eucl	3719	0	100.00
1556	2nd	-title-only -boost -minmax -cos	3719	0	100.00
1557	2nd	-title-only -silence -noise -highpassboost -fft -mink	3719	0	100.00
1558	2nd	-title-only -noise -endp -lpc -eucl	3719	0	100.00
1559	2nd	-title-only -silence -highpassboost -lpc -mink	3719	0	100.00
1560	2nd	-title-only -raw -lpc -diff	3719	0	100.00
1561	2nd	-title-only -norm -lpc -cos	3719	0	100.00
1562	2nd	-title-only -silence -raw -lpc -mink	3719	0	100.00
1563	2nd	-title-only -endp -lpc -diff	3719	0	100.00
1564	2nd	-title-only -noise -norm -lpc -cheb	3719	0	100.00
1565	2nd	-title-only -silence -noise -high -lpc -hamming	3719	0	100.00
1566	2nd	-title-only -silence -noise -raw -lpc -hamming	3719	0	100.00
1567	2nd	-title-only -silence -noise -endp -lpc -eucl	3719	0	100.00
1568	2nd	-title-only -silence -highpassboost -fft -eucl	3719	0	100.00
1569	2nd	-title-only -highpassboost -minmax -mink	3719	0	100.00
1570	2nd	-title-only -silence -bandstop -lpc -cos	3719	0	100.00
1571	2nd	-title-only -silence -noise -norm -lpc -cheb	3719	0	100.00
1572	2nd	-title-only -highpassboost -aggr -cos	3719	0	100.00
1573	2nd	-title-only -band -lpc -hamming	7438	0	100.00
1574	2nd	-title-only -boost -minmax -diff	3719	0	100.00
1575	2nd	-title-only -boost -fft -hamming	3719	0	100.00
1576	2nd	-title-only -silence -boost -fft -cos	3719	0	100.00
1577	2nd	-title-only -noise -endp -lpc -mink	3719	0	100.00
1578	2nd	-title-only -silence -noise -bandstop -lpc -diff	3719	0	100.00
1579	2nd	-title-only -high -lpc -cos	3719	0	100.00
1580	2nd	-title-only -noise -low -lpc -eucl	3719	0	100.00
1581	2nd	-title-only -silence -highpassboost -aggr -diff	3719	0	100.00
1582	2nd	-title-only -silence -noise -boost -lpc -diff	3719	0	100.00
1583	2nd	-title-only -noise -highpassboost -aggr -eucl	3719	0	100.00
1584	2nd	-title-only -silence -noise -highpassboost -lpc -cos	3719	0	100.00
1585	2nd	-title-only -silence -noise -band -lpc -hamming	3719	0	100.00
1586	2nd	-title-only -silence -noise -endp -lpc -mink	3719	0	100.00
1587	2nd	-title-only -boost -aggr -cheb	3719	0	100.00
1588	2nd	-title-only -silence -highpassboost -fft -mink	3719	0	100.00
1589	2nd	-title-only -boost -lpc -diff	3719	0	100.00
1590	2nd	-title-only -raw -lpc -cheb	3719	0	100.00
1591	2nd	-title-only -noise -high -lpc -eucl	3719	0	100.00
1592	2nd	-title-only -noise -highpassboost -aggr -cos	3719	0	100.00
1593	2nd	-title-only -endp -lpc -cheb	3719	0	100.00
1594	2nd	-title-only -silence -boost -aggr -diff	3719	0	100.00
1595	2nd	-title-only -noise -low -lpc -mink	3719	0	100.00
1596	2nd	-title-only -noise -band -fft -eucl	3719	0	100.00
1597	2nd	-title-only -noise -band -aggr -eucl	3719	0	100.00
1598	2nd	-title-only -silence -noise -band -fft -eucl	3719	0	100.00
1599	2nd	-title-only -silence -high -aggr -cheb	3719	0	100.00

Table 635: Consolidated results (piste2-result1-marf-title-only-stats), Part 33.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1600	2nd	-title-only -silence -high -fft -cheb	3719	0	100.00
1601	2nd	-title-only -high -fft -cheb	3719	0	100.00
1602	2nd	-title-only -high -aggr -cheb	3719	0	100.00
1603	2nd	-title-only -silence -high -fft -diff	3719	0	100.00
1604	2nd	-title-only -high -fft -diff	3719	0	100.00
1605	2nd	-title-only -high -aggr -diff	3719	0	100.00
1606	2nd	-title-only -silence -high -aggr -diff	3719	0	100.00
1607	2nd	-title-only -band -aggr -mink	7438	0	100.00
1608	2nd	-title-only -band -fft -mink	7438	0	100.00
1609	2nd	-title-only -silence -band -aggr -mink	7438	0	100.00
1610	2nd	-title-only -silence -band -fft -mink	7438	0	100.00
1611	2nd	-title-only -high -aggr -eucl	3719	0	100.00
1612	2nd	-title-only -high -fft -eucl	3719	0	100.00
1613	2nd	-title-only -silence -high -aggr -eucl	3719	0	100.00
1614	2nd	-title-only -silence -high -fft -eucl	3719	0	100.00
1615	2nd	-title-only -high -aggr -hamming	3719	0	100.00
1616	2nd	-title-only -high -fft -hamming	3719	0	100.00
1617	2nd	-title-only -silence -high -fft -hamming	3719	0	100.00
1618	2nd	-title-only -silence -high -aggr -hamming	3719	0	100.00
1619	2nd	-title-only -silence -high -aggr -mink	3719	0	100.00
1620	2nd	-title-only -silence -high -fft -mink	3719	0	100.00
1621	2nd	-title-only -high -aggr -mink	3719	0	100.00
1622	2nd	-title-only -high -fft -mink	3719	0	100.00
1623	2nd	-title-only -noise -band -fft -mink	7438	0	100.00
1624	2nd	-title-only -noise -band -aggr -mink	7438	0	100.00
1625	2nd	-title-only -noise -low -minmax -hamming	3719	0	100.00
1626	2nd	-title-only -silence -noise -low -minmax -hamming	3719	0	100.00
1627	2nd	-title-only -silence -noise -band -fft -mink	3719	0	100.00
1628	2nd	-title-only -silence -noise -band -aggr -mink	3719	0	100.00
1629	2nd	-title-only -silence -noise -bandstop -minmax -hamming	3719	0	100.00
1630	2nd	-title-only -noise -bandstop -minmax -hamming	3719	0	100.00
1631	2nd	-title-only -silence -noise -endp -minmax -hamming	3719	0	100.00
1632	2nd	-title-only -noise -endp -minmax -hamming	3719	0	100.00
1633	2nd	-title-only -raw -aggr -hamming	3719	0	100.00
1634	2nd	-title-only -silence -noise -raw -aggr -hamming	3719	0	100.00
1635	2nd	-title-only -noise -raw -fft -hamming	3719	0	100.00
1636	2nd	-title-only -noise -raw -aggr -hamming	3719	0	100.00
1637	2nd	-title-only -silence -noise -raw -fft -hamming	3719	0	100.00
1638	2nd	-title-only -silence -raw -aggr -hamming	3719	0	100.00
1639	2nd	-title-only -raw -fft -hamming	3719	0	100.00
1640	2nd	-title-only -silence -raw -fft -hamming	3719	0	100.00
1641	2nd	-title-only -low -minmax -hamming	3719	0	100.00
1642	2nd	-title-only -noise -norm -minmax -hamming	3719	0	100.00
1643	2nd	-title-only -silence -low -minmax -hamming	3719	0	100.00
1644	2nd	-title-only -silence -noise -norm -minmax -hamming	3719	0	100.00
1645	2nd	-title-only -silence -endp -aggr -hamming	3719	0	100.00
1646	2nd	-title-only -silence -endp -fft -hamming	3719	0	100.00
1647	2nd	-title-only -endp -aggr -hamming	3719	0	100.00
1648	2nd	-title-only -endp -fft -hamming	3719	0	100.00
1649	2nd	-title-only -high -minmax -hamming	3719	0	100.00

Table 636: Consolidated results (piste2-result1-marf-title-only-stats), Part 34.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1650	2nd	-title-only -silence -bandstop -minmax -hamming	3719	0	100.00
1651	2nd	-title-only -bandstop -minmax -hamming	3719	0	100.00
1652	2nd	-title-only -silence -high -minmax -hamming	3719	0	100.00
1653	2nd	-title-only -norm -fft -hamming	3719	0	100.00
1654	2nd	-title-only -norm -aggr -hamming	3719	0	100.00
1655	2nd	-title-only -silence -norm -aggr -hamming	3719	0	100.00
1656	2nd	-title-only -silence -norm -fft -hamming	3719	0	100.00
1657	2nd	-title-only -noise -band -minmax -hamming	7438	0	100.00
1658	2nd	-title-only -silence -noise -bandstop -aggr -hamming	3719	0	100.00
1659	2nd	-title-only -silence -noise -bandstop -fft -hamming	3719	0	100.00
1660	2nd	-title-only -silence -noise -band -minmax -hamming	3719	0	100.00
1661	2nd	-title-only -noise -bandstop -fft -hamming	3719	0	100.00
1662	2nd	-title-only -noise -bandstop -aggr -hamming	3719	0	100.00
1663	2nd	-title-only -noise -endp -aggr -hamming	3719	0	100.00
1664	2nd	-title-only -noise -endp -fft -hamming	3719	0	100.00
1665	2nd	-title-only -silence -noise -endp -aggr -hamming	3719	0	100.00
1666	2nd	-title-only -silence -noise -endp -fft -hamming	3719	0	100.00
1667	2nd	-title-only -silence -band -minmax -hamming	7438	0	100.00
1668	2nd	-title-only -band -minmax -hamming	7438	0	100.00

Table 637: Consolidated results (piste2-result1-marf-title-only-stats), Part 35.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	Quebec	1430193	325869	81.44
2	1st	France	428757	1095339	28.13
3	2nd	Quebec	1756062	0	100.00
4	2nd	France	1524096	0	100.00

Run #	Guess	Configuration	GOOD	BAD	Precision,%
7	1st	-title-only -nopreprep -bandstop -randfe -cos	2535	1184	68.16
8	1st	-title-only -noise -bandstop -randfe -cos	2532	1187	68.08
9	1st	-title-only -silence-noise -raw -randfe -cos	2531	1188	68.06
10	1st	-title-only -silence -raw -randfe -cos	2531	1188	68.06
11	1st	-title-only -noise -raw -randfe -cos	2531	1188	68.06
12	1st	-title-only -silence-noise -bandstop -randfe -cos	2530	1189	68.03
13	1st	-title-only -silence-noise -norm -randfe -cos	2529	1190	68.00
14	1st	-title-only -nopreprep -low -randfe -cos	2527	1192	67.95
15	1st	-title-only -noise -norm -randfe -cos	2527	1192	67.95
16	1st	-title-only -silence -bandstop -randfe -eucl	93	44	67.88
17	1st	-title-only -nopreprep -norm -randfe -cos	2515	1204	67.63
18	1st	-title-only -silence -endp -randfe -eucl	2512	1207	67.55
19	1st	-title-only -noise -low -randfe -cos	2509	1210	67.46
20	1st	-title-only -silence-noise -bandstop -randfe -eucl	2509	1210	67.46
21	1st	-title-only -silence-noise -low -randfe -cos	2509	1210	67.46
22	1st	-title-only -noise -bandstop -randfe -eucl	2509	1210	67.46
23	1st	-title-only -nopreprep -norm -randfe -eucl	2502	1217	67.28
24	1st	-title-only -nopreprep -low -randfe -eucl	2494	1225	67.06
25	1st	-title-only -noise -norm -randfe -eucl	2494	1225	67.06
26	1st	-title-only -silence-noise -norm -randfe -eucl	2494	1225	67.06
27	1st	-title-only -silence-noise -raw -randfe -eucl	2491	1228	66.98
28	1st	-title-only -nopreprep -bandstop -randfe -eucl	2491	1228	66.98
29	1st	-title-only -noise -raw -randfe -eucl	2491	1228	66.98

Table 638: Consolidated results (piste2-result1-marf-title-only-slow2), Part 1.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
30	1st	-title-only -nopreprep -raw -randfe -eucl	2491	1228	66.98
31	1st	-title-only -nopreprep -lowcfe -randfe -hamming	2	1	66.67
32	1st	-title-only -nopreprep -lowcfe -minmax -mink	2	1	66.67
33	1st	-title-only -nopreprep -bandstopcfe -randfe -eucl	2	1	66.67
34	1st	-title-only -noise -low -randfe -eucl	2475	1244	66.55
35	1st	-title-only -silence-noise -low -randfe -eucl	2472	1247	66.47
36	1st	-title-only -silence -endp -randfe -cos	2460	1259	66.15
37	1st	-title-only -silence-noise -endp -randfe -cos	2452	1267	65.93
38	1st	-title-only -nopreprep -endp -randfe -eucl	189	99	65.62
39	1st	-title-only -nopreprep -endp -randfe -cos	318	167	65.57
40	1st	-title-only -silence -low -randfe -eucl	107	57	65.24
41	1st	-title-only -silence -norm -randfe -eucl	179	97	64.86
42	1st	-title-only -silence -high -randfe -eucl	115	67	63.19
43	1st	-title-only -silence -low -randfe -cheb	325	204	61.44
44	1st	-title-only -silence-noise -band -randfe -cheb	2267	1452	60.96
45	1st	-title-only -noise -band -randfe -cheb	2260	1459	60.77
46	1st	-title-only -noise -band -randfe -eucl	2254	1465	60.61
47	1st	-title-only -silence-noise -band -randfe -eucl	2251	1468	60.53
48	1st	-title-only -noise -endp -randfe -mink	2245	1474	60.37
49	1st	-title-only -silence-noise -endp -randfe -mink	2244	1475	60.34
50	1st	-title-only -noise -high -randfe -mink	2241	1478	60.26
51	1st	-title-only -noise -raw -randfe -cheb	2237	1482	60.15
52	1st	-title-only -nopreprep -raw -randfe -cheb	2237	1482	60.15
53	1st	-title-only -silence-noise -raw -randfe -cheb	2237	1482	60.15
54	1st	-title-only -silence-noise -raw -randfe -diff	2236	1483	60.12
55	1st	-title-only -silence -raw -randfe -diff	2236	1483	60.12
56	1st	-title-only -noise -raw -randfe -diff	2236	1483	60.12
57	1st	-title-only -nopreprep -bandstop -randfe -cheb	2228	1491	59.91
58	1st	-title-only -nopreprep -bandstop -randfe -diff	2228	1491	59.91
59	1st	-title-only -noise -bandstop -randfe -cheb	2225	1494	59.83

Table 639: Consolidated results (piste2-result1-marf-title-only-slow2), Part 2.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
60	1st	-title-only -nopreprep -low -randfe -cheb	2225	1494	59.83
61	1st	-title-only -noise -norm -randfe -cheb	2225	1494	59.83
62	1st	-title-only -nopreprep -low -randfe -diff	2224	1495	59.80
63	1st	-title-only -silence-noise -norm -randfe -cheb	2224	1495	59.80
64	1st	-title-only -noise -norm -randfe -diff	2224	1495	59.80
65	1st	-title-only -silence-noise -bandstop -randfe -cheb	2223	1496	59.77
66	1st	-title-only -silence-noise -norm -randfe -diff	2223	1496	59.77
67	1st	-title-only -nopreprep -band -randfe -cheb	2222	1497	59.75
68	1st	-title-only -nopreprep -norm -randfe -cheb	2217	1502	59.61
69	1st	-title-only -silence-noise -high -randfe -mink	2217	1502	59.61
70	1st	-title-only -nopreprep -norm -randfe -diff	2216	1503	59.59
71	1st	-title-only -nopreprep -band -randfe -eucl	2210	1509	59.42
72	1st	-title-only -noise -low -randfe -cheb	2206	1513	59.32
73	1st	-title-only -silence-noise -endp -randfe -diff	2205	1514	59.29
74	1st	-title-only -noise -endp -randfe -cheb	2205	1514	59.29
75	1st	-title-only -silence-noise -endp -randfe -cheb	2204	1515	59.26
76	1st	-title-only -silence-noise -low -randfe -cheb	2203	1516	59.24
77	1st	-title-only -noise -endp -randfe -diff	2202	1517	59.21
78	1st	-title-only -silence -high -randfe -cos	45	31	59.21
79	1st	-title-only -nopreprep -raw -randfe -mink	55	38	59.14
80	1st	-title-only -silence -low -randfe -mink	263	182	59.10
81	1st	-title-only -silence-noise -endp -randfe -eucl	2191	1528	58.91
82	1st	-title-only -noise -endp -randfe -eucl	2191	1528	58.91
83	1st	-title-only -silence-noise -band -randfe -mink	2184	1535	58.73
84	1st	-title-only -noise -band -randfe -mink	2183	1536	58.70
85	1st	-title-only -nopreprep -high -randfe -cheb	2182	1537	58.67
86	1st	-title-only -silence -endp -randfe -cheb	2181	1538	58.64
87	1st	-title-only -silence-noise -bandstop -randfe -diff	2166	1553	58.24
88	1st	-title-only -noise -bandstop -randfe -diff	2165	1554	58.21
89	1st	-title-only -silence-noise -low -randfe -diff	2159	1560	58.05

Table 640: Consolidated results (piste2-result1-marf-title-only-slow2), Part 3.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
90	1st	-title-only -noise -low -randfe -diff	2158	1561	58.03
91	1st	-title-only -noise -endp -randfe -cos	2158	1561	58.03
92	1st	-title-only -silence -high -randfe -cheb	308	223	58.00
93	1st	-title-only -silence-noise -high -randfe -cos	2143	1576	57.62
94	1st	-title-only -noise -high -randfe -cos	2139	1580	57.52
95	1st	-title-only -nopreprep -bandstop -randfe -mink	2128	1591	57.22
96	1st	-title-only -nopreprep -high -randfe -eucl	2125	1594	57.14
97	1st	-title-only -silence-noise -high -randfe -eucl	2121	1598	57.03
98	1st	-title-only -noise -bandstop -randfe -mink	2119	1600	56.98
99	1st	-title-only -nopreprep -band -randfe -mink	2118	1601	56.95
100	1st	-title-only -nopreprep -band -randfe -cos	2117	1602	56.92
101	1st	-title-only -silence-noise -bandstop -randfe -mink	2117	1602	56.92
102	1st	-title-only -silence -bandstop -randfe -mink	727	551	56.89
103	1st	-title-only -noise -high -randfe -eucl	2107	1612	56.66
104	1st	-title-only -noise -band -randfe -cos	2101	1618	56.49
105	1st	-title-only -silence-noise -band -randfe -cos	2094	1625	56.31
106	1st	-title-only -nopreprep -low -randfe -mink	2085	1634	56.06
107	1st	-title-only -noise -norm -randfe -mink	2085	1634	56.06
108	1st	-title-only -silence-noise -norm -randfe -mink	2082	1637	55.98
109	1st	-title-only -silence-noise -high -randfe -cheb	2080	1639	55.93
110	1st	-title-only -silence -high -randfe -mink	184	145	55.93
111	1st	-title-only -nopreprep -high -randfe -cos	2078	1641	55.88
112	1st	-title-only -silence-noise -low -randfe -mink	2073	1646	55.74
113	1st	-title-only -noise -low -randfe -mink	2072	1647	55.71
114	1st	-title-only -noise -high -randfe -cheb	2065	1654	55.53
115	1st	-title-only -nopreprep -high -randfe -hamming	2063	1656	55.47
116	1st	-title-only -silence -low -randfe -diff	87	70	55.41
117	1st	-title-only -silence -high -randfe -hamming	836	674	55.36
118	1st	-title-only -silence -band -randfe -cos	32	26	55.17
119	1st	-title-only -silence -norm -randfe -cheb	87	73	54.37

Table 641: Consolidated results (piste2-result1-marf-title-only-slow2), Part 4.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
120	1st	-title-only -silence -raw -randfe -mink	877	740	54.24
121	1st	-title-only -nopreprep -high -randfe -diff	2012	1707	54.10
122	1st	-title-only -noise -band -randfe -hamming	2005	1714	53.91
123	1st	-title-only -silence-noise -band -randfe -hamming	2005	1714	53.91
124	1st	-title-only -silence -band -randfe -mink	77	66	53.85
125	1st	-title-only -silence -highpassboost -randfe -mink	903	775	53.81
126	1st	-title-only -noise -raw -randfe -mink	2001	1718	53.80
127	1st	-title-only -silence -endp -randfe -mink	2001	1718	53.80
128	1st	-title-only -silence-noise -raw -randfe -mink	2001	1718	53.80
129	1st	-title-only -nopreprep -norm -randfe -mink	1996	1723	53.67
130	1st	-title-only -silence-noise -low -randfe -hamming	1996	1723	53.67
131	1st	-title-only -noise -low -randfe -hamming	1996	1723	53.67
132	1st	-title-only -silence-noise -bandstop -randfe -hamming	1996	1723	53.67
133	1st	-title-only -noise -bandstop -randfe -hamming	1994	1725	53.62
134	1st	-title-only -silence-noise -endp -randfe -hamming	1994	1725	53.62
135	1st	-title-only -nopreprep -bandstop -randfe -hamming	1994	1725	53.62
136	1st	-title-only -noise -band -randfe -diff	1994	1725	53.62
137	1st	-title-only -nopreprep -high -randfe -mink	1994	1725	53.62
138	1st	-title-only -silence-noise -high -randfe -diff	1994	1725	53.62
139	1st	-title-only -noise -endp -randfe -hamming	1994	1725	53.62
140	1st	-title-only -silence -low -randfe -hamming	624	540	53.61
141	1st	-title-only -silence-noise -band -randfe -diff	1994	1725	53.62
142	1st	-title-only -nopreprep -band -randfe -diff	1994	1725	53.62
143	1st	-title-only -silence -endp -randfe -diff	1993	1726	53.59
144	1st	-title-only -nopreprep -low -randfe -hamming	1993	1726	53.59
145	1st	-title-only -silence-noise -norm -randfe -hamming	1993	1726	53.59
146	1st	-title-only -noise -norm -randfe -hamming	1993	1726	53.59
147	1st	-title-only -noise -high -randfe -diff	1992	1727	53.56
148	1st	-title-only -silence-noise -highpassboost -randfe -eucl	1991	1728	53.54
149	1st	-title-only -silence-noise -boost -randfe -hamming	1991	1728	53.54

Table 642: Consolidated results (piste2-result1-marf-title-only-slow2), Part 5.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
150	1st	-title-only -nopreprep -boost -randfe -hamming	1991	1728	53.54
151	1st	-title-only -silence-noise -boost -randfe -mink	1991	1728	53.54
152	1st	-title-only -silence -lowcfe -randfe -cheb	1991	1728	53.54
153	1st	-title-only -nopreprep -highpassboost -randfe -cheb	1991	1728	53.54
154	1st	-title-only -silence -bandcfe -randfe -diff	1991	1728	53.54
155	1st	-title-only -silence-noise -highpassboost -randfe -cos	1991	1728	53.54
156	1st	-title-only -silence -bandstopcfe -randfe -diff	1991	1728	53.54
157	1st	-title-only -silence -bandstopcfe -randfe -cos	1991	1728	53.54
158	1st	-title-only -silence -lowcfe -randfe -mink	1991	1728	53.54
159	1st	-title-only -silence -highcfe -randfe -cheb	1991	1728	53.54
160	1st	-title-only -nopreprep -highpassboost -randfe -mink	1991	1728	53.54
161	1st	-title-only -noise -boost -randfe -cos	1991	1728	53.54
162	1st	-title-only -noise -highpassboost -randfe -cheb	1991	1728	53.54
163	1st	-title-only -silence -lowcfe -randfe -cos	1991	1728	53.54
164	1st	-title-only -nopreprep -boost -randfe -cheb	1991	1728	53.54
165	1st	-title-only -nopreprep -highpassboost -randfe -cos	1991	1728	53.54
166	1st	-title-only -silence -bandcfe -randfe -eucl	1991	1728	53.54
167	1st	-title-only -silence -highcfe -randfe -mink	1991	1728	53.54
168	1st	-title-only -silence-noise -boost -randfe -diff	1991	1728	53.54
169	1st	-title-only -silence -bandstopcfe -randfe -eucl	1991	1728	53.54
170	1st	-title-only -noise -highpassboost -randfe -mink	1991	1728	53.54
171	1st	-title-only -nopreprep -boost -randfe -mink	1991	1728	53.54
172	1st	-title-only -noise -boost -randfe -hamming	1991	1728	53.54
173	1st	-title-only -noise -boost -randfe -cheb	1991	1728	53.54
174	1st	-title-only -silence -bandstopcfe -randfe -hamming	1991	1728	53.54
175	1st	-title-only -silence-noise -highpassboost -randfe -cheb	1991	1728	53.54
176	1st	-title-only -silence -lowcfe -randfe -diff	1991	1728	53.54
177	1st	-title-only -silence-noise -boost -randfe -eucl	1991	1728	53.54
178	1st	-title-only -nopreprep -highpassboost -randfe -diff	1991	1728	53.54
179	1st	-title-only -noise -boost -randfe -mink	1991	1728	53.54

Table 643: Consolidated results (piste2-result1-marf-title-only-slow2), Part 6.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
180	1st	-title-only -nopreprep -highpassboost -randfe -hamming	1991	1728	53.54
181	1st	-title-only -silence -bandcfe -randfe -hamming	1991	1728	53.54
182	1st	-title-only -silence-noise -highpassboost -randfe -mink	1991	1728	53.54
183	1st	-title-only -nopreprep -norm -randfe -hamming	1991	1728	53.54
184	1st	-title-only -silence-noise -raw -randfe -hamming	1991	1728	53.54
185	1st	-title-only -silence-noise -boost -randfe -cos	1991	1728	53.54
186	1st	-title-only -noise -raw -randfe -hamming	1991	1728	53.54
187	1st	-title-only -silence -highcfe -randfe -diff	1991	1728	53.54
188	1st	-title-only -noise -highpassboost -randfe -diff	1991	1728	53.54
189	1st	-title-only -silence -lowcfe -randfe -eucl	1991	1728	53.54
190	1st	-title-only -noise -highpassboost -randfe -cos	1991	1728	53.54
191	1st	-title-only -nopreprep -boost -randfe -cos	1991	1728	53.54
192	1st	-title-only -nopreprep -highpassboost -randfe -eucl	1991	1728	53.54
193	1st	-title-only -nopreprep -boost -randfe -diff	1991	1728	53.54
194	1st	-title-only -silence -bandcfe -randfe -cheb	1991	1728	53.54
195	1st	-title-only -silence-noise -highpassboost -randfe -hamming	1991	1728	53.54
196	1st	-title-only -silence -bandstopcfe -randfe -cheb	1991	1728	53.54
197	1st	-title-only -silence -bandcfe -randfe -cos	1991	1728	53.54
198	1st	-title-only -silence -highcfe -randfe -eucl	1991	1728	53.54
199	1st	-title-only -noise -highpassboost -randfe -eucl	1991	1728	53.54
200	1st	-title-only -noise -boost -randfe -diff	1991	1728	53.54
201	1st	-title-only -silence -highcfe -randfe -cos	1991	1728	53.54
202	1st	-title-only -silence -highcfe -randfe -hamming	1991	1728	53.54
203	1st	-title-only -nopreprep -boost -randfe -eucl	1991	1728	53.54
204	1st	-title-only -silence -bandcfe -randfe -mink	1991	1728	53.54
205	1st	-title-only -silence-noise -highpassboost -randfe -diff	1991	1728	53.54
206	1st	-title-only -silence -bandstopcfe -randfe -mink	1991	1728	53.54
207	1st	-title-only -silence-noise -boost -randfe -cheb	1991	1728	53.54
208	1st	-title-only -noise -highpassboost -randfe -hamming	1991	1728	53.54
209	1st	-title-only -silence -raw -randfe -hamming	1991	1728	53.54

Table 644: Consolidated results (piste2-result1-marf-title-only-slow2), Part 7.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
210	1st	-title-only -silence -lowcfe -randfe -hamming	1991	1728	53.54
211	1st	-title-only -noise -boost -randfe -eucl	1991	1728	53.54
212	1st	-title-only -silence -endp -randfe -hamming	1990	1729	53.51
213	1st	-title-only -noprepreр -band -randfe -hamming	1984	1735	53.35
214	1st	-title-only -silence -band -randfe -cheb	115	102	53.00
215	1st	-title-only -silence -boost -randfe -mink	280	254	52.43
216	1st	-title-only -silence -boost -randfe -cos	357	328	52.12
217	1st	-title-only -silence -high -randfe -diff	329	303	52.06
218	1st	-title-only -silence -bandcfe -fft -hamming	137	131	51.12
219	1st	-title-only -noprepreр -endp -randfe -diff	102	99	50.75
220	1st	-title-only -noprepreр -lowcfe -aggr -hamming	103	100	50.74
221	1st	-title-only -noprepreр -highcfe -minmax -cos	126	124	50.40
222	1st	-title-only -noprepreр -highcfe -lpc -hamming	1	1	50.00
223	1st	-title-only -noprepreр -highcfe -fft -mink	147	147	50.00
224	1st	-title-only -noprepreр -highcfe -fft -diff	1	1	50.00
225	1st	-title-only -noprepreр -highcfe -fft -eucl	25	25	50.00
226	1st	-title-only -silence -highpassboost -randfe -cos	87	88	49.71
227	1st	-title-only -silence -raw -randfe -cheb	32	34	48.48
228	1st	-title-only -noprepreр -highcfe -randfe -diff	24	26	48.00
229	1st	-title-only -noprepreр -highcfe -lpc -eucl	24	26	48.00
230	1st	-title-only -noprepreр -lowcfe -lpc -diff	24	26	48.00
231	1st	-title-only -noprepreр -raw -randfe -diff	45	49	47.87
232	1st	-title-only -noise -high -randfe -hamming	1774	1945	47.70
233	1st	-title-only -noprepreр -lowcfe -randfe -eucl	78	87	47.27
234	1st	-title-only -noprepreр -lowcfe -lpc -cheb	67	75	47.18
235	1st	-title-only -noprepreр -highcfe -lpc -mink	24	27	47.06
236	1st	-title-only -noprepreр -highcfe -fft -hamming	58	66	46.77
237	1st	-title-only -noprepreр -lowcfe -fft -mink	21	24	46.67
238	1st	-title-only -noprepreр -bandstopcfe -randfe -cheb	21	24	46.67
239	1st	-title-only -noprepreр -lowcfe -randfe -diff	74	86	46.25

Table 645: Consolidated results (piste2-result1-marf-title-only-slow2), Part 8.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
240	1st	-title-only -nopreprep -lowcfe -randfe -mink	23	27	46.00
241	1st	-title-only -silence -highcfe -lpc -diff	27	32	45.76
242	1st	-title-only -silence -highcfe -lpc -mink	58	69	45.67
243	1st	-title-only -nopreprep -highcfe -lpc -cos	20	24	45.45
244	1st	-title-only -nopreprep -bandstopcfe -randfe -diff	20	24	45.45
245	1st	-title-only -silence-noise -high -randfe -hamming	1679	2040	45.15
246	1st	-title-only -silence -norm -randfe -diff	33	41	44.59
247	1st	-title-only -nopreprep -bandcfe -randfe -cos	19	24	44.19
248	1st	-title-only -nopreprep -lowcfe -minmax -diff	19	24	44.19
249	1st	-title-only -silence -highcfe -fft -mink	18	23	43.90
250	1st	-title-only -nopreprep -highcfe -fft -cos	43	55	43.88
251	1st	-title-only -nopreprep -bandstopcfe -minmax -cheb	50	64	43.86
252	1st	-title-only -nopreprep -bandcfe -randfe -diff	45	58	43.69
253	1st	-title-only -silence -highcfe -fft -diff	28	37	43.08
254	1st	-title-only -nopreprep -bandcfe -fft -mink	41	55	42.71
255	1st	-title-only -nopreprep -bandstopcfe -randfe -cos	41	55	42.71
256	1st	-title-only -nopreprep -raw -randfe -hamming	35	47	42.68
257	1st	-title-only -nopreprep -lowcfe -fft -hamming	36	49	42.35
258	1st	-title-only -nopreprep -highcfe -minmax -hamming	36	50	41.86
259	1st	-title-only -silence -bandstopcfe -fft -mink	33	46	41.77
260	1st	-title-only -nopreprep -bandstopcfe -randfe -mink	38	53	41.76
261	1st	-title-only -nopreprep -lowcfe -aggr -eucl	32	45	41.56
262	1st	-title-only -nopreprep -bandcfe -fft -cheb	17	24	41.46
263	1st	-title-only -nopreprep -lowcfe -aggr -cheb	17	24	41.46
264	1st	-title-only -silence -boost -randfe -diff	31	44	41.33
265	1st	-title-only -nopreprep -highcfe -lpc -diff	37	53	41.11
266	1st	-title-only -nopreprep -highcfe -randfe -cheb	37	53	41.11
267	1st	-title-only -silence -bandcfe -aggr -cos	29	42	40.85
268	1st	-title-only -silence -highpassboost -randfe -hamming	28	41	40.58
269	1st	-title-only -nopreprep -endp -randfe -hamming	29	43	40.28

Table 646: Consolidated results (piste2-result1-marf-title-only-slow2), Part 9.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
270	1st	-title-only -nopreprep -highcfe -fft -cheb	16	24	40.00
271	1st	-title-only -nopreprep -highcfe -randfe -mink	16	24	40.00
272	1st	-title-only -nopreprep -bandstopcfe -minmax -diff	16	24	40.00
273	1st	-title-only -nopreprep -bandcfe -minmax -cos	16	24	40.00
274	1st	-title-only -silence -lowcfe -lpc -mink	14	22	38.89
275	1st	-title-only -nopreprep -bandcfe -minmax -eucl	15	24	38.46
276	1st	-title-only -silence -lowcfe -fft -cheb	15	24	38.46
277	1st	-title-only -silence -highcfe -lpc -cos	28	45	38.36
278	1st	-title-only -silence -highcfe -lpc -eucl	14	23	37.84
279	1st	-title-only -nopreprep -bandstopcfe -fft -eucl	12	20	37.50
280	1st	-title-only -nopreprep -bandcfe -lpc -hamming	13	22	37.14
281	1st	-title-only -nopreprep -highcfe -minmax -mink	13	22	37.14
282	1st	-title-only -nopreprep -lowcfe -lpc -hamming	14	24	36.84
283	1st	-title-only -silence -bandstopcfe -fft -diff	14	24	36.84
284	1st	-title-only -nopreprep -lowcfe -fft -diff	14	24	36.84
285	1st	-title-only -nopreprep -bandstopcfe -aggr -diff	12	22	35.29
286	1st	-title-only -silence -bandstopcfe -fft -eucl	12	22	35.29
287	1st	-title-only -silence -bandstopcfe -aggr -diff	8	15	34.78
288	1st	-title-only -nopreprep -bandcfe -aggr -hamming	7	15	31.82
289	1st	-title-only -nopreprep -lowcfe -fft -cheb	5	11	31.25

Table 647: Consolidated results (piste2-result1-marf-title-only-slow2), Part 10.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	Québec	317259	60503	83.98
2	1st	France	86866	242136	26.40
3	2nd	Québec	377762	0	100.00
4	2nd	France	329002	0	100.00

Table 648: Consolidated results (piste2-result1-marf-title-only-slow2), Part 21.

Table 649: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 1.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	-title-only -journal -silence -noise -norm -aggr -eucl	1802	1917	48.45
2	1st	-title-only -journal -silence -low -aggr -eucl	1802	1917	48.45
3	1st	-title-only -journal -silence -low -fft -eucl	1802	1917	48.45
4	1st	-title-only -journal -silence -noise -norm -fft -eucl	1802	1917	48.45
5	1st	-title-only -journal -noise -norm -fft -eucl	1801	1918	48.43
6	1st	-title-only -journal -noise -norm -aggr -eucl	1801	1918	48.43
7	1st	-title-only -journal -low -fft -eucl	1801	1918	48.43
8	1st	-title-only -journal -low -aggr -eucl	1801	1918	48.43
9	1st	-title-only -journal -silence -low -aggr -cheb	1793	1926	48.21
10	1st	-title-only -journal -silence -bandstop -fft -diff	1793	1926	48.21
11	1st	-title-only -journal -silence -low -fft -cheb	1793	1926	48.21
12	1st	-title-only -journal -silence -noise -norm -fft -cheb	1793	1926	48.21
13	1st	-title-only -journal -silence -noise -norm -aggr -cheb	1793	1926	48.21
14	1st	-title-only -journal -noise -norm -aggr -cheb	1792	1927	48.18
15	1st	-title-only -journal -silence -bandstop -aggr -diff	1792	1927	48.18
16	1st	-title-only -journal -silence -bandstop -fft -eucl	1792	1927	48.18
17	1st	-title-only -journal -low -fft -cheb	1792	1927	48.18
18	1st	-title-only -journal -low -aggr -cheb	1792	1927	48.18
19	1st	-title-only -journal -silence -bandstop -aggr -eucl	1792	1927	48.18
20	1st	-title-only -journal -noise -norm -fft -cheb	1792	1927	48.18
21	1st	-title-only -journal -norm -aggr -eucl	1790	1929	48.13
22	1st	-title-only -journal -bandstop -aggr -eucl	1790	1929	48.13
23	1st	-title-only -journal -bandstop -fft -eucl	1790	1929	48.13
24	1st	-title-only -journal -norm -fft -eucl	1790	1929	48.13
25	1st	-title-only -journal -silence -norm -aggr -eucl	1790	1929	48.13
26	1st	-title-only -journal -silence -norm -fft -eucl	1790	1929	48.13
27	1st	-title-only -journal -noise -raw -fft -eucl	1787	1932	48.05
28	1st	-title-only -journal -noise -raw -aggr -eucl	1787	1932	48.05
29	1st	-title-only -journal -silence -raw -fft -eucl	1787	1932	48.05
30	1st	-title-only -journal -raw -aggr -eucl	1787	1932	48.05
31	1st	-title-only -journal -silence -noise -raw -fft -eucl	1787	1932	48.05
32	1st	-title-only -journal -silence -noise -raw -aggr -eucl	1787	1932	48.05
33	1st	-title-only -journal -raw -fft -eucl	1787	1932	48.05
34	1st	-title-only -journal -silence -raw -aggr -eucl	1787	1932	48.05
35	1st	-title-only -journal -bandstop -aggr -cheb	1783	1936	47.94
36	1st	-title-only -journal -bandstop -fft -cheb	1783	1936	47.94
37	1st	-title-only -journal -silence -bandstop -fft -cheb	1775	1944	47.73
38	1st	-title-only -journal -silence -noise -low -fft -cheb	1775	1944	47.73
39	1st	-title-only -journal -silence -bandstop -aggr -cheb	1775	1944	47.73
40	1st	-title-only -journal -noise -bandstop -fft -mink	1775	1944	47.73
41	1st	-title-only -journal -silence -noise -low -aggr -cheb	1775	1944	47.73
42	1st	-title-only -journal -noise -bandstop -aggr -mink	1775	1944	47.73
43	1st	-title-only -journal -bandstop -aggr -mink	1774	1945	47.70
44	1st	-title-only -journal -silence -noise -bandstop -aggr -mink	1774	1945	47.70
45	1st	-title-only -journal -bandstop -fft -mink	1774	1945	47.70
46	1st	-title-only -journal -silence -noise -bandstop -fft -mink	1774	1945	47.70
47	1st	-title-only -journal -silence -low -fft -diff	1773	1946	47.67
48	1st	-title-only -journal -silence -noise -norm -fft -diff	1773	1946	47.67
49	1st	-title-only -journal -silence -bandstop -fft -mink	1773	1946	47.67

Table 650: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 2.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
50	1st	-title-only -journal -silence -bandstop -aggr -mink	1773	1946	47.67
51	1st	-title-only -journal -norm -aggr -mink	1772	1947	47.65
52	1st	-title-only -journal -noise -low -aggr -cheb	1772	1947	47.65
53	1st	-title-only -journal -norm -fft -mink	1772	1947	47.65
54	1st	-title-only -journal -silence -norm -aggr -mink	1772	1947	47.65
55	1st	-title-only -journal -silence -noise -norm -aggr -diff	1772	1947	47.65
56	1st	-title-only -journal -silence -norm -fft -mink	1772	1947	47.65
57	1st	-title-only -journal -silence -low -aggr -diff	1772	1947	47.65
58	1st	-title-only -journal -noise -low -fft -cheb	1772	1947	47.65
59	1st	-title-only -journal -silence -noise -bandstop -aggr -eucl	1771	1948	47.62
60	1st	-title-only -journal -noise -bandstop -fft -eucl	1771	1948	47.62
61	1st	-title-only -journal -silence -noise -bandstop -fft -eucl	1771	1948	47.62
62	1st	-title-only -journal -bandstop -aggr -diff	1771	1948	47.62
63	1st	-title-only -journal -noise -bandstop -aggr -eucl	1771	1948	47.62
64	1st	-title-only -journal -silence -noise -low -aggr -eucl	1770	1949	47.59
65	1st	-title-only -journal -silence -noise -low -fft -eucl	1770	1949	47.59
66	1st	-title-only -journal -bandstop -fft -diff	1768	1951	47.54
67	1st	-title-only -journal -noise -norm -aggr -diff	1768	1951	47.54
68	1st	-title-only -journal -noise -raw -fft -mink	1768	1951	47.54
69	1st	-title-only -journal -noise -raw -aggr -mink	1768	1951	47.54
70	1st	-title-only -journal -noise -low -aggr -diff	1768	1951	47.54
71	1st	-title-only -journal -silence -raw -fft -mink	1768	1951	47.54
72	1st	-title-only -journal -raw -aggr -mink	1768	1951	47.54
73	1st	-title-only -journal -low -fft -diff	1768	1951	47.54
74	1st	-title-only -journal -silence -noise -raw -fft -mink	1768	1951	47.54
75	1st	-title-only -journal -low -aggr -diff	1768	1951	47.54
76	1st	-title-only -journal -silence -noise -raw -aggr -mink	1768	1951	47.54
77	1st	-title-only -journal -noise -norm -fft -diff	1768	1951	47.54
78	1st	-title-only -journal -raw -fft -mink	1768	1951	47.54
79	1st	-title-only -journal -silence -raw -aggr -mink	1768	1951	47.54
80	1st	-title-only -journal -silence -noise -low -fft -diff	1767	1952	47.51
81	1st	-title-only -journal -silence -noise -low -aggr -diff	1767	1952	47.51
82	1st	-title-only -journal -noise -low -fft -eucl	1766	1953	47.49
83	1st	-title-only -journal -noise -low -aggr -eucl	1766	1953	47.49
84	1st	-title-only -journal -noise -low -fft -diff	1766	1953	47.49
85	1st	-title-only -journal -silence -noise -norm -aggr -mink	1761	1958	47.35
86	1st	-title-only -journal -silence -low -aggr -mink	1761	1958	47.35
87	1st	-title-only -journal -silence -low -fft -mink	1761	1958	47.35
88	1st	-title-only -journal -silence -noise -norm -fft -mink	1761	1958	47.35
89	1st	-title-only -journal -noise -norm -fft -mink	1760	1959	47.32
90	1st	-title-only -journal -noise -norm -aggr -mink	1760	1959	47.32
91	1st	-title-only -journal -low -fft -mink	1760	1959	47.32
92	1st	-title-only -journal -low -aggr -mink	1760	1959	47.32
93	1st	-title-only -journal -bandstop -minmax -eucl	1759	1960	47.30
94	1st	-title-only -journal -silence -norm -aggr -cos	1758	1961	47.27
95	1st	-title-only -journal -norm -fft -cos	1758	1961	47.27
96	1st	-title-only -journal -silence -noise -endp -fft -cheb	1758	1961	47.27
97	1st	-title-only -journal -silence -bandstop -minmax -eucl	1758	1961	47.27
98	1st	-title-only -journal -silence -noise -endp -aggr -cheb	1758	1961	47.27
99	1st	-title-only -journal -norm -aggr -cos	1758	1961	47.27

Table 651: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 3.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
100	1st	-title-only -journal -silence -norm -fft -cos	1758	1961	47.27
101	1st	-title-only -journal -noise -endp -aggr -cheb	1757	1962	47.24
102	1st	-title-only -journal -noise -endp -aggr -eucl	1757	1962	47.24
103	1st	-title-only -journal -noise -endp -fft -cheb	1757	1962	47.24
104	1st	-title-only -journal -noise -endp -fft -eucl	1757	1962	47.24
105	1st	-title-only -journal -silence -noise -endp -aggr -eucl	1755	1964	47.19
106	1st	-title-only -journal -silence -noise -endp -fft -eucl	1755	1964	47.19
107	1st	-title-only -journal -noise -endp -fft -diff	1754	1965	47.16
108	1st	-title-only -journal -silence -noise -low -fft -cos	1754	1965	47.16
109	1st	-title-only -journal -silence -noise -low -aggr -cos	1754	1965	47.16
110	1st	-title-only -journal -silence -noise -endp -fft -diff	1753	1966	47.14
111	1st	-title-only -journal -noise -endp -aggr -diff	1753	1966	47.14
112	1st	-title-only -journal -noise -low -fft -cos	1751	1968	47.08
113	1st	-title-only -journal -silence -noise -bandstop -fft -diff	1751	1968	47.08
114	1st	-title-only -journal -noise -low -aggr -cos	1751	1968	47.08
115	1st	-title-only -journal -silence -noise -bandstop -aggr -diff	1749	1970	47.03
116	1st	-title-only -journal -silence -noise -low -aggr -mink	1749	1970	47.03
117	1st	-title-only -journal -noise -low -fft -mink	1749	1970	47.03
118	1st	-title-only -journal -noise -low -aggr -mink	1749	1970	47.03
119	1st	-title-only -journal -silence -noise -low -fft -mink	1749	1970	47.03
120	1st	-title-only -journal -silence -noise -endp -aggr -diff	1748	1971	47.00
121	1st	-title-only -journal -silence -raw -fft -cheb	1746	1973	46.95
122	1st	-title-only -journal -raw -aggr -cheb	1746	1973	46.95
123	1st	-title-only -journal -silence -noise -raw -fft -cheb	1746	1973	46.95
124	1st	-title-only -journal -silence -noise -raw -aggr -cheb	1746	1973	46.95
125	1st	-title-only -journal -raw -fft -cheb	1746	1973	46.95
126	1st	-title-only -journal -silence -raw -aggr -cheb	1746	1973	46.95
127	1st	-title-only -journal -noise -raw -fft -cheb	1746	1973	46.95
128	1st	-title-only -journal -noise -raw -aggr -cheb	1746	1973	46.95
129	1st	-title-only -journal -norm -fft -cheb	1745	1974	46.92
130	1st	-title-only -journal -silence -norm -aggr -cheb	1745	1974	46.92
131	1st	-title-only -journal -silence -norm -fft -cheb	1745	1974	46.92
132	1st	-title-only -journal -norm -aggr -cheb	1745	1974	46.92
133	1st	-title-only -journal -silence -raw -fft -diff	1744	1975	46.89
134	1st	-title-only -journal -silence -noise -bandstop -aggr -cheb	1744	1975	46.89
135	1st	-title-only -journal -silence -noise -raw -fft -diff	1744	1975	46.89
136	1st	-title-only -journal -raw -fft -diff	1744	1975	46.89
137	1st	-title-only -journal -silence -noise -bandstop -fft -cheb	1744	1975	46.89
138	1st	-title-only -journal -noise -raw -fft -diff	1744	1975	46.89
139	1st	-title-only -journal -low -aggr -cos	1743	1976	46.87
140	1st	-title-only -journal -noise -bandstop -fft -cheb	1743	1976	46.87
141	1st	-title-only -journal -noise -norm -aggr -cos	1743	1976	46.87
142	1st	-title-only -journal -noise -norm -fft -cos	1743	1976	46.87
143	1st	-title-only -journal -silence -bandstop -minmax -cos	1743	1976	46.87
144	1st	-title-only -journal -noise -bandstop -aggr -cheb	1743	1976	46.87
145	1st	-title-only -journal -low -fft -cos	1743	1976	46.87
146	1st	-title-only -journal -raw -aggr -diff	1740	1979	46.79
147	1st	-title-only -journal -silence -noise -raw -aggr -diff	1740	1979	46.79
148	1st	-title-only -journal -silence -raw -aggr -diff	1740	1979	46.79
149	1st	-title-only -journal -noise -raw -aggr -diff	1740	1979	46.79

Table 652: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 4.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
150	1st	-title-only -journal -silence -noise -norm -aggr -cos	1738	1981	46.73
151	1st	-title-only -journal -bandstop -minmax -cos	1738	1981	46.73
152	1st	-title-only -journal -silence -low -aggr -cos	1738	1981	46.73
153	1st	-title-only -journal -silence -noise -norm -fft -cos	1738	1981	46.73
154	1st	-title-only -journal -silence -low -fft -cos	1738	1981	46.73
155	1st	-title-only -journal -noise -bandstop -minmax -cos	1737	1982	46.71
156	1st	-title-only -journal -norm -fft -diff	1737	1982	46.71
157	1st	-title-only -journal -silence -norm -fft -diff	1737	1982	46.71
158	1st	-title-only -journal -high -minmax -cos	1736	1983	46.68
159	1st	-title-only -journal -endp -aggr -eucl	1735	1984	46.65
160	1st	-title-only -journal -endp -fft -eucl	1735	1984	46.65
161	1st	-title-only -journal -silence -norm -aggr -diff	1735	1984	46.65
162	1st	-title-only -journal -silence -endp -fft -eucl	1735	1984	46.65
163	1st	-title-only -journal -silence -endp -aggr -eucl	1735	1984	46.65
164	1st	-title-only -journal -norm -aggr -diff	1735	1984	46.65
165	1st	-title-only -journal -bandstop -fft -cos	1734	1985	46.63
166	1st	-title-only -journal -bandstop -aggr -cos	1734	1985	46.63
167	1st	-title-only -journal -low -minmax -eucl	1734	1985	46.63
168	1st	-title-only -journal -noise -norm -minmax -eucl	1734	1985	46.63
169	1st	-title-only -journal -noise -bandstop -fft -diff	1733	1986	46.60
170	1st	-title-only -journal -silence -noise -endp -fft -cos	1733	1986	46.60
171	1st	-title-only -journal -silence -bandstop -fft -cos	1733	1986	46.60
172	1st	-title-only -journal -noise -bandstop -aggr -diff	1733	1986	46.60
173	1st	-title-only -journal -silence -noise -endp -aggr -cos	1733	1986	46.60
174	1st	-title-only -journal -silence -bandstop -aggr -cos	1733	1986	46.60
175	1st	-title-only -journal -silence -noise -bandstop -minmax -cos	1732	1987	46.57
176	1st	-title-only -journal -noise -endp -aggr -cos	1732	1987	46.57
177	1st	-title-only -journal -noise -endp -fft -cos	1732	1987	46.57
178	1st	-title-only -journal -silence -low -minmax -eucl	1731	1988	46.54
179	1st	-title-only -journal -silence -noise -norm -minmax -eucl	1731	1988	46.54
180	1st	-title-only -journal -endp -aggr -mink	1730	1989	46.52
181	1st	-title-only -journal -endp -fft -mink	1730	1989	46.52
182	1st	-title-only -journal -low -minmax -cos	1730	1989	46.52
183	1st	-title-only -journal -silence -endp -fft -mink	1730	1989	46.52
184	1st	-title-only -journal -silence -endp -aggr -mink	1730	1989	46.52
185	1st	-title-only -journal -silence -high -minmax -cos	1730	1989	46.52
186	1st	-title-only -journal -noise -norm -minmax -cos	1730	1989	46.52
187	1st	-title-only -journal -raw -aggr -cos	1726	1993	46.41
188	1st	-title-only -journal -raw -fft -cos	1726	1993	46.41
189	1st	-title-only -journal -silence -raw -fft -cos	1726	1993	46.41
190	1st	-title-only -journal -noise -raw -fft -cos	1726	1993	46.41
191	1st	-title-only -journal -noise -raw -aggr -cos	1726	1993	46.41
192	1st	-title-only -journal -silence -raw -aggr -cos	1726	1993	46.41
193	1st	-title-only -journal -silence -noise -raw -fft -cos	1726	1993	46.41
194	1st	-title-only -journal -silence -noise -raw -aggr -cos	1726	1993	46.41
195	1st	-title-only -journal -silence -noise -endp -aggr -mink	1725	1994	46.38
196	1st	-title-only -journal -silence -noise -norm -minmax -cos	1725	1994	46.38
197	1st	-title-only -journal -noise -endp -aggr -mink	1725	1994	46.38
198	1st	-title-only -journal -silence -noise -endp -fft -mink	1725	1994	46.38
199	1st	-title-only -journal -silence -low -minmax -cos	1725	1994	46.38

Table 653: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 5.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
200	1st	-title-only -journal -noise -endp -fft -mink	1725	1994	46.38
201	1st	-title-only -journal -silence -low -minmax -mink	1722	1997	46.30
202	1st	-title-only -journal -silence -noise -norm -minmax -mink	1722	1997	46.30
203	1st	-title-only -journal -silence -noise -band -minmax -cos	1721	1998	46.28
204	1st	-title-only -journal -low -minmax -mink	1720	1999	46.25
205	1st	-title-only -journal -noise -norm -minmax -mink	1720	1999	46.25
206	1st	-title-only -journal -bandstop -minmax -mink	1716	2003	46.14
207	1st	-title-only -journal -silence -bandstop -minmax -mink	1716	2003	46.14
208	1st	-title-only -journal -silence -noise -bandstop -aggr -cos	1715	2004	46.11
209	1st	-title-only -journal -silence -noise -bandstop -fft -cos	1715	2004	46.11
210	1st	-title-only -journal -noise -bandstop -fft -cos	1715	2004	46.11
211	1st	-title-only -journal -noise -bandstop -aggr -cos	1715	2004	46.11
212	1st	-title-only -journal -silence -norm -minmax -cos	1714	2005	46.09
213	1st	-title-only -journal -silence -noise -low -minmax -cos	1714	2005	46.09
214	1st	-title-only -journal -norm -minmax -cos	1714	2005	46.09
215	1st	-title-only -journal -noise -band -minmax -cos	1713	2006	46.06
216	1st	-title-only -journal -silence -endp -fft -cos	1711	2008	46.01
217	1st	-title-only -journal -silence -endp -fft -cheb	1711	2008	46.01
218	1st	-title-only -journal -silence -endp -aggr -cheb	1711	2008	46.01
219	1st	-title-only -journal -endp -fft -cos	1711	2008	46.01
220	1st	-title-only -journal -endp -aggr -cos	1711	2008	46.01
221	1st	-title-only -journal -noise -low -minmax -cos	1711	2008	46.01
222	1st	-title-only -journal -endp -aggr -cheb	1711	2008	46.01
223	1st	-title-only -journal -silence -endp -aggr -cos	1711	2008	46.01
224	1st	-title-only -journal -endp -fft -cheb	1711	2008	46.01
225	1st	-title-only -journal -silence -noise -low -minmax -mink	1708	2011	45.93
226	1st	-title-only -journal -silence -endp -aggr -diff	1703	2016	45.79
227	1st	-title-only -journal -endp -aggr -diff	1703	2016	45.79
228	1st	-title-only -journal -noise -low -minmax -mink	1703	2016	45.79
229	1st	-title-only -journal -silence -endp -fft -diff	1698	2021	45.66
230	1st	-title-only -journal -endp -fft -diff	1698	2021	45.66
231	1st	-title-only -journal -noise -high -minmax -cos	1692	2027	45.50
232	1st	-title-only -journal -norm -minmax -mink	1688	2031	45.39
233	1st	-title-only -journal -silence -norm -minmax -mink	1688	2031	45.39
234	1st	-title-only -journal -silence -noise -high -minmax -cos	1688	2031	45.39
235	1st	-title-only -journal -silence -noise -band -minmax -eucl	1688	2031	45.39
236	1st	-title-only -journal -noise -band -minmax -eucl	1686	2033	45.33
237	1st	-title-only -journal -silence -high -minmax -diff	1686	2033	45.33
238	1st	-title-only -journal -silence -high -minmax -cheb	1676	2043	45.07
239	1st	-title-only -journal -silence -raw -minmax -eucl	1675	2044	45.04
240	1st	-title-only -journal -silence -noise -raw -minmax -eucl	1675	2044	45.04
241	1st	-title-only -journal -raw -minmax -eucl	1675	2044	45.04
242	1st	-title-only -journal -noise -raw -minmax -eucl	1675	2044	45.04
243	1st	-title-only -journal -silence -noise -band -minmax -mink	1671	2048	44.93
244	1st	-title-only -journal -noise -band -minmax -mink	1670	2049	44.90
245	1st	-title-only -journal -silence -raw -minmax -mink	1667	2052	44.82
246	1st	-title-only -journal -silence -noise -raw -minmax -mink	1667	2052	44.82
247	1st	-title-only -journal -raw -minmax -mink	1667	2052	44.82
248	1st	-title-only -journal -noise -raw -minmax -mink	1667	2052	44.82
249	1st	-title-only -journal -band -minmax -cos	1663	2056	44.72

Table 654: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 6.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
250	1st	-title-only -journal -silence -band -minmax -cos	1663	2056	44.72
251	1st	-title-only -journal -endp -minmax -cos	1662	2057	44.69
252	1st	-title-only -journal -silence -endp -minmax -cos	1662	2057	44.69
253	1st	-title-only -journal -norm -minmax -eucl	1661	2058	44.66
254	1st	-title-only -journal -silence -norm -minmax -eucl	1661	2058	44.66
255	1st	-title-only -journal -high -minmax -cheb	1659	2060	44.61
256	1st	-title-only -journal -noise -high -minmax -eucl	1654	2065	44.47
257	1st	-title-only -journal -silence -noise -high -minmax -eucl	1653	2066	44.45
258	1st	-title-only -journal -noise -band -minmax -cheb	1651	2068	44.39
259	1st	-title-only -journal -band -minmax -diff	1645	2074	44.23
260	1st	-title-only -journal -high -minmax -diff	1644	2075	44.21
261	1st	-title-only -journal -band -minmax -cheb	1644	2075	44.21
262	1st	-title-only -journal -silence -band -minmax -cheb	1638	2081	44.04
263	1st	-title-only -journal -silence -band -minmax -diff	1635	2084	43.96
264	1st	-title-only -journal -silence -noise -band -minmax -cheb	1633	2086	43.91
265	1st	-title-only -journal -noise -endp -minmax -mink	1629	2090	43.80
266	1st	-title-only -journal -silence -noise -endp -minmax -mink	1628	2091	43.78
267	1st	-title-only -journal -noise -low -minmax -eucl	1628	2091	43.78
268	1st	-title-only -journal -high -minmax -eucl	1627	2092	43.75
269	1st	-title-only -journal -noise -bandstop -minmax -mink	1627	2092	43.75
270	1st	-title-only -journal -silence -high -minmax -eucl	1626	2093	43.72
271	1st	-title-only -journal -endp -minmax -mink	1624	2095	43.67
272	1st	-title-only -journal -silence -noise -low -minmax -eucl	1624	2095	43.67
273	1st	-title-only -journal -silence -endp -minmax -mink	1624	2095	43.67
274	1st	-title-only -journal -silence -noise -bandstop -minmax -mink	1624	2095	43.67
275	1st	-title-only -journal -noise -band -fft -eucl	1623	2096	43.64
276	1st	-title-only -journal -noise -band -minmax -diff	1623	2096	43.64
277	1st	-title-only -journal -silence -noise -band -aggr -eucl	1623	2096	43.64
278	1st	-title-only -journal -silence -noise -band -fft -eucl	1623	2096	43.64
279	1st	-title-only -journal -noise -band -aggr -eucl	1623	2096	43.64
280	1st	-title-only -journal -silence -noise -band -minmax -diff	1618	2101	43.51
281	1st	-title-only -journal -band -minmax -eucl	1613	2106	43.37
282	1st	-title-only -journal -silence -noise -endp -minmax -cos	1610	2109	43.29
283	1st	-title-only -journal -noise -high -minmax -cheb	1609	2110	43.26
284	1st	-title-only -journal -silence -band -minmax -eucl	1609	2110	43.26
285	1st	-title-only -journal -noise -endp -minmax -cos	1606	2113	43.18
286	1st	-title-only -journal -silence -noise -high -minmax -cheb	1599	2120	43.00
287	1st	-title-only -journal -silence -noise -band -aggr -mink	1597	2122	42.94
288	1st	-title-only -journal -silence -noise -band -fft -mink	1597	2122	42.94
289	1st	-title-only -journal -noise -band -fft -mink	1592	2127	42.81
290	1st	-title-only -journal -low -minmax -cheb	1592	2127	42.81
291	1st	-title-only -journal -noise -norm -minmax -cheb	1592	2127	42.81
292	1st	-title-only -journal -noise -band -aggr -mink	1592	2127	42.81
293	1st	-title-only -journal -noise -band -aggr -cheb	1591	2128	42.78
294	1st	-title-only -journal -noise -band -fft -cheb	1591	2128	42.78
295	1st	-title-only -journal -silence -noise -low -minmax -diff	1590	2129	42.75
296	1st	-title-only -journal -silence -low -minmax -cheb	1589	2130	42.73
297	1st	-title-only -journal -silence -noise -norm -minmax -cheb	1589	2130	42.73
298	1st	-title-only -journal -silence -noise -band -aggr -cheb	1589	2130	42.73
299	1st	-title-only -journal -silence -noise -band -fft -cheb	1589	2130	42.73

Table 655: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 7.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
300	1st	-title-only -journal -silence -noise -low -minmax -cheb	1585	2134	42.62
301	1st	-title-only -journal -silence -bandstop -minmax -cheb	1585	2134	42.62
302	1st	-title-only -journal -noise -low -minmax -diff	1585	2134	42.62
303	1st	-title-only -journal -noise -low -minmax -cheb	1584	2135	42.59
304	1st	-title-only -journal -bandstop -minmax -cheb	1584	2135	42.59
305	1st	-title-only -journal -low -minmax -diff	1582	2137	42.54
306	1st	-title-only -journal -noise -norm -minmax -diff	1582	2137	42.54
307	1st	-title-only -journal -silence -low -minmax -diff	1581	2138	42.51
308	1st	-title-only -journal -silence -noise -norm -minmax -diff	1581	2138	42.51
309	1st	-title-only -journal -silence -bandstop -minmax -diff	1579	2140	42.46
310	1st	-title-only -journal -bandstop -minmax -diff	1579	2140	42.46
311	1st	-title-only -journal -silence -noise -raw -minmax -cos	1573	2146	42.30
312	1st	-title-only -journal -raw -minmax -cos	1573	2146	42.30
313	1st	-title-only -journal -noise -raw -minmax -cos	1573	2146	42.30
314	1st	-title-only -journal -silence -raw -minmax -cos	1573	2146	42.30
315	1st	-title-only -journal -silence -noise -band -aggr -diff	1567	2152	42.13
316	1st	-title-only -journal -silence -noise -band -fft -diff	1567	2152	42.13
317	1st	-title-only -journal -noise -band -aggr -diff	1555	2164	41.81
318	1st	-title-only -journal -noise -band -fft -diff	1555	2164	41.81
319	1st	-title-only -journal -norm -minmax -cheb	1538	2181	41.36
320	1st	-title-only -journal -band -aggr -diff	1538	2181	41.36
321	1st	-title-only -journal -silence -norm -minmax -cheb	1538	2181	41.36
322	1st	-title-only -journal -silence -noise -bandstop -minmax -eucl	1538	2181	41.36
323	1st	-title-only -journal -noise -bandstop -minmax -eucl	1537	2182	41.33
324	1st	-title-only -journal -band -fft -diff	1536	2183	41.30
325	1st	-title-only -journal -band -fft -cheb	1531	2188	41.17
326	1st	-title-only -journal -band -aggr -cheb	1531	2188	41.17
327	1st	-title-only -journal -noise -high -aggr -cos	1526	2193	41.03
328	1st	-title-only -journal -raw -minmax -cheb	1526	2193	41.03
329	1st	-title-only -journal -noise -raw -minmax -cheb	1526	2193	41.03
330	1st	-title-only -journal -noise -high -fft -cos	1526	2193	41.03
331	1st	-title-only -journal -silence -raw -minmax -cheb	1526	2193	41.03
332	1st	-title-only -journal -silence -noise -raw -minmax -cheb	1526	2193	41.03
333	1st	-title-only -journal -silence -band -fft -cheb	1520	2199	40.87
334	1st	-title-only -journal -silence -band -aggr -cheb	1520	2199	40.87
335	1st	-title-only -journal -noise -high -minmax -diff	1519	2200	40.84
336	1st	-title-only -journal -raw -minmax -diff	1518	2201	40.82
337	1st	-title-only -journal -noise -raw -minmax -diff	1518	2201	40.82
338	1st	-title-only -journal -silence -raw -minmax -diff	1518	2201	40.82
339	1st	-title-only -journal -silence -noise -raw -minmax -diff	1518	2201	40.82
340	1st	-title-only -journal -silence -band -fft -diff	1514	2205	40.71
341	1st	-title-only -journal -norm -minmax -diff	1513	2206	40.68
342	1st	-title-only -journal -silence -norm -minmax -diff	1513	2206	40.68
343	1st	-title-only -journal -band -fft -mink	1510	2209	40.60
344	1st	-title-only -journal -band -aggr -mink	1510	2209	40.60
345	1st	-title-only -journal -silence -band -aggr -diff	1510	2209	40.60
346	1st	-title-only -journal -noise -endp -minmax -eucl	1509	2210	40.58
347	1st	-title-only -journal -silence -noise -endp -minmax -eucl	1507	2212	40.52
348	1st	-title-only -journal -silence -band -aggr -mink	1504	2215	40.44
349	1st	-title-only -journal -silence -band -fft -mink	1504	2215	40.44

Table 656: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 8.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
350	1st	-title-only -journal -silence -band -aggr -eucl	1501	2218	40.36
351	1st	-title-only -journal -silence -band -fft -eucl	1501	2218	40.36
352	1st	-title-only -journal -band -fft -eucl	1499	2220	40.31
353	1st	-title-only -journal -band -aggr -eucl	1499	2220	40.31
354	1st	-title-only -journal -silence -noise -high -minmax -diff	1490	2229	40.06
355	1st	-title-only -journal -band -minmax -mink	1488	2231	40.01
356	1st	-title-only -journal -silence -band -minmax -mink	1487	2232	39.98
357	1st	-title-only -journal -noise -high -fft -mink	1485	2234	39.93
358	1st	-title-only -journal -noise -high -aggr -mink	1485	2234	39.93
359	1st	-title-only -journal -band -fft -cos	1483	2236	39.88
360	1st	-title-only -journal -band -aggr -cos	1483	2236	39.88
361	1st	-title-only -journal -silence -band -fft -cos	1482	2237	39.85
362	1st	-title-only -journal -silence -band -aggr -cos	1482	2237	39.85
363	1st	-title-only -journal -silence -noise -high -aggr -mink	1466	2253	39.42
364	1st	-title-only -journal -silence -noise -high -fft -mink	1466	2253	39.42
365	1st	-title-only -journal -silence -high -fft -mink	1466	2253	39.42
366	1st	-title-only -journal -silence -high -aggr -mink	1466	2253	39.42
367	1st	-title-only -journal -high -aggr -mink	1464	2255	39.37
368	1st	-title-only -journal -high -fft -mink	1464	2255	39.37
369	1st	-title-only -journal -noise -bandstop -minmax -diff	1463	2256	39.34
370	1st	-title-only -journal -silence -high -minmax -mink	1461	2258	39.28
371	1st	-title-only -journal -noise -bandstop -minmax -cheb	1461	2258	39.28
372	1st	-title-only -journal -high -minmax -mink	1459	2260	39.23
373	1st	-title-only -journal -silence -noise -bandstop -minmax -cheb	1459	2260	39.23
374	1st	-title-only -journal -silence -noise -bandstop -minmax -diff	1458	2261	39.20
375	1st	-title-only -journal -silence -noise -band -fft -cos	1445	2274	38.85
376	1st	-title-only -journal -noise -band -aggr -cos	1445	2274	38.85
377	1st	-title-only -journal -noise -band -fft -cos	1445	2274	38.85
378	1st	-title-only -journal -silence -noise -band -aggr -cos	1445	2274	38.85
379	1st	-title-only -journal -noise -high -aggr -eucl	1443	2276	38.80
380	1st	-title-only -journal -noise -high -fft -eucl	1443	2276	38.80
381	1st	-title-only -journal -silence -high -aggr -diff	1442	2277	38.77
382	1st	-title-only -journal -silence -high -fft -diff	1438	2281	38.67
383	1st	-title-only -journal -silence -noise -high -aggr -cos	1431	2288	38.48
384	1st	-title-only -journal -silence -noise -high -fft -cos	1431	2288	38.48
385	1st	-title-only -journal -silence -high -fft -eucl	1427	2292	38.37
386	1st	-title-only -journal -silence -high -aggr -eucl	1427	2292	38.37
387	1st	-title-only -journal -high -aggr -eucl	1424	2295	38.29
388	1st	-title-only -journal -high -fft -eucl	1424	2295	38.29
389	1st	-title-only -journal -high -fft -cheb	1422	2297	38.24
390	1st	-title-only -journal -high -aggr -cheb	1422	2297	38.24
391	1st	-title-only -journal -silence -high -fft -cheb	1420	2299	38.18
392	1st	-title-only -journal -silence -high -aggr -cheb	1420	2299	38.18
393	1st	-title-only -journal -high -fft -diff	1408	2311	37.86
394	1st	-title-only -journal -noise -endp -minmax -cheb	1406	2313	37.81
395	1st	-title-only -journal -high -aggr -diff	1406	2313	37.81
396	1st	-title-only -journal -silence -noise -endp -minmax -cheb	1404	2315	37.75
397	1st	-title-only -journal -silence -noise -high -minmax -mink	1404	2315	37.75
398	1st	-title-only -journal -noise -endp -minmax -diff	1401	2318	37.67
399	1st	-title-only -journal -high -fft -cos	1398	2321	37.59

Table 657: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 9.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
400	1st	-title-only -journal -noise -high -minmax -mink	1398	2321	37.59
401	1st	-title-only -journal -high -aggr -cos	1398	2321	37.59
402	1st	-title-only -journal -silence -noise -endp -minmax -diff	1395	2324	37.51
403	1st	-title-only -journal -endp -minmax -eucl	1393	2326	37.46
404	1st	-title-only -journal -silence -endp -minmax -eucl	1393	2326	37.46
405	1st	-title-only -journal -silence -high -fft -cos	1390	2329	37.38
406	1st	-title-only -journal -silence -high -aggr -cos	1390	2329	37.38
407	1st	-title-only -journal -silence -noise -high -aggr -eucl	1387	2332	37.29
408	1st	-title-only -journal -silence -noise -high -fft -eucl	1387	2332	37.29
409	1st	-title-only -journal -silence -endp -minmax -diff	1358	2361	36.52
410	1st	-title-only -journal -silence -endp -minmax -cheb	1358	2361	36.52
411	1st	-title-only -journal -endp -minmax -diff	1358	2361	36.52
412	1st	-title-only -journal -endp -minmax -cheb	1358	2361	36.52
413	1st	-title-only -journal -noise -high -aggr -cheb	1346	2373	36.19
414	1st	-title-only -journal -noise -high -fft -cheb	1346	2373	36.19
415	1st	-title-only -journal -band -fft -hamming	1343	2376	36.11
416	1st	-title-only -journal -band -aggr -hamming	1343	2376	36.11
417	1st	-title-only -journal -silence -band -aggr -hamming	1333	2386	35.84
418	1st	-title-only -journal -silence -band -fft -hamming	1333	2386	35.84
419	1st	-title-only -journal -bandstop -aggr -hamming	1325	2394	35.63
420	1st	-title-only -journal -bandstop -fft -hamming	1325	2394	35.63
421	1st	-title-only -journal -silence -noise -high -fft -cheb	1322	2397	35.55
422	1st	-title-only -journal -silence -noise -high -aggr -cheb	1322	2397	35.55
423	1st	-title-only -journal -silence -bandstop -aggr -hamming	1319	2400	35.47
424	1st	-title-only -journal -silence -bandstop -fft -hamming	1319	2400	35.47
425	1st	-title-only -journal -silence -low -aggr -hamming	1289	2430	34.66
426	1st	-title-only -journal -silence -noise -norm -aggr -hamming	1289	2430	34.66
427	1st	-title-only -journal -silence -low -fft -hamming	1289	2430	34.66
428	1st	-title-only -journal -silence -noise -norm -fft -hamming	1289	2430	34.66
429	1st	-title-only -journal -low -aggr -hamming	1282	2437	34.47
430	1st	-title-only -journal -noise -norm -aggr -hamming	1282	2437	34.47
431	1st	-title-only -journal -low -fft -hamming	1282	2437	34.47
432	1st	-title-only -journal -noise -norm -fft -hamming	1282	2437	34.47
433	1st	-title-only -journal -silence -noise -high -fft -diff	1259	2460	33.85
434	1st	-title-only -journal -silence -noise -high -aggr -diff	1258	2461	33.83
435	1st	-title-only -journal -high -aggr -hamming	1247	2472	33.53
436	1st	-title-only -journal -high -fft -hamming	1247	2472	33.53
437	1st	-title-only -journal -silence -high -aggr -hamming	1246	2473	33.50
438	1st	-title-only -journal -silence -high -fft -hamming	1246	2473	33.50
439	1st	-title-only -journal -noise -high -fft -hamming	1243	2476	33.42
440	1st	-title-only -journal -noise -high -aggr -hamming	1243	2476	33.42
441	1st	-title-only -journal -norm -fft -hamming	1238	2481	33.29
442	1st	-title-only -journal -norm -aggr -hamming	1238	2481	33.29
443	1st	-title-only -journal -silence -norm -fft -hamming	1238	2481	33.29
444	1st	-title-only -journal -silence -norm -aggr -hamming	1238	2481	33.29
445	1st	-title-only -journal -silence -noise -high -aggr -hamming	1233	2486	33.15
446	1st	-title-only -journal -silence -noise -high -fft -hamming	1233	2486	33.15
447	1st	-title-only -journal -noise -high -aggr -diff	1227	2492	32.99
448	1st	-title-only -journal -noise -high -fft -diff	1226	2493	32.97
449	1st	-title-only -journal -silence -noise -band -aggr -hamming	1219	2500	32.78

Table 658: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 10.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
450	1st	-title-only -journal -silence -noise -band -fft -hamming	1219	2500	32.78
451	1st	-title-only -journal -noise -band -fft -hamming	1217	2502	32.72
452	1st	-title-only -journal -noise -band -aggr -hamming	1217	2502	32.72
453	1st	-title-only -journal -silence -endp -fft -hamming	1206	2513	32.43
454	1st	-title-only -journal -endp -aggr -hamming	1206	2513	32.43
455	1st	-title-only -journal -endp -fft -hamming	1206	2513	32.43
456	1st	-title-only -journal -silence -endp -aggr -hamming	1206	2513	32.43
457	1st	-title-only -journal -silence -noise -low -aggr -hamming	1171	2548	31.49
458	1st	-title-only -journal -silence -noise -low -fft -hamming	1171	2548	31.49
459	1st	-title-only -journal -noise -low -fft -hamming	1168	2551	31.41
460	1st	-title-only -journal -noise -low -aggr -hamming	1168	2551	31.41
461	1st	-title-only -journal -silence -noise -bandstop -fft -hamming	1155	2564	31.06
462	1st	-title-only -journal -silence -noise -bandstop -aggr -hamming	1155	2564	31.06
463	1st	-title-only -journal -noise -bandstop -aggr -hamming	1153	2566	31.00
464	1st	-title-only -journal -noise -bandstop -fft -hamming	1153	2566	31.00
465	1st	-title-only -journal -high -minmax -hamming	1099	2620	29.55
466	1st	-title-only -journal -silence -high -minmax -hamming	1096	2623	29.47
467	1st	-title-only -journal -noise -high -minmax -hamming	1090	2629	29.31
468	1st	-title-only -journal -low -minmax -hamming	1083	2636	29.12
469	1st	-title-only -journal -noise -norm -minmax -hamming	1083	2636	29.12
470	1st	-title-only -journal -silence -low -minmax -hamming	1082	2637	29.09
471	1st	-title-only -journal -silence -noise -norm -minmax -hamming	1082	2637	29.09
472	1st	-title-only -journal -silence -noise -high -minmax -hamming	1075	2644	28.91
473	1st	-title-only -journal -silence -raw -minmax -hamming	1068	2651	28.72
474	1st	-title-only -journal -noise -raw -minmax -hamming	1068	2651	28.72
475	1st	-title-only -journal -raw -minmax -hamming	1068	2651	28.72
476	1st	-title-only -journal -silence -noise -raw -minmax -hamming	1068	2651	28.72
477	1st	-title-only -journal -silence -band -minmax -hamming	1051	2668	28.26
478	1st	-title-only -journal -band -minmax -hamming	1050	2669	28.23
479	1st	-title-only -journal -silence -noise -band -minmax -hamming	1041	2678	27.99
480	1st	-title-only -journal -noise -band -minmax -hamming	1038	2681	27.91
481	1st	-title-only -journal -silence -boost -lpc -cos	1015	2704	27.29
482	1st	-title-only -journal -silence -noise -highpassboost -lpc -diff	1015	2704	27.29
483	1st	-title-only -journal -noise -band -lpc -eucl	1015	2704	27.29
484	1st	-title-only -journal -silence -raw -lpc -cheb	1015	2704	27.29
485	1st	-title-only -journal -noise -boost -minmax -diff	1015	2704	27.29
486	1st	-title-only -journal -norm -minmax -hamming	1015	2704	27.29
487	1st	-title-only -journal -noise -boost -fft -hamming	1015	2704	27.29
488	1st	-title-only -journal -silence -highpassboost -lpc -cos	1015	2704	27.29
489	1st	-title-only -journal -noise -raw -lpc -mink	1015	2704	27.29
490	1st	-title-only -journal -bandstop -lpc -cheb	1015	2704	27.29
491	1st	-title-only -journal -silence -highpassboost -lpc -mink	1015	2704	27.29
492	1st	-title-only -journal -bandstop -lpc -hamming	1015	2704	27.29
493	1st	-title-only -journal -norm -lpc -diff	1015	2704	27.29
494	1st	-title-only -journal -silence -boost -lpc -eucl	1015	2704	27.29
495	1st	-title-only -journal -noise -highpassboost -lpc -eucl	1015	2704	27.29
496	1st	-title-only -journal -silence -noise -raw -lpc -diff	1015	2704	27.29
497	1st	-title-only -journal -silence -boost -fft -hamming	1015	2704	27.29
498	1st	-title-only -journal -silence -noise -norm -lpc -cos	1015	2704	27.29
499	1st	-title-only -journal -silence -noise -raw -lpc -hamming	1015	2704	27.29

Table 659: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 11.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
500	1st	-title-only -journal -noise -band -lpc -mink	1015	2704	27.29
501	1st	-title-only -journal -silence -noise -high -lpc -diff	1015	2704	27.29
502	1st	-title-only -journal -silence -noise -endp -lpc -cheb	1015	2704	27.29
503	1st	-title-only -journal -noise -norm -lpc -eucl	1015	2704	27.29
504	1st	-title-only -journal -silence -highpassboost -fft -eucl	1015	2704	27.29
505	1st	-title-only -journal -noise -highpassboost -aggr -hamming	1015	2704	27.29
506	1st	-title-only -journal -silence -endp -lpc -diff	1015	2704	27.29
507	1st	-title-only -journal -band -lpc -cheb	1015	2704	27.29
508	1st	-title-only -journal -low -lpc -cos	1015	2704	27.29
509	1st	-title-only -journal -silence -noise -highpassboost -fft -diff	1015	2704	27.29
510	1st	-title-only -journal -silence -boost -aggr -eucl	1015	2704	27.29
511	1st	-title-only -journal -noise -bandstop -lpc -diff	1015	2704	27.29
512	1st	-title-only -journal -silence -boost -lpc -mink	1015	2704	27.29
513	1st	-title-only -journal -silence -noise -highpassboost -lpc -cheb	1015	2704	27.29
514	1st	-title-only -journal -noise -highpassboost -lpc -mink	1015	2704	27.29
515	1st	-title-only -journal -silence -noise -high -lpc -cos	1015	2704	27.29
516	1st	-title-only -journal -boost -lpc -hamming	1015	2704	27.29
517	1st	-title-only -journal -silence -low -lpc -diff	1015	2704	27.29
518	1st	-title-only -journal -silence -low -lpc -cos	1015	2704	27.29
519	1st	-title-only -journal -endp -lpc -eucl	1015	2704	27.29
520	1st	-title-only -journal -noise -boost -minmax -cheb	1015	2704	27.29
521	1st	-title-only -journal -endp -lpc -hamming	1015	2704	27.29
522	1st	-title-only -journal -highpassboost -lpc -diff	1015	2704	27.29
523	1st	-title-only -journal -noise -norm -lpc -mink	1015	2704	27.29
524	1st	-title-only -journal -silence -bandstop -lpc -diff	1015	2704	27.29
525	1st	-title-only -journal -silence -highpassboost -fft -mink	1015	2704	27.29
526	1st	-title-only -journal -boost -minmax -hamming	1015	2704	27.29
527	1st	-title-only -journal -silence -highpassboost -aggr -eucl	1015	2704	27.29
528	1st	-title-only -journal -silence -high -lpc -hamming	1015	2704	27.29
529	1st	-title-only -journal -silence -low -lpc -hamming	1015	2704	27.29
530	1st	-title-only -journal -norm -lpc -cheb	1015	2704	27.29
531	1st	-title-only -journal -silence -noise -norm -lpc -hamming	1015	2704	27.29
532	1st	-title-only -journal -silence -boost -fft -eucl	1015	2704	27.29
533	1st	-title-only -journal -noise -highpassboost -fft -eucl	1015	2704	27.29
534	1st	-title-only -journal -silence -noise -raw -lpc -cheb	1015	2704	27.29
535	1st	-title-only -journal -raw -lpc -cos	1015	2704	27.29
536	1st	-title-only -journal -silence -boost -aggr -mink	1015	2704	27.29
537	1st	-title-only -journal -silence -band -lpc -cos	1015	2704	27.29
538	1st	-title-only -journal -noise -highpassboost -minmax -diff	1015	2704	27.29
539	1st	-title-only -journal -noise -highpassboost -fft -hamming	1015	2704	27.29
540	1st	-title-only -journal -silence -noise -high -lpc -cheb	1015	2704	27.29
541	1st	-title-only -journal -noise -low -lpc -eucl	1015	2704	27.29
542	1st	-title-only -journal -silence -noise -boost -lpc -diff	1015	2704	27.29
543	1st	-title-only -journal -silence -raw -lpc -cos	1015	2704	27.29
544	1st	-title-only -journal -noise -highpassboost -fft -cos	1015	2704	27.29
545	1st	-title-only -journal -endp -lpc -mink	1015	2704	27.29
546	1st	-title-only -journal -silence -endp -lpc -cheb	1015	2704	27.29
547	1st	-title-only -journal -highpassboost -fft -cos	1015	2704	27.29
548	1st	-title-only -journal -noise -highpassboost -aggr -eucl	1015	2704	27.29
549	1st	-title-only -journal -silence -highpassboost -aggr -mink	1015	2704	27.29

Table 660: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 12.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
550	1st	-title-only -journal -silence -noise -highpassboost -fft -cheb	1015	2704	27.29
551	1st	-title-only -journal -silence -high -lpc -diff	1015	2704	27.29
552	1st	-title-only -journal -noise -boost -aggr -cos	1015	2704	27.29
553	1st	-title-only -journal -silence -noise -highpassboost -lpc -hamming	1015	2704	27.29
554	1st	-title-only -journal -silence -band -lpc -hamming	1015	2704	27.29
555	1st	-title-only -journal -noise -boost -fft -cos	1015	2704	27.29
556	1st	-title-only -journal -noise -bandstop -lpc -cheb	1015	2704	27.29
557	1st	-title-only -journal -silence -boost -fft -mink	1015	2704	27.29
558	1st	-title-only -journal -noise -highpassboost -fft -mink	1015	2704	27.29
559	1st	-title-only -journal -highpassboost -fft -diff	1015	2704	27.29
560	1st	-title-only -journal -silence -low -lpc -cheb	1015	2704	27.29
561	1st	-title-only -journal -silence -endp -lpc -cos	1015	2704	27.29
562	1st	-title-only -journal -boost -lpc -diff	1015	2704	27.29
563	1st	-title-only -journal -noise -low -lpc -mink	1015	2704	27.29
564	1st	-title-only -journal -highpassboost -lpc -cheb	1015	2704	27.29
565	1st	-title-only -journal -silence -bandstop -lpc -cheb	1015	2704	27.29
566	1st	-title-only -journal -silence -noise -band -lpc -diff	1015	2704	27.29
567	1st	-title-only -journal -high -lpc -eucl	1015	2704	27.29
568	1st	-title-only -journal -silence -noise -highpassboost -aggr -eucl	1015	2704	27.29
569	1st	-title-only -journal -highpassboost -fft -hamming	1015	2704	27.29
570	1st	-title-only -journal -noise -highpassboost -aggr -mink	1015	2704	27.29
571	1st	-title-only -journal -highpassboost -minmax -diff	1015	2704	27.29
572	1st	-title-only -journal -silence -noise -low -lpc -diff	1015	2704	27.29
573	1st	-title-only -journal -silence -noise -bandstop -lpc -cos	1015	2704	27.29
574	1st	-title-only -journal -boost -minmax -eucl	1015	2704	27.29
575	1st	-title-only -journal -silence -noise -boost -aggr -eucl	1015	2704	27.29
576	1st	-title-only -journal -noise -highpassboost -minmax -cheb	1015	2704	27.29
577	1st	-title-only -journal -silence -noise -boost -fft -diff	1015	2704	27.29
578	1st	-title-only -journal -noise -boost -lpc -hamming	1015	2704	27.29
579	1st	-title-only -journal -silence -noise -boost -lpc -cheb	1015	2704	27.29
580	1st	-title-only -journal -silence -noise -norm -lpc -diff	1015	2704	27.29
581	1st	-title-only -journal -silence -noise -boost -fft -hamming	1015	2704	27.29
582	1st	-title-only -journal -norm -lpc -cos	1015	2704	27.29
583	1st	-title-only -journal -raw -lpc -diff	1015	2704	27.29
584	1st	-title-only -journal -high -lpc -mink	1015	2704	27.29
585	1st	-title-only -journal -silence -noise -highpassboost -aggr -mink	1015	2704	27.29
586	1st	-title-only -journal -silence -noise -band -lpc -cos	1015	2704	27.29
587	1st	-title-only -journal -silence -high -lpc -cheb	1015	2704	27.29
588	1st	-title-only -journal -silence -boost -lpc -hamming	1015	2704	27.29
589	1st	-title-only -journal -silence -noise -low -lpc -hamming	1015	2704	27.29
590	1st	-title-only -journal -norm -lpc -hamming	1015	2704	27.29
591	1st	-title-only -journal -noise -highpassboost -lpc -cos	1015	2704	27.29
592	1st	-title-only -journal -boost -minmax -mink	1015	2704	27.29
593	1st	-title-only -journal -silence -noise -boost -aggr -mink	1015	2704	27.29
594	1st	-title-only -journal -highpassboost -fft -cheb	1015	2704	27.29
595	1st	-title-only -journal -silence -raw -lpc -eucl	1015	2704	27.29
596	1st	-title-only -journal -boost -fft -diff	1015	2704	27.29
597	1st	-title-only -journal -highpassboost -lpc -cos	1015	2704	27.29
598	1st	-title-only -journal -boost -lpc -cheb	1015	2704	27.29
599	1st	-title-only -journal -silence -noise -band -lpc -cheb	1015	2704	27.29

Table 661: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 13.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
600	1st	-title-only -journal -noise -boost -lpc -cos	1015	2704	27.29
601	1st	-title-only -journal -bandstop -lpc -eucl	1015	2704	27.29
602	1st	-title-only -journal -boost -aggr -diff	1015	2704	27.29
603	1st	-title-only -journal -silence -band -lpc -diff	1015	2704	27.29
604	1st	-title-only -journal -highpassboost -minmax -cheb	1015	2704	27.29
605	1st	-title-only -journal -silence -noise -low -lpc -cheb	1015	2704	27.29
606	1st	-title-only -journal -high -lpc -cos	1015	2704	27.29
607	1st	-title-only -journal -silence -noise -endp -lpc -cos	1015	2704	27.29
608	1st	-title-only -journal -silence -noise -bandstop -lpc -diff	1015	2704	27.29
609	1st	-title-only -journal -silence -noise -endp -lpc -eucl	1015	2704	27.29
610	1st	-title-only -journal -boost -aggr -hamming	1015	2704	27.29
611	1st	-title-only -journal -silence -raw -lpc -mink	1015	2704	27.29
612	1st	-title-only -journal -silence -highpassboost -aggr -cos	1015	2704	27.29
613	1st	-title-only -journal -silence -noise -boost -fft -cheb	1015	2704	27.29
614	1st	-title-only -journal -noise -high -lpc -hamming	1015	2704	27.29
615	1st	-title-only -journal -band -lpc -eucl	1015	2704	27.29
616	1st	-title-only -journal -silence -noise -norm -lpc -cheb	1015	2704	27.29
617	1st	-title-only -journal -raw -lpc -cheb	1015	2704	27.29
618	1st	-title-only -journal -noise -boost -minmax -cos	1015	2704	27.29
619	1st	-title-only -journal -bandstop -lpc -mink	1015	2704	27.29
620	1st	-title-only -journal -silence -norm -lpc -diff	1015	2704	27.29
621	1st	-title-only -journal -silence -endp -lpc -hamming	1015	2704	27.29
622	1st	-title-only -journal -noise -boost -aggr -diff	1015	2704	27.29
623	1st	-title-only -journal -silence -noise -highpassboost -lpc -eucl	1015	2704	27.29
624	1st	-title-only -journal -noise -low -lpc -cos	1015	2704	27.29
625	1st	-title-only -journal -noise -highpassboost -lpc -hamming	1015	2704	27.29
626	1st	-title-only -journal -bandstop -lpc -cos	1015	2704	27.29
627	1st	-title-only -journal -highpassboost -aggr -diff	1015	2704	27.29
628	1st	-title-only -journal -noise -endp -lpc -diff	1015	2704	27.29
629	1st	-title-only -journal -silence -noise -endp -lpc -mink	1015	2704	27.29
630	1st	-title-only -journal -noise -boost -minmax -eucl	1015	2704	27.29
631	1st	-title-only -journal -boost -fft -cheb	1015	2704	27.29
632	1st	-title-only -journal -band -lpc -mink	1015	2704	27.29
633	1st	-title-only -journal -norm -lpc -eucl	1015	2704	27.29
634	1st	-title-only -journal -noise -band -lpc -hamming	1015	2704	27.29
635	1st	-title-only -journal -boost -aggr -cheb	1015	2704	27.29
636	1st	-title-only -journal -silence -boost -aggr -cos	1015	2704	27.29
637	1st	-title-only -journal -silence -band -lpc -cheb	1015	2704	27.29
638	1st	-title-only -journal -noise -highpassboost -aggr -cos	1015	2704	27.29
639	1st	-title-only -journal -silence -noise -raw -lpc -eucl	1015	2704	27.29
640	1st	-title-only -journal -silence -noise -bandstop -lpc -cheb	1015	2704	27.29
641	1st	-title-only -journal -silence -noise -highpassboost -lpc -mink	1015	2704	27.29
642	1st	-title-only -journal -silence -noise -high -lpc -eucl	1015	2704	27.29
643	1st	-title-only -journal -silence -noise -boost -aggr -hamming	1015	2704	27.29
644	1st	-title-only -journal -noise -boost -lpc -diff	1015	2704	27.29
645	1st	-title-only -journal -noise -boost -minmax -mink	1015	2704	27.29
646	1st	-title-only -journal -low -lpc -diff	1015	2704	27.29
647	1st	-title-only -journal -highpassboost -aggr -hamming	1015	2704	27.29
648	1st	-title-only -journal -noise -raw -lpc -cos	1015	2704	27.29
649	1st	-title-only -journal -silence -endp -lpc -eucl	1015	2704	27.29

Table 662: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 14.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
650	1st	-title-only -journal -highpassboost -lpc -hamming	1015	2704	27.29
651	1st	-title-only -journal -silence -noise -highpassboost -fft -eucl	1015	2704	27.29
652	1st	-title-only -journal -silence -norm -minmax -hamming	1015	2704	27.29
653	1st	-title-only -journal -silence -norm -lpc -cheb	1015	2704	27.29
654	1st	-title-only -journal -norm -lpc -mink	1015	2704	27.29
655	1st	-title-only -journal -noise -boost -aggr -cheb	1015	2704	27.29
656	1st	-title-only -journal -noise -bandstop -lpc -eucl	1015	2704	27.29
657	1st	-title-only -journal -silence -noise -raw -lpc -mink	1015	2704	27.29
658	1st	-title-only -journal -silence -low -lpc -eucl	1015	2704	27.29
659	1st	-title-only -journal -highpassboost -aggr -cheb	1015	2704	27.29
660	1st	-title-only -journal -noise -endp -lpc -cheb	1015	2704	27.29
661	1st	-title-only -journal -band -lpc -cos	1015	2704	27.29
662	1st	-title-only -journal -silence -noise -high -lpc -mink	1015	2704	27.29
663	1st	-title-only -journal -highpassboost -lpc -eucl	1015	2704	27.29
664	1st	-title-only -journal -silence -bandstop -lpc -eucl	1015	2704	27.29
665	1st	-title-only -journal -silence -noise -boost -lpc -hamming	1015	2704	27.29
666	1st	-title-only -journal -noise -high -lpc -diff	1015	2704	27.29
667	1st	-title-only -journal -silence -endp -lpc -mink	1015	2704	27.29
668	1st	-title-only -journal -silence -highpassboost -aggr -hamming	1015	2704	27.29
669	1st	-title-only -journal -silence -noise -highpassboost -fft -mink	1015	2704	27.29
670	1st	-title-only -journal -highpassboost -minmax -hamming	1015	2704	27.29
671	1st	-title-only -journal -raw -lpc -hamming	1015	2704	27.29
672	1st	-title-only -journal -noise -bandstop -lpc -mink	1015	2704	27.29
673	1st	-title-only -journal -noise -boost -fft -diff	1015	2704	27.29
674	1st	-title-only -journal -noise -highpassboost -minmax -eucl	1015	2704	27.29
675	1st	-title-only -journal -silence -low -lpc -mink	1015	2704	27.29
676	1st	-title-only -journal -noise -boost -lpc -cheb	1015	2704	27.29
677	1st	-title-only -journal -silence -noise -boost -lpc -eucl	1015	2704	27.29
678	1st	-title-only -journal -boost -fft -cos	1015	2704	27.29
679	1st	-title-only -journal -low -lpc -cheb	1015	2704	27.29
680	1st	-title-only -journal -highpassboost -lpc -mink	1015	2704	27.29
681	1st	-title-only -journal -silence -bandstop -lpc -mink	1015	2704	27.29
682	1st	-title-only -journal -endp -lpc -cos	1015	2704	27.29
683	1st	-title-only -journal -silence -norm -lpc -hamming	1015	2704	27.29
684	1st	-title-only -journal -silence -high -lpc -eucl	1015	2704	27.29
685	1st	-title-only -journal -noise -raw -lpc -hamming	1015	2704	27.29
686	1st	-title-only -journal -highpassboost -fft -eucl	1015	2704	27.29
687	1st	-title-only -journal -noise -highpassboost -minmax -mink	1015	2704	27.29
688	1st	-title-only -journal -boost -lpc -eucl	1015	2704	27.29
689	1st	-title-only -journal -silence -noise -highpassboost -fft -cos	1015	2704	27.29
690	1st	-title-only -journal -silence -noise -band -lpc -eucl	1015	2704	27.29
691	1st	-title-only -journal -silence -noise -boost -lpc -mink	1015	2704	27.29
692	1st	-title-only -journal -noise -high -lpc -cheb	1015	2704	27.29
693	1st	-title-only -journal -silence -noise -bandstop -lpc -hamming	1015	2704	27.29
694	1st	-title-only -journal -noise -endp -lpc -hamming	1015	2704	27.29
695	1st	-title-only -journal -highpassboost -minmax -eucl	1015	2704	27.29
696	1st	-title-only -journal -silence -noise -low -lpc -eucl	1015	2704	27.29
697	1st	-title-only -journal -silence -high -lpc -mink	1015	2704	27.29
698	1st	-title-only -journal -silence -bandstop -lpc -hamming	1015	2704	27.29
699	1st	-title-only -journal -noise -norm -lpc -cos	1015	2704	27.29

Table 663: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 15.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
700	1st	-title-only -journal -noise -raw -lpc -diff	1015	2704	27.29
701	1st	-title-only -journal -noise -boost -fft -cheb	1015	2704	27.29
702	1st	-title-only -journal -silence -highpassboost -lpc -diff	1015	2704	27.29
703	1st	-title-only -journal -highpassboost -fft -mink	1015	2704	27.29
704	1st	-title-only -journal -silence -noise -boost -fft -eucl	1015	2704	27.29
705	1st	-title-only -journal -boost -lpc -mink	1015	2704	27.29
706	1st	-title-only -journal -silence -noise -norm -lpc -eucl	1015	2704	27.29
707	1st	-title-only -journal -noise -band -lpc -diff	1015	2704	27.29
708	1st	-title-only -journal -raw -lpc -eucl	1015	2704	27.29
709	1st	-title-only -journal -silence -noise -band -lpc -mink	1015	2704	27.29
710	1st	-title-only -journal -noise -highpassboost -minmax -hamming	1015	2704	27.29
711	1st	-title-only -journal -highpassboost -minmax -mink	1015	2704	27.29
712	1st	-title-only -journal -silence -bandstop -lpc -cos	1015	2704	27.29
713	1st	-title-only -journal -silence -noise -low -lpc -mink	1015	2704	27.29
714	1st	-title-only -journal -boost -lpc -cos	1015	2704	27.29
715	1st	-title-only -journal -noise -high -lpc -cos	1015	2704	27.29
716	1st	-title-only -journal -silence -boost -lpc -diff	1015	2704	27.29
717	1st	-title-only -journal -boost -fft -eucl	1015	2704	27.29
718	1st	-title-only -journal -noise -highpassboost -lpc -diff	1015	2704	27.29
719	1st	-title-only -journal -silence -noise -boost -fft -mink	1015	2704	27.29
720	1st	-title-only -journal -silence -noise -norm -lpc -mink	1015	2704	27.29
721	1st	-title-only -journal -silence -highpassboost -fft -hamming	1015	2704	27.29
722	1st	-title-only -journal -raw -lpc -mink	1015	2704	27.29
723	1st	-title-only -journal -noise -norm -lpc -diff	1015	2704	27.29
724	1st	-title-only -journal -boost -aggr -eucl	1015	2704	27.29
725	1st	-title-only -journal -silence -band -lpc -eucl	1015	2704	27.29
726	1st	-title-only -journal -silence -highpassboost -fft -diff	1015	2704	27.29
727	1st	-title-only -journal -silence -noise -bandstop -lpc -eucl	1015	2704	27.29
728	1st	-title-only -journal -noise -raw -lpc -cheb	1015	2704	27.29
729	1st	-title-only -journal -silence -highpassboost -lpc -cheb	1015	2704	27.29
730	1st	-title-only -journal -silence -noise -highpassboost -lpc -cos	1015	2704	27.29
731	1st	-title-only -journal -noise -bandstop -lpc -hamming	1015	2704	27.29
732	1st	-title-only -journal -silence -noise -high -lpc -hamming	1015	2704	27.29
733	1st	-title-only -journal -silence -boost -aggr -diff	1015	2704	27.29
734	1st	-title-only -journal -noise -highpassboost -minmax -cos	1015	2704	27.29
735	1st	-title-only -journal -boost -fft -mink	1015	2704	27.29
736	1st	-title-only -journal -noise -band -lpc -cheb	1015	2704	27.29
737	1st	-title-only -journal -low -lpc -hamming	1015	2704	27.29
738	1st	-title-only -journal -endp -lpc -diff	1015	2704	27.29
739	1st	-title-only -journal -silence -noise -highpassboost -aggr -cos	1015	2704	27.29
740	1st	-title-only -journal -silence -norm -lpc -eucl	1015	2704	27.29
741	1st	-title-only -journal -noise -boost -aggr -eucl	1015	2704	27.29
742	1st	-title-only -journal -boost -aggr -mink	1015	2704	27.29
743	1st	-title-only -journal -silence -band -lpc -mink	1015	2704	27.29
744	1st	-title-only -journal -silence -noise -boost -fft -cos	1015	2704	27.29
745	1st	-title-only -journal -silence -noise -bandstop -lpc -mink	1015	2704	27.29
746	1st	-title-only -journal -silence -highpassboost -aggr -diff	1015	2704	27.29
747	1st	-title-only -journal -highpassboost -aggr -eucl	1015	2704	27.29
748	1st	-title-only -journal -noise -endp -lpc -eucl	1015	2704	27.29
749	1st	-title-only -journal -silence -boost -fft -diff	1015	2704	27.29

Table 664: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 16.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
750	1st	-title-only -journal -silence -boost -lpc -cheb	1015	2704	27.29
751	1st	-title-only -journal -noise -highpassboost -fft -diff	1015	2704	27.29
752	1st	-title-only -journal -silence -noise -band -lpc -hamming	1015	2704	27.29
753	1st	-title-only -journal -noise -highpassboost -lpc -cheb	1015	2704	27.29
754	1st	-title-only -journal -noise -norm -lpc -hamming	1015	2704	27.29
755	1st	-title-only -journal -silence -boost -aggr -hamming	1015	2704	27.29
756	1st	-title-only -journal -noise -low -lpc -diff	1015	2704	27.29
757	1st	-title-only -journal -noise -low -lpc -hamming	1015	2704	27.29
758	1st	-title-only -journal -noise -norm -lpc -cheb	1015	2704	27.29
759	1st	-title-only -journal -silence -highpassboost -fft -cheb	1015	2704	27.29
760	1st	-title-only -journal -silence -norm -lpc -mink	1015	2704	27.29
761	1st	-title-only -journal -noise -boost -aggr -mink	1015	2704	27.29
762	1st	-title-only -journal -noise -boost -minmax -hamming	1015	2704	27.29
763	1st	-title-only -journal -noise -highpassboost -aggr -diff	1015	2704	27.29
764	1st	-title-only -journal -noise -boost -lpc -eucl	1015	2704	27.29
765	1st	-title-only -journal -highpassboost -aggr -mink	1015	2704	27.29
766	1st	-title-only -journal -noise -endp -lpc -mink	1015	2704	27.29
767	1st	-title-only -journal -silence -boost -aggr -cheb	1015	2704	27.29
768	1st	-title-only -journal -silence -noise -low -lpc -cos	1015	2704	27.29
769	1st	-title-only -journal -low -lpc -eucl	1015	2704	27.29
770	1st	-title-only -journal -endp -lpc -cheb	1015	2704	27.29
771	1st	-title-only -journal -noise -band -lpc -cos	1015	2704	27.29
772	1st	-title-only -journal -high -lpc -diff	1015	2704	27.29
773	1st	-title-only -journal -silence -noise -highpassboost -aggr -diff	1015	2704	27.29
774	1st	-title-only -journal -silence -highpassboost -aggr -cheb	1015	2704	27.29
775	1st	-title-only -journal -silence -boost -fft -cheb	1015	2704	27.29
776	1st	-title-only -journal -highpassboost -aggr -cos	1015	2704	27.29
777	1st	-title-only -journal -noise -highpassboost -fft -cheb	1015	2704	27.29
778	1st	-title-only -journal -noise -boost -lpc -mink	1015	2704	27.29
779	1st	-title-only -journal -high -lpc -hamming	1015	2704	27.29
780	1st	-title-only -journal -noise -high -lpc -eucl	1015	2704	27.29
781	1st	-title-only -journal -boost -minmax -diff	1015	2704	27.29
782	1st	-title-only -journal -silence -noise -boost -aggr -diff	1015	2704	27.29
783	1st	-title-only -journal -low -lpc -mink	1015	2704	27.29
784	1st	-title-only -journal -silence -boost -fft -cos	1015	2704	27.29
785	1st	-title-only -journal -boost -fft -hamming	1015	2704	27.29
786	1st	-title-only -journal -boost -minmax -cos	1015	2704	27.29
787	1st	-title-only -journal -noise -bandstop -lpc -cos	1015	2704	27.29
788	1st	-title-only -journal -silence -noise -highpassboost -aggr -hamming	1015	2704	27.29
789	1st	-title-only -journal -noise -low -lpc -cheb	1015	2704	27.29
790	1st	-title-only -journal -silence -noise -boost -lpc -cos	1015	2704	27.29
791	1st	-title-only -journal -silence -noise -raw -lpc -cos	1015	2704	27.29
792	1st	-title-only -journal -noise -boost -fft -eucl	1015	2704	27.29
793	1st	-title-only -journal -noise -endp -lpc -cos	1015	2704	27.29
794	1st	-title-only -journal -silence -highpassboost -fft -cos	1015	2704	27.29
795	1st	-title-only -journal -noise -highpassboost -aggr -cheb	1015	2704	27.29
796	1st	-title-only -journal -silence -noise -boost -aggr -cos	1015	2704	27.29
797	1st	-title-only -journal -silence -highpassboost -lpc -hamming	1015	2704	27.29
798	1st	-title-only -journal -silence -raw -lpc -hamming	1015	2704	27.29
799	1st	-title-only -journal -band -lpc -hamming	1015	2704	27.29

Table 665: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 17.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
800	1st	-title-only -journal -noise -high -lpc -mink	1015	2704	27.29
801	1st	-title-only -journal -silence -raw -lpc -diff	1015	2704	27.29
802	1st	-title-only -journal -silence -norm -lpc -cos	1015	2704	27.29
803	1st	-title-only -journal -high -lpc -cheb	1015	2704	27.29
804	1st	-title-only -journal -silence -noise -highpassboost -aggr -cheb	1015	2704	27.29
805	1st	-title-only -journal -bandstop -lpc -diff	1015	2704	27.29
806	1st	-title-only -journal -noise -boost -fft -mink	1015	2704	27.29
807	1st	-title-only -journal -silence -noise -highpassboost -fft -hamming	1015	2704	27.29
808	1st	-title-only -journal -boost -aggr -cos	1015	2704	27.29
809	1st	-title-only -journal -boost -minmax -cheb	1015	2704	27.29
810	1st	-title-only -journal -silence -noise -boost -aggr -cheb	1015	2704	27.29
811	1st	-title-only -journal -silence -noise -endp -lpc -hamming	1015	2704	27.29
812	1st	-title-only -journal -silence -noise -endp -lpc -diff	1015	2704	27.29
813	1st	-title-only -journal -silence -high -lpc -cos	1015	2704	27.29
814	1st	-title-only -journal -band -lpc -diff	1015	2704	27.29
815	1st	-title-only -journal -noise -raw -lpc -eucl	1015	2704	27.29
816	1st	-title-only -journal -noise -boost -aggr -hamming	1015	2704	27.29
817	1st	-title-only -journal -highpassboost -minmax -cos	1015	2704	27.29
818	1st	-title-only -journal -silence -highpassboost -lpc -eucl	1015	2704	27.29
819	1st	-title-only -journal -silence -endp -minmax -hamming	1010	2709	27.16
820	1st	-title-only -journal -endp -minmax -hamming	1010	2709	27.16
821	1st	-title-only -journal -silence -noise -endp -minmax -hamming	1005	2714	27.02
822	1st	-title-only -journal -noise -endp -minmax -hamming	1001	2718	26.92
823	1st	-title-only -journal -silence -noise -low -minmax -hamming	998	2721	26.84
824	1st	-title-only -journal -noise -low -minmax -hamming	991	2728	26.65
825	1st	-title-only -journal -silence -bandstop -minmax -hamming	984	2735	26.46
826	1st	-title-only -journal -bandstop -minmax -hamming	974	2745	26.19
827	1st	-title-only -journal -silence -noise -raw -aggr -hamming	967	2752	26.00
828	1st	-title-only -journal -raw -aggr -hamming	967	2752	26.00
829	1st	-title-only -journal -raw -fft -hamming	967	2752	26.00
830	1st	-title-only -journal -noise -raw -fft -hamming	967	2752	26.00
831	1st	-title-only -journal -silence -raw -aggr -hamming	967	2752	26.00
832	1st	-title-only -journal -noise -raw -aggr -hamming	967	2752	26.00
833	1st	-title-only -journal -silence -raw -fft -hamming	967	2752	26.00
834	1st	-title-only -journal -silence -noise -raw -fft -hamming	967	2752	26.00
835	1st	-title-only -journal -noise -endp -fft -hamming	940	2779	25.28
836	1st	-title-only -journal -noise -endp -aggr -hamming	940	2779	25.28
837	1st	-title-only -journal -silence -noise -bandstop -minmax -hamming	930	2789	25.01
838	1st	-title-only -journal -silence -noise -endp -aggr -hamming	929	2790	24.98
839	1st	-title-only -journal -silence -noise -endp -fft -hamming	929	2790	24.98
840	1st	-title-only -journal -noise -bandstop -minmax -hamming	923	2796	24.82
841	2nd	-title-only -journal -silence -noise -norm -aggr -eucl	2774	945	74.59
842	2nd	-title-only -journal -silence -low -aggr -eucl	2774	945	74.59
843	2nd	-title-only -journal -silence -low -fft -eucl	2774	945	74.59
844	2nd	-title-only -journal -silence -noise -norm -fft -eucl	2774	945	74.59
845	2nd	-title-only -journal -noise -norm -fft -eucl	2774	945	74.59
846	2nd	-title-only -journal -noise -norm -aggr -eucl	2774	945	74.59
847	2nd	-title-only -journal -low -fft -eucl	2774	945	74.59
848	2nd	-title-only -journal -low -aggr -eucl	2774	945	74.59
849	2nd	-title-only -journal -silence -low -aggr -cheb	2764	955	74.32

Table 666: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 18.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
850	2nd	-title-only -journal -silence -bandstop -fft -diff	2768	951	74.43
851	2nd	-title-only -journal -silence -low -fft -cheb	2764	955	74.32
852	2nd	-title-only -journal -silence -noise -norm -fft -cheb	2764	955	74.32
853	2nd	-title-only -journal -silence -noise -norm -aggr -cheb	2764	955	74.32
854	2nd	-title-only -journal -noise -norm -aggr -cheb	2774	945	74.59
855	2nd	-title-only -journal -silence -bandstop -aggr -diff	2766	953	74.37
856	2nd	-title-only -journal -silence -bandstop -fft -eucl	2787	932	74.94
857	2nd	-title-only -journal -low -fft -cheb	2774	945	74.59
858	2nd	-title-only -journal -low -aggr -cheb	2774	945	74.59
859	2nd	-title-only -journal -silence -bandstop -aggr -eucl	2787	932	74.94
860	2nd	-title-only -journal -noise -norm -fft -cheb	2774	945	74.59
861	2nd	-title-only -journal -norm -aggr -eucl	2775	944	74.62
862	2nd	-title-only -journal -bandstop -aggr -eucl	2787	932	74.94
863	2nd	-title-only -journal -bandstop -fft -eucl	2787	932	74.94
864	2nd	-title-only -journal -norm -fft -eucl	2775	944	74.62
865	2nd	-title-only -journal -silence -norm -aggr -eucl	2775	944	74.62
866	2nd	-title-only -journal -silence -norm -fft -eucl	2775	944	74.62
867	2nd	-title-only -journal -noise -raw -fft -eucl	2779	940	74.72
868	2nd	-title-only -journal -noise -raw -aggr -eucl	2779	940	74.72
869	2nd	-title-only -journal -silence -raw -fft -eucl	2779	940	74.72
870	2nd	-title-only -journal -raw -aggr -eucl	2779	940	74.72
871	2nd	-title-only -journal -silence -noise -raw -fft -eucl	2779	940	74.72
872	2nd	-title-only -journal -silence -noise -raw -aggr -eucl	2779	940	74.72
873	2nd	-title-only -journal -raw -fft -eucl	2779	940	74.72
874	2nd	-title-only -journal -silence -raw -aggr -eucl	2779	940	74.72
875	2nd	-title-only -journal -bandstop -aggr -cheb	2775	944	74.62
876	2nd	-title-only -journal -bandstop -fft -cheb	2775	944	74.62
877	2nd	-title-only -journal -silence -bandstop -fft -cheb	2774	945	74.59
878	2nd	-title-only -journal -silence -noise -low -fft -cheb	2756	963	74.11
879	2nd	-title-only -journal -silence -bandstop -aggr -cheb	2774	945	74.59
880	2nd	-title-only -journal -noise -bandstop -fft -mink	2748	971	73.89
881	2nd	-title-only -journal -silence -noise -low -aggr -cheb	2756	963	74.11
882	2nd	-title-only -journal -noise -bandstop -aggr -mink	2748	971	73.89
883	2nd	-title-only -journal -bandstop -aggr -mink	2774	945	74.59
884	2nd	-title-only -journal -silence -noise -bandstop -aggr -mink	2748	971	73.89
885	2nd	-title-only -journal -bandstop -fft -mink	2774	945	74.59
886	2nd	-title-only -journal -silence -noise -bandstop -fft -mink	2748	971	73.89
887	2nd	-title-only -journal -silence -low -fft -diff	2763	956	74.29
888	2nd	-title-only -journal -silence -noise -norm -fft -diff	2763	956	74.29
889	2nd	-title-only -journal -silence -bandstop -fft -mink	2774	945	74.59
890	2nd	-title-only -journal -silence -bandstop -aggr -mink	2774	945	74.59
891	2nd	-title-only -journal -norm -aggr -mink	2773	946	74.56
892	2nd	-title-only -journal -noise -low -aggr -cheb	2756	963	74.11
893	2nd	-title-only -journal -norm -fft -mink	2773	946	74.56
894	2nd	-title-only -journal -silence -norm -aggr -mink	2773	946	74.56
895	2nd	-title-only -journal -silence -noise -norm -aggr -diff	2763	956	74.29
896	2nd	-title-only -journal -silence -norm -fft -mink	2773	946	74.56
897	2nd	-title-only -journal -silence -low -aggr -diff	2763	956	74.29
898	2nd	-title-only -journal -noise -low -fft -cheb	2756	963	74.11
899	2nd	-title-only -journal -silence -noise -bandstop -aggr -eucl	2758	961	74.16

Table 667: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 19.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
900	2nd	-title-only -journal -noise -bandstop -fft -eucl	2758	961	74.16
901	2nd	-title-only -journal -silence -noise -bandstop -fft -eucl	2758	961	74.16
902	2nd	-title-only -journal -bandstop -aggr -diff	2772	947	74.54
903	2nd	-title-only -journal -noise -bandstop -aggr -eucl	2758	961	74.16
904	2nd	-title-only -journal -silence -noise -low -aggr -eucl	2752	967	74.00
905	2nd	-title-only -journal -silence -noise -low -fft -eucl	2752	967	74.00
906	2nd	-title-only -journal -bandstop -fft -diff	2771	948	74.51
907	2nd	-title-only -journal -noise -norm -aggr -diff	2800	919	75.29
908	2nd	-title-only -journal -noise -raw -fft -mink	2784	935	74.86
909	2nd	-title-only -journal -noise -raw -aggr -mink	2784	935	74.86
910	2nd	-title-only -journal -noise -low -aggr -diff	2785	934	74.89
911	2nd	-title-only -journal -silence -raw -fft -mink	2784	935	74.86
912	2nd	-title-only -journal -raw -aggr -mink	2784	935	74.86
913	2nd	-title-only -journal -low -fft -diff	2802	917	75.34
914	2nd	-title-only -journal -silence -noise -raw -fft -mink	2784	935	74.86
915	2nd	-title-only -journal -low -aggr -diff	2800	919	75.29
916	2nd	-title-only -journal -silence -noise -raw -aggr -mink	2784	935	74.86
917	2nd	-title-only -journal -noise -norm -fft -diff	2802	917	75.34
918	2nd	-title-only -journal -raw -fft -mink	2784	935	74.86
919	2nd	-title-only -journal -silence -raw -aggr -mink	2784	935	74.86
920	2nd	-title-only -journal -silence -noise -low -fft -diff	2787	932	74.94
921	2nd	-title-only -journal -silence -noise -low -aggr -diff	2787	932	74.94
922	2nd	-title-only -journal -noise -low -fft -eucl	2752	967	74.00
923	2nd	-title-only -journal -noise -low -aggr -eucl	2752	967	74.00
924	2nd	-title-only -journal -noise -low -fft -diff	2787	932	74.94
925	2nd	-title-only -journal -silence -noise -norm -aggr -mink	2774	945	74.59
926	2nd	-title-only -journal -silence -low -aggr -mink	2774	945	74.59
927	2nd	-title-only -journal -silence -low -fft -mink	2774	945	74.59
928	2nd	-title-only -journal -silence -noise -norm -fft -mink	2774	945	74.59
929	2nd	-title-only -journal -noise -norm -fft -mink	2774	945	74.59
930	2nd	-title-only -journal -noise -norm -aggr -mink	2774	945	74.59
931	2nd	-title-only -journal -low -fft -mink	2774	945	74.59
932	2nd	-title-only -journal -low -aggr -mink	2774	945	74.59
933	2nd	-title-only -journal -bandstop -minmax -eucl	2664	1055	71.63
934	2nd	-title-only -journal -silence -norm -aggr -cos	2760	959	74.21
935	2nd	-title-only -journal -norm -fft -cos	2760	959	74.21
936	2nd	-title-only -journal -silence -noise -endp -fft -cheb	2762	957	74.27
937	2nd	-title-only -journal -silence -bandstop -minmax -eucl	2666	1053	71.69
938	2nd	-title-only -journal -silence -noise -endp -aggr -cheb	2762	957	74.27
939	2nd	-title-only -journal -norm -aggr -cos	2760	959	74.21
940	2nd	-title-only -journal -silence -norm -fft -cos	2760	959	74.21
941	2nd	-title-only -journal -noise -endp -aggr -cheb	2760	959	74.21
942	2nd	-title-only -journal -noise -endp -aggr -eucl	2751	968	73.97
943	2nd	-title-only -journal -noise -endp -fft -cheb	2760	959	74.21
944	2nd	-title-only -journal -noise -endp -fft -eucl	2751	968	73.97
945	2nd	-title-only -journal -silence -noise -endp -aggr -eucl	2751	968	73.97
946	2nd	-title-only -journal -silence -noise -endp -fft -eucl	2751	968	73.97
947	2nd	-title-only -journal -noise -endp -fft -diff	2745	974	73.81
948	2nd	-title-only -journal -silence -noise -low -fft -cos	2777	942	74.67
949	2nd	-title-only -journal -silence -noise -low -aggr -cos	2777	942	74.67

Table 668: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 20.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
950	2nd	-title-only -journal -silence -noise -endp -fft -diff	2762	957	74.27
951	2nd	-title-only -journal -noise -endp -aggr -diff	2746	973	73.84
952	2nd	-title-only -journal -noise -low -fft -cos	2776	943	74.64
953	2nd	-title-only -journal -silence -noise -bandstop -fft -diff	2750	969	73.94
954	2nd	-title-only -journal -noise -low -aggr -cos	2776	943	74.64
955	2nd	-title-only -journal -silence -noise -bandstop -aggr -diff	2749	970	73.92
956	2nd	-title-only -journal -silence -noise -low -aggr -mink	2749	970	73.92
957	2nd	-title-only -journal -noise -low -fft -mink	2749	970	73.92
958	2nd	-title-only -journal -noise -low -aggr -mink	2749	970	73.92
959	2nd	-title-only -journal -silence -noise -low -fft -mink	2749	970	73.92
960	2nd	-title-only -journal -silence -noise -endp -aggr -diff	2762	957	74.27
961	2nd	-title-only -journal -silence -raw -fft -cheb	2728	991	73.35
962	2nd	-title-only -journal -raw -aggr -cheb	2728	991	73.35
963	2nd	-title-only -journal -silence -noise -raw -fft -cheb	2728	991	73.35
964	2nd	-title-only -journal -silence -noise -raw -aggr -cheb	2728	991	73.35
965	2nd	-title-only -journal -raw -fft -cheb	2728	991	73.35
966	2nd	-title-only -journal -silence -raw -aggr -cheb	2728	991	73.35
967	2nd	-title-only -journal -noise -raw -fft -cheb	2728	991	73.35
968	2nd	-title-only -journal -noise -raw -aggr -cheb	2728	991	73.35
969	2nd	-title-only -journal -norm -fft -cheb	2750	969	73.94
970	2nd	-title-only -journal -silence -norm -aggr -cheb	2750	969	73.94
971	2nd	-title-only -journal -silence -norm -fft -cheb	2750	969	73.94
972	2nd	-title-only -journal -norm -aggr -cheb	2750	969	73.94
973	2nd	-title-only -journal -silence -raw -fft -diff	2729	990	73.38
974	2nd	-title-only -journal -silence -noise -bandstop -aggr -cheb	2771	948	74.51
975	2nd	-title-only -journal -silence -noise -raw -fft -diff	2729	990	73.38
976	2nd	-title-only -journal -raw -fft -diff	2729	990	73.38
977	2nd	-title-only -journal -silence -noise -bandstop -fft -cheb	2771	948	74.51
978	2nd	-title-only -journal -noise -raw -fft -diff	2729	990	73.38
979	2nd	-title-only -journal -low -aggr -cos	2768	951	74.43
980	2nd	-title-only -journal -noise -bandstop -fft -cheb	2771	948	74.51
981	2nd	-title-only -journal -noise -norm -aggr -cos	2768	951	74.43
982	2nd	-title-only -journal -noise -norm -fft -cos	2768	951	74.43
983	2nd	-title-only -journal -silence -bandstop -minmax -cos	2677	1042	71.98
984	2nd	-title-only -journal -noise -bandstop -aggr -cheb	2771	948	74.51
985	2nd	-title-only -journal -low -fft -cos	2768	951	74.43
986	2nd	-title-only -journal -raw -aggr -diff	2730	989	73.41
987	2nd	-title-only -journal -silence -noise -raw -aggr -diff	2730	989	73.41
988	2nd	-title-only -journal -silence -raw -aggr -diff	2730	989	73.41
989	2nd	-title-only -journal -noise -raw -aggr -diff	2730	989	73.41
990	2nd	-title-only -journal -silence -noise -norm -aggr -cos	2768	951	74.43
991	2nd	-title-only -journal -bandstop -minmax -cos	2678	1041	72.01
992	2nd	-title-only -journal -silence -low -aggr -cos	2768	951	74.43
993	2nd	-title-only -journal -silence -noise -norm -fft -cos	2768	951	74.43
994	2nd	-title-only -journal -silence -low -fft -cos	2768	951	74.43
995	2nd	-title-only -journal -noise -bandstop -minmax -cos	2669	1050	71.77
996	2nd	-title-only -journal -norm -fft -diff	2753	966	74.03
997	2nd	-title-only -journal -silence -norm -fft -diff	2753	966	74.03
998	2nd	-title-only -journal -high -minmax -cos	2702	1017	72.65
999	2nd	-title-only -journal -endp -aggr -eucl	2748	971	73.89

Table 669: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 21.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1000	2nd	-title-only -journal -endp -fft -eucl	2748	971	73.89
1001	2nd	-title-only -journal -silence -norm -aggr -diff	2752	967	74.00
1002	2nd	-title-only -journal -silence -endp -fft -eucl	2748	971	73.89
1003	2nd	-title-only -journal -silence -endp -aggr -eucl	2748	971	73.89
1004	2nd	-title-only -journal -norm -aggr -diff	2752	967	74.00
1005	2nd	-title-only -journal -bandstop -fft -cos	2766	953	74.37
1006	2nd	-title-only -journal -bandstop -aggr -cos	2766	953	74.37
1007	2nd	-title-only -journal -low -minmax -eucl	2693	1026	72.41
1008	2nd	-title-only -journal -noise -norm -minmax -eucl	2693	1026	72.41
1009	2nd	-title-only -journal -noise -bandstop -fft -diff	2749	970	73.92
1010	2nd	-title-only -journal -silence -noise -endp -fft -cos	2756	963	74.11
1011	2nd	-title-only -journal -silence -bandstop -fft -cos	2766	953	74.37
1012	2nd	-title-only -journal -noise -bandstop -aggr -diff	2747	972	73.86
1013	2nd	-title-only -journal -silence -noise -endp -aggr -cos	2756	963	74.11
1014	2nd	-title-only -journal -silence -bandstop -aggr -cos	2766	953	74.37
1015	2nd	-title-only -journal -silence -noise -bandstop -minmax -cos	2662	1057	71.58
1016	2nd	-title-only -journal -noise -endp -aggr -cos	2755	964	74.08
1017	2nd	-title-only -journal -noise -endp -fft -cos	2755	964	74.08
1018	2nd	-title-only -journal -silence -low -minmax -eucl	2692	1027	72.39
1019	2nd	-title-only -journal -silence -noise -norm -minmax -eucl	2692	1027	72.39
1020	2nd	-title-only -journal -endp -aggr -mink	2736	983	73.57
1021	2nd	-title-only -journal -endp -fft -mink	2736	983	73.57
1022	2nd	-title-only -journal -low -minmax -cos	2670	1049	71.79
1023	2nd	-title-only -journal -silence -endp -fft -mink	2736	983	73.57
1024	2nd	-title-only -journal -silence -endp -aggr -mink	2736	983	73.57
1025	2nd	-title-only -journal -silence -high -minmax -cos	2707	1012	72.79
1026	2nd	-title-only -journal -noise -norm -minmax -cos	2670	1049	71.79
1027	2nd	-title-only -journal -raw -aggr -cos	2762	957	74.27
1028	2nd	-title-only -journal -raw -fft -cos	2762	957	74.27
1029	2nd	-title-only -journal -silence -raw -fft -cos	2762	957	74.27
1030	2nd	-title-only -journal -noise -raw -fft -cos	2762	957	74.27
1031	2nd	-title-only -journal -noise -raw -aggr -cos	2762	957	74.27
1032	2nd	-title-only -journal -silence -raw -aggr -cos	2762	957	74.27
1033	2nd	-title-only -journal -silence -noise -raw -fft -cos	2762	957	74.27
1034	2nd	-title-only -journal -silence -noise -raw -aggr -cos	2762	957	74.27
1035	2nd	-title-only -journal -silence -noise -endp -aggr -mink	2737	982	73.60
1036	2nd	-title-only -journal -silence -noise -norm -minmax -cos	2665	1054	71.66
1037	2nd	-title-only -journal -noise -endp -aggr -mink	2737	982	73.60
1038	2nd	-title-only -journal -silence -noise -endp -fft -mink	2737	982	73.60
1039	2nd	-title-only -journal -silence -low -minmax -cos	2665	1054	71.66
1040	2nd	-title-only -journal -noise -endp -fft -mink	2737	982	73.60
1041	2nd	-title-only -journal -silence -low -minmax -mink	2692	1027	72.39
1042	2nd	-title-only -journal -silence -noise -norm -minmax -mink	2692	1027	72.39
1043	2nd	-title-only -journal -silence -noise -band -minmax -cos	2637	1082	70.91
1044	2nd	-title-only -journal -low -minmax -mink	2691	1028	72.36
1045	2nd	-title-only -journal -noise -norm -minmax -mink	2691	1028	72.36
1046	2nd	-title-only -journal -bandstop -minmax -mink	2695	1024	72.47
1047	2nd	-title-only -journal -silence -bandstop -minmax -mink	2696	1023	72.49
1048	2nd	-title-only -journal -silence -noise -bandstop -aggr -cos	2771	948	74.51
1049	2nd	-title-only -journal -silence -noise -bandstop -fft -cos	2771	948	74.51

Table 670: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 22.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1050	2nd	-title-only -journal -noise -bandstop -fft -cos	2771	948	74.51
1051	2nd	-title-only -journal -noise -bandstop -aggr -cos	2771	948	74.51
1052	2nd	-title-only -journal -silence -norm -minmax -cos	2658	1061	71.47
1053	2nd	-title-only -journal -silence -noise -low -minmax -cos	2677	1042	71.98
1054	2nd	-title-only -journal -norm -minmax -cos	2658	1061	71.47
1055	2nd	-title-only -journal -noise -band -minmax -cos	2639	1080	70.96
1056	2nd	-title-only -journal -silence -endp -fft -cos	2711	1008	72.90
1057	2nd	-title-only -journal -silence -endp -fft -cheb	2721	998	73.16
1058	2nd	-title-only -journal -silence -endp -aggr -cheb	2721	998	73.16
1059	2nd	-title-only -journal -endp -fft -cos	2711	1008	72.90
1060	2nd	-title-only -journal -endp -aggr -cos	2711	1008	72.90
1061	2nd	-title-only -journal -noise -low -minmax -cos	2673	1046	71.87
1062	2nd	-title-only -journal -endp -aggr -cheb	2721	998	73.16
1063	2nd	-title-only -journal -silence -endp -aggr -cos	2711	1008	72.90
1064	2nd	-title-only -journal -endp -fft -cheb	2721	998	73.16
1065	2nd	-title-only -journal -silence -noise -low -minmax -mink	2683	1036	72.14
1066	2nd	-title-only -journal -silence -endp -aggr -diff	2709	1010	72.84
1067	2nd	-title-only -journal -endp -aggr -diff	2709	1010	72.84
1068	2nd	-title-only -journal -noise -low -minmax -mink	2680	1039	72.06
1069	2nd	-title-only -journal -silence -endp -fft -diff	2710	1009	72.87
1070	2nd	-title-only -journal -endp -fft -diff	2710	1009	72.87
1071	2nd	-title-only -journal -noise -high -minmax -cos	2659	1060	71.50
1072	2nd	-title-only -journal -norm -minmax -mink	2665	1054	71.66
1073	2nd	-title-only -journal -silence -norm -minmax -mink	2665	1054	71.66
1074	2nd	-title-only -journal -silence -noise -high -minmax -cos	2649	1070	71.23
1075	2nd	-title-only -journal -silence -noise -band -minmax -eucl	2693	1026	72.41
1076	2nd	-title-only -journal -noise -band -minmax -eucl	2688	1031	72.28
1077	2nd	-title-only -journal -silence -high -minmax -diff	2653	1066	71.34
1078	2nd	-title-only -journal -silence -high -minmax -cheb	2644	1075	71.09
1079	2nd	-title-only -journal -silence -raw -minmax -eucl	2669	1050	71.77
1080	2nd	-title-only -journal -silence -noise -raw -minmax -eucl	2669	1050	71.77
1081	2nd	-title-only -journal -raw -minmax -eucl	2669	1050	71.77
1082	2nd	-title-only -journal -noise -raw -minmax -eucl	2669	1050	71.77
1083	2nd	-title-only -journal -silence -noise -band -minmax -mink	2700	1019	72.60
1084	2nd	-title-only -journal -noise -band -minmax -mink	2702	1017	72.65
1085	2nd	-title-only -journal -silence -raw -minmax -mink	2641	1078	71.01
1086	2nd	-title-only -journal -silence -noise -raw -minmax -mink	2641	1078	71.01
1087	2nd	-title-only -journal -raw -minmax -mink	2641	1078	71.01
1088	2nd	-title-only -journal -noise -raw -minmax -mink	2641	1078	71.01
1089	2nd	-title-only -journal -band -minmax -cos	2696	1023	72.49
1090	2nd	-title-only -journal -silence -band -minmax -cos	2699	1020	72.57
1091	2nd	-title-only -journal -endp -minmax -cos	2672	1047	71.85
1092	2nd	-title-only -journal -silence -endp -minmax -cos	2672	1047	71.85
1093	2nd	-title-only -journal -norm -minmax -eucl	2677	1042	71.98
1094	2nd	-title-only -journal -silence -norm -minmax -eucl	2677	1042	71.98
1095	2nd	-title-only -journal -high -minmax -cheb	2649	1070	71.23
1096	2nd	-title-only -journal -noise -high -minmax -eucl	2592	1127	69.70
1097	2nd	-title-only -journal -silence -noise -high -minmax -eucl	2582	1137	69.43
1098	2nd	-title-only -journal -noise -band -minmax -cheb	2558	1161	68.78
1099	2nd	-title-only -journal -band -minmax -diff	2639	1080	70.96

Table 671: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 23.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1100	2nd	-title-only -journal -high -minmax -diff	2671	1048	71.82
1101	2nd	-title-only -journal -band -minmax -cheb	2643	1076	71.07
1102	2nd	-title-only -journal -silence -band -minmax -cheb	2635	1084	70.85
1103	2nd	-title-only -journal -silence -band -minmax -diff	2630	1089	70.72
1104	2nd	-title-only -journal -silence -noise -band -minmax -cheb	2555	1164	68.70
1105	2nd	-title-only -journal -noise -endp -minmax -mink	2593	1126	69.72
1106	2nd	-title-only -journal -silence -noise -endp -minmax -mink	2593	1126	69.72
1107	2nd	-title-only -journal -noise -low -minmax -eucl	2629	1090	70.69
1108	2nd	-title-only -journal -high -minmax -eucl	2660	1059	71.52
1109	2nd	-title-only -journal -noise -bandstop -minmax -mink	2546	1173	68.46
1110	2nd	-title-only -journal -silence -high -minmax -eucl	2660	1059	71.52
1111	2nd	-title-only -journal -endp -minmax -mink	2647	1072	71.18
1112	2nd	-title-only -journal -silence -noise -low -minmax -eucl	2629	1090	70.69
1113	2nd	-title-only -journal -silence -endp -minmax -mink	2647	1072	71.18
1114	2nd	-title-only -journal -silence -noise -bandstop -minmax -mink	2546	1173	68.46
1115	2nd	-title-only -journal -noise -band -fft -eucl	2588	1131	69.59
1116	2nd	-title-only -journal -noise -band -minmax -diff	2551	1168	68.59
1117	2nd	-title-only -journal -silence -noise -band -aggr -eucl	2580	1139	69.37
1118	2nd	-title-only -journal -silence -noise -band -fft -eucl	2580	1139	69.37
1119	2nd	-title-only -journal -noise -band -aggr -eucl	2588	1131	69.59
1120	2nd	-title-only -journal -silence -noise -band -minmax -diff	2552	1167	68.62
1121	2nd	-title-only -journal -band -minmax -eucl	2622	1097	70.50
1122	2nd	-title-only -journal -silence -noise -endp -minmax -cos	2587	1132	69.56
1123	2nd	-title-only -journal -noise -high -minmax -cheb	2521	1198	67.79
1124	2nd	-title-only -journal -silence -band -minmax -eucl	2619	1100	70.42
1125	2nd	-title-only -journal -noise -endp -minmax -cos	2587	1132	69.56
1126	2nd	-title-only -journal -silence -noise -high -minmax -cheb	2531	1188	68.06
1127	2nd	-title-only -journal -silence -noise -band -aggr -mink	2549	1170	68.54
1128	2nd	-title-only -journal -silence -noise -band -fft -mink	2549	1170	68.54
1129	2nd	-title-only -journal -noise -band -fft -mink	2547	1172	68.49
1130	2nd	-title-only -journal -low -minmax -cheb	2563	1156	68.92
1131	2nd	-title-only -journal -noise -norm -minmax -cheb	2563	1156	68.92
1132	2nd	-title-only -journal -noise -band -aggr -mink	2547	1172	68.49
1133	2nd	-title-only -journal -noise -band -aggr -cheb	2551	1168	68.59
1134	2nd	-title-only -journal -noise -band -fft -cheb	2551	1168	68.59
1135	2nd	-title-only -journal -silence -noise -low -minmax -diff	2595	1124	69.78
1136	2nd	-title-only -journal -silence -low -minmax -cheb	2551	1168	68.59
1137	2nd	-title-only -journal -silence -noise -norm -minmax -cheb	2551	1168	68.59
1138	2nd	-title-only -journal -silence -noise -band -aggr -cheb	2547	1172	68.49
1139	2nd	-title-only -journal -silence -noise -band -fft -cheb	2547	1172	68.49
1140	2nd	-title-only -journal -silence -noise -low -minmax -cheb	2603	1116	69.99
1141	2nd	-title-only -journal -silence -bandstop -minmax -cheb	2528	1191	67.98
1142	2nd	-title-only -journal -noise -low -minmax -diff	2596	1123	69.80
1143	2nd	-title-only -journal -noise -low -minmax -cheb	2603	1116	69.99
1144	2nd	-title-only -journal -bandstop -minmax -cheb	2525	1194	67.89
1145	2nd	-title-only -journal -low -minmax -diff	2561	1158	68.86
1146	2nd	-title-only -journal -noise -norm -minmax -diff	2561	1158	68.86
1147	2nd	-title-only -journal -silence -low -minmax -diff	2554	1165	68.67
1148	2nd	-title-only -journal -silence -noise -norm -minmax -diff	2554	1165	68.67
1149	2nd	-title-only -journal -silence -bandstop -minmax -diff	2525	1194	67.89

Table 672: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 24.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1150	2nd	-title-only -journal -bandstop -minmax -diff	2522	1197	67.81
1151	2nd	-title-only -journal -silence -noise -raw -minmax -cos	2601	1118	69.94
1152	2nd	-title-only -journal -raw -minmax -cos	2601	1118	69.94
1153	2nd	-title-only -journal -noise -raw -minmax -cos	2601	1118	69.94
1154	2nd	-title-only -journal -silence -raw -minmax -cos	2601	1118	69.94
1155	2nd	-title-only -journal -silence -noise -band -aggr -diff	2580	1139	69.37
1156	2nd	-title-only -journal -silence -noise -band -fft -diff	2579	1140	69.35
1157	2nd	-title-only -journal -noise -band -aggr -diff	2570	1149	69.10
1158	2nd	-title-only -journal -noise -band -fft -diff	2571	1148	69.13
1159	2nd	-title-only -journal -norm -minmax -cheb	2463	1256	66.23
1160	2nd	-title-only -journal -band -aggr -diff	2497	1222	67.14
1161	2nd	-title-only -journal -silence -norm -minmax -cheb	2463	1256	66.23
1162	2nd	-title-only -journal -silence -noise -bandstop -minmax -eucl	2459	1260	66.12
1163	2nd	-title-only -journal -noise -bandstop -minmax -eucl	2461	1258	66.17
1164	2nd	-title-only -journal -band -fft -diff	2495	1224	67.09
1165	2nd	-title-only -journal -band -fft -cheb	2510	1209	67.49
1166	2nd	-title-only -journal -band -aggr -cheb	2510	1209	67.49
1167	2nd	-title-only -journal -noise -high -aggr -cos	2461	1258	66.17
1168	2nd	-title-only -journal -raw -minmax -cheb	2383	1336	64.08
1169	2nd	-title-only -journal -noise -raw -minmax -cheb	2383	1336	64.08
1170	2nd	-title-only -journal -noise -high -fft -cos	2461	1258	66.17
1171	2nd	-title-only -journal -silence -raw -minmax -cheb	2383	1336	64.08
1172	2nd	-title-only -journal -silence -noise -raw -minmax -cheb	2383	1336	64.08
1173	2nd	-title-only -journal -silence -band -fft -cheb	2502	1217	67.28
1174	2nd	-title-only -journal -silence -band -aggr -cheb	2502	1217	67.28
1175	2nd	-title-only -journal -noise -high -minmax -diff	2488	1231	66.90
1176	2nd	-title-only -journal -raw -minmax -diff	2387	1332	64.18
1177	2nd	-title-only -journal -noise -raw -minmax -diff	2387	1332	64.18
1178	2nd	-title-only -journal -silence -raw -minmax -diff	2387	1332	64.18
1179	2nd	-title-only -journal -silence -noise -raw -minmax -diff	2387	1332	64.18
1180	2nd	-title-only -journal -silence -band -fft -diff	2497	1222	67.14
1181	2nd	-title-only -journal -norm -minmax -diff	2461	1258	66.17
1182	2nd	-title-only -journal -silence -norm -minmax -diff	2461	1258	66.17
1183	2nd	-title-only -journal -band -fft -mink	2518	1201	67.71
1184	2nd	-title-only -journal -band -aggr -mink	2518	1201	67.71
1185	2nd	-title-only -journal -silence -band -aggr -diff	2495	1224	67.09
1186	2nd	-title-only -journal -noise -endp -minmax -eucl	2447	1272	65.80
1187	2nd	-title-only -journal -silence -noise -endp -minmax -eucl	2446	1273	65.77
1188	2nd	-title-only -journal -silence -band -aggr -mink	2520	1199	67.76
1189	2nd	-title-only -journal -silence -band -fft -mink	2520	1199	67.76
1190	2nd	-title-only -journal -silence -band -aggr -eucl	2515	1204	67.63
1191	2nd	-title-only -journal -silence -band -fft -eucl	2515	1204	67.63
1192	2nd	-title-only -journal -band -fft -eucl	2511	1208	67.52
1193	2nd	-title-only -journal -band -aggr -eucl	2511	1208	67.52
1194	2nd	-title-only -journal -silence -noise -high -minmax -diff	2495	1224	67.09
1195	2nd	-title-only -journal -band -minmax -mink	2509	1210	67.46
1196	2nd	-title-only -journal -silence -band -minmax -mink	2510	1209	67.49
1197	2nd	-title-only -journal -noise -high -fft -mink	2395	1324	64.40
1198	2nd	-title-only -journal -noise -high -aggr -mink	2395	1324	64.40
1199	2nd	-title-only -journal -band -fft -cos	2421	1298	65.10

Table 673: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 25.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1200	2nd	-title-only -journal -band -aggr -cos	2421	1298	65.10
1201	2nd	-title-only -journal -silence -band -fft -cos	2417	1302	64.99
1202	2nd	-title-only -journal -silence -band -aggr -cos	2417	1302	64.99
1203	2nd	-title-only -journal -silence -noise -high -aggr -mink	2360	1359	63.46
1204	2nd	-title-only -journal -silence -noise -high -fft -mink	2360	1359	63.46
1205	2nd	-title-only -journal -silence -high -fft -mink	2482	1237	66.74
1206	2nd	-title-only -journal -silence -high -aggr -mink	2482	1237	66.74
1207	2nd	-title-only -journal -high -aggr -mink	2481	1238	66.71
1208	2nd	-title-only -journal -high -fft -mink	2481	1238	66.71
1209	2nd	-title-only -journal -noise -bandstop -minmax -diff	2431	1288	65.37
1210	2nd	-title-only -journal -silence -high -minmax -mink	2487	1232	66.87
1211	2nd	-title-only -journal -noise -bandstop -minmax -cheb	2436	1283	65.50
1212	2nd	-title-only -journal -high -minmax -mink	2486	1233	66.85
1213	2nd	-title-only -journal -silence -noise -bandstop -minmax -cheb	2436	1283	65.50
1214	2nd	-title-only -journal -silence -noise -bandstop -minmax -diff	2436	1283	65.50
1215	2nd	-title-only -journal -silence -noise -band -fft -cos	2442	1277	65.66
1216	2nd	-title-only -journal -noise -band -aggr -cos	2450	1269	65.88
1217	2nd	-title-only -journal -noise -band -fft -cos	2450	1269	65.88
1218	2nd	-title-only -journal -silence -noise -band -aggr -cos	2442	1277	65.66
1219	2nd	-title-only -journal -noise -high -aggr -eucl	2502	1217	67.28
1220	2nd	-title-only -journal -noise -high -fft -eucl	2502	1217	67.28
1221	2nd	-title-only -journal -silence -high -aggr -diff	2436	1283	65.50
1222	2nd	-title-only -journal -silence -high -fft -diff	2435	1284	65.47
1223	2nd	-title-only -journal -silence -noise -high -aggr -cos	2364	1355	63.57
1224	2nd	-title-only -journal -silence -noise -high -fft -cos	2364	1355	63.57
1225	2nd	-title-only -journal -silence -high -fft -eucl	2440	1279	65.61
1226	2nd	-title-only -journal -silence -high -aggr -eucl	2440	1279	65.61
1227	2nd	-title-only -journal -high -aggr -eucl	2438	1281	65.56
1228	2nd	-title-only -journal -high -fft -eucl	2438	1281	65.56
1229	2nd	-title-only -journal -high -fft -cheb	2450	1269	65.88
1230	2nd	-title-only -journal -high -aggr -cheb	2450	1269	65.88
1231	2nd	-title-only -journal -silence -high -fft -cheb	2451	1268	65.90
1232	2nd	-title-only -journal -silence -high -aggr -cheb	2451	1268	65.90
1233	2nd	-title-only -journal -high -fft -diff	2435	1284	65.47
1234	2nd	-title-only -journal -noise -endp -minmax -cheb	2384	1335	64.10
1235	2nd	-title-only -journal -high -aggr -diff	2434	1285	65.45
1236	2nd	-title-only -journal -silence -noise -endp -minmax -cheb	2383	1336	64.08
1237	2nd	-title-only -journal -silence -noise -high -minmax -mink	2327	1392	62.57
1238	2nd	-title-only -journal -noise -endp -minmax -diff	2386	1333	64.16
1239	2nd	-title-only -journal -high -fft -cos	2382	1337	64.05
1240	2nd	-title-only -journal -noise -high -minmax -mink	2321	1398	62.41
1241	2nd	-title-only -journal -high -aggr -cos	2382	1337	64.05
1242	2nd	-title-only -journal -silence -noise -endp -minmax -diff	2383	1336	64.08
1243	2nd	-title-only -journal -endp -minmax -eucl	2416	1303	64.96
1244	2nd	-title-only -journal -silence -endp -minmax -eucl	2416	1303	64.96
1245	2nd	-title-only -journal -silence -high -fft -cos	2381	1338	64.02
1246	2nd	-title-only -journal -silence -high -aggr -cos	2381	1338	64.02
1247	2nd	-title-only -journal -silence -noise -high -aggr -eucl	2412	1307	64.86
1248	2nd	-title-only -journal -silence -noise -high -fft -eucl	2412	1307	64.86
1249	2nd	-title-only -journal -silence -endp -minmax -diff	2383	1336	64.08

Table 674: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 26.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1250	2nd	-title-only -journal -silence -endp -minmax -cheb	2385	1334	64.13
1251	2nd	-title-only -journal -endp -minmax -diff	2383	1336	64.08
1252	2nd	-title-only -journal -endp -minmax -cheb	2385	1334	64.13
1253	2nd	-title-only -journal -noise -high -aggr -cheb	2395	1324	64.40
1254	2nd	-title-only -journal -noise -high -fft -cheb	2395	1324	64.40
1255	2nd	-title-only -journal -band -fft -hamming	2304	1415	61.95
1256	2nd	-title-only -journal -band -aggr -hamming	2304	1415	61.95
1257	2nd	-title-only -journal -silence -band -aggr -hamming	2320	1399	62.38
1258	2nd	-title-only -journal -silence -band -fft -hamming	2320	1399	62.38
1259	2nd	-title-only -journal -bandstop -aggr -hamming	2273	1446	61.12
1260	2nd	-title-only -journal -bandstop -fft -hamming	2273	1446	61.12
1261	2nd	-title-only -journal -silence -noise -high -fft -cheb	2328	1391	62.60
1262	2nd	-title-only -journal -silence -noise -high -aggr -cheb	2328	1391	62.60
1263	2nd	-title-only -journal -silence -bandstop -aggr -hamming	2275	1444	61.17
1264	2nd	-title-only -journal -silence -bandstop -fft -hamming	2275	1444	61.17
1265	2nd	-title-only -journal -silence -low -aggr -hamming	2163	1556	58.16
1266	2nd	-title-only -journal -silence -noise -norm -aggr -hamming	2163	1556	58.16
1267	2nd	-title-only -journal -silence -low -fft -hamming	2163	1556	58.16
1268	2nd	-title-only -journal -silence -noise -norm -fft -hamming	2163	1556	58.16
1269	2nd	-title-only -journal -low -aggr -hamming	2154	1565	57.92
1270	2nd	-title-only -journal -noise -norm -aggr -hamming	2154	1565	57.92
1271	2nd	-title-only -journal -low -fft -hamming	2154	1565	57.92
1272	2nd	-title-only -journal -noise -norm -fft -hamming	2154	1565	57.92
1273	2nd	-title-only -journal -silence -noise -high -fft -diff	2201	1518	59.18
1274	2nd	-title-only -journal -silence -noise -high -aggr -diff	2199	1520	59.13
1275	2nd	-title-only -journal -high -aggr -hamming	2253	1466	60.58
1276	2nd	-title-only -journal -high -fft -hamming	2253	1466	60.58
1277	2nd	-title-only -journal -silence -high -aggr -hamming	2230	1489	59.96
1278	2nd	-title-only -journal -silence -high -fft -hamming	2230	1489	59.96
1279	2nd	-title-only -journal -noise -high -fft -hamming	2217	1502	59.61
1280	2nd	-title-only -journal -noise -high -aggr -hamming	2217	1502	59.61
1281	2nd	-title-only -journal -norm -fft -hamming	2120	1599	57.00
1282	2nd	-title-only -journal -norm -aggr -hamming	2120	1599	57.00
1283	2nd	-title-only -journal -silence -norm -fft -hamming	2120	1599	57.00
1284	2nd	-title-only -journal -silence -norm -aggr -hamming	2120	1599	57.00
1285	2nd	-title-only -journal -silence -noise -high -aggr -hamming	2216	1503	59.59
1286	2nd	-title-only -journal -silence -noise -high -fft -hamming	2216	1503	59.59
1287	2nd	-title-only -journal -noise -high -aggr -diff	2168	1551	58.30
1288	2nd	-title-only -journal -noise -high -fft -diff	2171	1548	58.38
1289	2nd	-title-only -journal -silence -noise -band -aggr -hamming	2202	1517	59.21
1290	2nd	-title-only -journal -silence -noise -band -fft -hamming	2202	1517	59.21
1291	2nd	-title-only -journal -noise -band -fft -hamming	2203	1516	59.24
1292	2nd	-title-only -journal -noise -band -aggr -hamming	2203	1516	59.24
1293	2nd	-title-only -journal -silence -endp -fft -hamming	2155	1564	57.95
1294	2nd	-title-only -journal -endp -aggr -hamming	2155	1564	57.95
1295	2nd	-title-only -journal -endp -fft -hamming	2155	1564	57.95
1296	2nd	-title-only -journal -silence -endp -aggr -hamming	2155	1564	57.95
1297	2nd	-title-only -journal -silence -noise -low -aggr -hamming	2133	1586	57.35
1298	2nd	-title-only -journal -silence -noise -low -fft -hamming	2133	1586	57.35
1299	2nd	-title-only -journal -noise -low -fft -hamming	2115	1604	56.87

Table 675: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 27.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1300	2nd	-title-only -journal -noise -low -aggr -hamming	2115	1604	56.87
1301	2nd	-title-only -journal -silence -noise -bandstop -fft -hamming	2174	1545	58.46
1302	2nd	-title-only -journal -silence -noise -bandstop -aggr -hamming	2174	1545	58.46
1303	2nd	-title-only -journal -noise -bandstop -aggr -hamming	2173	1546	58.43
1304	2nd	-title-only -journal -noise -bandstop -fft -hamming	2173	1546	58.43
1305	2nd	-title-only -journal -high -minmax -hamming	2270	1449	61.04
1306	2nd	-title-only -journal -silence -high -minmax -hamming	2271	1448	61.06
1307	2nd	-title-only -journal -noise -high -minmax -hamming	2330	1389	62.65
1308	2nd	-title-only -journal -low -minmax -hamming	1997	1722	53.70
1309	2nd	-title-only -journal -noise -norm -minmax -hamming	1997	1722	53.70
1310	2nd	-title-only -journal -silence -low -minmax -hamming	1993	1726	53.59
1311	2nd	-title-only -journal -silence -noise -norm -minmax -hamming	1993	1726	53.59
1312	2nd	-title-only -journal -silence -noise -high -minmax -hamming	2306	1413	62.01
1313	2nd	-title-only -journal -silence -raw -minmax -hamming	1826	1893	49.10
1314	2nd	-title-only -journal -noise -raw -minmax -hamming	1826	1893	49.10
1315	2nd	-title-only -journal -raw -minmax -hamming	1826	1893	49.10
1316	2nd	-title-only -journal -silence -noise -raw -minmax -hamming	1826	1893	49.10
1317	2nd	-title-only -journal -silence -band -minmax -hamming	1978	1741	53.19
1318	2nd	-title-only -journal -band -minmax -hamming	1953	1766	52.51
1319	2nd	-title-only -journal -silence -noise -band -minmax -hamming	1960	1759	52.70
1320	2nd	-title-only -journal -noise -band -minmax -hamming	1964	1755	52.81
1321	2nd	-title-only -journal -silence -boost -lpc -cos	1915	1804	51.49
1322	2nd	-title-only -journal -silence -noise -highpassboost -lpc -diff	1915	1804	51.49
1323	2nd	-title-only -journal -noise -band -lpc -eucl	1915	1804	51.49
1324	2nd	-title-only -journal -silence -raw -lpc -cheb	1915	1804	51.49
1325	2nd	-title-only -journal -noise -boost -minmax -diff	1915	1804	51.49
1326	2nd	-title-only -journal -norm -minmax -hamming	2040	1679	54.85
1327	2nd	-title-only -journal -noise -boost -fft -hamming	1915	1804	51.49
1328	2nd	-title-only -journal -silence -highpassboost -lpc -cos	1915	1804	51.49
1329	2nd	-title-only -journal -noise -raw -lpc -mink	1915	1804	51.49
1330	2nd	-title-only -journal -bandstop -lpc -cheb	1915	1804	51.49
1331	2nd	-title-only -journal -silence -highpassboost -lpc -mink	1915	1804	51.49
1332	2nd	-title-only -journal -bandstop -lpc -hamming	1915	1804	51.49
1333	2nd	-title-only -journal -norm -lpc -diff	1915	1804	51.49
1334	2nd	-title-only -journal -silence -boost -lpc -eucl	1915	1804	51.49
1335	2nd	-title-only -journal -noise -highpassboost -lpc -eucl	1915	1804	51.49
1336	2nd	-title-only -journal -silence -noise -raw -lpc -diff	1915	1804	51.49
1337	2nd	-title-only -journal -silence -boost -fft -hamming	1915	1804	51.49
1338	2nd	-title-only -journal -silence -noise -norm -lpc -cos	1915	1804	51.49
1339	2nd	-title-only -journal -silence -noise -raw -lpc -hamming	1915	1804	51.49
1340	2nd	-title-only -journal -noise -band -lpc -mink	1915	1804	51.49
1341	2nd	-title-only -journal -silence -noise -high -lpc -diff	1915	1804	51.49
1342	2nd	-title-only -journal -silence -noise -endp -lpc -cheb	1915	1804	51.49
1343	2nd	-title-only -journal -noise -norm -lpc -eucl	1915	1804	51.49
1344	2nd	-title-only -journal -silence -highpassboost -fft -eucl	1915	1804	51.49
1345	2nd	-title-only -journal -noise -highpassboost -aggr -hamming	1915	1804	51.49
1346	2nd	-title-only -journal -silence -endp -lpc -diff	1915	1804	51.49
1347	2nd	-title-only -journal -band -lpc -cheb	1915	1804	51.49
1348	2nd	-title-only -journal -low -lpc -cos	1915	1804	51.49
1349	2nd	-title-only -journal -silence -noise -highpassboost -fft -diff	1915	1804	51.49

Table 676: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 28.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1350	2nd	-title-only -journal -silence -boost -aggr -eucl	1915	1804	51.49
1351	2nd	-title-only -journal -noise -bandstop -lpc -diff	1915	1804	51.49
1352	2nd	-title-only -journal -silence -boost -lpc -mink	1915	1804	51.49
1353	2nd	-title-only -journal -silence -noise -highpassboost -lpc -cheb	1915	1804	51.49
1354	2nd	-title-only -journal -noise -highpassboost -lpc -mink	1915	1804	51.49
1355	2nd	-title-only -journal -silence -noise -high -lpc -cos	1915	1804	51.49
1356	2nd	-title-only -journal -boost -lpc -hamming	1915	1804	51.49
1357	2nd	-title-only -journal -silence -low -lpc -diff	1915	1804	51.49
1358	2nd	-title-only -journal -silence -low -lpc -cos	1915	1804	51.49
1359	2nd	-title-only -journal -endp -lpc -eucl	1915	1804	51.49
1360	2nd	-title-only -journal -noise -boost -minmax -cheb	1915	1804	51.49
1361	2nd	-title-only -journal -endp -lpc -hamming	1915	1804	51.49
1362	2nd	-title-only -journal -highpassboost -lpc -diff	1915	1804	51.49
1363	2nd	-title-only -journal -noise -norm -lpc -mink	1915	1804	51.49
1364	2nd	-title-only -journal -silence -bandstop -lpc -diff	1915	1804	51.49
1365	2nd	-title-only -journal -silence -highpassboost -fft -mink	1915	1804	51.49
1366	2nd	-title-only -journal -boost -minmax -hamming	1915	1804	51.49
1367	2nd	-title-only -journal -silence -highpassboost -aggr -eucl	1915	1804	51.49
1368	2nd	-title-only -journal -silence -high -lpc -hamming	1915	1804	51.49
1369	2nd	-title-only -journal -silence -low -lpc -hamming	1915	1804	51.49
1370	2nd	-title-only -journal -norm -lpc -cheb	1915	1804	51.49
1371	2nd	-title-only -journal -silence -noise -norm -lpc -hamming	1915	1804	51.49
1372	2nd	-title-only -journal -silence -boost -fft -eucl	1915	1804	51.49
1373	2nd	-title-only -journal -noise -highpassboost -fft -eucl	1915	1804	51.49
1374	2nd	-title-only -journal -silence -noise -raw -lpc -cheb	1915	1804	51.49
1375	2nd	-title-only -journal -raw -lpc -cos	1915	1804	51.49
1376	2nd	-title-only -journal -silence -boost -aggr -mink	1915	1804	51.49
1377	2nd	-title-only -journal -silence -band -lpc -cos	1915	1804	51.49
1378	2nd	-title-only -journal -noise -highpassboost -minmax -diff	1915	1804	51.49
1379	2nd	-title-only -journal -noise -highpassboost -fft -hamming	1915	1804	51.49
1380	2nd	-title-only -journal -silence -noise -high -lpc -cheb	1915	1804	51.49
1381	2nd	-title-only -journal -noise -low -lpc -eucl	1915	1804	51.49
1382	2nd	-title-only -journal -silence -noise -boost -lpc -diff	1915	1804	51.49
1383	2nd	-title-only -journal -silence -raw -lpc -cos	1915	1804	51.49
1384	2nd	-title-only -journal -noise -highpassboost -fft -cos	1915	1804	51.49
1385	2nd	-title-only -journal -endp -lpc -mink	1915	1804	51.49
1386	2nd	-title-only -journal -silence -endp -lpc -cheb	1915	1804	51.49
1387	2nd	-title-only -journal -highpassboost -fft -cos	1915	1804	51.49
1388	2nd	-title-only -journal -noise -highpassboost -aggr -eucl	1915	1804	51.49
1389	2nd	-title-only -journal -silence -highpassboost -aggr -mink	1915	1804	51.49
1390	2nd	-title-only -journal -silence -noise -highpassboost -fft -cheb	1915	1804	51.49
1391	2nd	-title-only -journal -silence -high -lpc -diff	1915	1804	51.49
1392	2nd	-title-only -journal -noise -boost -aggr -cos	1915	1804	51.49
1393	2nd	-title-only -journal -silence -noise -highpassboost -lpc -hamming	1915	1804	51.49
1394	2nd	-title-only -journal -silence -band -lpc -hamming	1915	1804	51.49
1395	2nd	-title-only -journal -noise -boost -fft -cos	1915	1804	51.49
1396	2nd	-title-only -journal -noise -bandstop -lpc -cheb	1915	1804	51.49
1397	2nd	-title-only -journal -silence -boost -fft -mink	1915	1804	51.49
1398	2nd	-title-only -journal -noise -highpassboost -fft -mink	1915	1804	51.49
1399	2nd	-title-only -journal -highpassboost -fft -diff	1915	1804	51.49

Table 677: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 29.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1400	2nd	-title-only -journal -silence -low -lpc -cheb	1915	1804	51.49
1401	2nd	-title-only -journal -silence -endp -lpc -cos	1915	1804	51.49
1402	2nd	-title-only -journal -boost -lpc -diff	1915	1804	51.49
1403	2nd	-title-only -journal -noise -low -lpc -mink	1915	1804	51.49
1404	2nd	-title-only -journal -highpassboost -lpc -cheb	1915	1804	51.49
1405	2nd	-title-only -journal -silence -bandstop -lpc -cheb	1915	1804	51.49
1406	2nd	-title-only -journal -silence -noise -band -lpc -diff	1915	1804	51.49
1407	2nd	-title-only -journal -high -lpc -eucl	1915	1804	51.49
1408	2nd	-title-only -journal -silence -noise -highpassboost -aggr -eucl	1915	1804	51.49
1409	2nd	-title-only -journal -highpassboost -fft -hamming	1915	1804	51.49
1410	2nd	-title-only -journal -noise -highpassboost -aggr -mink	1915	1804	51.49
1411	2nd	-title-only -journal -highpassboost -minmax -diff	1915	1804	51.49
1412	2nd	-title-only -journal -silence -noise -low -lpc -diff	1915	1804	51.49
1413	2nd	-title-only -journal -silence -noise -bandstop -lpc -cos	1915	1804	51.49
1414	2nd	-title-only -journal -boost -minmax -eucl	1915	1804	51.49
1415	2nd	-title-only -journal -silence -noise -boost -aggr -eucl	1915	1804	51.49
1416	2nd	-title-only -journal -noise -highpassboost -minmax -cheb	1915	1804	51.49
1417	2nd	-title-only -journal -silence -noise -boost -fft -diff	1915	1804	51.49
1418	2nd	-title-only -journal -noise -boost -lpc -hamming	1915	1804	51.49
1419	2nd	-title-only -journal -silence -noise -boost -lpc -cheb	1915	1804	51.49
1420	2nd	-title-only -journal -silence -noise -norm -lpc -diff	1915	1804	51.49
1421	2nd	-title-only -journal -silence -noise -boost -fft -hamming	1915	1804	51.49
1422	2nd	-title-only -journal -norm -lpc -cos	1915	1804	51.49
1423	2nd	-title-only -journal -raw -lpc -diff	1915	1804	51.49
1424	2nd	-title-only -journal -high -lpc -mink	1915	1804	51.49
1425	2nd	-title-only -journal -silence -noise -highpassboost -aggr -mink	1915	1804	51.49
1426	2nd	-title-only -journal -silence -noise -band -lpc -cos	1915	1804	51.49
1427	2nd	-title-only -journal -silence -high -lpc -cheb	1915	1804	51.49
1428	2nd	-title-only -journal -silence -boost -lpc -hamming	1915	1804	51.49
1429	2nd	-title-only -journal -silence -noise -low -lpc -hamming	1915	1804	51.49
1430	2nd	-title-only -journal -norm -lpc -hamming	1915	1804	51.49
1431	2nd	-title-only -journal -noise -highpassboost -lpc -cos	1915	1804	51.49
1432	2nd	-title-only -journal -boost -minmax -mink	1915	1804	51.49
1433	2nd	-title-only -journal -silence -noise -boost -aggr -mink	1915	1804	51.49
1434	2nd	-title-only -journal -highpassboost -fft -cheb	1915	1804	51.49
1435	2nd	-title-only -journal -silence -raw -lpc -eucl	1915	1804	51.49
1436	2nd	-title-only -journal -boost -fft -diff	1915	1804	51.49
1437	2nd	-title-only -journal -highpassboost -lpc -cos	1915	1804	51.49
1438	2nd	-title-only -journal -boost -lpc -cheb	1915	1804	51.49
1439	2nd	-title-only -journal -silence -noise -band -lpc -cheb	1915	1804	51.49
1440	2nd	-title-only -journal -noise -boost -lpc -cos	1915	1804	51.49
1441	2nd	-title-only -journal -bandstop -lpc -eucl	1915	1804	51.49
1442	2nd	-title-only -journal -boost -aggr -diff	1915	1804	51.49
1443	2nd	-title-only -journal -silence -band -lpc -diff	1915	1804	51.49
1444	2nd	-title-only -journal -highpassboost -minmax -cheb	1915	1804	51.49
1445	2nd	-title-only -journal -silence -noise -low -lpc -cheb	1915	1804	51.49
1446	2nd	-title-only -journal -high -lpc -cos	1915	1804	51.49
1447	2nd	-title-only -journal -silence -noise -endp -lpc -cos	1915	1804	51.49
1448	2nd	-title-only -journal -silence -noise -bandstop -lpc -diff	1915	1804	51.49
1449	2nd	-title-only -journal -silence -noise -endp -lpc -eucl	1915	1804	51.49

Table 678: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 30.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1450	2nd	-title-only -journal -boost -aggr -hamming	1915	1804	51.49
1451	2nd	-title-only -journal -silence -raw -lpc -mink	1915	1804	51.49
1452	2nd	-title-only -journal -silence -highpassboost -aggr -cos	1915	1804	51.49
1453	2nd	-title-only -journal -silence -noise -boost -fft -cheb	1915	1804	51.49
1454	2nd	-title-only -journal -noise -high -lpc -hamming	1915	1804	51.49
1455	2nd	-title-only -journal -band -lpc -eucl	1915	1804	51.49
1456	2nd	-title-only -journal -silence -noise -norm -lpc -cheb	1915	1804	51.49
1457	2nd	-title-only -journal -raw -lpc -cheb	1915	1804	51.49
1458	2nd	-title-only -journal -noise -boost -minmax -cos	1915	1804	51.49
1459	2nd	-title-only -journal -bandstop -lpc -mink	1915	1804	51.49
1460	2nd	-title-only -journal -silence -norm -lpc -diff	1915	1804	51.49
1461	2nd	-title-only -journal -silence -endp -lpc -hamming	1915	1804	51.49
1462	2nd	-title-only -journal -noise -boost -aggr -diff	1915	1804	51.49
1463	2nd	-title-only -journal -silence -noise -highpassboost -lpc -eucl	1915	1804	51.49
1464	2nd	-title-only -journal -noise -low -lpc -cos	1915	1804	51.49
1465	2nd	-title-only -journal -noise -highpassboost -lpc -hamming	1915	1804	51.49
1466	2nd	-title-only -journal -bandstop -lpc -cos	1915	1804	51.49
1467	2nd	-title-only -journal -highpassboost -aggr -diff	1915	1804	51.49
1468	2nd	-title-only -journal -noise -endp -lpc -diff	1915	1804	51.49
1469	2nd	-title-only -journal -silence -noise -endp -lpc -mink	1915	1804	51.49
1470	2nd	-title-only -journal -noise -boost -minmax -eucl	1915	1804	51.49
1471	2nd	-title-only -journal -boost -fft -cheb	1915	1804	51.49
1472	2nd	-title-only -journal -band -lpc -mink	1915	1804	51.49
1473	2nd	-title-only -journal -norm -lpc -eucl	1915	1804	51.49
1474	2nd	-title-only -journal -noise -band -lpc -hamming	1915	1804	51.49
1475	2nd	-title-only -journal -boost -aggr -cheb	1915	1804	51.49
1476	2nd	-title-only -journal -silence -boost -aggr -cos	1915	1804	51.49
1477	2nd	-title-only -journal -silence -band -lpc -cheb	1915	1804	51.49
1478	2nd	-title-only -journal -noise -highpassboost -aggr -cos	1915	1804	51.49
1479	2nd	-title-only -journal -silence -noise -raw -lpc -eucl	1915	1804	51.49
1480	2nd	-title-only -journal -silence -noise -bandstop -lpc -cheb	1915	1804	51.49
1481	2nd	-title-only -journal -silence -noise -highpassboost -lpc -mink	1915	1804	51.49
1482	2nd	-title-only -journal -silence -noise -high -lpc -eucl	1915	1804	51.49
1483	2nd	-title-only -journal -silence -noise -boost -aggr -hamming	1915	1804	51.49
1484	2nd	-title-only -journal -noise -boost -lpc -diff	1915	1804	51.49
1485	2nd	-title-only -journal -noise -boost -minmax -mink	1915	1804	51.49
1486	2nd	-title-only -journal -low -lpc -diff	1915	1804	51.49
1487	2nd	-title-only -journal -highpassboost -aggr -hamming	1915	1804	51.49
1488	2nd	-title-only -journal -noise -raw -lpc -cos	1915	1804	51.49
1489	2nd	-title-only -journal -silence -endp -lpc -eucl	1915	1804	51.49
1490	2nd	-title-only -journal -highpassboost -lpc -hamming	1915	1804	51.49
1491	2nd	-title-only -journal -silence -noise -highpassboost -fft -eucl	1915	1804	51.49
1492	2nd	-title-only -journal -silence -norm -minmax -hamming	2040	1679	54.85
1493	2nd	-title-only -journal -silence -norm -lpc -cheb	1915	1804	51.49
1494	2nd	-title-only -journal -norm -lpc -mink	1915	1804	51.49
1495	2nd	-title-only -journal -noise -boost -aggr -cheb	1915	1804	51.49
1496	2nd	-title-only -journal -noise -bandstop -lpc -eucl	1915	1804	51.49
1497	2nd	-title-only -journal -silence -noise -raw -lpc -mink	1915	1804	51.49
1498	2nd	-title-only -journal -silence -low -lpc -eucl	1915	1804	51.49
1499	2nd	-title-only -journal -highpassboost -aggr -cheb	1915	1804	51.49

Table 679: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 31.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1500	2nd	-title-only -journal -noise -endp -lpc -cheb	1915	1804	51.49
1501	2nd	-title-only -journal -band -lpc -cos	1915	1804	51.49
1502	2nd	-title-only -journal -silence -noise -high -lpc -mink	1915	1804	51.49
1503	2nd	-title-only -journal -highpassboost -lpc -eucl	1915	1804	51.49
1504	2nd	-title-only -journal -silence -bandstop -lpc -eucl	1915	1804	51.49
1505	2nd	-title-only -journal -silence -noise -boost -lpc -hamming	1915	1804	51.49
1506	2nd	-title-only -journal -noise -high -lpc -diff	1915	1804	51.49
1507	2nd	-title-only -journal -silence -endp -lpc -mink	1915	1804	51.49
1508	2nd	-title-only -journal -silence -highpassboost -aggr -hamming	1915	1804	51.49
1509	2nd	-title-only -journal -silence -noise -highpassboost -fft -mink	1915	1804	51.49
1510	2nd	-title-only -journal -highpassboost -minmax -hamming	1915	1804	51.49
1511	2nd	-title-only -journal -raw -lpc -hamming	1915	1804	51.49
1512	2nd	-title-only -journal -noise -bandstop -lpc -mink	1915	1804	51.49
1513	2nd	-title-only -journal -noise -boost -fft -diff	1915	1804	51.49
1514	2nd	-title-only -journal -noise -highpassboost -minmax -eucl	1915	1804	51.49
1515	2nd	-title-only -journal -silence -low -lpc -mink	1915	1804	51.49
1516	2nd	-title-only -journal -noise -boost -lpc -cheb	1915	1804	51.49
1517	2nd	-title-only -journal -silence -noise -boost -lpc -eucl	1915	1804	51.49
1518	2nd	-title-only -journal -boost -fft -cos	1915	1804	51.49
1519	2nd	-title-only -journal -low -lpc -cheb	1915	1804	51.49
1520	2nd	-title-only -journal -highpassboost -lpc -mink	1915	1804	51.49
1521	2nd	-title-only -journal -silence -bandstop -lpc -mink	1915	1804	51.49
1522	2nd	-title-only -journal -endp -lpc -cos	1915	1804	51.49
1523	2nd	-title-only -journal -silence -norm -lpc -hamming	1915	1804	51.49
1524	2nd	-title-only -journal -silence -high -lpc -eucl	1915	1804	51.49
1525	2nd	-title-only -journal -noise -raw -lpc -hamming	1915	1804	51.49
1526	2nd	-title-only -journal -highpassboost -fft -eucl	1915	1804	51.49
1527	2nd	-title-only -journal -noise -highpassboost -minmax -mink	1915	1804	51.49
1528	2nd	-title-only -journal -boost -lpc -eucl	1915	1804	51.49
1529	2nd	-title-only -journal -silence -noise -highpassboost -fft -cos	1915	1804	51.49
1530	2nd	-title-only -journal -silence -noise -band -lpc -eucl	1915	1804	51.49
1531	2nd	-title-only -journal -silence -noise -boost -lpc -mink	1915	1804	51.49
1532	2nd	-title-only -journal -noise -high -lpc -cheb	1915	1804	51.49
1533	2nd	-title-only -journal -silence -noise -bandstop -lpc -hamming	1915	1804	51.49
1534	2nd	-title-only -journal -noise -endp -lpc -hamming	1915	1804	51.49
1535	2nd	-title-only -journal -highpassboost -minmax -eucl	1915	1804	51.49
1536	2nd	-title-only -journal -silence -noise -low -lpc -eucl	1915	1804	51.49
1537	2nd	-title-only -journal -silence -high -lpc -mink	1915	1804	51.49
1538	2nd	-title-only -journal -silence -bandstop -lpc -hamming	1915	1804	51.49
1539	2nd	-title-only -journal -noise -norm -lpc -cos	1915	1804	51.49
1540	2nd	-title-only -journal -noise -raw -lpc -diff	1915	1804	51.49
1541	2nd	-title-only -journal -noise -boost -fft -cheb	1915	1804	51.49
1542	2nd	-title-only -journal -silence -highpassboost -lpc -diff	1915	1804	51.49
1543	2nd	-title-only -journal -highpassboost -fft -mink	1915	1804	51.49
1544	2nd	-title-only -journal -silence -noise -boost -fft -eucl	1915	1804	51.49
1545	2nd	-title-only -journal -boost -lpc -mink	1915	1804	51.49
1546	2nd	-title-only -journal -silence -noise -norm -lpc -eucl	1915	1804	51.49
1547	2nd	-title-only -journal -noise -band -lpc -diff	1915	1804	51.49
1548	2nd	-title-only -journal -raw -lpc -eucl	1915	1804	51.49
1549	2nd	-title-only -journal -silence -noise -band -lpc -mink	1915	1804	51.49

Table 680: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 32.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1550	2nd	-title-only -journal -noise -highpassboost -minmax -hamming	1915	1804	51.49
1551	2nd	-title-only -journal -highpassboost -minmax -mink	1915	1804	51.49
1552	2nd	-title-only -journal -silence -bandstop -lpc -cos	1915	1804	51.49
1553	2nd	-title-only -journal -silence -noise -low -lpc -mink	1915	1804	51.49
1554	2nd	-title-only -journal -boost -lpc -cos	1915	1804	51.49
1555	2nd	-title-only -journal -noise -high -lpc -cos	1915	1804	51.49
1556	2nd	-title-only -journal -silence -boost -lpc -diff	1915	1804	51.49
1557	2nd	-title-only -journal -boost -fft -eucl	1915	1804	51.49
1558	2nd	-title-only -journal -noise -highpassboost -lpc -diff	1915	1804	51.49
1559	2nd	-title-only -journal -silence -noise -boost -fft -mink	1915	1804	51.49
1560	2nd	-title-only -journal -silence -noise -norm -lpc -mink	1915	1804	51.49
1561	2nd	-title-only -journal -silence -highpassboost -fft -hamming	1915	1804	51.49
1562	2nd	-title-only -journal -raw -lpc -mink	1915	1804	51.49
1563	2nd	-title-only -journal -noise -norm -lpc -diff	1915	1804	51.49
1564	2nd	-title-only -journal -boost -aggr -eucl	1915	1804	51.49
1565	2nd	-title-only -journal -silence -band -lpc -eucl	1915	1804	51.49
1566	2nd	-title-only -journal -silence -highpassboost -fft -diff	1915	1804	51.49
1567	2nd	-title-only -journal -silence -noise -bandstop -lpc -eucl	1915	1804	51.49
1568	2nd	-title-only -journal -noise -raw -lpc -cheb	1915	1804	51.49
1569	2nd	-title-only -journal -silence -highpassboost -lpc -cheb	1915	1804	51.49
1570	2nd	-title-only -journal -silence -noise -highpassboost -lpc -cos	1915	1804	51.49
1571	2nd	-title-only -journal -noise -bandstop -lpc -hamming	1915	1804	51.49
1572	2nd	-title-only -journal -silence -noise -high -lpc -hamming	1915	1804	51.49
1573	2nd	-title-only -journal -silence -boost -aggr -diff	1915	1804	51.49
1574	2nd	-title-only -journal -noise -highpassboost -minmax -cos	1915	1804	51.49
1575	2nd	-title-only -journal -boost -fft -mink	1915	1804	51.49
1576	2nd	-title-only -journal -noise -band -lpc -cheb	1915	1804	51.49
1577	2nd	-title-only -journal -low -lpc -hamming	1915	1804	51.49
1578	2nd	-title-only -journal -endp -lpc -diff	1915	1804	51.49
1579	2nd	-title-only -journal -silence -noise -highpassboost -aggr -cos	1915	1804	51.49
1580	2nd	-title-only -journal -silence -norm -lpc -eucl	1915	1804	51.49
1581	2nd	-title-only -journal -noise -boost -aggr -eucl	1915	1804	51.49
1582	2nd	-title-only -journal -boost -aggr -mink	1915	1804	51.49
1583	2nd	-title-only -journal -silence -band -lpc -mink	1915	1804	51.49
1584	2nd	-title-only -journal -silence -noise -boost -fft -cos	1915	1804	51.49
1585	2nd	-title-only -journal -silence -noise -bandstop -lpc -mink	1915	1804	51.49
1586	2nd	-title-only -journal -silence -highpassboost -aggr -diff	1915	1804	51.49
1587	2nd	-title-only -journal -highpassboost -aggr -eucl	1915	1804	51.49
1588	2nd	-title-only -journal -noise -endp -lpc -eucl	1915	1804	51.49
1589	2nd	-title-only -journal -silence -boost -fft -diff	1915	1804	51.49
1590	2nd	-title-only -journal -silence -boost -lpc -cheb	1915	1804	51.49
1591	2nd	-title-only -journal -noise -highpassboost -fft -diff	1915	1804	51.49
1592	2nd	-title-only -journal -silence -noise -band -lpc -hamming	1915	1804	51.49
1593	2nd	-title-only -journal -noise -highpassboost -lpc -cheb	1915	1804	51.49
1594	2nd	-title-only -journal -noise -norm -lpc -hamming	1915	1804	51.49
1595	2nd	-title-only -journal -silence -boost -aggr -hamming	1915	1804	51.49
1596	2nd	-title-only -journal -noise -low -lpc -diff	1915	1804	51.49
1597	2nd	-title-only -journal -noise -low -lpc -hamming	1915	1804	51.49
1598	2nd	-title-only -journal -noise -norm -lpc -cheb	1915	1804	51.49
1599	2nd	-title-only -journal -silence -highpassboost -fft -cheb	1915	1804	51.49

Table 681: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 33.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1600	2nd	-title-only -journal -silence -norm -lpc -mink	1915	1804	51.49
1601	2nd	-title-only -journal -noise -boost -aggr -mink	1915	1804	51.49
1602	2nd	-title-only -journal -noise -boost -minmax -hamming	1915	1804	51.49
1603	2nd	-title-only -journal -noise -highpassboost -aggr -diff	1915	1804	51.49
1604	2nd	-title-only -journal -noise -boost -lpc -eucl	1915	1804	51.49
1605	2nd	-title-only -journal -highpassboost -aggr -mink	1915	1804	51.49
1606	2nd	-title-only -journal -noise -endp -lpc -mink	1915	1804	51.49
1607	2nd	-title-only -journal -silence -boost -aggr -cheb	1915	1804	51.49
1608	2nd	-title-only -journal -silence -noise -low -lpc -cos	1915	1804	51.49
1609	2nd	-title-only -journal -low -lpc -eucl	1915	1804	51.49
1610	2nd	-title-only -journal -endp -lpc -cheb	1915	1804	51.49
1611	2nd	-title-only -journal -noise -band -lpc -cos	1915	1804	51.49
1612	2nd	-title-only -journal -high -lpc -diff	1915	1804	51.49
1613	2nd	-title-only -journal -silence -noise -highpassboost -aggr -diff	1915	1804	51.49
1614	2nd	-title-only -journal -silence -highpassboost -aggr -cheb	1915	1804	51.49
1615	2nd	-title-only -journal -silence -boost -fft -cheb	1915	1804	51.49
1616	2nd	-title-only -journal -highpassboost -aggr -cos	1915	1804	51.49
1617	2nd	-title-only -journal -noise -highpassboost -fft -cheb	1915	1804	51.49
1618	2nd	-title-only -journal -noise -boost -lpc -mink	1915	1804	51.49
1619	2nd	-title-only -journal -high -lpc -hamming	1915	1804	51.49
1620	2nd	-title-only -journal -noise -high -lpc -eucl	1915	1804	51.49
1621	2nd	-title-only -journal -boost -minmax -diff	1915	1804	51.49
1622	2nd	-title-only -journal -silence -noise -boost -aggr -diff	1915	1804	51.49
1623	2nd	-title-only -journal -low -lpc -mink	1915	1804	51.49
1624	2nd	-title-only -journal -silence -boost -fft -cos	1915	1804	51.49
1625	2nd	-title-only -journal -boost -fft -hamming	1915	1804	51.49
1626	2nd	-title-only -journal -boost -minmax -cos	1915	1804	51.49
1627	2nd	-title-only -journal -noise -bandstop -lpc -cos	1915	1804	51.49
1628	2nd	-title-only -journal -silence -noise -highpassboost -aggr -hamming	1915	1804	51.49
1629	2nd	-title-only -journal -noise -low -lpc -cheb	1915	1804	51.49
1630	2nd	-title-only -journal -silence -noise -boost -lpc -cos	1915	1804	51.49
1631	2nd	-title-only -journal -silence -noise -raw -lpc -cos	1915	1804	51.49
1632	2nd	-title-only -journal -noise -boost -fft -eucl	1915	1804	51.49
1633	2nd	-title-only -journal -noise -endp -lpc -cos	1915	1804	51.49
1634	2nd	-title-only -journal -silence -highpassboost -fft -cos	1915	1804	51.49
1635	2nd	-title-only -journal -noise -highpassboost -aggr -cheb	1915	1804	51.49
1636	2nd	-title-only -journal -silence -noise -boost -aggr -cos	1915	1804	51.49
1637	2nd	-title-only -journal -silence -highpassboost -lpc -hamming	1915	1804	51.49
1638	2nd	-title-only -journal -silence -raw -lpc -hamming	1915	1804	51.49
1639	2nd	-title-only -journal -band -lpc -hamming	1915	1804	51.49
1640	2nd	-title-only -journal -noise -high -lpc -mink	1915	1804	51.49
1641	2nd	-title-only -journal -silence -raw -lpc -diff	1915	1804	51.49
1642	2nd	-title-only -journal -silence -norm -lpc -cos	1915	1804	51.49
1643	2nd	-title-only -journal -high -lpc -cheb	1915	1804	51.49
1644	2nd	-title-only -journal -silence -noise -highpassboost -aggr -cheb	1915	1804	51.49
1645	2nd	-title-only -journal -bandstop -lpc -diff	1915	1804	51.49
1646	2nd	-title-only -journal -noise -boost -fft -mink	1915	1804	51.49
1647	2nd	-title-only -journal -silence -noise -highpassboost -fft -hamming	1915	1804	51.49
1648	2nd	-title-only -journal -boost -aggr -cos	1915	1804	51.49
1649	2nd	-title-only -journal -boost -minmax -cheb	1915	1804	51.49

Table 682: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 34.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1650	2nd	-title-only -journal -silence -noise -boost -aggr -cheb	1915	1804	51.49
1651	2nd	-title-only -journal -silence -noise -endp -lpc -hamming	1915	1804	51.49
1652	2nd	-title-only -journal -silence -noise -endp -lpc -diff	1915	1804	51.49
1653	2nd	-title-only -journal -silence -high -lpc -cos	1915	1804	51.49
1654	2nd	-title-only -journal -band -lpc -diff	1915	1804	51.49
1655	2nd	-title-only -journal -noise -raw -lpc -eucl	1915	1804	51.49
1656	2nd	-title-only -journal -noise -boost -aggr -hamming	1915	1804	51.49
1657	2nd	-title-only -journal -highpassboost -minmax -cos	1915	1804	51.49
1658	2nd	-title-only -journal -silence -highpassboost -lpc -eucl	1915	1804	51.49
1659	2nd	-title-only -journal -silence -endp -minmax -hamming	1966	1753	52.86
1660	2nd	-title-only -journal -endp -minmax -hamming	1966	1753	52.86
1661	2nd	-title-only -journal -silence -noise -endp -minmax -hamming	1934	1785	52.00
1662	2nd	-title-only -journal -noise -endp -minmax -hamming	1930	1789	51.90
1663	2nd	-title-only -journal -silence -noise -low -minmax -hamming	1885	1834	50.69
1664	2nd	-title-only -journal -noise -low -minmax -hamming	1863	1856	50.09
1665	2nd	-title-only -journal -silence -bandstop -minmax -hamming	1959	1760	52.68
1666	2nd	-title-only -journal -bandstop -minmax -hamming	1945	1774	52.30
1667	2nd	-title-only -journal -silence -noise -raw -aggr -hamming	1874	1845	50.39
1668	2nd	-title-only -journal -raw -aggr -hamming	1874	1845	50.39
1669	2nd	-title-only -journal -raw -fft -hamming	1874	1845	50.39
1670	2nd	-title-only -journal -noise -raw -fft -hamming	1874	1845	50.39
1671	2nd	-title-only -journal -silence -raw -aggr -hamming	1874	1845	50.39
1672	2nd	-title-only -journal -noise -raw -aggr -hamming	1874	1845	50.39
1673	2nd	-title-only -journal -silence -raw -fft -hamming	1874	1845	50.39
1674	2nd	-title-only -journal -silence -noise -raw -fft -hamming	1874	1845	50.39
1675	2nd	-title-only -journal -noise -endp -fft -hamming	1896	1823	50.98
1676	2nd	-title-only -journal -noise -endp -aggr -hamming	1896	1823	50.98
1677	2nd	-title-only -journal -silence -noise -bandstop -minmax -hamming	1918	1801	51.57
1678	2nd	-title-only -journal -silence -noise -endp -aggr -hamming	1889	1830	50.79
1679	2nd	-title-only -journal -silence -noise -endp -fft -hamming	1889	1830	50.79
1680	2nd	-title-only -journal -noise -bandstop -minmax -hamming	1921	1798	51.65

Table 683: Consolidated results (piste2-result1-marf-title-only-journal-only-stats), Part 35.

Run #	Guess	Configuration	GOOD	BAD	Precision,%
1	1st	La Presse	463261	389339	54.34
2	1st	Le Monde	294716	461284	38.98
3	1st	L'Est Republicain	231266	464254	33.25
4	1st	Le Devoir	140912	678928	17.19
5	2nd	La Presse	703534	149066	82.52
6	2nd	Le Monde	630459	125541	83.39
7	2nd	L'Est Republicain	246899	448621	35.50
8	2nd	Le Devoir	346421	473419	42.25

References

[1] Eclipse contributors et al. Eclipse Platform. eclipse.org, 2000–2010. `http://www.eclipse.org`, last viewed February 2010.

[2] Dominic Forest, Cyril Grouin, Lyne Da Sylva, and DEFT. Campagne DÉfi Fouille de Textes (DEFT) 2010. [online], `http://www.groupes.polymtl.ca/taln2010/deft.php`, May 2010.

[3] Cyril Grouin. Corpus d'archives de presse (1800–1944). [online], 2010. Source: Gallica, BNF, `http://gallica.bnf.fr/`.

[4] Cyril Grouin. Corpus presse francophone (1999, 2002, 2003) de *La Presse*, la campagne DEFT2010. [online], 2010. Source: CEDROM-SNi, `http://www.cedrom-sni.com/`.

[5] Cyril Grouin. Corpus presse francophone (1999, 2002, 2003) de *Le Devoir*, la campagne DEFT2010. [online], 2010. Source: CEDROM-SNi, `http://www.cedrom-sni.com/`.

[6] Cyril Grouin. Corpus presse francophone (1999, 2002, 2003) de *Le Monde*, la campagne DEFT2010. [online], 2010. Source: ELDA, `http://www.elda.org/`.

[7] Cyril Grouin. Corpus presse francophone (1999, 2002, 2003) de *L'Est Républicain*, la campagne DEFT2010. [online], 2010. Source: CNRTL, ATILF (CNRS), `http://www.cnrtl.fr/corpus/estrepublicain/`.

[8] Serguei Mokhov, Ian Clement, Stephen Sinclair, and Dimitrios Nicolacopoulos. Modular Audio Recognition Framework. Department of Computer Science and Software Engineering, Concordia University, Montreal, Canada, 2002–2003. Project report, `http://marf.sf.net`, last viewed April 2010.

[9] Serguei A. Mokhov. Choosing best algorithm combinations for speech processing tasks in machine learning using MARF. In Sabine Bergler, editor, *Proceedings of the 21st Canadian AI'08*, pages 216–221, Windsor, Ontario, Canada, May 2008. Springer-Verlag, Berlin Heidelberg. LNAI 5032.

[10] Serguei A. Mokhov. Experimental results and statistics in the implementation of the modular audio recognition framework's API for text-independent speaker identification. In C. Dale Zinn, Hsing-Wei Chu, Michael Savoie, Jose Ferrer, and Ante Munitic, editors, *Proceedings of the 6th International Conference on Computing, Communications and Control Technologies (CCCT'08)*, volume II, pages 267–272, Orlando, Florida, USA, June 2008. IIIS.

[11] Serguei A. Mokhov. Study of best algorithm combinations for speech processing tasks in machine learning using median vs. mean clusters in MARF. In Bipin C. Desai, editor, *Proceedings of C3S2E'08*, pages 29–43, Montreal, Quebec, Canada, May 2008. ACM. ISBN 978-1-60558-101-9.

[12] Serguei A. Mokhov. WriterIdentApp – Writer Identification Application. Unpublished, 2008–2010.

[13] Serguei A. Mokhov. Cryptolysis: A Framework for Verification of Optimization Heuristics for the Automated Cryptanalysis of Classical Ciphers and Natural Language Word Segmentation. In *Proceedings of SERA 2010*, pages 295–302. IEEE Computer Society, May 2010.

[14] Serguei A. Mokhov. Evolution of MARF and its NLP framework. In *Proceedings of C3S2E'10*, pages 118–122. ACM, May 2010.

[15] Serguei A. Mokhov. L'approche MARF à DEFT 2010: A MARF approach to DEFT 2010. In *Proceedings of TALN'10*, July 2010. To appear in DEFT 2010 System competition at TALN 2010.

[16] Serguei A. Mokhov and Mourad Debbabi. File type analysis using signal processing techniques and machine learning vs. `file` unix utility for forensic analysis. In Oliver Goebel, Sandra Frings, Detlef Guenther, Jens Nedon, and Dirk Schadt, editors, *Proceedings of the IT Incident Management and IT Forensics (IMF'08)*, pages 73–85, Mannheim, Germany, September 2008. GI. LNI140.

[17] Serguei A. Mokhov, Stephen Sinclair, Ian Clement, Dimitrios Nicolacopoulos, and the MARF Research & Development Group. SpeakerIdentApp – Text-Independent Speaker Identification Application. Published electronically within the MARF project, `http://marf.sf.net`, 2002–2010. Last viewed February 2010.

[18] Serguei A. Mokhov, Miao Song, and Ching Y. Suen. Writer identification using inexpensive signal processing techniques. In Tarek Sobh and Khaled Elleithy, editors, *Innovations in Computing Sciences and Software Engineering; Proceedings of CISSE'09*, pages 437–441. Springer, December 2009. ISBN: 978-90-481-9111-6, online at: `http://arxiv.org/abs/0912.5502`.

[19] Serguei A. Mokhov and the MARF Research & Development Group. LangIdentApp – Language Identification Application. Published electronically within the MARF project, `http://marf.sf.net`, 2003–2010. Last viewed February 2010.

[20] Serguei A. Mokhov and the MARF Research & Development Group. ZipfLawApp – Zipf's Law NLP Testing Application. Published electronically within the MARF project, `http://marf.sf.net`, 2003–2010. Last viewed February 2010.

[21] Serguei A. Mokhov and Emil Vassev. Leveraging MARF for the simulation of the securing maritime borders intelligent systems challenge. In *Proceedings of the Huntsville Simulation Conference (HSC'09)*. SCS, October 2009. To appear.

[22] Richard Stallman, Roland McGrath, Paul Smith, and the GNU Project. GNU Make. Free Software Foundation, Inc., [online], 1997–2006. `http://www.gnu.org/software/make/`.

[23] The MARF Research and Development Group. The Modular Audio Recognition Framework and its Applications. [online], 2002–2010. `http://marf.sf.net` and `http://arxiv.org/abs/0905.1235`, last viewed April 2010.

[24] Pascal Vaillant, Richard Nock, and Claudia Henry. Analyse spectrale des textes: détection automatique des frontières de langue et de discours. In *Verbum ex machina: Actes de la 13eme conference annuelle sur le Traitement Automatique des Langues Naturelles (TALN 2006)*, pages 619–629, April 2006. Online at `http://arxiv.org/abs/0810.1212`.

[25] Various Contributors. Cygwin = Cygnus + Win32 – a Linux emulation layer in Windows. cygwin.com, 2008.

Index

API
    DEFT2010App, 17, 18
    LangIdentApp, 17
    SpeakerIdentApp, 17
    WriterIdentApp, 17

DEFT2010App Application, 18
    Options, 18
    Requirements, 18

Frameworks
    MARF, 1, 17, 18

Libraries
    MARF, 1, 17, 18

MARF, 1, 17, 18

Results, 20
    Piste 1, 20
    Piste 2, 111
    testing data for text-only processing, 113
    testing data for title+text processing, 271
    testing data for title-only processing, 415
    Track 1, 20
    Track 2, 111
    training data for text-only processing, 168
    training data for title+text processing, 326
    training data for title-only processing, 470

Tools
    make, 18
    tchs, 18